

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
Mollusk: Bivalvia (Mussels)					
Alasmidonta viridis	slippershell mussel		SSC	G4G5	S3
Euryenia dilatata	spike		SSC	G5	S4
Plethobasus cyphyus	sheepnose	E	SE	G2G3	S1
Villosa iris	rainbow		SSC	GNR	S3
Insect: Coleoptera (Beetles)					
Nicrophorus americanus	American Burying Beetle	E	SX	G3	SX
Insect: Diptera					
Mydas tibialis	Golden Legged Mydas Fly		ST	GNR	S1S2
Insect: Homoptera					
Bruchomorpha dorsata	dorsal-striped elephant hopper		SR	GNR	S2
Bruchomorpha oculata	eyed elephant hopper		SR	GNR	SNR
Chlorotettix fallax	Deceptive Chlorotettix		SR	GNR	S1S2
Cosmotettix bilineatus	Leafhopper		SR	GNR	S1S2
Flexamia pyrops	Two-lined cosmotettix		ST	GNR	S1
Flexamia reflexus	The Long-nose Three-awn		SR	GNR	S1S2
Graminella mohri	Leafhopper		SE	GNR	S1
Mesamia straminea	Indiangrass Flexamia		SE	GNR	S1
Philaenarcys killa	Mohr's Switchgrass Leafhopper		SE	GNR	S2S3
Polyamia caperata	Helianthus Leafhopper		SR	GNR	S2
Polyamia herbida	Great Lakes dune spittlebug		SR	GNR	S2
Prairiana kansana	Little Bluestem Polyamia		ST	GNR	S2
Prosapia ignipennis	The Prairie Panic Grass		SE	GNR	S1
	Leafhopper		SE	GNR	S1
	The Kansas Prairie Leafhopper		SR	G4	S2
Insect: Lepidoptera (Butterflies & Moths)					
Aethes patricia	Patricia's Cochylid moth		ST	G3G4	S2S3
Agrotis stigmosa	Spotted Dart Moth		ST	G4	S1S2
Ancylis semiovana	New Jersey tea leaf-tier		SR	GNR	S2S3
Apamea burgessi	Burgess' Apamea		ST	G4	S1
Apamea indocilis	spastic apamea		ST	G5	S1S3
Apamea lutosa	opalescent apamea		SE	G4	S1
Apamea nigror	black-dashed apamea		ST	G5	S2
Apamea relicina	relic dune apamea		SE	G4	S1
Atrytonopsis hianna	Dusted Skipper		SR	G4G5	S2S3
Boloria myrina myrina	Myrina Fritillary		SR	G5?T5	S2S3
Boloria myrina nebraskensis	Nebraska fritillary		SE	G5?T3T4	S1S2
Callophrys irus	Frosted Elfin	C	SE	G3	S1S2
Callophrys polios	Hoary Elfin		SE	G5	S1

Indiana Natural Heritage Data Center

Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;
 SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Capis curvata</i>	curved halter moth		ST	G5	S3S4
<i>Caradrina meralis</i>	rare sand Quaker		ST	G5	S2
<i>Caradrina multifera</i>	dune rustic		ST	GNR	S1S2
<i>Carectocultus perstrialis</i>	reed-boring crambid		SR	GNR	S1
<i>Catocala gracilis</i>	graceful underwing		SR	G5	S2S3
<i>Catocala paeclaris</i>	Paeclaris underwing		SR	G5	S3S4
<i>Chrysanthympha formosa</i>	huckleberry looper		ST	G5	S1S2
<i>Coenochroa bipunctella</i>	sand dune panic grass moth		SR	GNR	S2S3
<i>Coenochroa illibella</i>	dune panic grass moth		SR	GNR	S2S3
<i>Crambus bidens</i>	forked grass-veneer moth		SR	GNR	S2S3
<i>Crambus girardellus</i>	orange-striped sedge moth		SR	GNR	S2S3
<i>Cycnia collaris</i>	unexpected tiger moth		ST	G4	S2S3
<i>Dargida rubripennis</i>	buff-edge Quaker		ST	G3G4	S1S2
<i>Dichagyris acclivis</i>	buff-edge Quaker		ST	G4G5	S2
<i>Digrammia eremita</i>	Goat's rue looper		SR	G4	S2S3
<i>Erynnis persius persius</i>	Persius Duskywing		SE	G5T1T3	S1
<i>Eubaphe meridiana</i>	little beggar moth		SR	G4	S2
<i>Euchloe olympia</i>	Olympia Marble		SR	G5	S2S3
<i>Euoptocnemis fimbriaris</i>	fringed dart		ST	G4	S2
<i>Eucosma ornatula</i>	ornate eucosma		SR	GNR	S2
<i>Euphyes bimacula</i>	Two-spotted Skipper		ST	G4	S1S2
<i>Euxoa albipennis</i>	white-striped dart		SE	G4G5	S1S2
<i>Euxoa aurulenta</i>	dune cutworm		SE	G5	S1
<i>Fagitana littera</i>	marsh fern moth		ST	G4	S1S2
<i>Feltia manifesta</i>	record keeper		SR	G4	S3S4
<i>Grammia anna</i>	Anna's tiger moth		SR	G4	S3S4
<i>Grammia figurata</i>	figured grammia		SR	G5	S3
<i>Grammia virguncula</i>	little virgin tiger moth		SR	G5	S1S2
<i>Hadena capsularis</i>	starry campion capsule moth		SR	G5	S2
<i>Hadena ectypa</i>	starry campion moth		ST	G3G4	S1S2
<i>Hemaris gracilis</i>	blueberry clearwing sphinx		ST	G3G4	S1S2
<i>Hesperia leonardus</i>	Leonard's Skipper		SR	G4	S2S3
<i>Lethe appalachia leeuwi</i>	Appalachian Eyed Brown		ST	G5T4	S2
<i>Lethe eurydice fumosus</i>	Smoky-eyed Brown		SE	G5T3T4	S1
<i>Leucania amygdalina</i>	salt marsh wainscot		SR	GNR	S2
<i>Leucania inermis</i>	unarmed wainscot		ST	G5	S2
<i>Lycaeides melissa samuelis</i>	Karner Blue	E	SX	G1G2	SX
<i>Lycaena heliooides</i>	Purplish Copper		SR	G5	S2S3
<i>Macalla zelleri</i>	Zeller's epipaschia		SR	GNR	S4
<i>Macrochilo louisiana</i>	Louisiana macrochilo		SR	G4	S3S4

Indiana Natural Heritage Data Center

Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;
 SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Melanchra assimilis</i>	black arches		SE	G5	S1S2
<i>Meropleon ambifusca</i>	Newman's brocade		ST	G4G5	S2
<i>Meropleon diversicolor</i>	multicolored brocade		ST	G5	S2
<i>Nola cilicoides</i>	blurry-patched nola moth		SR	G5	S3
<i>Nola pustulata</i>	sharp-blotched nola		SR	G4	S3
<i>Odontosia elegans</i>	elegant prominent		SR	G5	S2S3
<i>Oligia obtusa</i>	obtuse sedge borer		SE	G4	S1
<i>Paectes abrostolella</i>	barrens paectes		ST	G4	S2
<i>Papaipema cerina</i>	golden borer moth		ST	G3	S1
<i>Papaipema leucostigma</i>	columbine borer moth		ST	G4G5	S1S2
<i>Papaipema lysimachiae</i>	St. John's wort borer moth		ST	G4G5	S2
<i>Papaipema maritima</i>	giant sunflower borer moth		ST	G3?	S2S3
<i>Papaipema silphii</i>	Silphium Borer Moth		ST	G3G4	S2
<i>Papaipema speciosissima</i>	royal fern borer moth		ST	G3G4	S3S4
<i>Parasa indetermina</i>	stinging rose caterpillar moth		SR	G4	S3S4
<i>Peoria gemmatella</i>	gemmed cordgrass borer		ST	GNR	S2S3
<i>Peoria tetradella</i>	four-spotted peoria		SR	GNR	S2
<i>Phaneta striatana</i>	striated phaneta moth		SR	G5	S4
<i>Photedes enervata</i>	many-lined photedes		SE	G4	S1
<i>Photedes inops</i>	helpless photedes		ST	G3G4	S1S2
<i>Poanes viator viator</i>	Big Broad-winged Skipper		ST	G5T4	S2
<i>Polygonia progne</i>	gray comma		SR	G5	S2S3
<i>Problema byssus</i>	Bunchgrass Skipper		ST	G4	S1S2
<i>Protorthodes incincta</i>	Saturn quaker		SR	GNR	S2
<i>Pygarctia spraguei</i>	Sprague's pygartic		ST	G5	S1S2
<i>Pyla arenaeola</i>	Wilterding's sand pyla		SE	GNR	S1
<i>Pyrausta laticlavia</i>	southern purple mint moth		SR	GNR	S2S3
<i>Resapamea stipata</i>	four-lined cordgrass borer		SE	G4	S1S2
<i>Schinia indiana</i>	phlox flower moth		SE	G2G4	S1
<i>Schinia septentrionalis</i>	northern flower moth		ST	G3G4	S2
<i>Sciota dammersi</i>	leadplant webworm		SE	GNR	S1
<i>Sitochroa dasconalis</i>	pearly wild indigo borer		ST	GNR	S1S2
<i>Sphinx luscitiosa</i>	luscious willow sphinx		ST	G5	S1S2
<i>Tampa dimediatella</i>	red-striped panic grass moth		ST	GNR	S2
<i>Tricholita notata</i>	noted sunflower moth		ST	G5	S1S2
<i>Virbia opella</i>	tawny virbia		SR	G5	S3S4
<i>Zomaria interruptolineana</i>	broken-lined zomaria		SR	GNR	S4
Insect: Odonata (Dragonflies & Damselflies)					
<i>Rhionaeschna mutata</i>	Spatterdock Darner		ST	G4	S2S3
<i>Sympetrum semicinctum</i>	Band-winged Meadowhawk		SR	G5	S2S3

Indiana Natural Heritage Data Center

Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;
 SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
Insect: Orthoptera					
<i>Chloeaaltis conspersa</i>	Sprinkled Locust	SR	G5	S2S3	
<i>Conocephalus saltans</i>	Prairie Meadow Katydid	SR	G5	S1S2	
<i>Hesperotettix viridis pratensis</i>	snakeweed grasshopper	ST	G5T5	S1S2	
<i>Melanoplus viridipes viridipes</i>	green-legged spur-throat grasshopper	SR	G4	S2	
<i>Neoconocephalus exiliscanorus</i>	Slightly Musical Conehead	SR	GNR	SNR	
<i>Neoconocephalus nebrascensis</i>	Nebraska Conehead	SR	GNR	S1S2	
<i>Orphulella pelidna</i>	Spotted-wing Grasshopper	SE	G5	S1	
<i>Pseudopomala brachyptera</i>	Bunch Grass Locust	ST	G5	S1	
<i>Psinidia fenestralis</i>	Sand Locust	SR	G5	S2	
<i>Trimerotropis maritima</i>	Seaside Grasshopper	ST	G5	S1S2	
Arachnida					
<i>Emblyna evicta</i>	a meshweaver spider	SE	GNR	S1	
<i>Mimetus nelsoni</i>	Nelson's pirate spider	SE	GNR	S1	
<i>Scironis tarsalis</i>	Tarsal sheet-web weaver	SE	G5	S1	
Fish					
<i>Acipenser fulvescens</i>	Lake Sturgeon	SE	G3G4	S1	
<i>Rhinichthys cataractae</i>	Longnose Dace	SSC	G5	S2	
Amphibian					
<i>Ambystoma laterale</i>	blue-spotted salamander	SSC	G5	S2	
<i>Hemidactylum scutatum</i>	four-toed salamander	SSC	G5	S3	
<i>Necturus maculosus</i>	common mudpuppy	SSC	G5	S3	
Reptile					
<i>Clemmys guttata</i>	spotted turtle	C	SE	G5	S2
<i>Clonophis kirtlandii</i>	Kirtland's snake		SE	G2	S3
<i>Emydoidea blandingii</i>	Blanding's turtle	C	SE	G4	S2
<i>Kinosternon subrubrum subrubrum</i>	eastern mud turtle		SE	G5T5	S1
<i>Opheodrys vernalis</i>	smooth green snake		SE	G5	S2
<i>Sistrurus catenatus</i>	eastern massasauga	T	SE	G3	S2
<i>Terrapene carolina carolina</i>	woodland box turtle		SSC	G5T5	S3
<i>Thamnophis butleri</i>	Butler's garter snake		SE	G4	S1
<i>Thamnophis proximus proximus</i>	western ribbon snake		SSC	G5T5	S3
Bird					
<i>Ardea alba</i>	Great Egret		SSC	G5	S1B
<i>Asio otus</i>	long-eared owl		SSC	G5	S2
<i>Bartramia longicauda</i>	Upland Sandpiper		SE	G5	S3B
<i>Botaurus lentiginosus</i>	American Bittern		SE	G5	S2B
<i>Buteo platypterus</i>	Broad-winged Hawk		SSC	G5	S3B

Indiana Natural Heritage Data Center
Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;

SX = state extirpated; SG = state significant

GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank

SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Centronyx henslowii</i>	Henslow's sparrow		SE	G4	S3B
<i>Circus hudsonius</i>	Northern Harrier		SE	G5	S2
<i>Cistothorus palustris</i>	marsh wren		SE	G5	S3B
<i>Cistothorus platensis</i>	sedge wren		SE	G5	S3B
<i>Dendroica virens</i>	Black-throated Green Warbler			G5	S2B
<i>Empidonax alnorum</i>	Alder Flycatcher			G5	S2B
<i>Falco peregrinus</i>	Peregrine Falcon		SSC	G4	S2B
<i>Gallinula galeata</i>	Common gallinule		SE	G5	S3B
<i>Haliaeetus leucocephalus</i>	bald eagle			G5	S3
<i>Ixobrychus exilis</i>	Least Bittern		SE	G3G4	S3B
<i>Lanius ludovicianus</i>	loggerhead shrike		SE	G4	S2B
<i>Mniotilla varia</i>	Black-and-white Warbler		SSC	G5	S1S2B
<i>Nycticorax nycticorax</i>	Black-crowned Night-heron		SE	G5	S1B
<i>Rallus elegans</i>	King Rail		SE	G4	S1B
<i>Rallus limicola</i>	Virginia Rail		SE	G5	S3B
<i>Setophaga cerulea</i>	Cerulean Warbler		SE	G4	S3B
<i>Setophaga citrina</i>	Hooded Warbler		SSC	G5	S3B
<i>Sturnella neglecta</i>	Western Meadowlark		SSC	G5	S2B
<i>Vermivora chrysoptera</i>	Golden-winged Warbler	C	SE	G4	S1B
<i>Wilsonia canadensis</i>	Canada Warbler			G5	S2B
Mammal					
<i>Lasiurus borealis</i>	red bat		SSC	G3G4	S4
<i>Lasiurus cinereus</i>	hoary bat		SSC	G3G4	S4
<i>Mustela nivalis</i>	least weasel		SSC	G5	S2?
<i>Myotis lucifugus</i>	little brown myotis	C	SE	G3G4	S2
<i>Myotis septentrionalis</i>	northern long-eared myotis	E	SE	G2G3	S2S3
<i>Myotis sodalis</i>	Indiana myotis	E	SE	G2	S1
<i>Perimyotis subflavus</i>	tri-colored bat		SE	G3G4	S2S3
<i>Poliocitellus franklinii</i>	Franklin's ground squirrel		SE	G5	S2
<i>Taxidea taxus</i>	badger		SSC	G5	S2
Vascular Plant					
<i>Actaea rubra</i> ssp. <i>rubra</i>	red baneberry		SE	G5T5	S1?
<i>Amelanchier humilis</i>	running serviceberry		SE	G5	S1
<i>Aralia hispida</i>	bristly sarsaparilla		SE	G5	S1
<i>Arctostaphylos uva-ursi</i>	bearberry		ST	G5	S3
<i>Aristida tuberculosa</i>	seabeach needlegrass		ST	G4	S3
<i>Bidens beckii</i>	Beck's water-marigold		SE	G5	S1
<i>Botrychium matricariifolium</i>	chamomile grape-fern		ST	G5	S3
<i>Botrychium simplex</i>	least grape-fern		SE	G5	S1
<i>Brachelytrum aristosum</i>	northern shorthusk		SE	G5	S1

Indiana Natural Heritage Data Center

Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;
 SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List



Indiana Department
of Natural Resources

County: Porter

Species Name	Common Name	FED	STATE	GRANK	SRANK
Buchnera americana	bluehearts		SE	G5?	S1
Carex alopecoidea	foxtail sedge		SE	G5	S1
Carex atherodes	awned sedge		SE	G5	S2S3
Carex atlantica ssp. atlantica	Atlantic sedge		SE	G5T5	S2
Carex atlantica ssp. capillacea	Howe's sedge		SE	G5T5?	S1
Carex aurea	golden-fruited sedge		ST	G5	S3
Carex brunnescens	brownish sedge		ST	G5	S2
Carex castanea	chestnut colored sedge		SE	G5	S1
Carex conoidea	prairie gray sedge		ST	G5	S2
Carex eburnea	ebony sedge		ST	G5	S3
Carex echinata ssp. echinata	little prickly sedge		SE	G5T5	S1
Carex flava	yellow sedge		ST	G5	S2
Carex folliculata	long sedge		ST	G5	S3
Carex garberi	elk sedge		SE	G5	S1
Carex leptonervia	finely-nerved sedge		SE	G5	S1
Carex limosa	mud sedge		SE	G5	S1
Carex projecta	necklace sedge		SE	G5	SU
Carex seorsa	weak stellate sedge		ST	G5	S3
Chimaphila umbellata ssp. cisatlantica	pipsissewa		SE	G5T5	S1
Chrysosplenium americanum	American golden-saxifrage		ST	G5	S2
Circaea alpina	small enchanter's nightshade		SX	G5	SX
Cirsium hillii	Hill's thistle		SE	G3	S1
Cirsium pitcheri	dune thistle	T	SE	G3	S1
Clintonia borealis	Clinton's lily		SE	G5	S1
Cornus amomum ssp. amomum	silky dogwood		SE	G5	S1
Cornus canadensis	bunchberry		SE	G5	S1
Cornus rugosa	roundleaf dogwood		ST	G5	S3
Cyperus houghtonii	Houghton's nutsedge		SE	G4?	S2
Cypripedium acaule	pink lady's-slipper		SE	G5	S1
Cypripedium candidum	small white lady's-slipper		ST	G4	S3
Cypripedium parviflorum var. makasin	small yellow lady's-slipper		ST	G5T4T5	S3
Dactylorhiza viridis	long-bract green orchid		SE	G5	S1
Dianthonia compressa	flattened oatgrass		SE	G5	SU
Dendrolycopodium hickeyi	Hickey's clubmoss		ST	G5	S3
Dichanthelium boreale	northern witchgrass		ST	G5	S3
Dichanthelium commonsianum	Commons' panic-grass		SE	GNR	SU
Dichanthelium leibergii	Leiberg's witchgrass		ST	G4	S2
Dichanthelium lucidum	shining panic-grass		SE	G4	S1
Dichanthelium mattamuskeetense	panic-grass		SX	G4?	SX
Didiplis diandra	water-purslane		SE	G3G4	S1

Indiana Natural Heritage Data Center

Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;
 SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
Diphasiastrum tristachyum	deep-root clubmoss	ST	G5	S2	
Drosera intermedia	spoon-leaved sundew	ST	G5	S3	
Dryopteris clintoniana	Clinton's woodfern	SE	G5	S1	
Eleocharis atropurpurea	purple spikerush	SE	G4G5	S1	
Eleocharis geniculata	capitate spike-rush	ST	G5	S2	
Eleocharis melanocarpa	black-fruited spike-rush	ST	G4	S2	
Eleocharis microcarpa	small-fruited spike-rush	SE	G5	S1	
Eleocharis robbinsii	Robbins' spike-rush	ST	G4G5	S2	
Epigaea repens	trailing arbutus	ST	G5	S3	
Eriocaulon aquaticum	pipewort	SE	G5	S1	
Eriophorum angustifolium ssp. angustifolium	narrow-leaved cotton-grass	ST	G5T5	S3	
Euphorbia polygonifolia	seaside spurge	ST	G5?	S2	
Eurybia furcata	forked aster	ST	G3	S3	
Fimbristylis puberula	Carolina fimbry	SE	G5	S1	
Fuirena pumila	dwarf umbrella-sedge	ST	G4	S2	
Galium labradoricum	bog bedstraw	ST	G5	S2	
Gentiana alba	yellow gentian	ST	G4	S3	
Gentiana puberulenta	downy gentian	SE	G4G5	S1	
Geranium bicknellii	Bicknell's northern cranesbill	SE	G5	S1	
Glyceria grandis	American manna-grass	SE	G5	S1	
Hudsonia tomentosa	sand-heather	ST	G5	S2	
Hypericum adpressum	creeping St. John's-wort	ST	G3	S2	
Hypericum pyramidatum	great St. John's-wort	ST	G4T4	S2	
Hypericum swinkianum	Swink's St. John's-wort	SE	GNR	SU	
Juglans cinerea	butternut	ST	G3	S2	
Juncus articulatus	jointed rush	ST	G5	S1	
Juncus militaris	bayonet rush	SE	G5	S1	
Juncus pelocarpus	brown-fruited rush	SE	G5	S1	
Juncus scirpoides	scirpus-like rush	ST	G5	S2	
Juniperus communis var. depressa	ground juniper	ST	G5T5	S3	
Juniperus horizontalis	creeping juniper	SRE	G5	SX	
Lactuca hirsuta	hairy lettuce	ST	G5?	S2?	
Larix laricina	tamarack	ST	G5	S2	
Lathyrus japonicus	beach peavine	SE	G5	S1	
Lathyrus ochroleucus	pale vetchling peavine	SE	G5	S1	
Lathyrus venosus	smooth veiny pea	SE	G5	S1	
Lechea stricta	upright pinweed	SX	G3G4	SX	
Lemna minuta	least duckweed	SE	G4	S1	
Lemna valdiviana	pale duckweed	SE	G5	S1	
Linnaea borealis	twinflower	SX	G5	SX	

Indiana Natural Heritage Data Center

Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting

State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;

SX = state extirpated; SG = state significant

GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank

SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
<i>Lipocarpha drummondii</i>	Drummond's hemicarpha	SE	G4G5	S1	
<i>Ludwigia sphaerocarpa</i>	globe-fruited false-loosestrife	SE	G5	S1	
<i>Lycopodiella inundata</i>	northern bog clubmoss	SE	G5	S1	
<i>Lycopodiella subappressa</i>	northern appressed bog clubmoss	SE	G2	S1	
<i>Melampyrum lineare</i>	American cow-wheat	SE	G5	S1	
<i>Mikania scandens</i>	climbing hempweed	SE	G5	S1	
<i>Milium effusum</i>	tall millet-grass	ST	G5	S1	
<i>Minuartia michauxii</i> var. <i>michauxii</i>	Michaux's stitchwort	ST	G5T5	S2	
<i>Myosotis laxa</i>	smaller forget-me-not	ST	G5	S2	
<i>Myriophyllum pinnatum</i>	cutleaf water-milfoil	SE	G5	S1	
<i>Myriophyllum verticillatum</i>	whorled water-milfoil	ST	G5	S3	
<i>Najas gracillima</i>	thread-like naiad	ST	G5?	S3	
<i>Oligoneuron album</i>	prairie goldenrod	ST	G5	S3	
<i>Orobanche fasciculata</i>	clustered broomrape	SE	G4G5	S1	
<i>Orthilia secunda</i>	one-sided wintergreen	SX	G5	SX	
<i>Oryzopsis asperifolia</i>	white-grained mountain-ricegrass	SE	G5	S1	
<i>Panicum verrucosum</i>	warty panic-grass	ST	G4	S2	
<i>Patis racemosa</i>	black-fruit mountain-ricegrass	ST	G5	S3	
<i>Perideridia americana</i>	eastern euplophus	SE	G4	S1	
<i>Persicaria careyi</i>	Carey's smartweed	ST	G4	S2	
<i>Persicaria opelousana</i>	northeastern smartweed	ST	G5TNRQ	S2	
<i>Persicaria robustior</i>	stout smartweed	SE	G4G5	SU	
<i>Phemeranthus rugospermus</i>	prairie fame-flower	SE	G3G4	S1	
<i>Pinus banksiana</i>	jack pine	ST	G5	S3	
<i>Pinus strobus</i>	eastern white pine	ST	G5	S3	
<i>Piptatheropsis pungens</i>	slender mountain-ricegrass	SE	G5	S1	
<i>Piptochaetium avenaceum</i>	blackseed needlegrass	ST	G5	S3	
<i>Plantago cordata</i>	heart-leaved plantain	SE	G4	S1	
<i>Platanthera aquilonis</i>	leafy northern green orchid	ST	G5	S2	
<i>Platanthera ciliaris</i>	yellow-fringe orchid	SE	G5	S1	
<i>Platanthera hookeri</i>	Hooker's orchid	SX	G4	SX	
<i>Platanthera psycodes</i>	small purple-fringe orchid	ST	G5	S3	
<i>Poa paludigena</i>	bog bluegrass	ST	G3G4	S3	
<i>Polygala paucifolia</i>	gay-wing milkwort	SE	G5	S1	
<i>Polygonum articulatum</i>	eastern jointweed	ST	G5	S3	
<i>Populus balsamifera</i>	balsam poplar	SE	G5	S1	
<i>Potamogeton epihydrus</i>	Nuttall pondweed	SE	G5	S1	
<i>Potamogeton pulcher</i>	spotted pondweed	ST	G5	S2	
<i>Potamogeton richardsonii</i>	redheadgrass	ST	G5	S3	
<i>Potamogeton strictifolius</i>	straight-leaf pondweed	ST	G5	S2	

Indiana Natural Heritage Data Center

Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;
 SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Species Name	Common Name	FED	STATE	GRANK	SRANK
Potamogeton vaseyi	Vasey's pondweed	SE	G4	S1	
Potentilla anserina	silverweed	ST	G5	S2	
Prunus pensylvanica	fire cherry	ST	G5	S3	
Pyrola americana	American wintergreen	ST	G5	S2	
Rhexia mariana var. mariana	Maryland meadow beauty	ST	G5T5	S1	
Rhus aromatica var. arenaria	beach sumac	ST	G5T3Q	S3	
Rhynchospora fusca	brown beakrush	SX	G4G5	SX	
Rhynchospora macrostachya	tall beaked-rush	ST	G4	S3	
Rhynchospora nitens	short-beaked bald-rush	SE	G4?	S1	
Rhynchospora recognita	globe beaked-rush	SE	G5?	S1	
Rhynchospora scirpoides	long-beaked baldrush	ST	G4	S3	
Salix cordata	heartleaf willow	SE	G4	S1	
Sceptridium multifidum	leathery grape-fern	SX	G5	SX	
Schoenoplectiella hallii	Hall's bulrush	SE	G3	S1	
Schoenoplectiella purshiana	weakstalk bulrush	ST	G4G5	S3	
Schoenoplectiella smithii	Smith's Bulrush	ST	G5?	S2	
Schoenoplectus subterminalis	water bulrush	ST	G5	S3	
Schoenoplectus torreyi	Torrey's Bulrush	SE	G5?	S1	
Scirpus expansus	bulrush	SE	G4	S1	
Scleria reticularis	reticulated nutrush	ST	G4	S2	
Selaginella rupestris	ledge spike-moss	SE	G5	S1	
Sisyrinchium montanum	strict blue-eyed-grass	SE	G5	S1	
Solidago simplex var. gillmanii	sticky goldenrod	ST	G5T3?	S2	
Sorbus decora	northern mountain-ash	SX	G5	SX	
Sparganium androcladum	branching bur-reed	ST	G4G5	S2	
Spiranthes arcisepala	Appalachian ladies'-tresses	SE	GNR	S2	
Spiranthes lucida	shining ladies'-tresses	ST	G4	S3	
Spiranthes magnicamporum	Great Plains ladies'-tresses	ST	G3G4	S2S3	
Stuckenia filiformis ssp. occidentalis	slender pondweed	SE	G5T5	SU	
Styrax americanus	American snowbell	ST	G5	S3	
Symphyotrichum boreale	rushlike aster	ST	G5	S2	
Symphyotrichum sericeum	western silvery aster	ST	G5	S2	
Thalictrum pubescens	tall meadowrue	ST	G5	S3	
Thuja occidentalis	northern white cedar	SE	G5	S1	
Trillium cernuum var. macranthum	nodding trillium	SE	G5T4	S1	
Utricularia cornuta	horned bladderwort	SE	G5	S1	
Utricularia geminiscapa	hidden-fruited bladderwort	SE	G4G5	S1	
Utricularia minor	lesser bladderwort	ST	G5	S1	
Utricularia purpurea	purple bladderwort	ST	G5	S3	
Utricularia subulata	zigzag bladderwort	ST	G5	S2	

Indiana Natural Heritage Data Center
Division of Nature Preserves

Indiana Department of Natural Resources

This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern;
SX = state extirpated; SG = state significant

GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank

SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Porter



Indiana Department
of Natural Resources

Species Name	Common Name	FED	STATE	GRANK	SRANK
Vaccinium oxycoccus	small cranberry	ST	G5	S2	
Veratrum virginicum	Virginia bunchflower	SE	G5	S1	
Viburnum opulus var. americanum	highbush-cranberry	SE	G5T5	S1	
Viola primulifolia	primrose-leaf violet	ST	G5	S3	
Woodwardia areolata	netted chainfern	ST	G5	S3	
Xyris difformis	Carolina yellow-eyed grass	ST	G5	S2	
High Quality Natural Community					
Forest - floodplain wet-mesic	Wet-mesic Floodplain Forest	SG	G3?	S3	
Forest - upland dry Northwestern Morainal	Northwestern Morainal Dry Upland Forest	SG	GNR	S1	
Forest - upland dry-mesic Northwestern Morainal	Northwestern Morainal Dry-mesic Upland Forest	SG	GNR	S1	
Forest - upland mesic Northwestern Morainal	Northwestern Morainal Mesic Upland Forest	SG	GNR	S1	
Lake - lake	Lake	SG	GNR	S2	
Lake - pond	Pond	SG	GNR	SU	
Prairie - dry-mesic	Dry-mesic Prairie	SG	G3	S2	
Prairie - mesic	Mesic Prairie	SG	G2	S2	
Prairie - sand dry	Dry Sand Prairie	SG	G3	S2	
Prairie - sand dry-mesic	Dry-mesic Sand Prairie	SG	G3	S3	
Prairie - sand wet-mesic	Wet-mesic Sand Prairie	SG	G1?	S2	
Prairie - wet	Wet Prairie	SG	G3	S1	
Primary - dune lake	Foredune	SG	G3	S1	
Rhynchospora capitellata - Rhexia virginica - Rhynchospora scirpoidea - Schoenoplectiella hallii Marsh	Inland Coastal Plain Marsh	SG	G2?	S1	
Savanna - sand dry	Dry Sand Savanna	SG	G2?	S2	
Savanna - sand dry-mesic	Dry-mesic Sand Savanna	SG	G2?	S2S3	
Wetland - fen	Fen	SG	G3	S3	
Wetland - fen forested	Forested Fen	SG	G3	S1	
Wetland - marsh	Marsh	SG	GU	S4	
Wetland - meadow sedge	Sedge Meadow	SG	G3?	S1	
Wetland - panne	Panne	SG	G2	S1	
Wetland - swamp shrub	Shrub Swamp	SG	GU	S2	
Other Significant Feature					
Migratory Bird Concentration Area		SG	G3	SNR	
Piping Plover Critical Habitat Area	Piping Plover Critical Habitat Area		GNR	SNRB	
Raptor Winter Concentration Area		SG	GNR	SNR	