FINAL

United States Department of the Interior Heritage Conservation and Recreation Service

## National Register of Historic Places Inventory—Nomination Form

See instructions in *How to Complete National Register Forms*Type all entries—complete applicable sections

a diger and		a di	
For HCRS	use onl	y	
received			
date enter			

Type all entries	complete appli	cable se	ctions				
1. Nam	e						
historic Wash	nington County	Courth	nouse				
and/or common							
2. Loca	ation					K TELEVISION	
street & number	Public Squa	re			stal-sign of polici	not for publ	ication
city, town	Sa1em		vic	inity of	congressional district	Ninth	
state	Indiana	code	018	county	Washington	code	175
3. Clas	sificatio	n					
Category districtX building(s) structure site object	Ownership X public private both Public Acquisit in process being consider		Accessible X yes: res	pied progress	Present Use agriculture commercial educational entertainment government industrial military	museum park private r religious scientifi transpor	residence s c
4. Own	er of Pro	per	ty				
name	Washington C	ounty					
street & number	Washington C	ounty (	Courthouse				
city, town	Salem		vic	inity of	state	Indiana	
5. Loca	ation of L	.ega	l Desc	cription	on		
courthouse, regis	stry of deeds, etc.	Washi	ngton Cou	nty Cour	thouse		
street & number	lui J. You begins	Pub1i	c Square	25357 IS	r the ball, which i		
city, town		Salem	1		state	Indiana	a - Januarii
6. Rep	resentati	on i	n Exis	ting	Surveys		
title	None			has this pro	perty been determined e	legible? ye	s <u>X</u> no
date	To staying file		WE TO THE		federal sta	ate county	local
depository for su	rvey records						
city, town					state		

## 7. Description

Condition  excellent good	deteriorated	Check one unaltered	Check one X original site
fair	unexposed	altered	moved date

## Describe the present and original (if known) physical appearance

Situated in the center of the Salem Public Square, the Washington County Courthouse is an expression of the Richardsonian Romanesque style. The limestone for the building was quarried one mile southwest of Salem, cut on the site, and laid in a coursed ashlar facing over brick bearing walls. The building stands two stories above a raised basement level, with wall dorme lighting the third floor attic area below the decked, hipped roof.

All four sides of the rectangular building are essentially the same, with three main sections: a slightly projecting central pavilion with a gabled wall dormer, flanked by squarish corner sections with crenelated parapets.

The surface of the building is rock-faced from the ground level to the top. This is interrupted between the basement and first floor by a dressed stone water table. Above the first floor windows are shallow dentils below a dressed stone band course. The dentil motif is seen again above the second story windows at the cornice level, this time sandwiched between two narrower band courses. Above the cornice level, a crenelated parapet finishes the corner sections, whereas the central pavilions feature parapeted, gable wall dormers, flanked by paired piers with spherical finials.

All windows in the building are round-arched, with movable doublehung sash, with the exception of three round, fixed windows that appear above the second story windows in the corner section

The main entrance on the south elevation is expressed by a projecting arcaded porch, five bays wide. The round arches rest on short columns, with massive Corinthian capitals. The onestory porch terminates in a balustrade with spherical finials topping the piers. A smaller, three-bay version of this porch appears on the north elevation. There are no entrances on the east and west elevations.

The symmetry of the main (south) facade is broken by a five-story clock tower which stands just left of the main entrance. The elements of the tower conform to those of the rest of the building, from the ground up to the cornice line. Here, the dentil trim and dressed stone band courses of the cornice are surmounted by a square third story, which features a band of five narrow round-arched windows. A string course forms the archivolt, and continues around the tower. This first level of the tower culminates in a crenelated parapet, with corner piers topped by spherical finials.

The next level of the tower is octagonal, and features clock faces on four of its sides. Alternating sides feature oval windows. This level terminates in an engaged balustrade with shor round piers that have conical caps. The uppermost level of the clock tower is round, with an open arcade. Inside is the bell, which was recast after it was damaged by lightening in 1934. The entire clock tower ensemble is crowned by a steep conical roof.

The interior features broad corridors and high ceilings. Floors in the basement corridor and first floor lobby are of stone, and iron balusters grace the stairs. Each room contains a fire place and many of the original furnishings are still in use.

Clock faces are six feet in diameter. The clock mechanism, which survived the lightening damagin 1934, was built by E. Howard and Company, of Boston, and uses 350 pounds of crushed stone for its weights.

## 8. Significance

1400-1499 1500-1599 1600-1699 1700-1799 X 1800-1899	Areas of Significance—C archeology-prehistoric archeology-historic agriculture X architecture art commerce communications	community planning landscape architecture religion conservation law scient sculp economics literature sculp education military social	ce ture // nitarian er portation
Specific dates	1886-88	Builder/ArchitectMcDonald Bros., Louisville, Kentuc	cky

Statement of Significance (in one paragraph)

The Washington County Courthouse is architecturally significant as a well-preserved, fine example of the Richardsonian Romanesque style.

This style was used in several of the Indiana courthouses constructed about this time, among them the Blackford, Hancock, Starke, and Fulton County Courthouses. But the Washington County Courthouse appears to be the earliest among these, having been started during the life time of Richardson. The present courthouse was the third to be constructed on this site in the Public Square.

Since its construction nearly one hundred years ago, the Washington County Courthouse has served, continuously, as the center of political and governmental activity for Washington County.

		liographic					
igraphic, Ind iginal bluepm e Republican	c., 1967 rints of Co Leader, Sa	History of Was ourthouse, Steven alem newspaper a	ns Museum, Sa rticle; Salem	lem, Ind	i.		Community,
		Museum, Salem,					June 7, 192
		hical Data		01v 0 0'	2 2000		
Acreage of nom Quadrangle nar UMT References	me <u>Salem</u>	ty 200 x 200 feet	- approximat	ery 0.5	Quadrang	gle scale 1:	24,000
A 1 6 5 7 Zone East	7 <sub>1</sub> 8 3 <sub>1</sub> 0 <sub>1</sub> 0	4 <sub>1</sub> 2 <sub>1</sub> 7 <sub>1</sub> 3 <sub>1</sub> 7 <sub>1</sub> 8 <sub>1</sub> 5 Northing	B	ne East	ing	Northing	
C			D				
olic Square. is intersect Public Squa	An 80' w ted N. & S are, as inc	on and justification ide street circle by Hwy. 135, and dicated in the orestore for properties over	es the Square nd E. and W. riginal plat	, (as sl by Marke of Saler	nown in or et Street. n.	riginal plat This nomi	t of Salem).
state		code	county			code	
state		code	county	Serana	hary year	code	Sornel Trible
11. Fo	rm Pre	pared By					
name/title		f Commerce	on the most		100	1070	A sealler
organization		Betterment Comm	1ttee	date	June 22,		
street & number	R. 3, Broo	okside		telepho	ne 812/88	33-5166	
city or town	Salem			state	Indiana	47167	
12. Sta	ate His	toric Pres	ervatio	n Off	icer C	ertifica	ation
The evaluated si	ignificance of	this property within the	e state is:				1 idas 71
665), I hereby no	ominate this pre- criteria and p	ric Preservation Office roperty for inclusion in rocedures set forth by ficer signature	the National Reg	ister and c	ertify that it h	as been evalua	
For HCRS use	only	Preservation Of		ister	date	April 22,	1980
Keeper of the I	National Regis	ster .		e grand	date		
Attest:		All and the second			date		
Chief of Regist	ration						

