NPS Form 10- (3-82)				OMB No. 1024-0018 Exp. 10-31-84		
United Stat	es Department of k Service	the Interior	For	NPS use only		
National Register of Historic Places				received		
Invento	ry—Nomina	tion Form	dat	e entered		
See instruction Type all entries	s in How to Complete Na —complete applicable s	ational Register Forms ections				
1. Nam						
nistoric	Washington Cou	nty Jail and Sheri	ff's Residence	are de la serie de la serie En serie de la s		
ind/or common						
2. Loca	ation					
treet & number	106 South Main	Street	N/1	A not for publication		
tity, town	Salem	N <u>/A</u> vicinity of	dan	ped Stle Installe		
state	Indiana code	e 018 county	Washington	code 1 75		
3. Clas	sification					
Category district building(s) structure site object	Ownership Xpublic private both Public Acquisition in process being considered N/A	Status X occupied	Present Use agriculture commercial educational entertainment X government industrial military	museum park X private residence religious scientific transportation other:		
4. Own	er of Proper	ʻty				
name	Washington Cou	nty Commissioners	Nors, ¹ The Alignet			
treet & number	County Courtho	use, Public Square	and the relation of the ge	с завестна по снобо		
tity, town	Salem	N/A_ vicinity of	state	Indiana 47167		
5. Loca	tion of Lega	al Description	on	nan mangan katapan kana kana kana kana kana kana kana		
ourthouse, regis	stry of deeds, etc. Wash	ington County Recor	der's Office			
treet & number	ន ខេត្តចំណុច ខេត្តនេះ ។ វត្តន		chouse, Public Squar	°P		
ity, town	Saler		state	Indiana		
	esentation		e pre strant an taget est valuat establicat same care and a format match an taget as the second strant of the			
	N/A	na na kana na k	perty been determined eli	igible? yes X n		
itle	n data ki en a Na data ki na a		federal stat	a na wakate su n		
late	N/A	1		e county loca		
epository for su	rvey records N/A					
city, town			state			

-

7. Description

Condition

excellent	deteriorated		
X good	ruins		
fair	unexposed		

Check one unaltered X altered

Check one X original site moved date

Describe the present and original (if known) physical appearance

The Washington County Jail and Sheriff's Residence is located on the northeast corner of South Main Street and East Poplar Street, one block south of the Courthouse Square, and faces west.

The residence is in the French Second Empire style and is two and one-half stories tall. Main support walls are 12" thick. The west facade is three bays wide and is of dressed limestone. The sides and rear of the building are brick. The roof is a straight sloped mansard which has recently been covered with asphalt shingles on the lower slope, and metal roofing on the upper slope. A one and one-half story cell block is attached to the rear of the building and has outside walls of heavy stone 18 inches thick; floors and ceilings are made of very hard stone slabs 10 inches thick. The six cells in the cell block are clad with steel plates and have heavy iron lattice fronts. A prisoners' walk three feet wide around the cells is enclosed with heavy iron lattice extending from floor to ceiling. A 28 foot by 14 foot

The front steps leading to the residence are limestone. The original ornamental iron fence is intact. The front porch originally had wooden posts with arched supports at the top and ornamental iron side rails; however, these have been replaced with ornamental iron posts set on a low wall of decorative, cast stone blocks. There are two entrances from front porch: the west entrance, which consists of a set of double, paneled doors, with a rectangular transom in a segmental-arch opening; and a south-facing door, a single door with a rectangular transom.

office addition, built in 1974, is located south and east of the cellblock .

Windows on the main facade are recessed in deep stone frames. Windows on the first story of the projecting northern section of the facade are paired, with segmental-arch openings and frames, flat-headed surrounds with a simple cornice, and bracketed sides. Windows above these are the same, except with round-arch heads and frames, with an archivolt that springs from a string course surrounding the building. On the remainder of the facade, first story windows have segmental-arch openings and frames, and second story windows have round-arch openings, frames and heads, but with simpler detailing than those previously described. All of these windows are double-hung with one light in each sash.

Windows in the west bay of the south side are paired with segmental-arch openings, frames and heads on the first story, and with round-arch openings, frames and heads on the second story. These are also double-hung with one light in each sash. Windows in the east bay are small and rectangular, and covered with iron lattice. Windows in the cell block are smaller, rectangular, and are covered with iron lattice or metal bars.

There are five chimneys, each with decorative brickwork. The roof has a dormer window above the north bay of the facade and one in the center of the south side. Both of these have flat openings and segmental-arch heads. There are smooth stone quoins set in the southwest and southeast corners of the building. A smooth stone water table surrounds the building just above the rough-cut stone, slightly raised (about two feet above ground level) foundation.

The 7'10" wide central hallway extends east and west the full length of the residence with a living room (originally an office) and a kitchen/dining room to the north, and a parlor and Sheriff's office (originally one of the cells) to the south. In the kitchen there is a doorway to the outside on the north. Also, there is a 12 inch by 20 inch food service window with heavy iron door in the east wall of the kitchen through which meals

	NPS Form 10-900-a (3-82)	Exp 10-31-84
	United States Department of the Interior National Park Service	For NPS use only
	National Register of Historic Places	received
	Inventory-Nomination Form	date entered
(Washington County Jail Continuation sheet and Sheriff's Residence Item number 7	Page 1

OMB No 1024-0018

are served directly to the prisoners. A winding oak stairway with decorative scrollwork leads to the second floor which has two bedrooms, a large storage room, bathroom, one prisoner's cell (intended for women prisoners) and a large storage room in the attic extending over the cell block.

Ceilings in the residence are 11 feet four inches down and 10 feet eight inches up, and 8 feet five inches in the cell block. Walls in the residence are plastered, with the exception of the two cells winch have heavy metal plates on both the walls and ceilings. There are two metal mantels on the first floor in the two front rooms, and the heating system is steam heated with natural gas. Floors in the residence were originally oak hardwood floors, but now have asphalt tile or carpeting.

The 1974 office addition is connected by a long hallway alongside the south wall of the cell block. When the cell downstairs in the residence was turned into an office, a new doorway was made in the east wall to give access to the room adjacent to one of the cell block entrances. The original entrance to the cell block from the residence was through a heavy iron door at the end of the central hallway. The main entrance to the jail and office is now located on the south side of the building.

8. Significance

Period	Areas of Significance—C	community planninglandscape architectureconservationlaweconomicsliteratureeducationmilitaryengineeringmusicexploration settlementphilosophyindustryXpolitics government	religion
prehistoric	archeology-prehistoric		science
1400-1499	archeology-historic		sculpture
1500-1599	agriculture		social/
1600-1699	X architecture		humanitarian
1700-1799	art		theater
X1800-1899	commerce		transportation
1900-	communications		other (specify)
Specific dates	1881	Builder Architect Joseph Balsley	

Statement of Significance (in one paragraph)

The Washington County Jail and Sheriff's Residence is significant for its role in county government for over 100 years. The building has been in continuous use as a jail since its completion in 1881. It is also significant for its architecture. Designed by Joseph Balsley (1835-1912), it is similar to many late-19th century pattern book buildings, and is one of the better examples of Victorian-era architecture in Salem.

Balsley came to Indiana in 1858 from Pennsylvania where he was trained as a carpenter and stair builder. After serving in the Civil War, he settled in Seymour and worked as an architect, designing residences, churches, and commercial and public buildings.

His design for the Washington County Jail and Sheriff's Residence was chosen by the County Commissioners from a group of several submitted. Contractors hired were H. H. Routh,of Salem,for the woodwork, Alfred Shrum, of Salem, for the brick work, and Krumb and Melchoir, of New Albany, for the stone work.

The residence is in the French Second Empire style, with the mansard roof, round-arched windows and stone quoins being its most notable features. The jail was attached to what was regarded as a stylish residence for the Sheriff, a common practice for the period.

9. Major Biblic graphical References

Inland Architect and Builder, March, 1885, June, 1885, and April, 1886. Indianapolis News, obituary, May 3, 1912. Warder W. Stevens, Centennial History of Washington County, Indiana. Indianapolis, 1916

10. Ge	ographi	cal Data	antennen autorian en cancana et accanan et autorian de la seconda de la construction annan			
Acreage of nor	ninated property		na an in Randa ann an Anna an A	n San an a		
Quadrangle na UTM Reference				Quadrang	gle scale 1:24000	
Zone Eas C [E [G [Verbal bound Salem descri East 144', t	ting Nor	: Beginning a	t the corner of	S Main and D	Northing Northing	
	and counties for	properties over	lapping state or co	ounty boundaries	n a thuise a bima bag and na	
state N/A		code	county		code	
state		code	county		code	
organization	Chamber of Co	ommerce	nity Betterment da	te Septem	September 24, 1982	
treet & number	eet&number 201 North Main Street		tel	ephone 812/88	812/883-4303	
ity or town	Salem		sta			
he evaluated signs s the designated 65), I hereby nor ccording to the	nificance of this pr national d State Historic Pre- ninate this property	operty within the s state servation Officer for for inclusion in th tres set forth by th	itate is: _X_ local	ic Preservation Act	of 1966 (Public Law 89- s been evaluated	
	tate Historic		Officer	date	10-9-84	
For NPS use of I hereby cer	only tify that this proper	ty is included in the	e National Register			
				date		
Keeper of the	National Register					
Keeper of the Attest: Chief of Regis				date		

