

Retail Food Inspection Report

Floyd County Health Department
 Telephone (812) 948-4726

Establishment Name BOOMTOWN	Telephone Number Est 812- 590-1314 Own 812-786-9430	Date of Inspection 05/23/2023	ID#
Address 114 E. MAIN ST, NEW ALBANY IN 47150			
Owner MICHELLE COLLINS	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 05/06/2023	Released 05/23/2023
Owner's Address 112 ALTRA DR CLARKSVILLE, IN 47129		Menu Type 1 __ 2 __ 3 <input checked="" type="checkbox"/> 4 __ 5 __	
Person in Charge MICHELLE AND ANDREW COLLINS			
Responsible Person's Email			
Certified Food Handler JEN BARNES ANDREW COLLINS			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
 VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
187	X		X	Measure internal temperature of spinach dip and ranch dressing in the walk-in cooler at 46F. Cooler must maintain internal food temperature of 41F or below. The cooler's thermometers were reading 50. Potentially hazardous foods need to be moved to the prep cooler that was temping below 41F. Observed that the icecream freezer in basement had lost temperature and all the ice cream had melted.	Today
192	X		X	Observed spinach date marked 5/10, 13 day old. Discarded.	Corrected/ discarded
191	X			Observed unlabeled container of made in house sauce.	Discarded
295	X		X	Observed dried food deposits on slicer.	before used
173	X			Observed raw meat stored over cooked rice in walk-in cooler.	Corrected
294	X			Observed sanitizer not dispensing in warewash machine. Sanitizer must be added manually until dispenser can be repaired.	today
449	X			Observed 3 DICLORVOS pest control strips in bar. These strips are not approved for restaurants.	discarded
218		X		Observed the following equipment in need of repair; 4 missing filters in fumehood, cans of food used to prop up cooler in hallway to creamery, damaged gaskets on 2 prep cooler doors, ice machine leaking, sauces cooler. Sauces are currently being stored on ice.	5-6-23
138		X		Observed employee preparing food without a hair restraint.	1 day
256		X		Observed thermometer missing in prep cooler under fumehood.	2 days
239		X		Observed to-go boxes not inverted.	today
392		X		Observed the dumpster lid open. Retrain staff.	today
309	X			Observed the exhaust fans not running in men's or woman's restroom.	2 weeks
291		X		Observed no chlorine test strips to test sanitizer in warewash machine.	3 days
410		X		Observed missing light shields on 2 light units in creamery. A shield or protective tubes can be used.	2 weeks
433		X		Observed mop not hung to dry. Additional method of hanging mop over sink may need to be installed.	today
297		X		Observed the inside of sauce cooler and right prep cooler on prep line to be in need of cleaning.	3 days
411		X		Observed only 1 working LED light fixture in warewash area. Owner stated 3 more could be installed. Existing ballists have been repaired multiple times and owner said he is replacing with updated LED fixtures instead.	2 weeks
430		X		Observed the facility in need of repair in the following areas; missing ceiling tile in creamery, disconnected pipe that can be seen through missing ceiling tile, cracked window in warewash area.	2 weeks

