

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name GEORGETOWN BAR & GRILL (MISSING PERMIT)	Telephone Number Est 812-399-1019 Own	Date of Inspection 06/27/2023	ID#
Address 8368 IN-64, GEORGETOWN IN 47122			
Owner BRIAN SELF	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 07/18/2023	Released 06/27/2023
Owner's Address ,			
Person in Charge BRIAN SELF			
Responsible Person's Email BRIANSELF880@GMAIL.COM		Menu Type 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
Certified Food Handler SHANNON SELF			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
297		X		Observed the can opener in need of more frequent cleaning.	today
291		X		Observed the quaternary ammonia sanitizer test strips in the bar not reacting with quat solution. Replace strips.	4 days
399		X	X	Observed an unfinished wall with exposed 2x4 studs across from kitchen's 3-compartment sink. PIC stated it will be covered with FRP board. - Observed the epoxy flooring to be peeling in kitchen and in bar. PIC plans to have all the floors refinished in 2 weeks.	3 weeks
404		X		Observed no coving on wall opposite of equipment in kitchen. A caulk along the FRP board may be used.	3 weeks
107		X		The establishment does not appear to have applied for a permit. The previous permit from former owners expired March 31, 2023. Establishment must submit application and payment for 9 months in the amount of \$198.	3 days
192	X			Observed Macaroni and Cheese had a date mark past 7 days.	discarded
294	X			Observed the sanitizer concentration in warewash machine was not registering for either Chlorine or Quat test strips. Container was labeled sodium chloride (bleach) and was dispensed when primed but it did not react to strips. Have service tech investigate and explain machine and chemicals.	1 week
343	X		X	Observed no handwashing sink in kitchen. Person in Charge (PIC) stated it should be completed in the next 2 weeks. In the mean time hands may be washed in 3-comp sink in kitchen if not being used for dishes.	3 weeks

VIOLATIONS MUST BE CORRECTED BY FOLLOW-UP DATE. IF ANY VIOLATION IS NOT CORRECTED BY FOLLOW-UP DATE THERE WILL BE A FEE FOR A SECOND FOLLOW-UP INSPECTION. FCHD CAN BE CONTACTED FOR AN EARLIER INSPECTION. IF ADDITIONAL TIME IS NEEDED TO CORRECT A VIOLATION FCHD MUST BE CONTACTED AND AN EXTENSION REQUESTED.

