Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name	Telephone Number	Date of Inspection	ID#
HOMEMADE ICE CREAM & PIE KITCHEN (HOMEMA	Est 812-590-3580	03/23/2023	
Address 3113 BLACKISTON MILL RD, NEW ALBANY IN 47150	Own 317-997-8997		

Owner	Purpose	Follow Up	Released
CHARLIE HENSLEY	X Routine		03/23/2023
Owner's Address 2104 PLANTSIDE DR LOUISVILLE, KY 46037	___ Follow-up		
Person in Charge THERESA ROBBEN	___ Complaint		
Responsible Person's Email PK4@PIEKITCHEN.COM	___ Pre-Operational		
Certified Food Handler CHERRISH CURRY	___ Temporary	**Menu Type**	
	___ HACCP	1 __ 2 X 3 __ 4 __ 5 __	
	___ Other (list)		

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
443	X			Observed Quat at a concentration greater than 400ppm. CORRECTION: Sanitizer was further diluted with water.	CORRECTED
291		X		Observed no test strips. CORRECTION: Testing strips must be available for checking sanitizer concentrations.	3 DAYS
295		X	X	Observed food debris on the floor of the walk-in freezer and cooler. CORRECTION: Non-contact surfaces of equipment shall be cleaned as often as necessary to keep them clean.	1 WEEK
392		X		Observed a dumpster left open. CORRECTION: Waste handling units for refuse, recyclables, and returnables shall be kept covered.	CORRECTED
393		X		Observed a dumpster without a dumpster plug. CORRECTION: Drains in receptacles and waste handling units for refuse, recyclables, and returnables shall have drain plugs in place.	3 WEEKS
431		X	X	Observed food debris on the floor of the kitchen and prep areas. Concrete floors appear to be unsealed. CORRECTION: The physical facilities shall be cleaned as often as necessary to keep them clean.	1 WEEK

Summary of Violations C 1 NC 5 R 2 6

Received by (name and title printed):	Inspected by (name and title printed):
THERESA ROBBEN	John Klem EHS
Received by (signature):	Inspected by (signature): John Klem

cc:	cc:	cc: