

# Retail Food Inspection Report

Floyd County Health Department


Telephone (812) 948-4726

<b>Establishment Name</b> PHIL'S GRILL	<b>Telephone Number</b> Est 502-558-0221 Own 502-558-0221	<b>Date of Inspection</b> 06/01/2023	<b>ID#</b>
<b>Address</b> 520 PARK EAST BLVD., NEW ALBANY IN 47150			
<b>Owner</b> ETHAN COOK	<b>Purpose</b> <input checked="" type="checkbox"/> <b>Routine</b>  <input type="checkbox"/> <b>Follow-up</b>  <input type="checkbox"/> <b>Complaint</b>  <input type="checkbox"/> <b>Pre-Operational</b>  <input type="checkbox"/> <b>Temporary</b>  <input type="checkbox"/> <b>HACCP</b>  <input type="checkbox"/> <b>Other (list)</b>	<b>Follow Up</b>	<b>Released</b> 06/01/2023
<b>Owner's Address</b> 4011 CRESTWOOD DR FLOYDS KNOBS, IN 47119			
<b>Person in Charge</b> AMANDA BLACKMAN			
<b>Responsible Person's Email</b> ETHAN.COOK@SAMTEC.COM		<b>Menu Type</b> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>	
<b>Certified Food Handler</b> ETHAN COOK			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
192	X			Observed an expired container of pudding dated 3/7 in the walk-in cooler.	discarded
191	X			Observed cottage cheese in the dispay cooler in self service area without a date mark.	1 day
177		X		Observed a bag of flour in storage room left open.	Corrected
411		X		Observed a light bulb out in walk-in cooler near the door and in the fume hood above oven.	5 days
218		X		Observed ice accumulation below the walk-in freezer fan. Ice was freezing on packaged food. Food should be moved and replaced with pans to catch water until unit can be repaired	5 days
399		X		Observed towels in pans with eggs in cooler below grill. Employee stated it was to prevent the egg package from sliding. If towels are used they must be replaced daily or an alternative shelf liner that is non-absorbant and easily cleanable should be used.	1 day
<p>If there are no plans to re-use warmer cabinet, in storage room, it should be removed.</p>					

Summary of Violations C  2  NC  4  R  0  6

Received by (name and title printed): ETHAN COOK		Inspected by (name and title printed): Thomas Snider CFS	
Received by (signature):		Inspected by (signature): 	
cc:	cc:	cc:	