

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name POPEYE'S	Telephone Number Est 812-920-0307 Own 901-679-4198	Date of Inspection 04/25/2023	ID#
Address 2170 STATE ST, NEW ALBANY IN 47150			
Owner AAMIR ALI	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released
Owner's Address 2509 PLANTSIDE DR LOUISVILLE, KY 40299		Menu Type 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
Person in Charge AMSA NEANG/ CRYSTAL SLOAN			
Responsible Person's Email LACSLOAN04@GMAIL.COM			
Certified Food Handler CRYSTAL SLOAN			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
426		X		Observed lobby closet to have an accumulation of items including, clothing, empty boxes and broken equipment. Closet should be gone through and unnecessary items removed.	1 week
218		X		Observed a puddle on the floor around ice machine. Investigate for leaks and make any appropriate repairs.	1 week
295		X	X	Observed hot holding pans and biscuit pans to have baked on food debris. If debris cannot be cleaned off they must be replaced.	1 week
393		X	X	Observed the left dumpster to be missing a dumpster plug.	1 week
395		X	X	Observed the right dumpster to be open and attracting birds. Observed bird feces on dumpster and around it. CORRECTION: Dumpster must remain closed and dumpster and ground around it cleaned. Feces can contaminate shoes and clothing and be tracked into kitchen.	TODAY/2weeks
430		X	X	Observed the outdoor storage shed to have a roof leak and the ceiling to be water damaged and molding. CORRECTION: Repair or replace roof. Remove any materials damaged by water.	1 month
431		X	X	Observed the floors and floor drain under drivethru drink machine to be in need of cleaning. Observed cleaning needed around syrup boxes in storage area. Observed the cabinet doors under drink machine to be stuck shut from dried soda.	2 days

FCHD RECIEVED A COMPLAINT THAT STATED THE CHICKEN HE ORDERED APPEARED TO HAVE SOAP IN IT. FCHD WAS UNABLE TO CONFIRM THIS HAD OCCURED.

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name POPEYE'S	Telephone Number Est 812-920-0307 Own 901-679-4198	Date of Inspection 04/25/2023	ID#
Address 2170 STATE ST, NEW ALBANY IN 47150	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released
Owner AAMIR ALI		Menu Type 1 _ 2 _ 3 <u>X</u> 4 _ 5 _	
Owner's Address 2509 PLANTSIDE DR LOUISVILLE, KY 40299			
Person in Charge AMSA NEANG/ CRYSTAL SLOAN			
Responsible Person's Email LACSLOAN04@GMAIL.COM			
Certified Food Handler CRYSTAL SLOAN			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected

Summary of Violations C 0 NC 7 R 5 **7**

Received by (name and title printed): HAROON KHAWAJU	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): <i>Thomas Snider</i>
cc:	cc: