

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name TUMBLEWEED	Telephone Number Est 812-945-0177 Own 502-618-8357	Date of Inspection 04/21/2023	ID#
Address 2005 STATE STREET, NEW ALBANY IN 47150	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up 05/09/2023	Released 04/21/2023
Owner TW-INDIANA, INC.		Menu Type 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
Owner's Address 2301 RIVER ROAD, SUITE 200 LOUISVILLE, KY 40206-			
Person in Charge LIZ MCCRANEY			
Responsible Person's Email STATESTREET@TUMBLEWEEDINC.NET			
Certified Food Handler JOEY HODGES			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
118	X			Observed no certified food manager at location. CORRECTION : The store must have one certified food manager and be able to present evidence of this on request.	TBD
187	X			Observed opened drink mixers that required refrigeration stored at room temperature at the bar. CORRECTION : All mixers were tossed out.	CORRECTED
295	X			Observed a buildup of dirt and debris on the gasket of the fry-freezer. Observed dried food debris on the slicer in the prep area. CORRECTION : Non-food contact surfaces of equipment must be free of grease deposits and soil accumulation.	1 WEEK
415	X			Observed gnats in the office and kitchen. CORRECTION : The presence of gnats should be minimized by use of approved methods and minimizing harborage conditions.	2 WEEKS
449	X			Observed a broken, open pest control station by the back door of the building. CORRECTION : All pest control stations must be covered.	2 WEEKS
218		X		Observed that the doors of the keg cooler in the bar do not shut or properly seal. Observed a broken gasket on the server line cooler. CORRECTION : Equipment should be repaired so doors make a tight seal.	2 WEEKS
309		X		Observed grease traps not in place in the hood above grill. Observed fryers not fully under the hood. CORRECTION : Mechanical ventilation shall be provided in accordance with requirements of the Indiana department of fire and building.	1 DAY
395		X		Observed an accumulation of bird droppings on the dumpster. CORRECTION : Dumpsters should be cleaned at a frequency necessary to prevent a buildup of soil.	1 WEEK
430		X		Observed missing ceiling tiles and ceiling tiles not fully in place. CORRECTION : Premises should be maintained in good repair.	2 WEEKS
431		X		Observed the floor of the dry stock area was covered in a black, tacky substance. CORRECTION : Surfaces should be cleaned frequently enough to prevent the accumulation of dirt and debris.	2 WEEKS

