

Retail Food Inspection Report


Floyd County Health Department
 Telephone (812) 948-4726

Establishment Name ARBY'S #6532	Telephone Number Est (812) 944-6625 Own 678-514-4100	Date of Inspection 07/10/2024	ID#	
Address 2119 STATE ST, NEW ALBANY IN 47150				
Owner RTM OPERATING COMPANY, LLC	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 07/10/2024	
Owner's Address 3 GLENLAKE PARKWAY ATLANTA, GA 30328-		Menu Type 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input checked="" type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/>		
Person in Charge JUDY HUGHES				
Responsible Person's Email LYNETTE.LAMB@INSPIREBRANDS.COM				
Certified Food Handler RODERICK MCCRAY LYNETTE LAMB JUDY HUGHES				

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
 VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
187	X			Observed sliced roast beef in hot holding unit measuring at 127F. Corrected. Person in charge (PIC) voluntarily brought roast beef above 155F.	Corrected
334	X			Observed hose in mop sink extending below the lip of the sink removing the air gap. Observed soda machine drain pipes without an air gap and extending into the drain. Correction: Trim hose to above the lip of the sink to create an air gap. Position drain pipes above the drain to create an air gap.	2 weeks
295		X		Observed grease build-up on hood over fryer. Correction: Clean hood. Increase frequency of cleaning to prevent a build-up of food debris.	2 weeks
404		X	X	Observed food debris in bottom of prep cooler. Corrected. Observed missing coving tile on the corner of wall near mop sink. Previous missing coving tiles were reattached with a foam. Correction: Replace with a cleanable material.	4 weeks
431		X		Observed food spill on floor next to ice cream machine. Correction: Clean spill. Increase frequency of cleaning.	Today

Summary of Violations C 2 NC 3 R 1 **5**

Received by (name and title printed): LYNETTE LAMB	Inspected by (name and title printed): Carrie Fischer EHS
Received by (signature):	Inspected by (signature): 

cc:	cc:	cc:
-----	-----	-----