

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> EL BRACERO	<b>Telephone Number</b> Est 812-924-7127 Own 317-993-2342	<b>Date of Inspection</b> 06/28/2024	<b>ID#</b>	
<b>Address</b> 2116 E. SPRING ST, NEW ALBANY IN 47150				
<b>Owner</b> AGUSTIN ALONSO	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b>	
<b>Owner's Address</b> 531 N. RANDOLPH AVE CLARKSVILLE, IN 47129		<b>Menu Type</b> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input checked="" type="checkbox"/> 5 <input type="checkbox"/>		
<b>Person in Charge</b> JUAN ALONSO				
<b>Responsible Person's Email</b> JOAL58883@GMAIL.COM				
<b>Certified Food Handler</b> CHASITY MCCLANAHAN				

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
293		X		Observed an employee wash their hands in the 3 compartment sink. Hands should be only be washed in the designated handwashing sink.	today
177		X		Observed uncovered pans of beans, beef and chicken in the walk-in cooler.	Corrected
411		X		Observed 2 light fixtures not working near the ice machine and 3 compartment sink.	7-8-24
431		X		Observed the drain under the drying rack in need of cleaning. It appeared a backup might have occurred.	1 day
204		X		Observed dishes on a rack 8 inches above floor drain that appeared to have had a previous backup. Raise or move drying rack to avoid possible source of contamination. No splash was observed on any dishes.	1 day
291		X	X	Observed no chlorine test strips to measure sanitizer buckets chemical concentration.	7-3-24
426		X		Observed 2 containers near the dumpster collecting water. Stagnant water can breed mosquitos. Dump water and remove.	today
Review employee health policy with all staff.					

<b>Summary of Violations</b>	<b>C</b> <u>0</u>	<b>NC</b> <u>7</u>	<b>R</b> <u>1</u>	<b>7</b>
------------------------------	-------------------	--------------------	-------------------	----------

<b>Received by (name and title printed):</b> JUAN ALONSO	<b>Inspected by (name and title printed):</b> Thomas Snider CFS
<b>Received by (signature):</b>	<b>Inspected by (signature):</b> 
<b>cc:</b>	<b>cc:</b>