

Retail Food Inspection Report


Floyd County Health Department
Telephone (812) 948-4726

Establishment Name HOUR OF POWER	Telephone Number Est 812-945-1937 Own 812-945-1937	Date of Inspection 02/06/2024	ID#
Address 108 W. MAIN ST, NEW ALBANY IN 47150	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 02/16/2024
Owner HOUR OF POWER CHURCH		Menu Type 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
Owner's Address 108 E MAIN ST NEW ALBANY, IN 47150-			
Person in Charge IDA MAY			
Responsible Person's Email SOUL.SEARCHERSMINISTRY@GMAIL.COM			
Certified Food Handler NIKKI SCHROEDER			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
291		X	X	Observed no chlorine test strips. Test strips should be used each time a bleach sanitizer solution is made.	1 week
256		X	X	Observed no probe thermometer. The probe should be used to check internal temperatures to ensure proper cooking and cooling.	1 week
410		X	X	Observed unprotected bulbs in the middle of the kitchen. Bulbs should be covered with shield or with a plastic sleeve.	2 weeks
<p>Only dish soap was available at the hand sink. I would recommend getting a hand soap with a pump to prevent cross contamination from handling dawn bottle with unclean hands.</p>					

Summary of Violations C 0 NC 3 R 3 **3**

Received by (name and title printed): HERB FREDRICHS	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): 
cc:	cc: