

Retail Food Inspection Report


Floyd County Health Department
Telephone (812) 948-4726

Establishment Name KIM & BAB KOREAN CUISINE	Telephone Number Est 812-725-9844 Own	Date of Inspection 09/11/2024	ID#
Address 3012 CHARLESTOWN CROSSING WAY, NEW ALBANY	Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	Follow Up	Released 09/21/2024
Owner MYUNG KIM		Menu Type 1 _ 2 _ 3 <input checked="" type="checkbox"/> 4 _ 5 _	
Owner's Address 2881 SANDALWOOD DR NEW ALBANY, IN 47150-			
Person in Charge MYUNG KIM			
Responsible Person's Email CTI88888@HOTMAIL.COM			
Certified Food Handler MYUNG KIM			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
254		X		Observed thermometer in the lower half of the prep cooler reading 45F. Person in charge (PIC) stated that the thermometer had been placed next to hot food. Another thermometer placed in the cooler read 40F.	Corrected
297		X		Observed build-up of biofilm inside of ice machine. Correction: Clean ice machine. Increase frequency of cleaning to prevent build-up of biofilm.	3 days

Summary of Violations C 0 NC 2 R 0 **2**

Received by (name and title printed): MYUNG KIM	Inspected by (name and title printed): Carrie Fischer EHS
Received by (signature):	Inspected by (signature): 
cc:	cc: