Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726

Establishment Name	Telephone Number	Date of Inspection	ID#
LA CATRINA MEXICAN KITCHEN	Est 757-287-2510	03/21/2024	
Address 202 E ELM ST, NEW ALBANY IN 47150	Own 757-287-2510		

Owner	Purpose	Follow Up	Released
SENOR IGUANA'S NEW ALBANY/JUAN SEGOVIANO	X Routine		03/21/2024
Owner's Address 3612 KERRY ANN WAY JEFFERSONVILLE, IN 47130-	___ Follow-up		
Person in Charge ERNESTO SEGOVIANO	___ Complaint		
Responsible Person's Email IGUANAS.ERNESTO@GMAIL.COM	___ Pre-Operational		
Certified Food Handler ERNESTO CHAVES JUAN SEGOVIANA CHAVEZ	___ Temporary	**Menu Type**	
	___ HACCP	1 __ 2 __ 3 __ 4 X 5 __	
	___ Other (list)		

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
191	X			Observed undated fruit syrups. CORRECTION : Syrups were labeled and dated.	CORRECTED
322	X			Observed valves and elevated lines downstream from an atmospheric vacuum breaker (AVB) on the mop sink faucet. AVBs are not rated to operate under pressure.	3 WEEKS
448	X		X	Observed Dichlorvos strips in the bar area. CORRECTION : Dichlorvos strips are not permitted for use in food prep areas or in areas inhabited by people. Strips were discarded.	CORRECTED
297		X		Observed biofilm growing in the ice machine.	10 DAYS
352		X	X	Observed no self-closer on the men’s bathroom door.	2 WEEKS
392		X		Observed open dumpster lids.	TODAY

Summary of Violations C 3 NC 3 R 2 6

Received by (name and title printed):	Inspected by (name and title printed):
ERNESTO SEGOVIANO	John Klem EHS
Received by (signature):	Inspected by (signature): John Klem

cc:	cc:	cc: