

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> RAINBOW BLOSSOM NATURAL FOOD MKT	<b>Telephone Number</b> Est 502-498-2335 Own (502) 498-2333	<b>Date of Inspection</b> 05/16/2024	<b>ID#</b>
<b>Address</b> 3003 CHARLESTOWN CROSSING WAY, NEW ALBANY	<b>Purpose</b> <input type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input checked="" type="checkbox"/> Other (list) PREOP SMOOTHIE BAR	<b>Follow Up</b>	<b>Released</b> 05/26/2024
<b>Owner</b> SUMMER AUERBACH		<b>Menu Type</b> 1 _ 2 <u>X</u> 3 _ 4 _ 5 _	
<b>Owner's Address</b> 3738 LEXINGTON ROAD LOUISVILLE, KY 40207			
<b>Person in Charge</b> EMILY CORBETT			
<b>Responsible Person's Email</b> MELINDA@RAINBOWBLOSSOM.COM'			
<b>Certified Food Handler</b> MIRANDA HAUB			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
431		X		Observed construction dust throughout new smoothie area.	before opening
Notes: 1) If a Julian calendar date-marking system is used for bottled juice all employees must understand it. Consider printing a chart. 2) The reverse osmosis machine has a built in backflow device according to manufacturing specifications. 3) The Smoothie bar may now begin food service.					

**Summary of Violations**      C 0      NC 1      R 0      **1**

Received by (name and title printed): SUMMER AUERBACH	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): 
cc:	cc: