Retail Food Inspection Report

Floyd County Health Department Telephone (812) 948-4726

					1	T		<u> </u>	
Establishment Name SMOOTHIE KING						Telephone Number	Date of Inspection	ID#	
	1				Est	(812) 945-5464			
Address 4214 CHARLESTOWN ROAD SUITE #1, NEW ALBANY					Own	502-819-9700/812-557-6	07/24/2024		
Owner						Purpose	Follow Up	Released	
BOB & DEBBIE MCILVOY					_	X Routine		07/24/2024	
Owner's Address 1210 WATER WORKS PLACE NEW ALBANY, IN 47150-						Follow-up Complaint			
Person in Charge					7				
JOHN MCIVOY						Pre-Operational			
Responsible Person's Email						Temporary	Menu Type		
MCILVOY1210@	GMAIL.CC	DΜ				HACCP	1 _ 2 <u>X</u> 3 _	4 _ 5 _	
Certified Food Handler						Other (list)			
CRITICAL ITEMS ARE IDENT	FIED IN THE CHE	CKLIST	AND NARRATIVE COLUMN	IS MARKED "C"					
CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C" VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRAIVE COLUMN MARKED AS "R"									
Section #	1# C NC R Narrative To Be Corrected								
443	Х		Observed the sar	nitizer solution at the 3-	solution at the 3-compartment sink above 400ppm. 10 DAYS				
448	8 X Observed a diclorvos strips under the blender wash sink. CORRECTED								
The directly plumbed blender sink was discussed with management.									
Summary of Violations C 2 NC 0 R 0						2			
Received by (name and title printed):						Inspected by (name and title printed):			
					Jo	ohn Klem EHS			
Received by (signature):					In	Inspected by (signature):			
J (orgina	<i>;</i> ·					J An	T< len		
cc:				cc:			cc:		