

Retail Food Inspection Report

Floyd County Health Department
Telephone (812) 948-4726


Establishment Name TAYLOR'S CAJUN MEAT CO.	Telephone Number Est 812-725-0039 Own 337-308-2864	Date of Inspection 02/19/2024	ID#	
Address 3306 PLAZA DR. SUITE 190, NEW ALBANY IN 47150				
Owner TAYLORS CAJUN MEAT CO.	Purpose <input type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input checked="" type="checkbox"/> Other (list) CHANGE OF MANAGEN	Follow Up	Released 02/19/2024	
Owner's Address 3306 PLAZA DR. SUITE 190 NEW ALBANY, IN 47150		Menu Type 1 _ 2 _ 3 <u>X</u> 4 _ 5 _		
Person in Charge ERIQ 'BLAKE' THOMPSON				
Responsible Person's Email ELLIS@TAYLORSMEAT.COM				
Certified Food Handler ERIQ THOMPSON				

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
392		X		Observed the lids open on the shared dumpster. An open dumpster attracts birds and wildlife.	today
218		X		Observed top latch on the walk-in cooler door not flipping closed. Adjust bracket.	3 days
291		X		Observed no quat sanitizer strips. The active chemical in the "Surface Cleaner Sanitizer RTU" is quat ammonia. If this product is used, it needs to be tested to determine quat remains present.	4 days
415	X			Observed rodent dropping in the a access door on the bone saw. Clean and sanitize area. Pest control may be required if issue continues. If pesticide are used they must be restaurant safe.	1 day
204		X		Observed old oil in the fryer and in vat. Discard.	before used
334	X			Observed no backflow preventer hose bib on the mop sink faucet hose. If the faucet does not have a AVB valve it needs a hose bib.	1 week
324		X		Observed no hot water in the woman's restroom. Investigate for leaks.	1 week
410		X		Observed glass bulbs not covered in men's restroom. Observed 12 glass bulbs not covered in kitchen area. Plastic sleeves can be used to cover the bulbs or they can be replaced with plastic LED bulbs.	3 weeks
256		X		Observed no thermometer in hot display case. I would recommend a dial type. The hot temperature should be 135F or above.	4 days

Notes: 1) FC Health Dept. should be contacted before any outdoor cooking. 2) The Taylor's Food Truck is not currently permitted.

Summary of Violations	C <u>2</u>	NC <u>7</u>	R <u>0</u>	9
------------------------------	------------	-------------	------------	----------

Received by (name and title printed):	Inspected by (name and title printed): Thomas Snider CFS
Received by (signature):	Inspected by (signature): 
cc:	cc: