

# Retail Food Inspection Report


Floyd County Health Department  
Telephone (812) 948-4726

<b>Establishment Name</b> THE NEW ALBANIAN BREWING CO.	<b>Telephone Number</b> Est 812-944-2517 Own 502-821-4475	<b>Date of Inspection</b> 04/10/2024	<b>ID#</b>
<b>Address</b> 3312 PLAZA DRIVE, NEW ALBANY IN 47150	<b>Purpose</b> <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list)	<b>Follow Up</b>	<b>Released</b> 04/20/2024
<b>Owner</b> AMY BAYLOR		<b>Menu Type</b> 1 __ 2 __ 3 <u>X</u> 4 __ 5 __	
<b>Owner's Address</b> 3406 ASHWOOD COURT NEW ALBANY, IN 47150			
<b>Person in Charge</b> AMY BAYLOR			
<b>Responsible Person's Email</b> NEWALBANIANOFFICE@GMAIL.COM			
<b>Certified Food Handler</b> AMY BAYLOR			

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"  
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

Section #	C	NC	R	Narrative	To Be Corrected
218	X	X		Observed split gaskets on the pizza make table and the walk-in cooler. Observed a broken door on the pizza make table.	2 WEEKS
352	X			Observed the back bathroom connected to dry storage with propped open doors.	10 DAYS
430	X			Observed broken tiles in the woman's bathroom on the pizzeria side.	2 WEEKS

**Summary of Violations**      C 0      NC 3      R 1      **3**

Received by (name and title printed): AMY BAYLOR	Inspected by (name and title printed): John Klem EHS
Received by (signature):	Inspected by (signature): 
cc:	cc: