

November 17th, 2008

Dear Beacon Clients,

Good Afternoon! We are excited to announce a couple new features within beacon that come as a direct response to requests made by both our clients and users alike.

We hope that you will find these new features beneficial to your day to day activities.

beacon™ Map Tips ON/OFF setting:

Now when viewing the map with the "parcels layer" selected users will have the option to switch the beacon Map Tips feature either On or Off based on individual preference.



- This new setting can be found in the upper right hand corner of the map.
- Because the On/Off switch is setup as a cookie, your setting will remain each time you enter the site.

The Schneider Corporation Historic Fort Harrison 8901 Otis Avenue Indianapolis, IN 46216

Toll-Free: 866.973.7100 Direct: 317.826.7100 Fax: 317.826.7200

geogearinfo@schneidercorp.com

www.geogearonline.com/beacon

beacon.schneidercorp.com




<u>Updated Measure Tool/Printable Measurements Feature</u>

When utilizing the measurement tool you can double click after measuring a parcel's boundary or area of interest and the total of the measurements will display in the center of the parcel or selected area.





The next feature is one that we have seen a lot of requests for. Now when taking measurements in the map view, users have the ability to print what is displayed for easier and more convenient reference.



Each of these enhancements are available in beacon™ today. As always, your feedback is very beneficial. Check out the new features and let us know what you think.

Want to see what other users think? have some ideas for beacon that you would like to see implemented? Check out the beacon user forum and share your thoughts www.geogearonline.com/forum.

If you have any questions or concerns, please contact me.

Sincerely,

Tyler Poling

Beacon Product Manager

317.826.7333

tpoling@schneidercorp.com

Are you on Twitter? Want to see what beacon and the Product Development team are up to? Follow beacon on Twitter!

© Copyright 2008 The Schneider Corporation. All rights reserved.