

Sec 1. T 11, R 6.

Winchel

Y and R stone corners established

Set off 4.75 Acres in the NE corner of the South half of the East half of the South East Quarter — stones at the corners —

15 rods S of Y a stone corner.

C Perhaps.

The letters does not suit for Winchel's description.

Examined. Recorded on page 60, in R. No. 1.

C. P. Webster



485
 442
 2927
 463 1/2
 442
 1965
 45294

Sec 3. T 11 R 6

Nichols

62

- ✓ M. Beh. 10 S 25 W 10 — To 12 N 6 W 42
- ✓ N. Aug 24 S 70 E 9 — To 5 N 68 W 17
- ✓ O. Jan 9 N 65 W 12 1/2 — To 10 S 60 E 20
- ✓ S. W. Oak 30 S 65 E 26 — To 16 West 24
- ✓ D. Beh 24 E — 41 1/2 — To 14 N 60 E 27 1/2 **Rock**
- ✓ Co. Beh 3 N 20 E 14 — To 11 S 60 W 18
- ✓ C. Book 14 W — 40 —
- ✓ S. Boulder no wit's available
- ✓ T. Boulder
- ✓ W. " Set by "Rock" record see Sec. 10

Survey Mar 30, 1869 by W. H. Miller

Recorded June 20th 1870 on Page 64. Gen Record No 1. C. P. Webster

Sec 4. T 11 R 6

Nichols

- M. B. 8 N 83 E 40 - S 22 S 60 W 54
- N. B. 16 N 81 E 16 - S 0 - S 30 W 20
- O. B. 5 N 50 E 84 - E. 9 S 24 W 61
- W. B. 18 N 75 E 31 - B. 18 N 75 E 31
- X. S. Wood 2 S 40 E 7 - S. 23 N 40 W 7
- Y. S. 5 N 62 W 6 - S 6 S 46 W 18
- C. B. 12 S 36 E 32 - S 10 S 2 E 25 Rock

Recorded on page 64, Record No. 1,
C. F. Webster

B a Limestone marked B 4 & 8 Links
with a Limestone S 58 E 48 Links

✓ Sec 5 - T11 R 6

Nickel

- ✓ N E cor of Bonner Sugar 8 N 18 1/2 W 27 - Beech 6 S 45 1/2 W 36
- ✓ N W " " Beech 10 S 58 1/2 E 41 - So 10 N 18 1/2 E 32
- ✓ S E " " Beech 10 S 11 1/2 E 13 - So 10 N 2 E 29
- ✓ S W " " Sugar - 12 E 38 - Beech 16 N 5 E 21
- ✓ N (?) Beech 17 S 43 E 24 - Hickory 15 N 15 W 13
- ✓ O (?) Beech 30 N 40 W 14 - So 22 S 9 E 20
- ✓ L. Beh 10 S 88 E 36 1/4 - Oak 22 S 87 1/2 W 40
- ✓ ~~64~~ O. Beh 12 S 18 E 18 3/4 - So 16 N 47 1/2 E 21 1/4
- ✓ ~~66~~ S. Oak 25 N 40 E 34
- ✓ R. Beh 14 N 63 W 31 1/4
- ✓ N. Beh 14 S 58 1/2 E 25 1/4 - W Oak 12 N 8 W 27 1/4
- ✓ NW Beh 10 N 50 W 25 - W Oak 20 N 12 1/2 E 27 1/4
- ✓ NW 1/4 29 a of S. Beech W Oak 30 N 50 1/2 E 73 3/4
- ✓ X W 1/8 So W Oak 30 N 58 1/2 E 80

Rock
Shore of Bonner

✓ B, a Stone corner See Dargins notes

✓ Division Line between Wm Sumar and Joel Leaw Stone set and marked "21"
 South end a stone set 67° 3' East of W on the Township Line marked "21"
 Witness, Sugar 18 S 62 E 56 - Beech 11 S 72 W 12
 South end of Division Line a stone set 15° 5' N of N and 24° 1' E of the
 South West corner of the old Bonner Survey by Michael (marked "21")
 Witness, Beech 36 S 53 1/2 E 38 - Sugar 16 N 45 E 11 - Sugar 24 N 26 W 12

March 26th 1861. J. Morrill S. C. C.
 Recorded on Page 66, Re entry of 1.
 C. P. Webster,

Section 6, T11 R 6

40 rods and 10 links east of ∇ a stone marked 40¹⁰
July 5th 1862 - J. Norris
IB. a large boulder marked B 6 set from Books Record

See 6. Recorded on Page 66 Record A.
C. E. Webster

Sec. 6 T11 R 6

Surveyed for Mr Law & Wm Robert March 1847 (Rock)
Rock used a 40 link chain

M. Buck. 8 N 48 1/2 E 28 3/4 - Sugar 22 N 46 1/2 W 50
B. W. Elm 20 N 1 1/2 E 47 1/2 - W. Bet. C. W. E 7 1/2
O. Am 12 N 13 1/2 W 11 - Pop. 3 S 63 1/2 E 13 3/4

Surveyed for Probin heirs June 5th 1846

4 1/2 R. South of D. Buck. 15 S 64 E 21 - R. Bud 8 S 41 1/4 W 8
D. W. Oak 30 N 50 W 4 - Gum 12 S 49 E 29

I, K, (I one foot south of notch in Walnut stump Stone corner - Dargin 29
A, K, Stone corners (I one foot south of notch in Walnut stump)
December 23rd 1861. Norris

M. Beech 17 N 7 1/2 E 36 - an old witness retaken
Sugar 20 S 77 1/2 E 37 - Sugar 30 S 38 W 68 1/2
a boulder marked M hard and flinty

O. Ash 12 N 87 E 45 - Ash 16 N 13 1/2 W 14 old witness retaken
a boulder marked marked O

36 1/2 rods south of M a stone marked M 36 1/2
Beech 24 N 80 1/2 W 30 - Ash 40 S 46 W 90

73 rods south of M a stone marked 73
Ash 40 S 40 W 20 - Beech 22 N 27 E 22 1/2

125 rods west of said 36 1/2 rods corner south of M above described
a Division corner for the purpose of a guide in fencing
planted on the East bank of Blue River to wit -
Sycamore 24 N 50 1/2 E 21 - Sycamore 22 S 2 E 38 1/2

64 rods South of O a stone marked 64
Sycamore 19 S 26 W 22 - White Elm 35 N 36 1/2 W 56

40 rods and 10 links east of the above last described corner
a stone marked 40¹⁰
Ash 25 S 3/4 W 19 1/2 - Ash 9 N 70 1/2 W 50

204 William Griffith and Elijah Ellis, Chain Carriers

Section 7, T.M. P.C.

December 24th 1861. D. Norris

- ✓ IP. Wild Cherry 20 N 6 W 86 — Wild Cherry 15 N 27 E 123
a limestone marked P 7
- ✓ O. Walnut 14 N 49 1/2 E 74 — Ash 19 N 76 E 85 1/2
a boulder marked O 7
- ✓ 29 rods 2 1/2 links north of I, a stone marked
- ✓ V Sandstone by Nichols witness see Sec 18.
- ✓ Z Smooth Boulders by former Surveyor lapse of
time and general acquiescence

W. A. Miller Surveyor

Recorded on Page 68, Record No. 1.
C. F. Webster

Jan 16th 1862, For Jm Cutsinger

J. Catt, —
H. Stone, No Nit near

I. Stone, No Oak 18 S E 12,
Beech 14 N 8 W 40,

C. Stone, Perpetrated in Nit grain,
Jm & Jargin Surveyor

See State's Page 1st,

All Recorded by Norris, & changed
a little,
C. F. Webster

Sec 8 T11. R 6 East — Nickel 10

- B. Beech 22 S 18 E 34 — So 15 N 31 W 12
- D. Sugar 18 S 22 E 16 — So 10 N 30 W 21
- E. Beech 10 S 22 W 37 — So 16 N 67 E 39
- G. Coffee 12 N 11 E 18 — Lign 18 N 73 E 30
- H. Beech 10 West 20 — So 10 S 41 E 31
- M. Beech 17 N 90 E 26 — So 24 S 85 W 11
- N. Beech 15 S 56 E 14 — Hemlock 6 W 44 W 12
- O. Sugar 6 S 82 W 17 — Hickory 20 East 3
- W. Sugar 15 S 85 W 28 — So 5 S 36 E 44
- V. Beech 6 S 17 E 23 — So 8 S 56 W 35

Quarter Section Corner in North and South Line between
Sections 7 and 8. A stone set and marked on the road

Witness Stones, S 55 1/2 E 48 marked P — S 43 N 50 marked I

Must correct S. P. Stone marked not S 43 N 50 marked I

this corner certain "not right for anything"

Stone set marked N, Witness Stone set marked N — S 25 N 50 — S 67 1/2 W 25

Stone set marked X, Witness Stone set marked X — S 55 N 50 — N 51 1/2 E 37

March 30th 1861 — D. Norris / (S. P. C.)

- IP. Witness stone S 23 E 64 marked P { This stone is set and
Witness stone S 32 W 65 " I { marked P 8 and I 7.
- A long blue boulder broad at bottom, small at top, marked on side
- Z. Witness Stone S 64 E 52 — Witness Stone N 56 W 37 1/2 — both large boulders
- Corner Stone, a Blue Boulder marked V 7 and Z 8
- Witness stone marked wit and buried 2 inches beneath the surface

December 24th 1861 — D. Norris

Recorded on Page 72, Record No. 1.
C. F. Webster

Sec. 9 Town 11 R. 6
 32 1/2 rods north of V Do Wood 4 S 34 E 29. Stone
 32 1/2 " " " X B. A 16. E. 39
 U B. h 15 S 60 E 37. Boulders
 K Large Boulder marked R. J.
 June 13th 1868. W. H. Miller. County Surveyor

Recorded on Page 74 R. No. 1. C. F. Webster

Sec 10. T 11 R 6
 44 ✓ M. Maple 24 S 45 E 12 - Elm 26 N 10 E 15
 ✓ O. Beech 18 N 41 E 9 - Beech 22 S 30 W 12
 ✓ W. R. Oak 36 S 60 W 21 - Beech 24 N 60 E 34 Rock
 ✓ B. B. Oak 48 S 15 E 18 - S. E. corner of 100 A. 66
 ✓ F. Beech 12 N 86 W 36 - So 16 S 58 E 21
 ✓ R. Ash 8 N W 11 - Jug 13 N 25 E 21
 ✓ D. Starb 6 - 12 - Beech 12 W - 24
 46 ✓ H. Beech 14 N 65 W 19 - So 10 S 15 W 17
 Co. Elm 4 N 34 E 7 - Am. 16 N 70 E 24
 Q. Beech 14 S 65 E 38 - So 10 N 50 E 23

Nickols

Q, a Stone corner see Dargins notes page 43
 In section 9 same T and R - surveyed 100 Acres off of the
 above q - see section 9 -

Recorded on Page 76 R. No. 1.
 C. F. Webster

Sec 11. T11 R. 6

NW, Beh 12 west 94 - So 12 N78E34
N, Beh 18 N78W27 - So 22 S E 7
P, Hick 20 N15E12 - Lynn 12 N45W18
Q, Lynn 10 S70E11 - So 8 N55W35
W, N. Am 27 N20E28 - B. Am N55W24

See Book No. 1

Cu, Beech 46 E22 = ash 6 S 67 W15
O, H.S.F., Stone corners

B, Recorded in Book No. 1, on Page 76.
L. F. Webster

Sec 12, T11 R 6

III. Beech 5 Ash 15 - Plum 3 N 55 W 9
IV. Oak 40 S 30 W 10 - Elm 3 N 35 E 15
V. Elm 24 S 20 W 20 - Oak 18 S 25 W 25
VI. Beech 14 S 2 W 42 1/2 -
VII. Ash 7 S 35 E 31
VIII. Walnut 30 S 68 E 16 -

Nichols

Roche

Recorded on Page 76 in Record of T. 1,
June 20th 1870 - C. F. Webster

- C a Stone marked C
with an ash 27 S 27 W 10 1/2
B a Stone marked B, no wit available
I a Stone marked I with oak 30 N 90 W 74
H a Stone marked H no wit available

Chairmen Daniel Cochran & James Richardson
flagmen Samuel Phipps & Joshua Higgins
Sept 10th 72 Dugan S 15 E

13
Sec 13. T1 R6.

B. Beech 20 S 39 E 20 - Buckeye 14 N 90 W 18
M. Sugar 14 S 57 E 28 - Beech 17 N 37 W 41

A corner established 4 rods South of the section line running East and West on the North side of North West Quarter and 8 rods West of a point situated 6 rods South of C on the middle line N & S. Witnesses. Sycamore 48 S 59 W 61 - Hackberry 20 N 60 E 78 - stone set To save dam of the Saw-mill. August 21st 1861. F. Morris, Caddo Co.

X. a large red boulder set in the place of a limestone formerly set by Rock marked X 13 and C 24.
S. a boulder marked S 13.
N. Boulder marked N 13

Boulder N 61 E 36 — Boulder N 27 1/2 E 38
June 2nd 1864 - R. M. ...

Recorded on Page 78. Record Book 1.
June 21st 1870 - C. A. Webster.

44 1/2 Links North of C a Boulder marked 11+6

Witness a stone nature Planted N 35 1/2 W 59 Links

44 1/2 Links North of S a stone no wit available
16 Rods North of V a stone marked 16+R 6

wit Sycamore 20 N 25 W 81 1/2 Links

20 Rods West of V a stone marked 20-wit Elm 20 N 85 1/2 W 80

20 Rods West 1+16 Rods North of V a stone marked 20+16

wit a Large Grey head S-23-do N 82 E 21

Chainmen + flagmen Wm L Clayton G W Long + J Higgins
June 11th 1873 J. Degan S. S. C

Section 14. T11, R6.

O. Beech 20 498 61 - Beech 26 497 70 - stone set
Y. Sugar 20 N 11 W 5 7 1/2 - Ash 18 N 37 W 83 - stone set

Aug 21st 1861. Morris Redd.

Recorded on page 78. Record No. 1-6, F. Webster

See 13th Town 11. R. C. & 15th

63 rods south of E. Boulder Creek 16334810

63 " " " C Boulder
Survey Mar 29th 1869
W. H. Miller

Recorded on Page 78. Record at L. C. & Webster.

Record of on Pages 48 & 80. Record No. 1. C. F. Webster

Sec 16. T11 R 6

16
Nickel 66+67

- N. Beh. 14 N 45 E 15 - Ju 15 S 4 W 13
- M. Sugar 12 N 40 W 30 - Ju 22 S 34 W 21
- A. Sugar 9 N 65 E 10 - Beh. 12 N 68 W 37
- H. Beh. 24 N 10 W 36 - Ju 24 S 72 E 26
- B. Hick 14 S 40 W 9 - Sugar 16 N 80 E 22
- I. W. Oak 22 N 35 W 6 - Beh. 9 S 30 W 2
- K. Am 24 South 14 - Beh. 18 West 33
- X. Beh. 10 N 35 E 16 - Ju 6 S 35 E 31
- R. Beh. 14 South 8 - Sugar 12 N 35 E 14
- Q. Am. 12 N 55 W 25 - Beh. 8 N 80 E 24
- W. Beh. 24 N 42 E 29 - Ju 18 N 50 W 21
- T. Elm. 24 S 30 E 34 - Ju 14 N 15 W 31
- V. W. Oak 30 N 10 E 12 - Am 18 S W 13

- E. an old boulder planted by J. B. Nickel.
Black Walnut 10 S 35 W 48.
- C. a large boulder marked C 16
set from roots of Sugar tree on the S.W. see field notes.
- B. a huge boulder marked B 16
Beech 18 N 8 E 27 and White Oak 30 S 79 E 22
- M. A large boulder marked M 16
set from Sugar 22 S 35 W 21 see Nickel's notes above
- N. A large boulder marked N 16
set from Nickel's notes above
- Q. A large soft limestone marked Q 16
20 rods East of Q a large boulder marked 50 ft across
Beech 16 N 44 1/2 E 22 - Boulder S 6 W 20
- 20 rods East of R a large boulder marked 50 ft across

Aug. 18th 1863. Dick Norris
60 rods South of M Beh 13 S 58 W 1 1/2 Beh 12 N 62 W 25
A Small Boulder June 13th 1865. W. H. Miller
County Surveyor

Sec 17, T11 R 6

17
14

Stones at corner. Stones set at each corner

Nick. uls 99

H. Beh 8 142 W 40 - S 12 N 57 W 49 - Rocks

H. Beh 8 139 W 6 - Elm. 6 N 10 E 24

572 A for J. Hagerman N. E. corner, Beh 8 W 16 - S 3 N 42 E 4

N W 9 S W corner - Stones placed.

Surveyed for Smith & others

Winchel

72 1/2 Rods North of TP Stone

~~77 1/2~~ 97 1/2 Rods N of TP Stone - To Oak 24 870 814 9 - Mulberry 25 870 4

97 1/2 North and 79 East of TP Stone - Mulberry 8 W 12 - Beh 12 S 3

97 1/2 North & 79 East & 25 South Stone Poplar 30 N 49 E 14 - Beh 8 S 2 E 14

72 1/2 rods N and 79 rods East of TP a stone corner

97 1/2 rods N and 79 rods East a stone corner

Recorded on Page 82, Record No. 1, C. F. Webster

Sec 18 T11R6

Liste

17
18

D. Sugar 8 S 15 E 23 - Beem 12 N 20 W 43
V. Beem 18 N 17 E 7 - So 16 S 30 W 18

See
Notes


Surveyed 8 acres off of the South part of the tract
of the South West 1/4 = Stones at the corners

80 rods south of L Stone corner
witnesses

Recorded on Page 82, Record No. 1
C. B. Webster

Z See E Sec 19
 Y Stone marked Y wit Stone S 62 1/2 E 52
 O " " " " " " S 89 E 28
 1/2 X to Y " " 6 " " S 52 3/4 E 34
 28 3/8 chains N of X to Y Stone mark 28 3/8 N 21 E 36
 28 3/8 " " " Y " " 28 wit Stone S 11 W 34

May 14. 77 Sugar
 W Stone mark W wit Stone N W
 T " " T " " N 18 W 32
 14 2/3 chains W of W Stone wit Stone N 56 E 32
 9 3/8 " " " X " " " N 38 1/2 E 30
 S Stone marked S wit Beack 10 N 50 E 52 1/2 Poplar 24 N 48 W 94 1/2
 16 9/2 chains W of T Stone wit Beack 12 N 44 E 15 Poplar 50 S 48 E 76 1/2
 June 8th 1877 Sugar 886



Sec 19. T11 R6

19
Nickols

- B. #. Run 10 N 40 E 18 - to 12 N 22 W 21
- N. Run 18 S 32 W 11 - to 20 N 15 E 38
- O. Run 12 West - 20 - to 9 N 48 E 17 1/2
- P. Run 6 N 30 E 30 - Run 6 S 60 W 40
- M. Run 36 S 32 W 12 - to Oak 24 N 55 E 16

Beech 10 S 75 E unintelligible corner

Surveyed for D. In -

part of W 1/2 S E 1/4

- Run 10 S 71 W 12 1/2 - to 6 E - 7
- Run 4 N 71 W 27 1/2 - to 5 S 14 E 23 1/2
- Run 12 N 80 E 27 1/2 - to Run 4 S W 5

Surveyed for Dan Smith a part of the West half of the south west quarter Section North and south.

- 56, 52 Rods East of P, Boulder no trees
- 56, 52 Rods East of M, Boulder no trees

It being the half of the land bought by Smith and Smith, in the south west quarter

Ed Winchel S E 1/4 Ind

J. B. Nickel

N or S end of line setting off 20 acres off of the East or West side of the W 1/2 of the S E 1/4 Winch, Beech 10 S 75 E -

E a large long boulder marked ID 19 and set @ 7 links South of corner A to Section 24 T11 N of R65 E.

D a large long boulder marked ID 19 Black Walnut 25 N 48 E 48 said tree is dead no living trees available.

Chain Carriers - William Cooper and Henry Dunkel - Sworn
 Tree Bearers - Thomas Hill and Payne - Sworn
 September 28th 1866 John Hoop County Surveyor
 By Richard Norris Deputy.

Recorded on pages 82, 44 Record Book
 C. H. Webster

Section 20. T11 R6.

Levi Runche and Aaron Kendall Chain Carriers

V. A large boulder marked V on top and 20 at N.W. side
Beech 36 N 51 W 52 — Hackberry 24 S 41 E 26 1/2
said corner established from remains of old witnesses
for which see field notes.

S.E. Corner of Mrs. Hecks Lower 113 rods east of X
Beech 22 N 15 1/2 E 52 — Beech 16 N 54 W 69 1/2
boulder set and marked 113 on the side south

N.E. Corner of Mrs. Hecks Lower 36 rods North of the S.E.
Beech 24 South 78 — Beech 17 S 38 W 78
boulder set and marked 36

N.W. Corner of Mrs. Hecks Lower 36 rods north of X
stone set and marked 36 — no witnesses available

16 rods and 15 links north of V a stone marked 16¹⁵
Sugar 16 S 75 W 30 — Sugar 18 N 24 W 62

33 rods and 5 links north of V a stone marked 33⁵
Beech 20 S 64 1/2 W 43 — Oak 40 N 82 W 84 1/2

16 rods and 15 links north of the S.E. corner of Mrs. Hecks Lower aforesaid
a stone marked 16¹⁵

Beech 24 N 4 1/2 W 48 1/2 — Beech 36 N 72 E 23

33 rods and 5 links north of southeast corner of Mrs. Hecks Lower
Beech 24 South 10 — Beech 17 S 72 1/2 E 41 1/2
stone marked 33⁵

108 rods and 8 links east of the N.W. corner of Mrs. Hecks Lower
a stone set and marked 108⁸ on the south side

Sugar 32 N 40 W 29 — Beech 28 S 37 1/2 E 52

108 rods and 14 links east of S a stone blue and hard marked 108¹⁴
Oak 36 S 56 E 32 — Oak 24 S 17 1/2 E 71.

18 rods, 36 rods, 54 rods, 72 rods east of the N.W. corner of Mrs. Hecks
Lower stones set and marked 18, 36, 54, 72 respectively

18 rods and 1 link, 36 rods and 2 links, 54 rods and 3 links, 72 rods and 4 links east of S stones set and
marked 18, 36, 54, 72 respectively

Dec 11th 1861 — J. Morriss, C.S. & Co.

Recorded on Page 84 & 85 of Record Book 10

Sec. 20. T11 R6

Rock

1. July 20 1861 E 16 — Beh 22 N 2 E 27

June 1869
variation 58 S 13 1/2 W 145, 6 3/4 W 3 1/2

Winchel

- A, Stone by Nichol
- B, Beh 14 S 46 E 38 — Do 11 S 38 1/2 W 33 — Stone by Winchel
- C, Stone by Winchel Corner placed by Nichol at C, has not recorded, found wrong and corrected
- D, Nich 20 S 18 1/2 W 57 — Beh 19 S 9 E 57 — Stone by Winchel
- E, Stone supposed to be placed by Gargin
- F, Stone placed by Rock found wrong corrected and placed an other stone with 8 links
- G, Stone placed by Rock found right
- H, Stone placed by Nichol
- M, Stone by Winchel
- N, found by cropping 48 S 10 E 7 W — Stone by Winchel
- O, Beh 12 S 53 E 23 — Sugar 16 S 63 1/2 W 23 — Stone by Winchel
- P, Stone by Nichol
- S, Beh 36 S 33 1/2 W 42 — Beh 24 S 47 1/2 W 72 Stone by Winchel
- U, Stone by Winchel
- V, Stone by Rock or Nichol
- X, Stone by — found right and placed
- Y, Stone by Winchel
- Z, Stone by Nichol

Divided the West half of the North West ~~half~~ quarter between Nichol & Elder D. E. Cor. of Town supposed to be 3.33 1/3 Acres that was taken out of the 80, the balance was divided as they directed and stones placed at each end of the Division line Winchel

- 66 2/3 rods North of P, Stone by Winchel
- 24 rods North of O, Stone by Winchel

80. The section was all run and fixed by Ed Winchel 116 rods

Recorded on Page 84 & 85 of Record Book 10

Sec 21. T11 R. 6

21
Dargin

N. Beh. 18. N 68 E 39 - S 10 S 18 W 23

W. Beh. 10 N 30 E 29 - S 45 S 36 E 37

O. Beh. 8 N 25 W 33 -

Q. Beh. 10 N 20 W 16 - S 42 S 75 E 9 - Rock.

Apr. 9. 1846 Relocated for D Higgins (corner)

V. Walnut N 57 W 11 1/2 -

N Beh 6 S 24 E 20. Flint Boulders

R Beh 6 W. 1. Boulders marked R 21

S Beh 12 S 60 E 16

G Beh 6 N 74 W. 45 Boulders

20 rods south of O Beh 12 N 36 W 40 Boulders

30 rods east of X a Boulder

30 rods east of S Boulders Beh. 12. W. 4.

H Boulders W. Dargin found right

X. C. P. Z. D. Boulders former Surveyors

Sept 9th 1867. W. H. Miller S. S. C.

Recorded on Pages 86 & 88 Record No. 1.
C. P. Webster

Section 22 T H R B

K a Stone marked IK 22

Witness a Buckeye 18 S 45 W 2 Links

H a Stone marked H 22

Witnesses a w Walnut 18 S 85 E 100 1/2 link and

a Blue ash 10 N 83 E 96 Links

April 22nd 1871

Jeremiah Dugan S S C

P a Stone marked P + 1s set from old Bearings

April 16th 1873

flagmen & chainmen Henry Spurlin
Henry Coffman Jesse Scott

J Dugan S S C

Sec 22. T H R B

C. Stone. Corner perpetuated

N. Dugan 40 W 12 - W Bch 48 30 67

Z. Walnut 5 N 81 E 25 1/2

Dugan

Rock

Recorded on Page 88. Record No. 1.

C. F. Webster

Sec 23. T11 R 6

73
LB

Surveyed for Mrs. Clayton on Oct 1st 47 Rock

- M. Beh 11 N 81 W 20 $\frac{1}{2}$ — to 18 N 61 $\frac{1}{2}$ E 40
- N. Beh 16 N 60 $\frac{1}{2}$ E 27 — to 18 N 63 E 32
- C. Blk Am 30 N 48 W 47 — Beh 140 $\frac{1}{2}$ W 65
- 60 R. J. C. Am 8 S 80 W 33 $\frac{1}{2}$ — Beh 10 N 64 W 38

July 2nd 1862 — J. Morris

- $\frac{1}{2}$ II K. Boulder marked $\frac{1}{2}$ II K 23
- Heikny 18 N 43 $\frac{1}{2}$ E 10 — Boulder 180 E 9
- IK. Boulder marked either IK 25 or IK 24
- Gum 30 S 38 $\frac{1}{2}$ W 108 $\frac{1}{2}$ —

Recorded on Page 90 & 98 Record No. 1.
C. F. Webster

Sec. 24 T11 R. 6

24

24
Rock

Dec 20th 1847 Survey for Miller
1st A & B on Sec South 23³/₁₀ Rods to Flat Rock
2nd 134¹/₂ with Edge of Plain Run 82 Rods to a Jug in 15th in
3rd North 20 R to Mulberry 6 010 E 7¹/₂ - Beh 12 N 54 E 28³/₄

- A. Beh 20 S 71 W 35 - Jo 15 N 44 W 35
- N. Elm 6 N 71 W 39¹/₂ - Beh 10 N 35 E 37¹/₂
- * L. Hick N 44 W 31
- C. Beh 10 S 3 E 49 e 145 60

M. 2 Stone corner - see Durgins notes
July 2nd 1862 - J. Morris

- E. A large boulder marked 13, 14, 23, 24
Burr Oak 30 S 81¹/₂ E 170 - boulder S 36 W 14¹/₂
- D. A boulder marked D 24
White Elm 36 S 25 W 88

Recorded on Page 90, Record No. 1 - 6, Webster

Sec 26 T11 R6

250-

C.C. Lime Stone (relocated) by Ed. Winchel 1866

Set off (15,63) acres for Gorton commencing on the East bank of Flatrock and on the line dividing the S & N S.E. Cor Oak 18 x 19 1/2 x 16 = 2000 1/2 1/2

Lime Stone

S.E. cor. Oak 2 1/2 x 5 1/2 x 8 = B. ash 4 x 2 1/2 x 3 1/2 = S.W. cor. B. Alder 10 x 17 1/2 x 17 = 2000 1/2 1/2
12 x 50 1/2 x 31 = S.W. cor. Willow 10 x 55 1/2 x 22 = Dog 18 1/2 x 2 1/2
Jan 1860 = by Ed. Winchel 1866

82 acres off the E side of the S & N = S.W. cor. a Stone set on the E. bank of Flatrock East of the above corner 8 Rods

W. oak 16 N 18 W 12 — Beech 24 N 30 E 24

O. B. Walnut 48 S 58 W 3 — Buckeye 10 S 46 W 2 1/2

Recorded on Page 90 & 91 Record Ch. 1.

C. F. Webster

See 26 J 11 R 6

See also notes 51

- X, P, L & N, Stone corners
- C, Beech 24 S 30 W 42 = Do 24 S 48 W 40
- O, Sycamore 96 S 20 links
- B, Beech 36 S 33 W 23 = Do 16 S 78 E 15

Survey Jan 13th 1868

- A Ash 15 N 55 W 43. Boulder
- N Walnut 30 N 41 W 79. Boulder
- D Beech 15 S 41 E 31. Beech 24 S 72 1/2 E 37 Limestone
- 33 rods east of C. Boulder.
- 6 1/2 " West of A Coffee Nut 8 N 15 E 95. Boulder
- 7.57 Chains South of C. Limestone
- 7.57 " " D. Beech 12 N 5 E 2. Limestone
- 33 rods east of N. Wal. 24 N 24 E 35. Boulder.
- 65 2/3 rods West of L Locust 18 N 47 E 39. Wall 15 N 49 W 68. Stone

William H. Miller S.S.C.

Recorded on Page 92, Record No. 1, C. Webster

Z a Limestone marked Z + V - wit B Walnut 20 S 61 W 26 Hackberry 30 N 71 W 81 Pine 4 S 21 E 34 1/2

Chairmen Raney Andrew John Williams Flagmen John Hading Charles Porter May 15th 1872 J. Ryan S.S. County

P a Stone marked P + L wit Beech 30 S 6 1/2 E 62 ash 22 S 28 W 56

Chairmen + Flagmen Wm Jolly & Thomas Hading & Oct 14 1873 J. Ryan S.S. Co

See Darius
Notes

See 27 11186

27
27

N. Hackberg 20 x 62 7/18 = B. Eye 14 09 7/16
MISSBO Stone corners

Recorded on Page 92 Record No. 1.

C. P. Webster

O found Rite no wit
D a Stone marked D + Y
wit 2 Henry Locusts \$668 80 + 79 1/2 Sinks

flagmen + Chainmen Henry Coffman
Jesse Scott
April 16th 1873

Jeremiah Dugan S S Co

Sec. 28 T17 R6

28
28

- O. A boulder by Nickel and two beech witnesses, not recorded
5.83 chains north of O a boulder marked 5.83
Sugar 8 S50 W32 mm Sugar 16 East 37
15.16 chains north of O a boulder marked 15.16
Beech 20 S18 W24 mm Beech 20 N20 W31
21.83 chains north of O a boulder marked 21.83
Beech 20 N65 W57 mm Beech 10 S36 W71
27.83 chains north of O a boulder marked 27.83
Sugar 3 N41 W31 mm Beech 4 N76 W42
D a large boulder marked D 28
Sugar 15 S33 W40 mm Black Walnut 15 N10 W40

Chain Carriers — Brooks and
Flag Bearers — John D. Hougham & Benj. S. Kemwellton
March 11th 1864 — R. Morris

Recorded on Page 94, Record No. 1.

C. F. Webster

29 Section 29. T11 R6

Dargin 26

N, X, Y, W, E, M, Stone corners
 S, Beech 36 N10E3 — Beech 12 S18W66
 O, Beech 20 N3W80 —
 R, Sugar 20 S67W45 — Beech 48 S68E16
 East end of line dividing $N\frac{1}{2}$ of the $W\frac{1}{2}$ of the $SW\frac{1}{4}$
 W Walnut 8 N40W75 $\frac{1}{4}$ — Beech 8 S35 links

N. A large boulder by Dargin
 5.83 chains north of N a boulder marked 5.83
 15.16 chains " " " " 15.16
 21.83 " " " " 21.83
 27.83 " " " " 27.83
 C a stone established by Winchel and Elliott
 D. a sandstone boulder marked Ds 29
 5.83 chains north of Ds a boulder marked 5.83
 Beech 26 S87E43 — Butternut 20 N39W55
 15.16 chains north of Ds a boulder marked 15.16
 Beech 24 N56W67 — Beech 30 S50W58
 21.83 chains north of Ds a boulder marked 21.83
 Beech 24 S76W38 — Beech 24 N20W60
 27.83 chains north of Ds a boulder marked 27.83
 Sugar 30 N86E62 — Beech 24 S47E71
 A. a large boulder set by Nickel & recorded by Morris for
 section 20 T11 R6. Mark 11th 1864. R. Morris

Recorded on Page 96⁹⁴ Record No. 1,
 C. F. Webster

Sec 29. T11 R6

29

Nickols

D. Beech 15 S29E19 — Sugar 14 S60W54
 N. Beech 10 N50E28 — Sugar 14 S70W21
 O. Sugar 20 N50E46 — So 5 West 24

Survey for Moore, Scott, Kerns & others
 lines connecting the following established corners
 C. Boulder Corner perpetuated
 D. Mulberry 16 S1E69 — Boulder et corner
 E. Walnut 18 N42E37 — Boulder —
 N. Beech 12 N54E19 — Sugar 16 S82W39
 O. Beech 18 S35E19 — So 24 S76W51
 P. Beech 20 S36E38 — Sugar 24 N23E47 $\frac{1}{2}$
 Q. Beech 15 S27W20 — Sugar 14 N36E8
 R. Gum 18 N18W18 — Beech 20 S94W31
 S. Beech 30 West 21 — So 12 S62E9
 X. Beech 18 S27W74 —
 Y. Sugar 20 N3W46 — Beech 20 N77W47
 Z. Lime Stone Corner perpetuated no lines
 June 20, 1850

J. M. Elliott, Surveyor

commencing at the SW corner of $N\frac{1}{2}$ of $S\frac{1}{2}$ of $SW\frac{1}{4}$ thence
 S 40 Rods thence E 16 Rods thence S 40 Rods thence W 16 Rods
 to the place of beginning containing 11 Acres

Recorded on Page 96⁹⁴ & 98. Record No. 1.
 C. F. Webster

See Dargin files 26

Sec 30. T11 R. 6

30
30
Nickel

N. Bch. 20 N6 E 40 - So 27 S 50 W 17
S. Elm. 18 S 70 E 5 - June 16 N 20 E 16
W. Jun. 12 N 35 E 42 - Bch. 8 S 55 E 44

See
Notes

C, H, N, U, L, R, A, D, Z, X, V, S, T. Stones at all the corners
T, Beech 22 N 58 E 31 -

2 1/2 Acres off of the E 1/2 of the NW 1/4
9.70 chains South of C a boulder marked 9.70
9.70 " " " D " " 9.70

March 30th 1864 - R. Norris

Recorded on Page 98, Record No. 1.
C. F. Webster

See 31711 R 6

31

O, D, V, W, S, M, Stone corners See Dargins notes 25
N, C, M, B, S, D, Stone corners (and 118)
N & E cor of 20 Acres off of the S End of the W 1/2 of S 1/2 W 1/2
a Stone

An equal division of the NW 1/4 — An equal division of the SW 1/4 —
An equal division of the SE 1/4 — Stones set at all the corners —
D, Beech 16 N 35 E 25 —

N & E corner of 20 acres off of the S end W 1/2 of NW 1/4 a stone

Recorded on Page 98, Record No. 1,

C. F. Webster

Sec 32. T11 R 6

32

Dozins

See Dozins
8000 25

W 40 a. Sugar 14 N 50 E 73 - Behr 20 175-646
W 40 b. Behr 14 37 437 - W. Oak 18 111 W 373
WV. Stone

40 Acres off the S end of $7\frac{1}{2}$ of $1\frac{1}{4}$ - Dozins
90 Acres off the S end by $6\frac{1}{2}$ of $1\frac{1}{4}$
and off the S end of $6\frac{1}{2}$ of $1\frac{1}{4}$
Stones at all the corners

Recorded on Page 100. Record No. 1.
C. F. Webster

Sec. 34 T 11 R 6.

34

N. An old boulder, former survey, firmly set in the ground, not marked
26 rods South of N limestone marked 26
Beech 12 N 16 E 12 mm Beech 15 S 78 1/2 W 21
April 29th & 30th 1864 - C. Morris.

Recorded on Page 100, Gen Record No. 1.
C. P. Webster

C a stone marked C and X
wit ash 24 N 63 1/2 W 43 1/2 - Beech 30 N 19 W 73
Oct 13th 1873 J. Cogan S S to

See 36-T 11 B C

Wells
10.57 7/4

~~W~~ Stone Winchel

W. a stone corner

20.68 rods West of W. a stone corner

20.58 rods West of ~~W~~ a stone corner

Ed Winchel 186

See Page 30
See Page 30

N, Bch 16 x 16 & 30

H, Bch 30 x 27 & 25

F, V, W, & M, Stone corners

W. Beech 22 127 & 39 - Beech 15 N 40 W 88 - stone set and marked
(Perpetuated from old stumps) October 18th 1861, D Morris. Ed 116

H, A large boulder marked H - Beech 30 127 W 25
Chain Carriers - John Carpenter and Adam Sitcher
Flag Bearers - Dr. Harvey Boxham and Thomas Woolley
Also a limestone at $\frac{1}{2}$ CH marked $\frac{1}{2}$

February 11th A.D. 1864.
Richard Morris C.S.

Recorded on Page 102, Record No. 1.
C. H. Webster

36
36
Mc. B. T. H. R. 6

Surveyed for B. B. Armstrong, the North half
of the North East quarter of west line of said quarter

A. Bch 22 N 10 E 10 - To 22 S 46 W 31

W. Bch 36 S 65 W 11 - To 4 N 19 W 6

N. Bch 18 S 64 W 21 - To 18 S 87 E 29

Sept 27. 1852

J. S. Elliott Surveyor

P. Stone corner by Dargin

O. Limestone corner - 1/2 inch

X. Boulder corner

W. of L. B. Bch 10 S 18 1/2 W 20 - To 18 X 10 W 8

R. Bch 10 S 85 W 24 1/2 - Elm 24 S 81 1/2 W 36 (iron)

H. A stone set & marked H 36.

K. a stone set & marked K 36

L. a stone set 60 links south of Pon Range line & marked L 36

N. a stone set & marked N 36.

O. a stone set & marked O 36.

R. a stone set & marked R 36.

Y. a stone set & marked Y 36.

Chain carrier David M. C. Kinney, Calvin Boyles,

Flag bearer. Aspy. John A. Williams,

Wm. Williams, Julius Reed

May 10th 11th 12th 1862 John Hoop, Co

Recorded on Page 102, Record No. 1.

C. F. Webster