


Explanation

One Section



Sec 1. T 11. R 7

Nichols

- D. Blk. Am 14 N 75 E 24 - to 16 N 75 W 21
- O. Walnut 40 N 52 E 45 -
- V. Lym 6 S 23 W 5 - Beh 8 S 69 E 16 - Rock
- S. Hawk 25 S 11 E 17 - Beh 8 S 81 E 11 1/2

See page 252

P, C, D & N, Stone corners
B, Elm 6 S 33 W 18 - Dec S 23 E 19

252

Recorded on Page 252 Record No. 1.

C. F. Webster

Sec 2 T11 R 7

Surveyed for

C. Corn 10 N 10 E 15 1/2 - Boulder

M. Lime Stone

O. Oak 36 S 58 W 9 1/2 - So 18 N 34 E 136 - Boulder

H. Lime Stone

V. Beh 12 N 45 E 63 - Ash 17 N 59 E 73 - Boulder

Z. Beh 14 N 21 E 5 - Walnut 6 N 19 E 40 - Boulder

Oct 31. 1851

J. M. Elliott Surveyor

See page 180

W & B, Stone corners

252

Recorded in Records, Vol. 23-2 of page

C. F. Webster

Section 3 Town 11 R 7

F Stone m. F mit Sycamore E 51
 G " " G mit Hickory S 36 1/2 E 6 1/2
 D " " D mit Hickory S 9 E 33
 J. J. Sugan S. D. C.

June 11th 1877

Sec 3. T 11 R 7

Surveyed for Mrs. Monroe, Thompson & others

L. Hick. 12 07 E 14 - Ash 5 N 6 W 42 - Boulder
 M. Beh 14 S 38 E 64 - So 12 S 2 E 76 - So
 N. Beh 10 N 56 W 87 - Oak 36 S 45 W 76 - So

X. Lime Stone

W. Lime Stone

Y. Walnut 6 S 74 E 80 - Hack 8 S 13 W 81 - Lime Stone

A. Beh 12 S 2 W 85 - Ash 6 S 2 E 53

C. Pop. 40 S 24 W - So 30 S 46 W

Oct 31. 1851

J. M. Elliott Surveyor

232
234

Surveyed Nov 16th 1866

Stone set 989 chains South of C no bearing trees
 Stone set 986 " " " " " " " " " " " "

Chairmen { J. J. Cutlip
 Richetta

Flag Bearers { Reason Howe
 Wm. Howe

H. H. Miller S. D. C.

254

Recorded on Pages 232 & 254 Record Book
 C. F. Webster

Sec 4 T 11 R 7

- | | | |
|--|---|-----------|
| | | Rock |
| L. | Gum 28 N 75 W 8 7/10 - Beh 10 N 26 E 11 3/10 | old notes |
| P. | Elm 4 S 19 W 6 1/2 - Beh 21 S 63 E 21 1/2 | do |
| A. | Beh 20 N 83 W 7 7/10 - do 15 S 8 E | do |
| E. | B. Oak 39 N 75 W 4 - Am 12 East 20 | do |
| V. | Beh 22 N 48 W 3 4 - do 4 S 70 E 5 | do |
| Z. | Sugar 6 S 85 E 3 2/10 - Beh 11 S 30 W 5 | do |
| X. | Elm 28 S 73 W 4 1/2 - B. Oak 3 S 86 E 5 1/2 | do |
| | | |
| P. | Am 3 S 55 1/2 W 11 - do 2 S 47 1/2 E 21 | |
| D. | Beh 12 N 11 1/2 W 13 - do 8 S 66 E 26 | |
| N. | Beh 12 S 27 W 21 1/2 - do 12 S 32 E 32 | |
| M. | Walnut 14 N 36 W 9 1/2 - Elm 12 S 66 1/2 E 11 | |
| W. C. R. Oak 15 S 40 W 11 - do 11 S 50 E 11 Error | | |

1/2 of O to P, Stone corner
 7 1/2 rods South of A - a Stone corner
 west of said corner - a Stone being the south boundary
 line containing 40 Acres belonging to John Wilson
 By Ed. French 1862

~~February 8th 1862. Dick Norris.~~
~~OP 2. A sandstone boulder marked OP in West side and 4 on east side~~
~~White Oak 30 N 26 1/2 E 46 Hickory 14 N 64 1/2 W 18 1/2~~

P, V, Y, Stone corner See Dargis note Dargis 48

OP. A sandstone boulder marked OP in one side and 4 on the other
 Hickory 14 N 28 1/2 W 16 1/2 - White Oak 30 N 30 E 2
 corrected to day - Sept. 11th 1863 - Dick Norris.

Recorded on Pages 254 and 256, Record No. 1.
 C. B. Webster,

Sec 5 - T M R 7

N. Beech 15 S 60 E 17 - W Oak 30 N 40 E 20 Hickory
P. Buckeye 6 N 70 W 33 - Sugar 24 S 70 E 33
~~S. Ash 10 N 85 W 87 - Black Walnut 30 S 56 E 125 1/2~~ Error
~~M. Ash 10 N 85 W 87 - Black Walnut 30 S 56 E 125 1/2~~

Surveyed for Springs & Semastes to line of M & G

E. Beech 15 S 35 E 64 - Ash 26 S 42 E 61 - Stone at corner

F. Buck. 12 N 62 E 61 - So 6 N 45 W 63 - So ..

March 28, 1851

J. Mc Elliott Surveyor, By J. Mc Elliott dep.

L. Ash 4 N 60 W 68 - S. Ash 3 S 4 1/2 E 31 - = Stone corner
M. a Stone corner

By Ed Winchel S. H.

Left out

February 8th 1862. Dick Norris

L. Ash 4 N 23 1/2 W 51 - White Oak 24 N 22 E 116

A sandstone boulder large and long, ^{marked} P. 4 and L. 5 (marked)

M. Ash 10 N 85 1/2 W 87 - Black Walnut 30 S 56 E 125 1/2

A very hard & lumpy blue boulder marked "M 5." (not set)

L. V, R & Y. Stone corners

W, Beech 18 S 8 E 16

M, Hickory 4 S 55 W 7 - B. Eye 8 S 82 E 15

N, Hick. 8 S 40 W 70 - Elm 6 S 13 E 24

T, Ash 8 S 51 W 22 - So 4 S 13 E 7

Y, a Stone corner - R a stone, South end of same a stone

L. A sandstone boulder, large and long, marked L 5 & P 4.

Ash 4 N 28 1/2 W 42 - White Oak 24 N 24 E 107

Ash 6 S 59 E 4 nearly - this corner corrected to-day

M. A small boulder not marked

Ash 10 N 88 W 87 - Black Walnut 30 S 54 E 129

Recorded on Page 256 - Record No. 1. Sept. 11th 1863. D. Norris

24942

Sec 6. T11 R 7

Survey for Lehman & Wilson 1/2 of Sec 6 & divided N & S

Y. Oak 36 - S 8 W 25 -

R. Beech 12 N 72 E 38 - Elm 24 N 24 E 67

April 4. 1850

J. M. Elliott Surveyor

Recorded

November 26th & 27th 1862, J. Morris

L. Black Walnut 40 N 30 E 57. line run through and straight
Limestone corner marked 1/4 S by Dargie relocated &c

M. Boulder marked M 6

Swamp Ash 40 S 41 W 42 1/2 - Hackberry 10 N 18 E 47

O. Boulder marked O 6

Beech 12 N 65 W 22 1/2 - Gum 30 S 75 1/2 W 36

F. Boulder marked F 6

G. Boulder marked G 6

B. Sand Boulder marked B 6

Burr Oak 6 N 54 1/2 W 74 - Swamp Ash 9 S 41 W 64
14.07 chains South of D limestone marked 14.07

14.07 " South " B sand Boulder marked 14.07

Burr Oak 6 S 30 E 10 - Bartok 6 S 37 W 10

5.06^{ch} North of O a limestone corner marked 5.06

5.60^{ch} North of P " " " 5.60

Hickory 30 N 42 1/2 E 27 - Sweet Gum 20 S 52 1/2 E 54

E. stone by Winchel Beech 12 N 32 E 77

Chain Carriers - James Green and John Foster

Flag Bearers - Eli Green and James Rudisell

14.07 chains South of B sandstone marked 14.07

Burr Oak 8 S 65 W 20 - Burr Oak 8 S 36 1/2 W 11

Corrected & relocated as above Aug 11th 1864 - R Morris

Recorded Nov 4. 67 Morris

25p
28p
25p
28p

sect 6 T11 R7

Stone marked o Hil Heck 14 N87W 20
10 ⁹⁸/₁₀₀ chains S + 6 1/2 feet west stone marked 6 Mistone S70W 25
1/2 feet W of N stone with stone N 25

D Stone marked o Hil Stone N13W 29 1/2
G stone with stone marked with N86 1/2 W 20

sect 7. T11 R7

N. Beh 27. N10E16 - S 14 S75E15 - Nichols

B. R. Oak 24 N10E34 - Am 12 N. E 18

V. Beh. 22 N30W19 - Am 2 S38W31 - Rock

T. Oak 2 N75W45

S. Beh 15 S66E11 - S 18 N8E31

Stones placed at the above and other corners

O. Oak 20 N71E24 - Am 4 N60W23 1/2

Y. Beh 10 N10W13 1/4 - S 20 S73 1/2 W 31 1/2

W, a Stone corner

W, Beh 12 S40W32 - D. Wood 4 N10E21

X, a Stone corner

31 Acres, beginning 40 poles E of S6 corner of E 1/2 of S E 1/4
thence N50 1/2 - S6 corner Beech 20 N68W19

8/3/24
1/30

8/31/97
70

Darwin

Recorded by J. B. McArthur

260

Sect 7 T11 R 7
C astone marked 8+ 4th B Locust 8 834 7 37
B d 6 2 1/2 7 30
D astone marked 8+ 4th B oak 48 811 8 29
E astone marked 8+ 4th B oak 30 856 8 81

Town 11 N 7 Sec 8

260/ C, X, S, EA. Stone corners
N, S, Ash 20 10 31 & 15-

Dary in

Recorded on Page 260. Record by A. C. F. Webster

9
Sec 9. T11 R 7

Rock
N. Behr 12 N 42 W 13 1/2 - S 16 N 73 1/2 E 10 1/2
February 5th 1862 - Morris
X. A huge boulder marked "X 9" and "C 16"
Witness stone N 35 W 37 - Witness stone S 60 W 26

Recorded on Page 260. Record No. 1.

G. F. Webster

10
Sec 10 T11 R7

Surveyed for Thompson & others N¹/₂ int^l halves

NW. Beh 16 S 42 W 12 - So 14 N 58 E 13 - Boulder
W. Ash 18 S 28 E 51 - Beh 16 S 54 W 114 - So
D. Boulder

260

Oct. 31. 1851

L. M. Elliott Surveyor

Recorded on Page 260. Record Book.
L. F. Webster

Section 11 Town 14 R 7

Is perpetuated Limestone, ^{marked} L + P + 11 and 12
wit B oak 48 S 68 E 27 - Stone N 42 W 27 Links
1021 Links South of A a stone marked 11
wit a stone East 27 Links
1022 1/2 Links South of C a stone marked 11
wit a stone North 20 Links
May 25th 1871 J Dugan S, S, C

N a Limestone marked N 77 set from Elliott, wit Elm 30 S 30 W 15
O a Limestone marked O + 7 wit Limestone N 44 mark ^W
P a Limestone marked P + 4
wit Boulder S 45 E 45 do N 45 W 45
Y a Limestone marked Y
wit Rock 42 N 52 1/2 E as N 7 W 21
March 11th 1874 J Dugan S, S, C

Dec 11. T 11 R 7

²⁶⁰
O. Elm 30 west 3 - Ash 12 N E 9
M. S Ash 12 N W 2 - Elm 20 S 25 E 7
Nichols

Surveyed for Avey Bloomer N E 9/4 & divided
Equally B & W on B & W 6 1/2° N 8 S 6°
A. Beh 16 N 85 E 27 - Jan. 20 S 75 W 6
C. Beh 20 N 83 W 39 - do 20 N 30 W 34
H. Beh 24 N 28 E 24 - B. Ash 4 S 72 E 26
K. Sycamore 6 N 49 W 21 - Beh 14 S 38 E 64
L. Beh 24 N 49 W 57 - Oak 40 S 68 E 28
N. Elm 30 S 30 W 15 - Beh 18 Bark 10
Oct 10. 1850
J. M. Elliott Surveyor

²⁶²
M, S, C. Saw corners

J. Dugan

Recorded on Pages 260 & 262. Record No. 1.
C. F. Webster

Section 12. T 11 R 7

F a Limestone marked F + K with a stone west 22 links
C a Limestone no wit available
May 25th 1871 J Dugan S.S. & Co

H a Stone marked H no wit available

Chairmen Mr Willcox and Conrad Bogard
Flagmen Lewis Willcox & Louis Bogard
April 23rd 1873 J Dugan S.S. & Co

Sec 12. T 11 R 7

N. Maple 18 N 5 E 23
11 Rods west of N. Beh. 7 N 53 E 26 - to 28 N 2 E 20 - Rock -
N.W. corner of Baptists, Elm 15 S 14 W 11 - Buck. 13 S 33 E 16
A.B. " " Mulberry 25 S 55 W 28 - to about 20 N 61 E 30
L.C. " " Buck 9 N 33 W 6 - to 10 N 42 E 20 1/2

Nichols

Survey for Avery & others Part of S. 1/4 of Sec.
[See Plat - & description furnished Avery]

N. Maple 12 N 5 E 5 - Stone Corner perpetuated
L. Hack 24 N 85 W 138 -

1/2 ch. west of L. Oak 24 S 80 E 78 - Steamers 12 S 84 W 117
1/2 ch. west of N. Oak 48 N 11 E 56 - Oak 30 S 63 W 48
June 28th 1850

J. McEllist Surveyor

Down 11 N 7 S 1/2 1/2 4, 33 1/2 links north of original - a Stone marked

A, V, Stone corners marked

II, a stone 433 1/2 links North of the original with the letters and figures marked
thereon as the law directs Dargins Notes 13

A, a stone 433 1/2 links North of the original, II, or 1/4 section corner on E line

A, V, stones set

Revised on Page 262 & 264. Revised by
C. F. Webster

S 3 T 11 R 7

Rock

N. Hick 8 N 6 1/2 W 42 - Buck. 10 N 11 1/2 E 7
 L. a Stone at corner
 V. ~~W~~. Beh 10 N 4 E 59 1/4 - Hick 4 N 24 W 62 1/4
 X. Mulberry 9 N 36 E 66 1/4 - Jo 5 N 6 1/2 E 76 95
 O. Wood 4 S 64 1/2 W 16 - W. Beh. 5 S 64 1/2 E 31
 R. Oak 6 N 34 1/2 W 14 - Glen 4 N 16 1/2 E 29
 M. Beh 24 S 59 E 40 - Jo 14 N 8 1/2 W 20

Corner Stones at other corners
 Survey for Heirs of Avery May 3. 1847

11 B. South of C. Beh. 14 S 80 E 18 - Jo 4 N 3 E 16
 28 1/2 R. South of above, Beh 22 N 77 E 31 - W. Beh 2 S 77 1/2 W 31
 S. E. cor. of Tower, Wood 2 N 15 1/2 W 2 - Wood 4 S 73 1/2 E 6
 24 R. South of above, Oak 2 N 35 1/2 E 7 - Wood 2 S 50 E 10
 5 R. West of S. E. cor. Beh. 22 N 16 1/2 E 22 - Wood N 46 1/2 W 25
 N. Beh N 15 W 18 - Buck. N 41 1/2 W 29
 Mid. of S. line. W. Beh 4 S 36 1/2 E 23 - Wood 2 S 72 W 29

Recorded on Page 264, Record No. 1.
 July 4th 1870 - C. F. Webster

40.50 + 17.40 = 57.90

Sec 15, T11 R7

Rock

- P. Stone by Nichols
 V. Ash 22 N46 E 43 3/4 - Beh 18 N39 E 61 1/4
 H. Steam 4 N1 1/2 W 32 - Asp 4 N61 E 63
 45 R. West of W. S. Wood 2 N52 E W - 5 - Hick 14 N40 E 25
 W. Beh 13 N28 W 17 1/2 - So N61 E 32 1/2
 X R. Ash 5 V. Beh 3 N79 E W 40 - S. Wood 4 N88 E 37 1/2
 L. Sugar 10 N55 E W 31 1/2 -
 N. Hick 13 N72 W 27 1/2 - Beh N53 E 78 3/4
 M. Beh 22 N25 E W 18 3/4 - So 12 N41 E 28 3/4
 X W N 13 of S. end Beh 12 N70 E W 54 1/2 - So 11 N50 W 83
 W W 12 So Sugar 12 N6 E 34 1/2 - Buck N8 E 32
 R. Sugar 12 N82 W 13 3/4 - So 14 N54 E 50
 S. Buck 12 N49 E W 68 3/4 - So 12 N83 W 83

Survey for Bone & others E 1/2 NW & W 1/2 N.E. & S.W. 1/4 R & W

- B. Beh 8 N53 E 19 - Ash 18 N61 W 50
 D. R. Oak 48 N75 E 32 - Oak N83 W 35
 I. Ash 28 N15 W 6 - So 18 N58 E 25
 O. Beh 10 N34 E 19 - So 14 N77 E 34

April 18th 1850

266.

J. M. Elliott Surveyor

Recorded on Page 266 Record Book

C. F. Webster

8) 550 (6.9)
 25
 30
 16

Sec 16. T11 R 7

Rock

W. B. Gum N 21 1/2 E 5 1/2 - B. Gum S 9 W 11 1/2
 D. Beh 20 S 88 W 5 1/4 - D. W 2 W 10 1/2

8) 54 (67.5)

48
 60
 56
 40

Survey for Stephens, Bone & Allen, South line of
 Sugar & D. line of W. of S.E. q.

W. Beh 9 N 11 E 27 1/2 -

X. Oak 18 N 56 W 84 - Gum 24 N 7 W 77

May 9. 1850

J. M. Elliott Surveyor

February 5th 1862 - Dick Norris

- E. A long boulder marked "8, 9, 16, 17"
 Witness Stone N 64 E 11 - Sugar tree 24 N 45 W 1 link
 - D. A large boulder marked D 16
 Witness Stone North peak N 82 1/2 W 13 1/2 - Witness Stone Top peak S 68 W 15 1/2
 24 rods and 19 links west of D a stone marked "24 19"
 - Witness Stone N 7 E 34 - Witness Stone N 67 E 52 1/2
 49 rods and 13 links west of D a stone marked "49 13"
 - Witness Stone N 68 1/2 E 40 - Witness Stone N 89 E 151
 62 rods west of D a stone marked "62"
 - Witness stone N 74 E 34 1/2 - Witness Stone S 77 1/2 E 23 1/2
 - O. A boulder marked "O 16"
 Beech 20 N 69 1/2 W 29 1/2 - Black Gum 9 N 21 1/2 E 7 by Rock
 24 rods and 19 links west of O a boulder marked "24 19"
 - Sweet Gum 36 N 43 E 25 - Beech 12 N 37 W 27
 49 rods and 13 links west of O a boulder marked "49 13"
 - Beech 11 N 62 E 24 - Beech 11 N 60 1/2 W 23
 18 rods and 19 links East of K section 17 a stone marked "18 19"
- Said line run at an average variation of 4° 2 1/2'

Recorded on page 248, Record chub. C. F. Webster

268

Dec 17. T11 R7

- M . Beh. 18 N 8 1/2 - S 12 D 20 E 18
 N . S. Am 20 S 60 W 6 - Hick 18 N 10 W 27
 O . Beh. 12 S 15 W 30 - S 20 D 78 E 14
 P . Am & Corn
 R . Boulder - Marked - See 17. K
 G . Oak 16 1/2 E 64 - Beh 14 S 42 78 76 - Boulder Stone
 L . Beh 16 S 32 E 43 1/2 - Oak 36 S 71 1/2 E 52 - Boulder
 O . Beh 20 S 23 1/2 E 64 - G. ash 6 S 46 E 47 - Boulder
 by 3rd trench S 2 1/2

February 5th 1862 - Dick Norris

- A . A long boulder marked 8, 9, 16, 17
 Witness Stone N 64 E 11 - Sugar Tree N 45 W 1 link
 28 rods and 8 links west of A a boulder marked "28 &"
 Witness Stone N 50 W 42
 B . A large boulder marked "B 17"
 Witness Stone S 45 E 35 - N 64 1/2 E 2 1/2
 II . A huge boulder marked "II 17"
 Witness stone peak at top N 18 1/2 E 41 1/2 - Witness stone SW corner N 26 1/2 E 35
 K . A huge boulder marked "K 17"
 Witness Stone N 29 E 13 1/2
 28 rods and 18 links west of K a boulder marked "28 15"
 Beech 10 N 54 E 40 1/2 - Beech 25 N 14 W 2 1/3

Recorded on Page 268 & 270. Record Ch. 1.
 C. P. Webster

Sec 16 T1 R7

- 1
- IV. a Stone also stones at the corner 40 link chain Rock
- IV. Elm 22 S 1 W 44 - Oak 14 S 25 E 5
- III. Beh 12 S 79 1/2 W 15 - Ash 3 N 49 E 6 1/2
- II. Beh 12 N 86 W 3 - So 14 S 62 E 22
- C. Beh 22 N 68 W 31 - So 15 N 23 1/2 W 21
- HI. Beh 16 N 48 W 6 - So 17 S 75 W 27
- 22% R. S. of IV. Beh 6 N 89 W 22 1/2 - Ash 6 N 21 E 8

- M. A flat Boulder set by rocks witness
= Beh 12 S 79 1/4 W 18 1/4 by the 4 pole chain
and marked M 18. for section 18.
 - R. A rough Boulder marked R 18.
= Beh 18 S 12 E 28 1/2.
 - S. A rough Boulder marked S 18.
 - W. A rough Boulder marked W 18.
= Beh 24 N 82 3/4 E 12 1/2.
 - X. A rough sand Boulder marked X 18.
 - Y. A rough Boulder marked Y 18.
- Chain carriers George Erman and Jacob Lambert
Flag bearers John Warner of W Hawkins and
Jo Fately.
May 16th 17th & 18th 1866. John Hoop S.S.

279
272
15 1/2 Rods West of C stone
15 1/2 " " " H " "
Dec 26th 1866
W.H. Miller
S.S.

Recorded on Pages 270 & 272. Record No. 1.
R. B. Webster

Section 19 T11 R7

- 8⁸⁶/₁₀₀ chains west of X a limestone marked 986 wit B Walnut 3053077
 - X a stone marked X+C no wit available
 - 7⁶⁴/₁₀₀ chains east of X a stone marked U for Township
wit ash 10 5'63 & 22
 - 18⁰⁰ chain North of the above a stone marked 72 no wit
 - 2⁵²/₁₀₀ chains west of the above a stone marked 10
 - 15⁸⁴/₁₀₀ N of the above a stone marked 15-77
 - 72 Rods North X a stone marked 7
 - 8⁹⁰/₁₀₀ chains west of the above a stone marked 11
 - 3⁹/₁₀₀ chains East of the above a stone
 - 33⁸⁴/₁₀₀ chain North + 8⁹⁰/₁₀₀ chains west of X D. Wood N 45 E 104 do 4562810
 - 3⁰²/₁₀₀ west of the above ash 18 & 2
- See partition of Hagerman & others
Done 22nd 23rd Feb 1874 J. Hagerman

Section 19 T11 R4

- M. A huge Boulder marked M 19.
- N. A Boulder marked N 19.
= Beh 12 S 25 1/2 W 19 - Beh 24 N 57 W 31.
- O. A Boulder marked O 19.
= Beh 20 N 34 W 33 - Beh 25 S 66 W 29.
- P. A Red Elm S N 72 W 30 1/4 - Beh 30 S 68 1/4 W 17.
the last described corner is .20 links north
of the corner Ia of Section 24 T11, R 6, on the range line
Chain carriers George Erman and Jacob Lambert
Flag bearers John Warner and J. Pately
May 11th & 18th 1866 John Hoop S.S.

Surveyed May 3rd 1867
N tested & found wrong true witnesses Beh 12, N 75 W 19, Beh 12 S 28 E 13 1/2
M goes north 6 links and west 8 links of Hoop's huge boulder
W. H. Miller S.S. Co.
assisted by Dick Norris

Recorded on Page 272, Record A. 1.
C. F. Webster

Section 19 Township 11 Range 7 E.

W. Stone between the roots of No. 10000, X
set on S.E. side of tree - found all right
by evidence of Robert Litas & J. J. Kately,

T Boulder Hickory 24 S 7 1/2 E
Bur Oak 10 N 12 W 49

14 1/2 Chs West of V. Nit Hickory 20 N 16 W 17 1/2
4 Ash 15 S 15 1/2 E 4.

9 20 Chs South of last named stone -
Set Stone - Nit. Beech 24 S 26 1/2 W 11
So Stone E 5 1/2 by Beech stump

4 30 Chs North of last named corner -
Stone, 4 Ash 15 S 69 E 19,
Beech 16 N 19 W 21 1/2,

5 00 Chs South of M. Stone No Nit available
10 00 Chs South of same Stone Marked 40,
(Large Boulder)
Nit Buckeye 10 S 17 E 44

9 20 Chs N of V Set Stone - Nit
Beech 18 S 71 W 10
So 15 N 16 1/2 W 36.

4 30 South of last named corner,
Stone. Nit. Elm 15 N 29 1/2 W 36
Beech 6 S 63 W 34.

Survey Aug 18th 1870.
C. E. Webster Deputy Surveyor

Sec 20. T 11 R 7

N 1/2 X 7 a of W. end - Stone - N 1/2 W 30 - Stone -
N & M Stones - R & S Stones - R 1/2 W 17 a - Stone - S 1/2 N do Stone

Survey May 3rd 1867
P a stone set from the roots of the original witness tree
to wit. Hickory 12. N 29 E, 4. new witness Maple 20. S 28 E. 52
O a stone Elm 4 S 12 W 4 - Cherry 5. N 62 W. 18
W. H. Miller S.S.C. Ind

Recorded on Page 270 of 274, Record Ch. S.
C. E. Webster

Q. Stone Nit Stone South 22 1/2
So S 39 1/2 E 34.

10 80 Chs South of
R. Stone, Chinkapin Oak 18 N 3 1/2 E 14 1/2
Stone Nit S 41 -

R. Stone Nit Stone N 26 1/2 S 17 -

10 00 Chs North of R. Stone Marked 40 on S side
Nit Stone North 17 E 14 1/2 -
So South 13 E 16 -

5 00 Chs South of last named. Set Stone
Nit Stone N 39 1/2 E 13 by Walnut bush
So South 15 1/2 E 17 -

Survey Aug 18th 1870.
C. E. Webster Deputy Surveyor

Sec 20 N. 11. N. R. 7 East

A Stone - viz Long Limestone and set on
the north bank of Flatrock River 130 chns
- Nit. Beech 18 ct 28 & 14 } North of true
Sugar 20 ct 5 & 14 30. } Corner

B. Soft Lime Stone, witnesses
Beech 12 ct 9 & 20 -
Sugar 24 ct 34 & 22 -

M. Stone, Nit. Edm. 26 & 44 & 42 -
Beech 20 ct 13 & 114 -
Aug 19th 1870
C. B. Webster Deputy Surveyor

21
Sec 21, T11 R 7

146. R. East of P. Beech 18 & 55 & 37 - Jo 18 N 35 & 53
37 lbs C. of M. R. Oak 36 N 55 & 48 - Jo 30 East 23
160 R. ^{North} ~~East~~ of the above, Cherry 6 D 30 & 6 - J. Wood 6 N 35 & 11
M. Oak 36 N 75 & 29 - Buckeye 17 D 55 & 39 -
N. B. Oak 14 D 75 & 26 - Beech 27 D 35 & 50
O. Beech 22 D W 35 - Hick 22 N 25 & 62
Y. Beech 12 D 30 & 20 - Jo 8 N 75 & 22

V. Boulder marked 21, 22, 27, 28, note of Original witness found
Boulder N 44 & 21 - Boulder S 22 W 22 1/2

II. Boulder marked II 21 - Snag of Beech West 18 links standing
New witness taken viz - Bitternut 15 N 29 1/2 & 27.

M. Large Boulder marked M 21

W. Large Boulder marked W 21

April 29th 1863. Dick Morris

Recorded on Page 274 Record No. 1.
C. B. Webster

Sec 22. T11R 7

- MI. Beh 18 S 34 W 16 - Jo 26 S 30 E 37
- N. Blk Am 30 East 25 - Buckeye 16 S W 17
- III. Beh 27 S 70 W 27 - S. Wood 4 South 25
- D. Beh 18 N W 51 - Elm 19 N 8 W 67

N. A huge Boulder very large marked NT 22
 X. Boulder marked X 22
 1/2 XY. Boulder marked 1/2 X Y
 Chain Carriers - Thomas Conger and John Hooper
 Flag Bearers - Simeon Moore and Samuel Vaughn
 April 30th A.D. 1865. Dick Morris
 March 27th 1868
 O Flinty Boulder set by the above witnesses
 52 rods south of D Limestone.
 W. H. Miller. Surveyor

276

Recorded on Page 276 Record ch. 1
 C. F. Webster

23
Sec. 23 T11 R7

N. Elm 30 N45 E 34 - Beech 10 N - 11
C. Sugar 24 S65 E W 34 -

Rock
40 2 ch

P. M. HST, Stone corner

N. B 8 S 22 E 58 - middle of line a stone

M. Beech 9 N 30 W 14 - Beech 10 S 29 W 15 - a stone

Survey for Commissioners on Lewis est. N E of
an Equal Division E & W, also a line from 10 R. S. of H
S 94 E 165.2 Rods to 30 R. S. of W (bar 5") N 55 50' E S 67'
30 R. S. of W. Elm 6 N 54 W 24 - Beech 24 S 68 W 32
April 17, 1850

J. M. Elliott Surveyor

11.07 chains West of K limestone marked 11.07
Beech 10 N 87 W 11 - Elm 8 S 62 E 40

11.07 chains West of A Boulder marked 11.07
Chain Carriers - John F. Lewis + Wm D. Means
Flag Bearers - Jas R. Lewis + A. D. Pugh
July 6th 1864. R. Norris

Recorded on Page 276 @ 278 Record of
C. F. Webster

24
Sec 24. T11 R 7 ⁴⁵/₈ 56.0 cink

Rock

- T. in Beh 3 N57 $\frac{1}{2}$ E 18 -
F. Beh 30 S15 E 12 $\frac{1}{2}$ - to 10 N22 $\frac{1}{2}$ W 17
P. Oak 12 S10 $\frac{1}{2}$ E 13 - to 30 N85 W 38
M. Beh 10 N67 W 12 $\frac{1}{2}$ - to 10 S71 W 25 $\frac{1}{2}$
N. Beh 12 S67 E 44 - to 6 N13 $\frac{1}{2}$ W 50
O. Hick 12 N10 W 28 - to 25 S67 $\frac{1}{2}$ W 24
V. Beh 14 West 15 $\frac{3}{4}$ - to 6 N52 E 26
X. Hick 8 N46 E 17 -
W. Beh 18 S31 $\frac{1}{2}$ W 21 - to 12 S81 W 24
H. Oak 4 N70 E 8 $\frac{1}{2}$ - Elm 25 S12 E 18
L. Beh 12 S17 $\frac{1}{2}$ W 18 $\frac{1}{2}$ - 8/85 (23)
K. Cherry 4 S2 $\frac{1}{2}$ E 27 $\frac{1}{2}$ - Beh 8 N14 W 49
I. Beh 14 N73 $\frac{1}{2}$ W 19 $\frac{1}{2}$ - to 13 N39 E 8
C. Beh 11 N63 W 11 $\frac{1}{2}$ - to 14 N1 $\frac{1}{2}$ - 24

Recorded on page 278 Record No. 1.
C. F. Webster

Sec. 25. T11 R7

N. Beh 10 E - 26 - S 18 176650 Rock
D. Suga 22 N 62 W 22 - S ym 36 N 27 W 19

Surveyed for Tho Jones an equal division
N & S of East half
NVI. Beh 12 S 65 1/2 W 100 -
Sept 12. 1851
J. M. Elliott Surveyor

Survey April 28th 1868
H A Beh 15 S 72 1/2 W 45. Boulder marked "H. 25"
Beh 15 S 72 1/2 W 39
C Hense Boulder marked "C. 25"
D Boulder marked "D" 25"
Z Boulder marked "Z" 25"
X Boulder marked "X" 25"
W. H. Miller Surveyor.

Recorded on Page 280. Record No. 1.
L. J. Webster

26
Sec 26. T11 R7

N. Beech 13 N 21 E 8 - to 13 N 38 W 23, Nichols,
O. Beech 20 N 20 W 23 - to 19 N 14 E 28

Survey for Moore, Hallenman & others
the N E q^r & NW q^r of N E q^r

B. Elm 15 N 66 E 10 - to Beh 14 N 36 W 18 1/2

C. H. Locust 4 S 48 W 30 -

H. Beh 8 N 85 E 31 - to Beh 6 N 15 E 57

I. Beh 12 N 78 E 18 - to 10 N 23 W 48

L. Beh 20 S 30 W 6 -

N. Oak 14 S 86 E 32 - to Beh 9 N 34 W 138

} Stones at corners
all Perpetuated
according to law

Sept. 12, 1850

Wm Elliott Surveyor

Recorded on Page 280. Record No. 1.

G. F. Webster

Castore marked C with greyhead N 79 W 28
11 48¹⁰⁰ chains west of Castore marked 45 with 4 mudbees 24 S 30 E 43
30.8¹⁰⁰ chains North of N astone in pike with stone N 35 W 63 S
11 48¹⁰⁰ chains west of the above astone
with astone E 25 S to N 25

Sec 27. T 4 R 7

Q. W Oak 40 N 20 W 7 - Beech 14 S 30 W 23
N. W Oak 20 North 31 -
M. Beech 12 N 20 E 17 - W. Beech 3 S E 8

April 1st 1862. J. Norris

II. Boulder marked L 27 and P 26.
Boulder N 30 W 63 - Boulder N 57 E 55
Hickory 10 S 84 1/2 W 49 - Beech N E 12 old bearing
M. Boulder marked M 27
Boulder S 31 W 57 1/2 - Ash 15 N 39 E 17
P. Boulder marked P 27 and L 28
White Elm 10 S 80 1/2 W 123 1/2 - White Oak 6 S 33 1/2 W 157

222

B. Boulder marked B 27
1/2 NO. Large Boulder marked 1/2 NO.
April 30th 1863. Dick Norris

Recorded on Page 282 Record Book,
L. E. Webster

Sec 23 T11R7

M. Poplar 14 East-21 - 2 1/2 14 240820

N. Hick. 27 1/2 6 1/2 19 - Beh 20 11658 9 1/2

M. Boulder marked M 28

Chain Carriers - Thomas Conger, John Hooper
Flag Bearers - J.W. Rosenhaus, Simon Moore
April 29th 1863 - Dick Norris

Surveyed for heirs of M. Quincy

- 65 3/8 East of E - Beh 30 818 1/2 32 = 20 24 134 1/2 41 = a Stone cor.
- 100 1/2 Beh 8 812 & 47 = Beh 12 117 & 39 = a Stone corner
- 59 2/10 Rods West of C - Beh 8 828 & 31 = Beh 8 850 1/2 43 = a Stone cor.
- 58 1/2 Rods East of P, a Stone corner
- 59 2/10 Rods West of N, a Stone corner
- 59 2/10 Rods West of H, a Stone corner
- 101 6/10 Rods West of H, a Stone corner
- 97 9/10 Rods West of H, a Stone corner

Sept 23rd 1839 - by Ed Winchel S. S. Co. Inc

E. Boulder marked E 288 A 29.

77 1/25 Rods South of E. A Boulder marked E 77 1/25.

77 1/25 Rods South of A Corner established by Ed Winchel. 59 2/10 Rods West of C. A Long Flat Boulder set and marked 77 1/25.

Recorded on Page 282 & 284 Record of Ed. Winchel

39 1/2 Rods west of B A Long sand Boulder.
marked B 39 1/2.

39 1/2 Rods west of M A Long Boulder. Marked.
M 39 1/2.

Chain carriers Benj Scudder, John J Conger.

D. J. Conger & M. J. Conger. Flag Bearers.

Liberty Walker. Christopher Spellman. James
Hallen & Wm M Bone.

July 19th & 20th 1867 John Hoop 356

Recorded on Page 284 Record Chart.

C. F. Webster

29
Sec 29. T11 R 7

Q. Area 20 A & 2 - Aug. 30 1864 47

A, L, C, E, X, W, N, M S P, Stone corners

D, Hickory 12 x 30 W 16 = Do 6 132 W 11

O, Ash 20 x 16 W 3

Recorded on Page 284 Record Chart.

C. F. Webster

Section 30, T11, R7.

O, Beech 14 S 30 W 11 — Elm 48 N 63 E 11
N, M, E, C, P, S, X, Z, Q
South end of line dividing E/2 of N 6/4 a stone

Dargin 41

stone corners

Recorded on Page 284 Record Ch. 1.

C. E. Webster

~~11.26 chains~~ Stone at the corner of A. J. Winterrows & Mary
Tully's Land. wit Bur oak 14 S 45 W 16 Links
April 9th 1874 Jerry Sugar

~~11.15 chains~~ East of W a stone wit B. oak 14 S 45 E 16
~~11.26 chains~~ East of N a stone wit Beech 12 S 64 E 47 do 24 S 27 E 29
April 9th 1874 Snowing with zinc on ground P. Sugar, S. S. Corn

Town 11 Range 7 East Sec 31

Y, W, X, O, M & N, Stone corners See Dargins notes
X. Ash 16 S 23 W 56 1/2 - Beech 30 S 16 1/2 E 75 1/2 - stone
(N.B. This stone is set for the road) Oct 19th 1861. D. M. M. S. S.

" D A sand stone set & marked D 31.8 y 30.

" E a stone set & marked E 31.8 1/2 30.

" N a stone set & marked N 31.

" 68 1/2 Rods north of N a stone set and marked N 68 1/2

" O a stone set & marked O 31.

" 69 1/2 Rods north of O a stone set & marked O 69 1/2

" P a stone set & marked P 31.

May 10th 11th 12th 16th got in. Hoop Durvige.

Recorded on Page 286. Record No. 1.

C. E. Webster

32

Sec 32 T11 R7

Surveyed for Mr Hendricks & others a grave
yard - Commencing 62 Rods west of the
North East corner of Section 32 and running
thence West South Seven Rods; thence West
Eight Rods; thence N 57° W 6^{3/4} Rods; thence
North three Rods; thence East thirteen Rods
to place of beginning containing Eighty one
Square Rods

Sept 27 1852

J. M. Elliott Surveyor

~~W~~.X.V.Z.P.S.N, Stone corners = See Dargins note

Recorded on Page 286 Record No. 1.

G. F. Webster

Sec. 33. T11 R 7

- N. Beh. 14 N10 E 33 - To 16 S55 W 30
- O. Beh. 18 N5 E 20 - Aug 5 S 8 W 18
- Q. Beh. 6 N 16 W 16 -
- R. S. wood 6 N 16 W 25 - Beh 24 S 55 W 29
- S. Beh 24 N 8 W 72 - Aug 3 S 20 E 26

X. Beech 24 N 45 W 59 - Beech 16 N 21 W 78 1/2 - two stones together
 (N.B. set for the Road) Oct 15th 1861 R. Norris S.C.

- C Large Boulder marked G. 33.
- N Set a smooth Boulder by the above witness
- O Boulder no witness available
- P " " "
- X Boulder " "
- Y Feb 28th 1868 " "

W. H. Miller S. Co. Ind.

Recorded on Page 286 & 288. Re copy of A. S.
 G. F. Webster

276

286

Section 34 Town 11 R 7

980 Links North of X a stone marked 980
 wit a stone South 21 Links
 17 1/2 Links West of M a stone marked 34
 M taken for witness East ~~17 1/2~~ Links East an ash S-E
 W a stone marked W 34
 wit a stone N 16 do N 22
 980 Links West of W a stone marked 980
 wit a stone S 20 Links
 Chain carriers Jesse Selby D Wassen
 Flagmen John A Moore Philip Perill
 August 13th 1871 J. Langan S S C

Sec 34. T11 R7

Am. Hick. 14 N 38 W 26 - Am 20 East 23

March 31st A.D. 1862 J. Worriss

- II. A very large boulder marked 27, 28, 33, 34.
 White Oak 24 S 25 1/2 W 106 - Boulder N 46 E 51 1/2
- IB. A large boulder marked B 34 and W 27.
 Wild Cherry 12 S 47 1/2 W 158 - Ash 5 S 26 W 81 1/2
 A long boulder marked wit N 22 E 63 1/2
- IP. A boulder marked P 34 and L 33
 Ash 12 N 77 1/2 E 75 - Ash 12 N 64 E 108 1/2
- Z. A hard blue boulder marked Z 34 and V 33
 Boulder N 33 1/2 E 38 - Boulder N 70 E 46 1/2
 Said corner is 3.04 chains East of corner IB to Section 3
 T10 R7 in Bartholomew County Indiana.
- Y. A hard blue boulder marked Y 34
 Poplar 24 S 38 1/2 W 13 - Beech 20 S 4 E 47 1/2
- X. A hard blue boulder marked X 34
 Sugar 9 N 35 1/2 W 41 - Both original witness living
- MM. A boulder marked M 34 set from thick and ash about recorded
- NN. A long rough boulder marked N 34 on South side
 Sugar 6 S 38 E 15 1/2 - Walnut 20 N 40 E 114 1/2
- O. A boulder marked O 34
 Beech 20 S 7 1/2 E W 35 - Wild Cherry 8 N 20 1/2 E 45 1/2
- 26.30 chains North of MM a boulder marked 26.30
 Sugar 6 N 65 1/2 W 156 - Sugar 6 S 75 W 118 1/2
- 5.13 chains East of O a boulder marked 5.13
 Ash 9 S 42 E 38 - Beech 12 South 51
- 26.15 chains South of the corner last above mentioned
 A long boulder marked 26.15
 Hackberry 12 S 36 1/2 E 88 - Ash 12 S 31 1/2 E 122.

288
290

Recorded on Page 288 and 290 Record and
 C. F. Webster

Section 35. T11 R7

R. Norris

- II. Two witness stones buried 15 inches under the surface marked wit. for witness N40 E 20 - S35 E 25
The corner a limestone set and marked L35 and P36.
- X. A large boulder found right, one of the old witness trees remaining, to wit - Beech 8 N 34 E 25 see field notes.

Recorded on Page 290. Recorded on p. 1.
C. E. Webster

Sec 35. T11 R7

Margin

- Y. Beech 4 E - 52 - S 10 S 75 W 42 - stone
O. R. Oak 10 N 45 E 33 - Beech 30 S 72 E 42 - stone
H. Beech 15 S 35 W 40 - S. Wood 40 - 17 W 26 - stone
N. Ash 15 N 70 W 33 - Beech 18 S 50 W 62 - stone
G. Beech 30 S 50 W 6 - N. Berry 20 S 82 E 34 - stone
M. Beech 24 S 14 E 33 - S 14 E - 9 (40 link) Rock
I. Beech 24 N W 2 - S 18 E - 30 (chain)

R. Norris

- A. East point of roof on Bourgeois house N 76 3/4 W.
East chimney on John C. Blades house S 41 1/4 W.
South point of roof on Mrs. G. Morris barn N 85 1/2 E.
Stone, a large red boulder marked 25, 26, 35, 36.
- C. A small boulder marked C 35 and X 26.
- D. Beech 10 N 15 W 46 - Sugar 14 N 61 1/2 W 66 1/2
Oak Stump N 64 1/2 W - Soft limestone marked D 35 and Y 26
- F. 3 witness stones N 66 E 26 - Old Beech N 7 1/2 E 54
East chimney on James Smith's house S 3 1/4 W by lightning rod
A large boulder marked 26, 27, 34, 35.
- P. 3 Ash 10 S 58 E 86 - witness stone S 66 E 8 1/2
Soft limestone marked P 35 and L 34
- T. Ash 6 N 46 W 85 - Ash 10 N 25 W 92
Limestone marked T 35 and V 34 - said stone is set
34 3 links east of corner E to section 2 in Township
10 North, of Range 7 east, a lap corner in Bartholomew County
- V. Beech 22 S 19 W 45 - Hickory 7 S 18 E 33.
Ash 10 S 34 E 39 - a pear shaped boulder, reddish
color, marked V 35 and L 36 - said stone is set
418 links east of corner E to section 1 in Township
10 North, of Range 7 east, a lap corner in Bartholomew County
- R. Sugar 10 S 75 1/2 W 67 1/2 - Oak 10 S 12 E 76 1/2
a bluish limestone marked R.

December 4th and 5th 1861.

292. Recorded on Page 292. Recorded on p. 1.

16
Sec 36. T11 R7

III. Aug 17 Bar 5-2 - Ben 18 N 75 W 21
IV. Ben 16 Bar 1 - So 4 S 50 W 23
V. Aug 16 N 55 W 13 - Ben 20 N 80 E 33
VI. Ben 20 N 40 W 4 - So 14 N E 14
VII. Ben 1 - E 65 E 24 - Aug 20 Mar 41

Recorded on Page 292 Record No. 1.
C. E. Webster