

Sec 2.

- M. Maple 8 S 85 E 11 - S. Am 11 N 5 E 9 ✓
- N. Beech 14 S 12 E 8 - B. Am 2 N 62 W 24 ✓
- Q. Beech 12 S 24 W 31 - S. 14 S 86 W 27 ✓
- S. Beech 5 N 37 W 21 - S. 20 S 95 E 20 ✓
- C. Beech 10 N 26 E 10 - S. 14 S 2 W 31 ✓
- D. Beech 11 S 50 W 26 - S. 16 N 60 W 27 ✓
- O. Beech 14 N 70 W 24 - to Beech N 65 E 74 ✓

Recorded on Public Record No. 1.

C. F. Webster

- 66 chains North of ~~S~~ stone wit Sugar 10 N 66 E 35
- South of S stone wit sugar 18 S 64 E 11 1/2
- " " " " " " Beech 14 S 49 W 19
- North of S stone wit Elm 10 N 29 E 85
- North of W stone wit Elm 8 N 80 W 12
- " " " " " " wit Poplar 20 S 21 1/2 W 50 1/2
- North of the above stone wit B oak 24 N 79 W 50 1/2
- stone marked B+W wit a stone North 31
- North of ~~S~~ stone marked 5 no wit available
- stone set by old Bearings Beech S 86 W 27
- stone set by old Bearings Maple 8 S 85 E 11
- a boulder marked E+N wit ash 10 S 55 E 11 1/2 P oak 30 S 72 1/2 E 1.95

Section 11 Town 12 R 5

- P a stone marked P+L wit S. E. corner Baptist church N67W-150
O a stone marked marked O wit Beech 1453 & 55
N a stone marked marked N wit Pin oak 12 N24 E 26 ash 12 N54 W 26
C a stone marked C+X wit a stone N20 He could not find it
1006th South of E a stone ^{marked} 10 wit available
1006 South of D a stone marked 10 wit a stone South 24
1006 South of C a stone marked 10 wit oak ³⁰ S 21 1/2 E ~~9~~ gone

Section 12 Town 12 Range 5

A astone marked A E V 7a

1st astone ~~North~~ South 46 links

B CC astone marked C + X wit astone south 38 links

10 Rods East of C astone marked 10 wit R oak 14 N 67 95 ..

20 Rods East of B astone marked 20 wit astone North 46 links

Chainmen & flagmen John Cutsinger James James mat Cutsinger

and George Shea

March 25th 1874

J. Eugene S. S. County

Sec 12 T 12 R 5

Nichols

16 D. Buckeye 14 N 23 E 19 - S 18 S 37 E 7

Survey for Pyle, Thurston & Ross the North half

Q Established the lines connecting the following corners

- ✓ B. Hick. 12 S 33 W 56 - Beh 24 N 11 E 60
- ✓ C w D 16 a. Hick 4 N 26 W 91 - R oak 10 N 35 E 140
- ✓ D. Oak 24 N 15 W 62 - Beh 15 N 5 W 90
- ✓ M. Poplar 15 N 53 E 49 - Beh 8 N 40 W 9
- ✓ N. Beh 24 N 12 W 7 - Hick 9 S 72 W 15
- ✓ O. Beh 18 S 88 E 10 - B oak 24 N 69 W 21
- ✓ B w M 47 a. S. wood 5 N 32 E 2 - Pop 18 S 28 E 13
- ✓ C w N 20 S. wood 3 N 32 E 15 - Beh 12 N 43 W 28
- ✓ N w O 16 a. Hick 10 N 72 W 15 - Beh 8 South 10

Stones at all the corners

Nov 26th 1848

J. M. Elliott Surveyor

Recorded on Page 16 Record No. 1.
C. F. Webster

Section 12 Town 12 Range 5

- 7.74 chains East of C stone marked 31 wit apple tree 14 S 42 W 65
- 34 Rods East of the above stone marked 34 wit pine on F. Tuckers House
- N 72 1/2 W do on ~~W~~ Tuckers House S 59 E Variation 4 1/2 degrees
- 28 Rods West of V stone marked 28 wit stone @ 33 1/2 links
- 8.66 chains West of the above stone marked 29 no wit available

Sec 13, T12 R15

- ✓ 18 A. Sugar 14 S 80 W 15 - Beh 12 S 70 E 7
- ✓ F. Poplar 30 S 5 W 19 - W. Oak 22 S 80 E 26
- ✓ N. Beh 22 S 80 W 7 - Poplar 24 N 10 W 61

✓ Surveyed for Irwin, Tuckers & others N.W. q^r
 - & N.E. q^r & divided N & S - & the S.W. q^r & divided the
 same N & S

- ✓ X A. Walnut 6 S 20 W 45 - S 8 S 73 E 119
- ✓ B. Cherry 6 S 5 E 394 - S 1 S 42 E 78
- ✓ C. apple 3 S 65 E 230 - S 3 S 83 E 306
- ✓ E. Oak 18 N 41 E 212 - Beh 14 N 74 E 182
- ✓ L. Boulder Stone
- ✓ M. Ash 7 N 13 E 10 - Hick 12 S 40 E 25
- ✓ N. Poplar 24 N 10 W 61 - Sycamore 5 N 3 W 30
- ✓ O. Beh 12 S 52 W 38 - Hick 10 N 62 E 53
- ✓ P. Boulder Stone
- ✓ Y. Beh 10 N 3 W 32 - S. Ash 8 N 46 E 37
- ✓ Z. Boulder Stone

Boulders
 placed at
 all the
 corners

Sept. 20. 1851

J. M. Elliott Surveyor

Recorded on Page 48 Record Book 1.

C. F. Webster

Section 13 Town 12. R 5

110 Rods South of B stone marked 110-217 ash 26 S 22 W 39
41 Rods East of C marked 41-217 well N 55 1/2 W 92

Sec 14. T 12 R 5

- 18 ✓ NW. Am 18 N 61 W 8 - So 26 S 25 E 22
- ✓ O. W. Am. 8 Can- 87 -
- ✓ W. Am. 20 S 10 W 21 - So 4 N 62 E 20
- ✓ Y. S. Am. 18 S 25 W 8 -
- ✓ I. Ben. 22 S 80 E 13 - Hick. 5 N 8 E 21

Sec 14
Notes

E, C, B, H. Stone corners ¹¹⁸
 N, Beh 30 S 55 W 10 = Beh 10 S 27 E 48 ²⁵
 I, Beh 20 S 71 W 13 = Ia. 18 South 73 (links) ✓
 W, Beh 20 S 36 W 68 = Do 14 S 57 W 65 ✓

Recorded on Page 18 Record No. 1.
 C. F. Webster

20 Sec 23. T12R5

- ✓ N. (Hickory 20 S 10 E 8) - R Oak 42 N 68 W 9
- ✓ 20 ch E of N. R Oak 6 N 3 E 22 -
- ✓ D. W. Bear. 7 S 38 W 12 - B. Oak 14 N 17 E 23
- ✓ X W N 40 a of S end Poplar 72 S 48 W 8
- ✓ R. Beh. 12 S W 27 - S 32 N 75 W 47

See Dargens notes page 14 & 15

- ✓ T. W. Beh 8 S 60 W 27 - Hack 2 X 80 E 33 = Perpetuated ✓
- ✓ V. Beh 12 W 28 - R. Oak 6 X 32 ✓
- ✓ C. Witness Stone S 46 E = a Stone corner ✓
- ✓ N. B. Walnut X 83 W 212 = a Stone corner ✓
- ✓ O. Buckeye 10 X 60 E 3 1/2 = B. Walnut 6 X 6 7 1/2 24 ✓
- ✓ D. Sugar 18 S 75 W 100 = Apple tree 15 S 47 E 98 ✓
- ✓ G. Corn 8 X 12 W 76 - ✓
- ✓ F. Hickory 20 X 34 E 92 = B. Eye 6 X 60 E 53 ✓
- ✓ L. Beh 16 X 30 W 67 = W. Oak 14 S 50 W 106 - W. Oak 14 S 50 W 106 ✓
- ✓ H. Ash 20 X 61 W 21 = W. Oak 36 S 3 W 175 ✓

- ✓ M Limestone no. witnesses available
 - ✓ N Small Boulder. Witness stone East 14 links
 - ✓ V Set a Boulder & Original witnesses. Dargens wrong
 - ✓ W Boulder Red Oak 15 S 41 W 23 - Ash 6 S 24 E 23.
- Feb 17th 1868

Wm. H. Miller Surveyor.

Recorded on Page 20 Record No. 1.
C. F. Webster

Sec 24. T12 R 5

12. N. Bch 14 N 80 W 19 - S 9 S 80 E 27

Surveyed for Hahn & Tucker

- ✓ A. Boulder
- ✓ B. Ash 18 S 58 W 19 - Hick 12 N 74 E 37
- ✓ H. Bch 8 N 59 W 48 - Oak 60 S 55 E 22
- ✓ I. Bch 10 S 13 E 60 - Ash 20 S 36 E 70
- ✓ V. Oak 30 N 60 E 19 -
- 12. X. Bch 12 N 40 E 105 - Oak 5 N 44 E 79

Boulders have
placed at
all the corners

Sept 20. 1851

J. McEllen Surveyor

Recorded on Page 22 Record Book,
C. F. Webster

122
See Dargens notes

See 25 J 12 45

D, a Store see Dargens notes
A, Ben 20 x40 & 17=
C, D, B, M, Store courses

Recorded ~~in~~ ⁱⁿ Record ch 1. Page 22.
C. F. Webster

Sec 26. T12 R5

22 ✓ N. Sup Am 4 15-0 E13 - Oak 10 N 5-0 W 34 }
 ✓ H. Beh 24 15-0 E20 - Jo 12 S 3-0 E 24 } Nichols
 ✓ G. S. Wood 4 10 W 3 - Beh 14 N 35 W 4 }
 ✓ S.B. cor Taylor's a. Bur Oak 30 West-6

23 ✓ N, B. Oak 10 8 43 7 36 - Ash 3 11 0 E 13 = ✓
 ✓ S, 2 Stone corner ✓
 ✓ S, mulberry 8 8 12 8 37 = ✓
 ✓ Q, B. Eye 10 12 18 32 - Ash 16 8 6 28 39 = ✓
 ✓ R & S, Stone corners ✓

24 ✓ 19 1/4. Rods south of F A large boulder marked
 ✓ F 19 1/4. No writ. available
 ✓ 18 3/4. Rods south of G A large stone marked
 ✓ G 18 3/4. No writ.
 ✓ E a B Walnut 20 1 1/4 E 55 1/2 - Jo 2 1/2 5 3 1/2 W 4 1/4
 Chain barriers of J Sandifer & J P Pike
 & lay beavers. Saml Sandifer & A S Finley
 Aug 30th 1866 John Cooper & S.

Recorded on Pages 22nd & 24th Record Ch. A.
 C. F. Webster

Sec 35

- MI, Beech 24 861-26 - Gum wood 5 835 810
- ✓ N, S. Am 10 853-24 - Hickory 13 810 814
- ✓ O, S. Am 5 875-17 - S. Am 7 867 812
- ✓ W, Elm 5 830-2 - S. wood 7 861 821
- ✓ Y, S. Am 15 885-20 - Beech 7 885-10

Recorded in Record Book

June 14th 1870. C. F. Webster Surveyor