

Section 4 T2 R8

C. A wide hard flinty boulder marked C4
 9.66 chains West of C a long hard boulder marked +
 9.72 " " " N thence North 50 links a long
 hard boulder marked with a + and witnessed
 by a Grey Ash 36 N 52 W 39 1/2.
 N, P, E, D boulders set from by old surveys
 1.21 links West of B a lap corner for section B3 T2 R8
 A boulder set by old surveys
 442 Oct 10th 1866. R. Norris Deputy Surveyor

Recorded on Page 442. Record Book.
 C. F. Webster

Sec 3 Town 12 R 8 East

D. Stone, Nit Beech 18 1/2 60 1/2 69—
Sugar 12 1/2 27 1/2 8 1/2 1/2—

O. Stone. Marked ²⁶ to show the number
of links it is North of the true corner.
Said corner being in the center of the Cynthus
Pike, Sept 1870.
C. F. Webster Deputy Surveyor

Section 5 Town 12 North of Range 8 East
Survey for Wm Conner and Midkiff the
following described piece of land. Commencing
at South West cor of the East half of the North
West quarter of Sec 5. T12N8E Thence N 23 1/2 W 20 3/4 links
to a stone thence North 13 1/4 N 9 links to a stone thence
East 23 Rods 20 3/4 1/4 links to a stone thence South 13 1/4 N 9 links
on the line dividing East & West halves of aforesaid quarter
to the place of beginning containing 20 Acres

By J. Ed. Hinchel Sec
A, C, L, M, N stones found right, also Z found right
W a boulder " X a boulder marked X 5, Y a boulder marked Y 5
60 rods North of N a boulder marked 60
60 rods North of L a boulder marked 60
40 rods South of N a boulder - 20 rods South of M a boulder
80 rods " " " - 80 rods " " "
120 rods " " " - 120 rods " " "
Chain Carriers " John O. Brown and Girard Burton
Flag Bearers " John M. Brown and William Conner
Sept 1st & 2nd 1863 - Dick Morris.

Recorded on Page 442, Record No. 1.

C. F. Webster

Sec 6 T12 R8

B. Stone. Bunch 4 S 13 E 62 - To 5 S 64 W 57
 C. Bunch 15 S 10 W 14 - To 10 N 17 W 25
 M. Stone. Oak 24 N 82 E 14 - Poplar 30 N 45 W 17
 N. Stone Sugar 12 S 33 W 65 -
 P. Stone Bunch 20 N 68 W 22 - To 8 N 60 E 30
 Y. Oak 14 N 30 E 3 - Oak 26 S 68 E 14 - a Stone cor

M. Limestone marked on the top with a cross

X. Limestone marked X 6 - set by an original witness.

Sept. 3rd 1863 - Dick Norris. Cal.

G. A Limestone marked C 6.

Sept 15 S 33 W 58 Dec 12 S 42 E 70

D. A Limestone marked D 6.

Dec 20 S 40 E 41 Dec 20 S 30 W 44

Chain Carriers H. C. Widdiff Geo Doran Flag Bearer
 Geo McCulloch & Prof. Sifers.

April 4th 1866. John Hoop Surveyor

444

Recorded on Page 442, 444 Record No. 1

C. F. Webster

Sec 7. T12 R8

N. Jan 4 N80 E 10 - Elm 5-130 W 14-

O. Dec 20 S70 E 9 - Mulberry 10 N75 W 33

X. Elm 18 S55 E 23 - Jan 24 West 8

Surveyed for James Beggs & J. Wheeler

O. A Stone corner Relocated

D. A Stone corner Relocated

April 30th 1860 - Ed Winchel Surveyor Shelby Co. Ind.

444.

Recorded on Page 444. Record No. 1.

G. P. Webster

Section 9 Town 12 Range 8 E

12½ Links South of Q a Stone marked 8
no mt available

Fritz Friday + Daniel Louden chairman
Thos Johns + Thos Tindall flagman
Jan 27th 1872 J. Dugan S. S. County

18 Rods + 7 Links East of V a Stone marked 18+7
with a Stone S 35 E 13 Links with it on top
29 Rods and 17 Links North of V a Stone marked 29+17

G a Stone marked G with Sycamore 48 W 15 N 40
8 Rods East + 22 Rods North of G in center of Sycamore a corner
with a Stone North 12 Links with 10 N 55 E 68
58 Rods South of N a Stone marked 58
chainmen Christiano Glass + J. B. McDaniel
flagmen Fritz Friday Samuel Stancifor

Sept. 6th 1873

J. Dugan S. S. C.

Sec 9 T 12 R 8 E

K. W. L., P. V. Stone corners

C. Sugar 18 W 8 Links

M. N. W ½ of S ½ into 50 and 30 acre tracts

See ch. 8, Sec of the above 50 Acres, a stone — SW corner a stone
of S. T. 32 NE corner a stone S of P. & O. 10a. 5. 6. 11

P to Q = 10 Acres laid off of the end of W ½ of S ½
Q to R. " a stone — NE corner a stone — SE corner a stone

40 rods South of M a boulder marked 40

102 rods South of M a boulder marked 102

40 rods South of I a boulder marked 40

23 rods West of corner last mentioned a boulder marked 23

102 rods South of I a boulder marked 102

23 rods South of corner last mentioned a boulder marked 23

Chain Carriers — Elijah Byland and Andrew Darrell

October 15th 1863. J. Norris

Recorded on Page 446, Record Ch. 1.

C. F. Webster

Dec. 16 1888

74° E N 5° 24'

10

Ed. Winchell

Stone corner per

Stone corner

Z, Hoach 12 N 45° E 57' = Elm 12 S 51° W 60 1/2

Y, Stone S 62° 1/2 W 12 1/2' = Stone N 42° W 33 1/2

X, Stone corner perpetuated - By Dargie

446.

Recorded on Pages 446. Record No. 1.

C. E. Webster

Section 17 Town 12 R. 8
N Relocated a flat Sand Stone marked N & 17
with ash 15 S 29 W 24 - ash 10 S 49 W 19

S a Square Stone marked S & 17
with Beech 18 S 48 W 21 Sugar 15 S 42 W 35

Chair Carriers Jasper Hecks John Steep
flagman John Ridgely

July 8th 1877 I Eugene S S County

A a stone marked A + E + Z + V
with an ash 18 S 20 E 27 1/2

L a stone marked L + P no wit available
1001 Links North of L a stone marked 10
no wit available

180 Fritz Friday & Daniel Gouden chairmen
5 Thos Johns & Thos Tindall flagman
January 27th 1872 I Eugene S S C

Dec 17. T12 R 8

1/2 M. I. Stone
1/2 of L. R. Stone

Ed Winchul

M Boulder

N Boulder

28 1/3 rods south of N Oaks N 41 E 12 Boulder
66 rods east and 28 1/3 rods south of M Boulder
Mar 12th 1868. 20 H. miles S S Co Ind.

4461

Recorded on Page 446. Record Chis.
C. B. Webster

Sec. 18. T12 R8

A. B. 14 S12E9 - to 4 N45W 22

P. B. 18 N80E14 - to 18 N60W 22

Large 27

N, X, Z, Y,

stone corners

East end of line dividing NW 1/4 a stone (W probably)

And the East 1/2 of SW 1/4 a stone.

Recorded on Page 448. Record No. 1.

C. F. Webster

Sec 19 T12 R 4

19

Say in

IV. Beh. 15 N 60 E 18 - Hick. 5 S 35 W 6

B. Beh. 14 N 65 W 4 - So 18 N 58 E 25

WV. Stone

XVII. Stone

X Z. Elm. 8 N 75 W 33 3/4 - Hick 40 N 63 E 70 (Rock)

Y. Beh. 12 N 80 W 9 - Ark 6 S 80 E 17 1/2

Q. Beh. 5 S 36 E 55 - So 15 S 39 W 62 1/2

N. Beh. 22 S 69 E 36 - So 9 S 24 W 57 see page 87 Rock

Surveyed for Ans. Fisher & others to & large & divided
C & W

P. Beh. 8 S 21 W 43 - Gun. 20 N 61 E 32

Q. Beh. 12 S 55 E 49 - So 10 N 69 E 66

R. Beh. 8 S 2 E 19 - Ark 5 N 26 W 21

Feb 13. 1851

448.

J. M. Colliery Surveyor

Recorded on Page 448 Record Ch. 1.

C. F. Webster

A a Stone marked A + E

with a large Negro Head Planted by Nature
and is S 50 W 54 links

C a stone marked C with a stone N 21 links

B a stone marked B + W with a limestone S 2 E 29 links

Chaimmen W Chatman J Powell

flagmen James Jenkins + James Feller

April 16th 1872

J. Oregon S. S. Co.

Section 20 T 12 R 8

C a Stone marked C 20 + X 17

With a long Stone S-32 Links

- Twin ash Largest one 10 inches S $48\frac{1}{2}$ E 100 Links

P a Stone marked P + L

Set from old Bearing, Walnut 12 S $27\frac{1}{2}$ E $58\frac{1}{2}$

20
Sec. 20, T 12 R 8

Sept 21^m/1847. Survey for L. Polwell & others (Rock, 40 link chain)

P. Chain 15 S $18\frac{1}{2}$ W $3\frac{1}{4}$ - Walnut 12 S $27\frac{1}{2}$ E $58\frac{1}{2}$

N. Am 4 S $73\frac{1}{2}$ W 11 - To C S $82\frac{1}{2}$ E 20

C. Beh 5 S $15\frac{1}{2}$ E 90 - To 20 S $68\frac{1}{2}$ W 90

X. Beh 40 S $14\frac{1}{2}$ W 3 - To 5 S $44\frac{1}{2}$ W $12\frac{1}{2}$

450,

Recorded on Page 430. Record ch. 1.

C. F. Webster

See Page 15

See 21. S 12 R 8

N. 16 x 75 N 10 -
 O. R. Stone corners
 W. of N end of line a stone

450.

Recorded on Page 450, Record Ch. 1.
 C. B. Webster

Sec 2 B. T12 R 4

28

P. Star, *Coma perpetua*.

Sargin

450

Recorded on Page 450. Record ch. 1.

C. E. Webster

Section 29. T12 R8.

- Q. Witnefes - Church Steeple $S 27^{\circ} W$ (marked U+Q) ^{a limestone marked on the top}
 West Chimney on the Old Strump Brick Mansion S12 E
 Point of Roof on Micajah Powell's House N3 E
 Z. Corner at Camp Roads in Waldron to sections 29, 30, 31, 32
 Witnefes - Large Boulder N $23\frac{1}{2}^{\circ} E$ 28 (marked 29, 30, 31, 32)
 Limestone S $9\frac{1}{2}^{\circ} E$ 32 $\frac{1}{4}$ (on the top)
 R. Sycamore 7 East $53\frac{1}{2}$ links - stone set marked R
 X. Substantiated from Burr Oak stump S4 S30 W $7\frac{1}{2}$ see Rock's Record opposite page
 Y. Beech 10 S $1^{\circ} E$ 7 $\frac{1}{2}$ - Beech 10 S $22\frac{1}{2}^{\circ} W$ 6 $3\frac{1}{2}$
 a stone set marked ID + Y on the top
 M.D. Investment X is marked C for section 32 thus C
 Nov. 16th AD 1861. J. Morris & L.C.
 N. Sycamore 14 N $76\frac{1}{2}^{\circ} E$ 105 $\frac{1}{2}$ - Sycamore 18 S $83^{\circ} E$ 11 $7\frac{1}{2}$

32 rods west of N a limestone marked 32 on the side
 Sycamore 12 S $86\frac{1}{2}^{\circ} E$ 30 - Wild Cherry 8 S $84\frac{1}{2}^{\circ} W$ 25

32 rods east of N; thence North 50 rods a limestone set
 and marked 50 on the top.

Beech 20 S $25^{\circ} W$ 19 - Beech 30 N $72^{\circ} E$ 13

50 rods North of N a limestone marked 50 on the top

Beech 20 S $8\frac{1}{2}^{\circ} E$ 23 - Beech 25 N $53^{\circ} W$ 25 $\frac{3}{4}$

February 11th 1862. J. Morris, L.C.

H. A limestone marked 19, 20, 29, 30.

Beech 12 N $25^{\circ} W$ 30 - see field notes.

Section 29. is Recorded on Pages

~~450, 451, 452~~ Record N.A.

450, 451, 452 C.F. Webster

Sec 29. T12 R8

29

452, D. Cherry 4 S $48^{\circ} W$ 10 - Poplar 5 N $38^{\circ} W$ 12

Dargin

March 29 Surveyed for J.R. Honey (Rock,)
 V. Sugar 14 N $21\frac{1}{2}^{\circ} W$ - 85 - (40 link chain)

W. Beech 24 S $42^{\circ} E$ 25 $\frac{1}{4}$ - 20 12 S $17\frac{1}{2}^{\circ} E$ 7 $\frac{1}{2}$ 8) 600 (7 $\frac{1}{2}$)

X. Beech 6 N $65\frac{1}{2}^{\circ} E$ 30 - Beech 34 S $30^{\circ} W$ 6 56 4

Y. Beech 9 N $63\frac{1}{2}^{\circ} E$ 11 - 20 20 N $75^{\circ} W$ 12

450, D. Oak 11 N $87\frac{1}{2}^{\circ} E$ 24 ³⁵ Beech 16 S $23\frac{1}{2}^{\circ} W$ 24

M. Beech 14 S $53^{\circ} W$ 68 - 36 Am 18 S $33^{\circ} W$ 68 24 8 $\frac{1}{2}$ (85)

for H. Moore May 9th 1848

from A S $61^{\circ} E$ 123 R; 2nd S $78\frac{1}{2}^{\circ} W$ 12 R; 3rd S $61^{\circ} E$ 13 $\frac{1}{2}$ R;

4th S $78\frac{1}{2}^{\circ} W$ 33 $\frac{1}{2}$ R; 5th S $27^{\circ} E$ 8 R; 6th S $44^{\circ} W$ 10 R;

451 7th S $51\frac{1}{4}^{\circ} E$ 4 $\frac{85}{100}$ R to willow 8 N $44\frac{3}{4}^{\circ} E$ 36 L.R.

452 29, 30, 31, 32 or T. and Q stone corners T. or P a stone corner
 Z. Q. Stone corners L. to Dargins sales Page 12

Surveyed for Bennet Powell - Milburn & Cummins
 102.88 Rods N. of W. Buckeye 13 S $52\frac{1}{2}^{\circ} E$ 50 - Beech 14 S $62^{\circ} W$ 61 - a stone corner

40.10 Rods North of W. a stone corner

40.10 Rods North of V. a stone corner

100.34 Rods North of V. a stone corner

March 26 1860 - Ed Winchel Surveyor S.C. Indiana

Recorded C.F. Webster

Sec 30. T12 R 8

30

Nichols

N. Bch 14 S 78° E 19 - to 20 S 60° W 13½

O. Bch 16 N 70° E 13 -

P. Bch 22 S 78° E 23 - to 30 N 90° W 45

M. Ash 4 N 75° W 13 - S. Wood 3 N 35° W 3 - Sargin

N. Bch 14 S 6½° E 16 - to 17 S 58½° W 10 - Rock

P. Oak 30 N 72½° W 35½ - N.B. Rock used a 40 link chain

Z. Bch 11 S 15½° E 22 - 22 x 10 ÷ 8 = 27½ links

X. Bch S 55° E 63½ - correct distance 78 links of chain

O, S, stone corners by Winchel

V. a stone corner by Sargin

Nov 16th 1861 J. Norris

U. Witnesses - Church Steeple S 27° W - stone set marked U + Q

West Chimney on Stroups Brick House S 12° E

Print of Roof on Micajah Swells house N 8° E

W. Corner in Waldron to sections 29, 30, 31 and 32

Large Boulder N 23½° E 28 - Limestone S 9½° E 32½

Stone set and marked 29, 30, 31, 32

II. Dogwood 4 N 24¾° W 3½ - Beech 18 N 71° E 22½ marked T ¼ S

WV. Beech 12 S ½° E 7 - Beech 11 N 15½° W 21 nearly

15.56 chains south of U a stone marked 15.56 North east corner of Waldron

10.07 chains west of the last named corner a stone in center of R.R. marked 10.07

6.86 chains south of II a stone in center of R.R. marked 6.86

Recorded on Page 434. Record N. A.
C. F. Webster

Sec 31. T 12 R 8

454
 O. J. wood 4 S 8 W 11 - Beech 16 N 33 E 10
 P. Beech 8 S 45 E 26 - Beech 12 N 34 E 27
 Y. Beech 20 S 44 E 16 - Beech 10 S 47 W 13

See Page 31
 Notes Page 31

IV, Beech 10 S 25 W 16 = Beech 10 S 88 -

R, a stone corner

A stone corner - II, a stone corner

436

Nov 16th 1861, J. Morris

A. Corner in Meadow to sections 29, 30, 31 and 32

Witnesses - Large Boulder N 23 1/2 E 28 - S 9 1/2 E 32 1/4 a Limestone witness stone set and marked. 29, 30, 31, 32

II. Poplar Stump N 28 E 60 - Poplar 36 N 63 1/2 E 80 stone marked
 Butternut 20 N 85 E 53 1/2 II + P.

IB. Beech 12 S 1/2 E 7 - Beech 11 N 15 1/2 W 21 nearly

Nov 11th 1861
 W. a stone set Beech 12 N 87 W 14 field note witness. marked W + Z
 November 25th 1861

Z.

K. a large boulder marked K

N. a boulder marked N

HI. Sugar maple 22 N 85 W 36 - Elm S 84 1/2 E 32 1/4 Sandstone

14. 34 chains west of A. a large boulder marked 14. 34

X. a stone set from stump of field note witness Sugar 18 S 60 E 18

C. a boulder found right in section 30 Beech 155 E 78

IB. Beech 12 S 1/2 W 6+ - Beech 11 N 15 1/2 W 22 nearly

Recorded on Page 436 Record No. 1.
 C. E. Webster

Section 32, T12 R8 East

Nov 15th 1861
 A stone set Beech 12 N 87 W 14 field note witness, marked V + T₂

Recorded on same Page as other

C. E. Webster

Sec 32 Town 12 Range 8 East

P, N, D. Stone corners

O Beech 16 S 78 E 17 - Sugar 18 N 40 E 27

X, M, S, V. Stone corners

E and P stone corners

Nov 16th 1861. J. Morris S. L. C.

Large B. Corner at Crook Roads in Madison to sections 29, 30, 31, 32
 Large Boulder N 23 1/2 E 28 - Limestone S 9 1/2 E 32 1/4
 Stone set marked 29, 30, 31, 32

IP. Poplar Stump N 28 E 60 - Poplar 76 N 63 1/2 E 80

Butternut 20 N 85 E 53 1/2 Stone marked T₂ + IP

C. Perpetuated from stump of old witness see Rocks Records Section 29

Burr Oak 34 S 30 W 6 = 7 1/2 links Stone set marked C

N. Stone marked N

Corner stones set on West line of the Northwest Quarter

6.17 chains south of E a stone set marked 6.17

15.7972 " " " E " " " 15.80

20.6108 " " " E " " " 20.61

25.4244 " " " E " " " 25.42

30.2380 " " " E " " " 30.24

35.0516 " " " E " " " 35.05

39.8652 " " " E " " " T₂ + IP

Corner stones set on the East line of the Northwest Quarter

6.17 chains south of C a stone set marked 6.17

15.82 " " " C " " " 15.82

20.645 " " " C " " " 20.64

25.470 " " " C " " " 25.47

30.275 " " " C " " " 30.27

35.120 " " " C " " " 35.12

39.945 " " " C " " " N

D Beech 10 S 78 E 72 1/2 - Beech S 22 1/2 W 63 1/2 marked D W

Recorded on Pages 456 & 458. Record N. 1. C. E. Webster.

Section 33. T12 R 3.

3 rods and 22 links north of O a limestone marked "31 $\frac{22}{25}$ "
 on the side and D N on top. Beech 15 N 12 1/2 E 60 - Oak 24 N 47 W 17 1/2 p.
 9 rods and 24 links north of P a limestone marked "9 $\frac{24}{25}$ "
 White Oak 30 S 71 W 82 1/2 p.
 3 rods and 22 links north of P a grey boulder marked "31 $\frac{22}{25}$ "
 Pin Oak 36 N 11 1/4 E 17 1/4

Recorded on Page 460. Record N. A.

C. E. Webster

See Page 36
 80 to Page 36

Recorded on Page 460.

Record N. A. C. E. Webster

Sec 33. T12 R 3

525 = 52 1/2 (40 link chain) Rock
 L. Hick. 20 N 81 1/2 W 42 - Beech 10 N 58 W 68 = 85
 NW. Beech 7 N 43 E 3 1/4 - So 16 S 50 W 23 = 2875 = 28 1/2
 W. Beech 14 N 36 1/2 W 24 - Hick. 25 E 22 = 275 = 27 1/2
 = 30

E. P. S. C. Stone corners

N. Oak 20 N 23 1/2 W 40 = Beech 14 S 46 E 9

January 4th 1869 Dick Morris

- C. Beech 12 S 41 1/2 E 50 - Beech 17 S 50 1/2 W 86
 A grey boulder marked C 33 - remains of old stake found
- D. A nail driven in the Northwest side of a Pine Oak 30 inches
 in diameter. A long slender limestone marked D + Y set
 in the roots of said tree one link west of the nail head.
- N. Witness Stone N 61 W 34 p. - Witness Stone S 78 W 38
 A Limestone marked "N 33" witness stones marked
 "wit" for witness and buried 50 inches under the surface
- X. Beech 18 N 57 E 24 - Ash 30 S 30 E 24 1/2 - Beech Stump 8 S 57 W 10.
- Y. Beech 15 N 43 W 35 - Poplar 48 S 26 W 46 1/2
 A large block of Limestone marked Y 33
- Z. Poplar 40 North 5 p. - Beech 18 N 42 1/2 E 77
 A Limestone corner by Dargie found right
- O. Swamp Ash 10 South 11 p. - Swamp Ash 13 N 61 E 46
 Limestone marked "O 33" also "D" N on top
- E. Sugar 13 S 20 W 30 - Beech 24 S 26 1/2 E 51
 A Limestone corner by Dargie found right.
- 9 rods and 24 links north of O a limestone marked "9 $\frac{24}{25}$ "
 Ash 36 N 5 1/2 E 60 - Walnut 20 S 23 1/2 W 35 1/2