


Explanation
One Section

27 2 40
50
40
83204



Sec 1. T13 R.5

Nichols

- N. Am 4 West-4 - Sycamore 6 60 E 18
- D. Beh. 20 S C 12 - Mulberry 16 S 75 W 25 -
- W. S. Wood 6 West-9 - Am 3 N 60 E 17
- V. Harkney 14 N E 34 -
- V. Beh 1 1/2 W 18 1/2 W
- W. Beh 13 N 26 W 26 - Cherry 5 S 53 E 24
- D. Beh 18 N 67 1/2 E 20 - So 2 S 35 1/2 W 14 1/2
- N. Maple 28 N 14 E 24 - Elm 40 N 34 W 32
- V. Sycamore 9 N 55 W 27 - Hack 14 N 46 E 36 1/2
- A. Beh 12 S 6 1/2 W 24 - Am 4 N 29 W 11 1/2
- D. Sycamore 5 S 56 W 59 - Walnut 14 S 31 1/2 E 98
- * C. Beh 10 S 60 E 32 1/2 - D.

Rock

17 1/2
Miles of Corn

P. a Boulder marked P 1. - Wick 20 S 62 1/2 W 30 - W Elm

Y. A Long white flinty Boulder marked Y 1

Z. A Blue Boulder marked Z 1. and Z 2. set in the nooks of an ash tree on the north side of said Carriers Philip Hoop and James Hoop Flag Bearers Noah Francis and Howard Lee April 13th & 14th 1866. John Hoop Adm.

E. - Blue Ash 17 N 36 E 162 - Sycamore 22 N 24 1/2 E 95 1/2
Obtained by chaining from the Range line to the Johnson County line and dividing the distance equal. done by the above named parties of said date

Recorded on Page 26 Record No 1.
C. E. Webster

Dec. 1. 7 13. R. 5

24 V Flinty Boulders
O Boulders set by Rocks witnesses
Surveyed Sept 30th 1867
W. H. Miller Surveyor

Re Recorded on Page 26 Record No. 1.

C. P. Webster

23 Rods and 2 Links south of E a Stone marked 23x5
wit B. Elder 2524 & 3 1/2 Links

23 Rods + 2 Links south of D a Stone marked 23+5
wit R Elm 12 8x23 7x14

Q perpetuated
P perpetuated from Hoops witnesses no
Stone available an ash stake drove for corner

Chainmen & flagmen Martin Cunningham
James Burk Wm Griffith Winfield Wood

Sept 15th 1873

J. Sugan S E C

- "C. A Blue sand Stone marked C 2.
Wit. Black Elm. C. N. 88. = Red Elm. 10.3 9 1/2 E. 44.
- "E. Along Boulder marked E 2. and P 1.
Wit. Beech 10 N 16 E. 73 = Hickory 16. N 83 1/2 W. 36
- "M. A long Blue Boulder marked M 2.
Hickory 16. S 32 1/2 E. 58.
- "N. A long Boulder. marked. N 2.
Ash 10 7 1/2 E. 68 = Hickory 10 8 1/2 E. 84. (White Oak 8.37 E. 44 1/2 Sugar 10 N 64 E 33 1/4.)
- "O. A long flinty Boulder marked. O 2.
Ash 10 S 48 E 68 = Hickory 10 S 18 E 84
- "W. A large Blue Boulder, marked W 2 & B 11.
- "X. A long pointed Boulder, marked X 2 & C 11.
- "Y. A long Boulder, marked Y 2 & D 11.

Chain carriers Wm. L. Morgan & John & Powell
Flag bearers Lewis Hoop & B. L. Gray.
June 1st & 8th 1865.
John Hoop Surveyor.

- W. A Boulder marked 2 for section 2.
- T. A hard Boulder marked T 2.
Chain carriers Milton Francis and Richard Wood
Flag bearers Noah Francis and Richard Wood Jr
April 10th 18th 1866. John Hoop S. C.

Recorded on Page 28 Record No. 1.

C. P. Webster

Sec. 2. T. 13. R. 5

- ✓ 25 V Ash 20 N 86 W. 87. Wit. Stone, E. 6
 - ✓ U Hickory 36, S 7 W. 64. Wit. Stone, N 20 W. 7
 - ✓ L Beech 14 N 36 E. 38. Wit. Stone West 10
 - ✓ A Sycamore 30 N 21 E 99. B. Walnut 14 N 48 E 191
 - ✓ M Hick 18 S 22 1/2 E 64.
 - ✓ N Sugar 10 N 78 E 23 Oak 8 S 24 E 48 1/2
 - ✓ O Stone witness South 6
 - ✓ 6 rods west of O a stone corner
 - ✓ T Stone witness N. 39.
 - ✓ X " " N. 9.
 - ✓ W " " S 69 W. 13 1/2
 - ✓ V no witnesses available
 - ✓ One rod south of S a stone corner
 - ✓ 4 1/2 rods south of T
 - ✓ 44 rods 7 1/4 feet east of P a stone corner
 - ✓ 13^{ch} 9 14^{emb} north of V
 - ✓ 21 3/5 rods south of V West of the above corner a stone
 - Chain Carriers { Wm. Boye Sworn
John Bowman Sworn
 - Flag Bearers { Lewis Hoop Sworn
John T. Powers Sworn
- May 27th & 28th 1867
W. H. Miller Surveyor
assisted by Dick Norris

Stones set & marked at all the corners according to law W.H.M.

Recorded in Record No. 1. Page 28

C. P. Webster

3805 Links N of in sec 11 and 1377 Links S of W
a stone in in Pike with a stone S 74 W 9 Links

Sec. 11. T 13. R 5.

- M. A stone set and marked M 11.
 - N. A Boulder marked N 11.
 - Lignum 6 N 46 1/2 E 06 1/2 - Swamp ash 12 S 34 E 27
 - P. - Ash 68 S 33 W. 07 - Swamp ash 8 N 75 1/2 E 26
 - S. A Boulder marked S 11.
 - Swamp ash 20 S 65 W. 09 - S ash 12 N 6 E 24
 - T. A Boulder marked T 11.
- Chain Carriers Philip Hoop & Milton Francis
Flag Bearers Noah Francis & Richard Wood
April the 18th 1866 John Hoop S. 1
-
- G Wit stone N 52 E 18. B Oak 36 S 60 W 24
 - I Swamp. Ash S 38 W 63 Wit stone N. W. 12.
 - M Beech 15 N 26 W 72
 - N Hick 18 S 43 W 6. Oak 5 N 29 E 21.
 - O Oak 4 N 64 W 31. Oak 20 N 56 E 40.
 - L Wit. stone N 89 W 104.
 - P Ash 6 N 62 W 13. ash 6 S 60 E 16
 - Q Maple 24 S 64 E 21. Red Oak 12 N 52 E 32
 - R Oak 4 N 33 E 18. Ash 5 S 71 W 7.
- Surveyed Oct 12th 1867 W. H. Miller Surveyor

Boulder

Recorded in Record No. 1. Page 30.

C. P. Webster

1377 Links West of G a stone marked 5
with a Poplar 3 S 47 1/2 E 19 1/2
chain carriers Allen - + Thos Francis

Section 12 Town 13 R 5

125 Rods East of ∇ a Boulder Relocated and marked 125 with Hickory 16 N 30 Links

Sec 12. T 13 R 5

12
Rock

99.7 R. S of L. Beh 7 N 30 W 14 - S 18 N 14 E 28
 200.5 R. W. of the above. W. Walnut 12 S 33 E 26 - Walnut 10 S 11 W 23
 125. ¹⁰⁰ R. E of ∇ . Hick 7 - 13 - S 10 E - 27
 125. R E of P. Beh 6 E - 18 - S 4 S 40 W 16
 N. N. The above water may belong to Sec 13. E.
 72.5 Rods E. of P. Chev 14 S 76 W 65 - Buck 4 S 61 E 18
 52. ¹⁵⁰ Rods N. W. of the above Walnut 7 N 30 E 75
 Survey for D. R. & A. May see page 54 "Rocks mark"

L. Beh 9 S 35 E 15 - Buck 9 S 47 W 35 } None
 N. Thom 2 S 22 W 5 - Lynn 10 N 87 W 17 }

Q. R. Stone corners by Dargin - old notes page 17
 A stone R on Little Sugar a stone, Corner on west line of Section 27 poles 20 links
 Hickory 15 S 45 E 27 - East of the above corner on the line dividing
 S. W. Beech 24 S 38 E 3/2 links Don't see it on 32. R.

125 Rods East of ∇ a boulder marked 125
 3 links East of ∇ a large boulder marked 41 for 41 Acres
 Hugh McFadden and Phillip Hoop Chain Carriers
 Sept. 8th 1863. Dick Norris

P. A Limestone set from the stump of the original witness. To wit. Beh 16 N 89 E 11. and marked P 12. for section Twelve and L 11. for section 11.

125. rods east of P. A Boulder set by Rocks witnesses Beh 6 E 22 - Beh 4 S 40 E 0
 April to 13th & 18th 1866 John Hoop & A.

32 - P. Boulder. Witness Limestone N 89 W 104
 Survey May 27th 1867. W. B. Miller.
 assisted by Dick Norris

Records in Record Book 1. page 32

Section 13, T13, R5

34. P.R.

- 87 rods North of II a stone set and marked
White Oak 36 N17W 98 1/2 — Hickory 14 S21 1/2 W 47 1/2 — stone set
- 119 rods west of the above (87 rods) corner a stone corner marked 119
- 56 2/5 rods west of III a stone set and marked on the Bluff Road
Witness Sugar 27 N18 1/2 W 24
- A, E, V stones found right. May 1st 1861 D. Morris, S.L.C.
- Q. Beech 24 S41W 28 1/2 — Beech 22 N7W 36

Recorded in Record to 1, Page 34,
C. F. Webster

2 Chains west of a stone which is 87 Rods
Northward 119 Rods west of 4 corner
with an Elm 28 S60W 98 — # Locust 16 S71 1/2 W 51

Sec 13, T13 R 5

13.

- * See Sec. 12
- WV. Elm 60 N63 1/2 E 96 — (40 lb chain) — stone 96.0 (120)
- 21 ID. Beech 12 N40W 17 — 20 22 S36 1/2 E 42 1/2 59
- Co. Beech 4 N71 E 20 — 20 15 S6 1/2 E 20
- HI. Elm 6 S28W 7 1/2 — Spruce 36 S42 1/2 E 3
- A. Maple 5 S76W 4 — Oak 6 S67 1/2 E 17
- B. Hack 7 S21 E 41 — Buck. 7 S26W 42
- 35 MI. Beech 22 N65 1/2 W 28 — 20 22 N20 E 35 43 3/4 = 44
- D. Stone, also at other corners
Survey for Cotton page 93 "Rocky aulin"

Recorded in Record to 1, Page 34,
C. F. Webster

34 Surveyed for Boyd & Collins East part of lot N E 9
Commencing at B fence west 7.75 ch; 2nd 24 3/4 W
5.36 ch to a Cherry 30 in; 3rd S9 1/2 E 21.42 ch. to a Sugar
24 in; 4th S14 1/2 W 15.49 ch; East 13.82 ch to NW containing
Aces Oct 29, 1851
J. M. Elliott Surveyor

- 34 MI. Beech 14 S50 W 36 1/2 — Crooked Beech 11 E 13 — stone set
 - IV. Elm 13 N3 1/2 W 45 — Hickory 8 S7 1/2 W 27 — " "
 - O. Hickory 16 S42 1/2 W 106 1/4 — Elm 34 N79 1/2 W 68 1/2 — " "
 - IP. Buckeye 11 N73 E 8 — Beech 14 S83 W 58 — " "
 - C. Buckeye 10 1/2 S4 E 30 — " "
 - x ID. Beech 9 S21 1/2 W 34 — Beech 7 N15 1/2 W 58 1/2 — " "
 - G. Beech 11 S64 E 98 — " "
 - HI. Ash 20 N38 W 8 — Elm 8 S83 E 2 1/2 — " "
 - X. perpetuated from field - note witnesses — " "
 - 1/2 OC. Maple Sugar 10 S65 E 38 — Ash 10 N35 E 60 — " "
 - 1/2 NH. Linn 27 S88 1/2 W 22 — Water Beech 8 S77 E 16 1/2 no stone set
- The corner is North of the witness point 1 rod 20 links in the tail race.
May 1st 1861. D. Morris, S.L.C.

36 page R1

Sec. 14 T3 R5

14

H.

Swamp Ash 10 S15 E27 - White Elm 50 N28 W17
April 1863 - R. Norris

- B. A Rough Boulder marked B 14.
C. A yellow sandstone marked C 14.
D. A Rough Boulder marked D 14.
F. A Large Boulder marked F 14.
O. A large Boulder marked O 14.
White Oak 30 N 33 1/2 E 35 1/2
N. A large flinty Boulder marked N 14.
G. - Swamp Ash 10 N 55 1/4 W 09 1/4 - W Elm 5 N 88 E 09 1/4
E. = Original witness - Swamp Ash 5 S 19 W 3
Chain Carriers Philip Hoop. and John Hoop
Flag Bearers Noah Francis and Howard Lee
April to 16th 1866 John Hoop. J. L.

Recorded in Record No. 1, Page 36,
C. F. Webster

23

Sec 23. T13 R5 23.

38.

Survey for J. T. Johnson.

- ✓ 1st 46¹/₂ Rods west of N.E. cor. 2nd West-50, R. 3rd South
- ✓ 56.8 R. 4th East-50, R. 5th North 56.8 R to Beginning
- ✓ Containing 14.6 acres var 51° 8' 46" - 51° 48' 3"
- ✓ N.E. corner Bch 18 S 48 34 - Ash 18 N 74 W 41
- ✓ S.E. " " " 24 S 15 W 28 - S 18 N 59 W 12
- ✓ N.W. " " " 8 S 9 W 30 - Bch 20 N 73 W 46
- ✓ S.W. " " " 12 N 33 W 43 - S 15 S 6 E 32

March 21st 1850

J. McEllister, Surveyor

Surveyed April 23rd 1868

- ✓ X Established from Original witnesses
 - ✓ W A Stake of Norris
 - ✓ 4.77 Chain north of W Elm 1258 E 34. Bch 15 N 16 W 31.
 - ✓ One west of last named corner on the Bank
 - ✓ of Sugar Creek. Back E 76. Hackberry South 3 links
- William W. Miller Surveyor

Recorded in Record No. 1. Page 38

C. F. Webster

Sec 24. T 13 R 5

(Rock)

38

W. Sycamore 2 N 57 E 40

Recorded in Record Ch. 1. Page 38

C. E. Webster

Sec 25, T13 R5

Rocks

Feb 4th 1848 } Survey for Wm. Cannon Sr.
1st from C. West 103³/₁₀ R. to a Stone Center of Road Witness
[Walnut - 6 136651

2nd South (var 5¹/₄), 37 R. to a Stake
3^d West (var 5¹/₄), 12.63 R.
4th South (var 5¹/₂), 23¹/₁₀₀ R.
5th East (var 5¹/₄), 18⁹/₁₀₀ R. - 6th South (var 5¹/₄), 64 R.
7th West (var 5¹/₂), 15 R - 8th South 40 R. to line of 9th
9th East 117⁴/₁₀ to N. - 10th North 163 R to C

39

Containing 111³⁵/₁₀₀ acres more or less
C. Maple 15¹/₁₀₀ North 92¹/₂
S. loc. Beh 14 N 22¹/₂ W 20 - Sugar 10 N 77¹/₂ E 12

38¹/₂ Surveyed for Traversa & Ramsey part of the Mo
9th Sec 25 - Commencing at 103³/₁₀ a west of N & E corner
1st South 37 R - 2nd West 12.65 R. - 3^d S 15¹/₂ W 15 R. - 4th East
17¹/₁₀ Rods - 5th South 28 R. - 6th East 17 R - 7th South
44 Rods - 8th East 34 Rods to Oak 48 S 58 W 21 Rhs
Hickory 12 N 47 W 42
9th South 40 Rods to - Ash 24 S 82¹/₂ E 17¹/₂
to 20 S 59 W 14 } Containing
in East part of said gr 88³/₁₀₀ acres
See 39. June 21, 1852
J M Elliott Surveyor

(old record)

W, relocated - K Elm 36 x 40 x 12 = Do 24 S 45¹/₂ W 16 = by Dargin
Z, Relocated - Beh 6 S 33¹/₂ E 10 = Beh 12 S 35¹/₂ E 9 = also by Dargin
L, Relocated - No trees - a Stone corner = Do Dargin

Recorded in Record Book, Page 38, 39, 40.
C. B. Webster.

Sec. 26 T13 R65

- ✓ 40. D. Hickory 24 S 8 W 58 1/2 - Pin Oak 26 N 54 1/2 E 36
- ✓ P. Black Walnut 10 S 64 E 65 - Black Walnut 12 N 89 E 50
- ✓ X. a small boulder marked X 26
Beech 6 S 9 E 6 - Beech 12 N 17 E 56. Field Notes
- ✓ Y. a large boulder marked Y 26
Beech 18 S 28 1/2 W 64 1/2 - Beech 12 N E 56
- ✓ W. a large long boulder marked W 26
Beech 14 S 60 E 44 1/2 - Beech 8 N 66 E 41 1/2
- ✓ V. boulder marked V 26 - set by Original witnesses
- ✓ Zs, a large flat boulder marked 26, 27, 34, 35
on the South side
- ✓ M. a large hard flinty boulder marked M 26
- ✓ 1/2 X Y. a small boulder marked 1/2 XY 26
- ✓ L. a boulder marked L 26
April 1863. R. Morris
- ✓ N. boulder marked N 26
- ✓ O. boulder marked O 26
- ✓ 1/2 N O. boulder marked 1/2 NO. Apr. 1863. R. Morris

Recorded in Record No. 1. Page 45.

C. F. Webster.

Section 35 Town 13 R 5 E

10 Links North of K corner established
wit 11 oak 26 S 73 W 44 1/2

Beech 18 S 31 1/2 W 12 1/2

6 20 Chains South of the above corner established
wit 5 ash 18 S 28 W 10 1/2 Oak 31 S 61 W 43

20 92 Chains North of O a Limestone marked
1345 wit a Boulder North 12

This survey was made in the Division
of David Storer's Estate

Chain carriers S' Corner of J Roe
flagmen J H Hoore & Wm Hoore
Feb 29th 1872 J Sugar's S & C

To a boulder marked Z + V wit Limestone N. 26. Stone S 29 E 29
March 13th 1874 J Dugan S S' C

Nov 26, 27th 1874 Stone S 88 W 28 (- N 50 W 37)
A. Stone Corner, set from original witnesses Beech 3
4 10 chs S of K Stone Corner. White Oak 24 S 63 E 8.
Swamp Oak 18 N 40 W 24.

34 Rods 12 links E of Dugan's Corner (20 92 chs N of O.)
Stone, marked with a cross on top & 34 R 12, on side
wit Stone S 72 50 E, 39 1/2

27 R 21 l. South of above corner is Corner Stone,
wit Stone East 21 1/2 l. to Walnut 15 N 57 25 W 22 1/4
East to Mesh line of A & G, set a large Boulder for
S R cor of H A tract, wit. and 10 72 1/3 chs East
of above. Set corner. Boulder, wit Boulder N 76 40 E 27.
Burr Oak S 86 1/2 W 49 chs, Chas. F. Webster Survey S. C.

Sec 35

- ✓ M. Barn 14 S 25 E 3 - to 10 W 10 W 29
- ✓ N. Bush 10 N 60 E 14 - to 6 W 46 W 17
- ✓ O. Bush 24 S 34 E 9 - to 20 W 60 W 26

- ✓ V stone corner perpetuated
 - ✓ X stone corner perpetuated
 - ✓ Y stone corner established
 - ✓ Z a stone
 - ✓ 1/2 of Y to Z a stone corner
 - ✓ S a stone corner
 - ✓ R a stone corner
 - ✓ O a stone set from Nichols witness
 - ✓ P a stone set from original witness
 - ✓ 1/2 of O to P a stone
- Chas. F. Webster Surveyed April 23rd 1867
W. H. Miller S. C.

Recorded in Record Book, Page 40,
C. F. Webster

14 92 chs North of last named corner,
Set corner stone marked with cross on top.
N-oak 40 S 52 1/2 E 78 1/2 l. Two stones wit N 82 1/4 W 13 1/2
10 72 1/3 chs West of above corner, is Stone Corner,
N witness available.

P. Stone Corner, wit Stone S 86 1/2 W 27 1/2 l.
Set from old Stone Beech 88 E 70 1/2.
Chain carriers and flagmen Chas. F. Webster, Survey S. C.
Sworn.

Section 36 T13 R5

April 19th 1862 J. Morris

- WV A sandstone boulder marked W 36 and
 - IB A sandstone boulder marked B 36 and W 25
Beech 24 S 28 W 60 1/2 — Witness Stone N 6 1/2 W 35
 - N.B. This corner stone is right for the range of the line East and West, but may not be correct for the distance as the line was platted through but not chained in account of there being too much water on the West 1/4 of it. It will have to be chained in order to get the distance correct.
- April 19th 1862 A.D. — Dick Morris

Recorded in Record No. 1,
June 16th 1870. C. B. Webster

Section 36 Town 13 N. of Range 5 East

old notes

7. a Stone corner
Surveyed for Geo. Snyder 40 acres beginning at the South East corner of Section thence North 7 1/2 Rods thence West 80 3/4 Rods thence South 77 3/4 Rods thence East 80 3/4 Rods
Stones at the corners Done By Lewis in 1855

- II re-located and perpetuated — Stone re-set in Range Line
Field note witness Elm 6 N 25 E 20 Stump remaining
New witness taken Mulberry 10 N 33 E 22
- M Red Oak at the corner 5 inches in diameter
White Oak 12 N 13 W 13 — White Oak 14 S 15 E 14
Stone marked and set at North end of a little mound
- 38 1/2 rods North of IP stone set marked "38 1/2 N"
Red Oak 7 N 4 E 20 — Swamp Ash 20 S 30 E 22
- 165 rods East of the above corner and 38 1/2 rods North of IP II the middle line of the section running East and West
a stone corner set marked "38 1/2 N" no witnesses.
- 94 rods and 11 links North of IP stone set marked "94 11 N"
Witnesses Swamp Ash 12 inches at the corner
Swamp Ash 10 S 20 W 18 — White Beech 12 N 40 E 23
- 165 rods East of the above corner, and 94 rods 11 links North of middle line of the section IP II running East and West
a stone set marked "94 11 N" — Mulberry 12 N 86 1/2 E 28 1/2

Recorded in November 28th 1860
Gen Record. June 16th 1870, Richard Morris, S. S. C.
C. B. Webster

Section 36 Town 13 R 5

75 Rods North and 49 Rods West of M
a stone marked 5 and 49
with a stone S 53 W 36

26 Rods North of P a stone marked 26
with an ash 16 & 57 & 58

26 Rods North of N a stone marked 5, T 13
with two stones, one Boulder & a flat sandstone W 25

26 Rods North + 27 East of N a stone in center of Road
with a stone S 56 W 32 1/2

Chainmen J. Grolamer & Sandifer
Flagmen Tho. Kelis and Martin Strickler
March 28th & 29th 1872 J. Egan, Surveyor S. County

2362 chains North and 1225 chains West in center
of highway a stone marked 6472
with a smooth yellowish Boulder South 68 East 29 links
" a Boulder North 68 West 28 links
Chainmen John Kelis & Isaac Welliver
April 26th 1875

Jerry Egan 336