

Sec. 1. T13 R 6

C. Ber. 16 N34E35 - S036 S12W5

M. Ber. 16 S39W16 - S024 S81E8 1/2

N. Ber. 18 N5W29 - S06 S74E13

W. Elm. 4 N15W7 - S09 S45W22

N. A limestone marked X 1.

Wit Dec 18 N57W29 - S06 S74E13.

P. A long limestone marked P 1 - witnesses taken without a compass by the chain only.

A Buckeye 18 south about 20 W or nearly so 64. An Ash 10 south easterly perhaps 8 deg or nearly so 69 links

Chain Carriers Whitlock Arnold & Jordan
Flag Bearers W. M. Easley & David Campbell
June 28th 1866 John Cooper

Recorded on Page 156. Record No. 1.
C. F. Webster

Sec 1 Town 13. N Range 7 East

II. Limestone, Nit Stone West 22 1/2.

No other Nit available

Nov 8th 1870

C. F. Webster Deputy Surveyor

Sec 2, T 13 R 6

Stones at the corners

Recorded on Page 156, Record No. 1.

C. F. Webster

8 / June
55- 3
Sec 3. T13 R 6

Rock

Z. Birch 8 N 48 44 - to 6 N 59 73
N. Walnut 5 S 70 19 - to 10 S 25 W 25-
M. Birch 20 N 89 30 - to 24 S 89 W 13
P. Birch 24 N 25 W 22 - to 12 S 63 W 15

" 49 2/3 Rods north of X A stone set and marked
X 49 2/3 Nut Black Walnut 18 38 2 E 112 var. 4 30' E.
" 55 2/3 Rods west of a point 49 2/3 north of W. a stone
set and marked 55 Nut wild cherry 5 N 46 12 W 44 1/2
with a var. of 4 30' E.
55 2/3 Rods west of N. a large flinty Boulder X
set and marked 55 2/3 no witnesses available
Apr. 23rd 1862 John Hoop L.A.C.

Survey Jan 2nd 1868

E Flinty Boulder
C Ash 12 N 89 W 16
44 Rods South of C Birch 16 N 80 W 5-
44 " " E. Boulder W H Miller Surveyor

Recorded on Page 156 W 158, Plat. 1.

C. H. Webster

4
Sec. 4. T13 R 6

Surveyed for Andrews & Alexander Et Al & Co of
I C of & distance E & W

M. Beh 12 N 73 1/2 W 4 - Sugar 6 East 29

O. Beh 12 S 12 1/2 E 44 - So 18 S 41 E 59

R. Lym 8 N 28 E 6 1/2 - Beh 20 S 78 E 22

T. Beh 5 N 39 W 15 - So 30 S 63 W 20

V. Oak 6 N 75 E 17 - Sam 15 N 37 E 33

May 27. 1857

J. M. Elliott Surveyor

248 Links east of M Boulder
L Boulder by Rocks witnesses
248 Links of B. Boulder

Jan 10th 1868.

Wm H. Miller Surveyor

Recorded on 158. Page Record No. 1.

W. H. Webster

Apr. 2 1825 wit for X N. 23 1/2 E 26 li. + on top Mkd. 26
all witnesses } S 37 1/2 E 13 li large Boulder
are stones } Z South + on top Mkd 30 li.
Geo. E. Olmman } P. wit stone W 31 li. + on top.
S. S. Co. } O stone No wit.

Section 5 T 13 Range 6

37 Rods and 19 links East of E a stone marked 40
37 Rods and 19 links East and 43 Rods South a stone marked 5412
with a stone N 88 E 24 links
April 26th 1871 Jeremiah August S & Co

Sec 5. T 13 R 6

D. Am 12 N 70 E 17 - Beh. 12 N 70 W 30 - stone
O. Am 4 N 10 W 13 - Hick 18 S E 16 - stone

Surveyed for Mr. Rush & Holmes
South half of Section and established corners
as follows

- T. Steamore 6 N 56 W 28 - Oak 72 S 59 W 32
- M. Hick 12 N 35 E 28 - Oak 3 N 55 W 12
- V. Boulder X. Boulder by old bearing
- W. Am 30 S 34 W 59 - S 18 N 52 W 47
- F. Beh. 12 S 56 E 18 - S 16 S 59 W 22
- N. Am 8 S 57 E 9 - Beh 10 N 51 E 17
- S. Beh 12 N 55 E 43 - S 14 N 48 E 25 - a stone - none
- Q. Beh 9 N 11 W 14 - S 12 S 64 E 32 1/2
- Z. Beh 16 S 28 E 39 - S 24 S 48 W 56

April 28, 1852

J. M. Elliott Surveyor

March 20th 1862 J. Morris

- AE. A large boulder or limestone marked "A 6" and "E 5"
Beech 24 N 57 W 5 1/2
- IP. A large block of limestone marked "P 5" and "I 6"
Beech 30 N 66 W 41 - Hickory 4 N 81 E 32
- Q. A limestone set and marked "Q 5"

Recorded on Page 160 Record No. 1.

C. F. Webster

see Dayson's notes

See Y 13 B 6

H, C, B, P, M, S. Stone corners
D, Beech 18 S 40 E 20 = Do 20 S 16 W 38 = Stone
N, Beech 18 S 40 E 20 = N. Oak 48 S 16 E 19 = Stone
M, Ash 4 S 25 W 2 = Ash 6 S 22 E 14 = Stone
I, Beech 12 S 16 W 14 = Stone II, Beech 8 South 1
L, F. Stone corners

incorrect D Beech 18 S 40 E 20 - Beech 20 N 16 W 38 (A mistake)
B, Beech 18 S 40 E 20

J. Morris March 21st 1862

164 Recorded

II, a greyhead stone marked II 7
Beech 8 S 22 E 15 1/2 - Hickory 8 N 6 1/2 W 22 1/2
Beech 8 S 22 E 15 1/2 - perpetuated from field notes witness
Hickory 8 N 6 1/2 W 22 1/2 - perpetuated from original witness
M, a large boulder marked M 7
Ash 4 N 25 W 2 - Ash 6 S 22 E 14
2 2/3 rods East of M a huge boulder marked 2 2/3 on West side
Beech 20 N 85 W 7 - Beech 24 S 48 E 17
4 1/2 rods South of M Boulder marked 4 1/2
Beech 30 S 87 E 15 - Beech 10 N 13 E 48
4 1/2 rods South of M thence 2 2/3 rods East Boulder marked 2 2/3
Hickory stump North 7 links

Surveyed Nov. 27th 66

G Hard flinty boulder marked G. 7. no bearings
F A Boulder marked F. 7.

W. H. Miller S.S.

Recorded on Page 162 of 164 Record No. 1.

C. B. Webster

Section 8 T13 R6

K a limestone ^{mark} K 8 with turn Specimen 20 N 45 E 21 1/2 Links
and R oak 36 N 63 E 118 Links

63 Poles South of B limestone marked B 63

878 Links North of ~~M~~ a boulder marked ~~M~~ 34

1144 Links East of ~~M~~ a boulder marked 45 ^{with Buckeye}
Witness Buckeye N 21 E 82 Links

878 Links North of last named boulder a boulder marked 45
Witness South a Boulder set 25 Links from corner

878 Links North of ~~L~~ a Boulder
Witnesses W Walnut 70 S - W 63 1/2 Links

Chain Carriers Stewart Rogers + Walkers
Flagman

J Dugan S S Co

See Dugan Notes

Sec 8 T13 R6

R 8 W, Stone corners
C, 6ch 16 N 55 E 10

" 39 1/2 Rods west of X A large boulder marked.

X 39 1/2 Witness Black Walnut 15 S 62 W 24 1/2

39 1/2 Rods west of X A Boulder marked X 39 1/2.

X A large boulder marked X 8.

Chain Carriers William Walton & Charles Croddy
Flag Bearers John Tomlinson & Isaac Odell.

Oct 21st 1865 John Hoop, Surveyor

V, a Stone corner = perpetuated old bearings

X 8 W, Stone corners = Established = relocated

E, a Stone corner = perpetuated = old bearings

A, a Stone corner by Elliot

C, a Stone corner = relocated

D, a Stone corner = Established

B, a Stone corner = Established

P, old bearings

L, old bearings

N, Sugar 12 N 68 E 43 = Bch 16 S 47 W 40 = a Stone corner

M, Bch 12 N 41 W 7 1/2 = Do 20 S 18 3/4 = a Stone corner

W, a Stone corner = Established

H, a Stone corner = Established

Jan 21 = 1866 = By Ed Winchel S S Co Ind

Recorded on Page 164, Record No. 1.

C. F. Webster

Sec 9. T. 13. R. 6

Surveyed June 4th 1867

N Limestone ~~in the~~ Beh 12884 & 38

X " Mulberry 16 N 22 E 110

Y Boulders Beh 20815 W 90

108 1/2 rods north of V W W 1/2 Beh 120 N 45 W 120

6 1/2 rods north of X Limestone Walnut 18 N 80 E 184

6 1/2 rods north of V a Limestone

L Brn Oak 30 N 88 E 85 boulders stone

1/2 of L to M a Limestone Beh 18 S 61 W 76

V See Sec 15

Swon Chain Carriers James Storms Henry Brown

Swon Flag Bearers George Osborn & Lewis Ray Pete Anders
Wm H Muller S.S.C

Recorded on Page 164, Record No. 1.

C. F. Webster

609 1/2 Links south of K a stone marked 6

With a Beech 18 S 71 E 88 do 12 S 26 E 113

609 1/2 Links south of K a stone marked 609

With an Elm 12 S 18 E 2 1/2 Links

Chain carriers James Lucy Robert Kinney

Flag carriers C Newton Richardson

October 16th 1871 J Sugar S.S.C

Sec 9. T. 13 R 6

B. Sugar 30 S 40 W 18 - Beh 8 S 35 E 17

M. Beh 36 W 80 E 9 - do 5 N 30 W 7

O. Beh 14 S 70 E 22 - do 20 N 50 W 55

Surveyed for H Jenkins & others & Co

V. Boulder & original bearing tree

W. & Middle of line Boulders placed at corner

L. Oak 24 N 77 1/2 E 99 - Elm 8 N 37 E 94 - Boulder

M. & Middle of NW to W. Boulders at corner

36 1/2 rods north of W, a Boulder is placed which is the
South East corner of the town of Fairland which I
paid out this day. Variation 3° 45'

April 22. 1852

W Mc Elliott Surveyor

R.S.V, Stone corners = O; Beh 16 S 55 E 10 = 20 rods

N. a stone - Beech 7 S 84 E 52 1/2 - Beech 11 N 1 W 33

X. a stone, South end of Odell's Lane

8 rods west of 1/2 W X a stone set and marked

20 rods north of the above corner a stone

Oct 17th 1861.

J. Norris, C.S.S.C.

20 1/2 rods North of W, thence East 17 rods 6 links

A limestone corner set marked 17th 6

6 rods South of the above corner a limestone marked 6th

Fairland, February 22nd 1862. J Norris

20 rods north of X A sharp pointed limestone
marked X 20.

64 1/2 rods north of X A flat Limestone marked

Recorded on Page 166, Record No. 1.
C. F. Webster

Sec 9 T 13 R 6 E

X 64 1/2

61 1/2 Rods North of X A long limestone marked

61 1/2

61 1/2 Rods North of Y Along flat limestone marked

Y 61 1/2

8 Rods west of the center of WX A limestone marked 1/2 WX & being .02 1/2 links east of A Stone set by Morris.

1/2 of WX A pointed Limestone marked 1/2 WX it being the South west Corner of the Town of Fairland

1/2 of W V. A limestone marked 1/2 W V. being at the center of Franklin Street.

64 1/2 Rods North of the above stone in the center of Franklin St at the South side of Main Street marked 1/2 W V. 64 1/2.

64 1/2 Rods North of the center point of WX. on the west line of Fairland at the South side of Main St. A long limestone marked 64 1/2

Chain carriers Wm Judkins Joseph L Carson
Flag Bearer Wm E Nittenhouse & Michael Napp

Oct 24th 1865 John Hoop Surveyor.

Recorded on Pages 166 @ 168 Record No. 1.

C. F. Webster

Sec 10 T 13 R 6

Surveyed for Jenkins, Albuck & others
B 1/2 W D D 9 1/2 & divided as follows

N. Corn 10 1/2 54 E 17 - So 20 1/2 36 E 52 Boulder

W. Buckey 10 1/2 63 1/2 25 - Beh 8 1/2 2 1/2 24 Boulder

V. Ash 36 N 48 E 14 - So 36 1/2 43 1/2 16 Boulder

60 R. J. m. Maple 12 N 48 E 44 - Elm 14 East 58

100 R. ... Beh 36 1/2 75 1/2 21 - So 5 1/2 15 7 33

60 R. J. L. Beh 12 N 46 E 18 - So 16 1/2 14 E 22

100 R. ... W Beh 6 1/2 23 1/2

O. Boulder March 27. 1852

Mc Elliott Surveyor

See page 25 notes

P, F & C, Stone corners

D, Walnut 6 1/2 4 E 30

L. K. 1/2 Beh 15, N 82 E, 69, Beh 12 S 74 E 71.

1/2 of C O Sugar 14 N 73 1/2 W 46. Beh 6 S 47 W 14 1/2

June 3rd 1867

W. H. Miller Surveyor

Recorded on Page 168, Record No. 1.

C. F. Webster

54 Rods South of D a boulder marked 54
with Beech 9 3 77 E W 40

54 Rods South of B a boulder marked 54
with Cherry 30 3 71 1/2 W 21

Chainmen J. W. Carter & J. S. Clingenpeel
Flagmen J. W. Carter & James Deipton

Oct 5th 1872

J. Sugar 5 S County

Section 11. T13, R6.

- MI. 9 S 3/4 E 17 - A stone set from old witness
 V. Witness stone N 5 W 11 1/2 - Black Walnut 13 N 23 1/2 W 5 5 1/2
 a large stone set and marked 11, 12, 13, 14, for the sections
 Division Line between Carter and Kinney
 59 rods & links north of T's a stone - Witness stone S 5 1/2 W 25 - To N 25
 59 rods & links north of MI a stone - Beech 13 N 33 1/2 E 7 - Sugar 8 S 15 1/2 W 14
 June 25th 1861. J. Mornip, C. F. Webster.
 N. Boulder marked N 11 set from witnesses by Elliott
 O. long thin boulder marked O 11 set from witness by Elliott
 P. long boulder marked P 11 set by measurement
 D. long grey boulder marked D 11 set by measurement
 May 29th 1862 - Dick Morris

Recorded on Page 170 Record No. 1.

C. F. Webster

4/598
 124

78
 83

Sec. 11. T13 R6.

11.

- MI. Beh 19 N 72 E 13 - Sup. Am 16 N 8 W 31 - stone
 I. S. Am. 17 N E 10 - Beh 10 S 70 W 28

Surveyed for Jonas D. Allen the
 N W cor & N W 1/4 of lot C of division N W cor
 N & S

- B. Am 14 N 44 W 19 - To 6 S 71 W 26
 H. Am 9 N 64 E 20 - To 11 S 64 W 25
 N. Beh 10 N 15 W 36 - Oak 40 N 61 E 28
 D. Steam 8 N 37 E 22 - Hick. 16 S 10 E 50
 Z. Oak 36 N 10 E 71 (Boulder)
 Y. W. P. 30 Acres, Sugar 14 S 70 E 6 - Beh 16 S 23 W 25 Boulder
 T. W. P. 20, B. Acres 10 N 61 E 26 - Hick. 14 S 44 E 17 Boulder

Surveyed for Hendricks, Rice & Allen the
 town of Brandywine - The west line of said town
 ten rods ^{36 ft} east of a stone corner to J. Brinson
 Michigan Road 99 ft the outside street 33 ft
 cross streets 33 ft & alleys 6 ft wide - Washington st.
 bears S 53° E -

March 27. 1852

J. M. Elliott Surveyor

Mar. 27. 523 Surveyed for Mrs. Jonas the North part of lot N W cor
 Commencing at the N W corner thence East 20.25 ch. to
 N E cor; thence South 31.50 ch. to Mid. of Road; S. N 47 W 12.64 ch. to
 Plus of town; 4th N 43 E 5.25 ch.; 5th N 47 W 18.42 ch.; 6th N 43 E
 2 ch.; 7th N 47 W 2.55 ch.; 8th S 43 W 20 ch.; 9th North
 27.00 ch. - 44.70 Acres J. M. Elliott Surveyor

Recorded on Pages 170 & 171 Record No. 1.

C. F. Webster

Sec 12 T 13 R 6 E

V. Limestone Post - Nit-stone N 58 W 34.

W. Limestone Post - Nit-stone N 32 -
Used old Corner Stone for Nit-stone and set
it South 34 E -

T. Boulder - Nit-stone West 13 -
Beech 6 S 29 W 7 1/2 -

M Limestone Post - Marked Ab. 12.
Nit-stone S 47 E 6 1/2 (Set by Large stump -)

L. Limestone Post. Marked Ab. 12.
Nit-stone, buried, S 67 W 4 1/2
do N 39 E 32 -
Beech 24 N 35 1/2 E 26 1/2
for J. C. Wagner & others, Oct 21st 1870 -
C. F. Webster Deputy Surveyor

12
Sec 12. T 13 R 6

Surveyed for Banbours - Wm Hankins
& others

I. Auger 12 N 56 E 27 - Beech 6 S 43 W 27

K. Beech 10 S 45 E 26 - do 5 N 34 E 24

M. Beech 16 S 13 W 25 - do 19 N 41 E 16

S. Beech 22 N 12 W 15 - do 16 S 50 W 19

T. Beech 9 S 9 W 33 - do 20 S 62 E 43

V. S. Am 24 N 88 E 7 - Am 18 N 14 W 39

W. Beech 16 S 53 W 16 - Am 30 South. 42

Sept-10. 1857

C. F. Webster Surveyor

copy for 7 1/2
1885-1886
done for map

Rock

N, Beech 12 S 33 W 2 1/2 - Beech 22 N 49 W 36

C, A Stone corner N to C 166 rods Variation 5° 41'

The section overruns E and W 11 rods = 331 rods from L to P.

D. A limestone marked D 12.

E. A limestone marked E 12.

Nit Beech

Chain Carriers Whitlock Arnold & Jordan Bass
Flag Bearers W. M. Ensley & David Campbell.

June 28th 1866 John Hoop, P. S. C.

Recorded on Page 172. Record No. 1.

C. F. Webster

Sec 13. T13 R 6

Nichols

- N. Beech 10 S18W30 - B Jun 3 S15E17
- W. Hick. 6 S73W20 - J. Am 30 S80W25 - Dargin
- D. Beh. 18 S15E12 - Ju 24 E - 37
- F. Beh 24 S60W 7 - Ju 18 S35E 38

see Dargin notes

W. S. Stone corners

H, Beh 6 S830 N 14 - Jo 13 S76 W 17

- Correct
- II. Sugar 14 N17 1/2 W 82 1/2 - Beech 10 S73 1/2 W 15
Beech 12 N 81 1/2 E 44 - stone set and marked
 - MI. Beech 20 S2 1/2 E 21 - Beech 10 S58 1/2 E 33
Sugar 10 S42 1/2 W 41 - stone set and marked
 - V. Beech 20 N8 W 104 1/2 - stone set
 - WV. a stone set from old witness see Dargin above, ^{see also} under culvert
 - X. a stone set from field notes witness remaining (Beech)
 - Q. a stone set - no witnesses

September 18th 1861. J. Morris. Col. Co.

B. A Boulder marked B 10 B 13
Beech 16 S53 W 16 near Ash 30 South H 2.
May 9th 1864. R. Morris

N Limestone no wit'ss available
S " Hick 18 N16W25. Beh 15 S29W40
Jan 20th 1869 W. W. Miller

Recorded on Pages 172 & 174 Record No. 1.
C. F. Webster

Sec 14. T13 R6

Dargin

- D. Beh 8 N 3 E 30 - 2014 245 E 42
- R. Beh 12 N 51 W 13 - H. Beam 4 S 20 W 17
- Q. Walnut - 20 N 81 E 13 - Ann 4 S 30 W 9
- Y. Mulberry 6 N 88 W 17 - Beh 20 N 88 E 13
- Z. Stone
- Q. Sugar 18 N 50 W 1 - 2016 242 E 14

174


- C. a stone under the culvert not marked - Burr Oak stump remaining
Witness stone S 99 W 28 1/2 - Witness stone N 27 W 26
- N. witness stone N 76 E 19 - Red Oak 6 N 45 1/2 W 44 - stone set
- II. ~~Large 14 W 12 1/2 N 32 1/2 E~~ - a stone set and marked
Ash 12 N 53 W 8 - Red Oak 6 N 84 E 38
- K. stone witness S 25 links and W 25 links - stone corner
- HI. a stone no witnesses
- V. a stone " "
- W. a stone - witness stone N 25
- U. a stone set to fill Dargin's record above

Sept. 1861 Morris Edell

- 33 rods south of P Simstone
- 50 rods north of P Ash 15 - N 85 E 8. Simstone
- 33 " " O Simstone
- 50 " South of O " W. W. Miller Survey

Recorded on Pages 174 @ 176 Record No. 1.

C. P. Webster



Sec 15. T. 13. R. 6

Limestone Set by Original witnesses to wit -

Walnut 44 S 50 E 7

M Limestone. Boy Elder 12 S 12 W 42

Elm 12 S 61 W 71

N Large Block of Limestone. Wh 18 N 70 E 140

Smoky Tang 4th 1868 U. H. Miller Esq. for

Recorded on Page 178. Record No. 1.
C. F. Webster

No. 1. Record

Sec 15. T. 13. R. 6

Nichols

N. Cherry 16 S 72 W 26 - Beech 10 N 10 W 18

O. Ash 5 - S 70 E 2 - S 8 N 40 W 6

* N. Walnut 24 S 50 W 35 - S 6 N 41 W 5-1 Jayne

M L 40 u. Beech 18 S 35 E 34 - u. Walnut 2 N 53 E 13

N L 41 S u # Beam 4 S 20 E 5 - Beech 18 N 10 E 9

X, Beech 10 S 67 E 64 - Elm 24 S 74 E 41

W, Beech 14 S 60 E 80 - Ash 11 S 56 E 119

March 19th A.D. 1862 J. Norris

O. A large limestone marked "O 15" on east side of the top
Ash 20 N 17 W 8 - Beech 8 N 50 W 6 old witness

G. Limestone marked "G 15"

Water Elm 20 N 31 W 70 - Water Elm 24 S 32 W 70

F. Limestone marked "F 15"

Lewis Francis and Little Chain Carriers

Wm Rittenhouse and Mc Kay Flag Bearers

May 4th 1863. Dick. Norris, Esq.

E. A huge block of limestone marked 9, 10, 15, 16 on the S side
Willow 6 S 38 1/2 E 80 - Willow 6 S 67 E 108

Both witnesses stand in the gravel-pit

C. A block of limestone marked C 15 and X 10

Ash 10 S 20 W 17 stump with notch therein remaining

see field notes - this corner set by original witnesses

New witnesses - Beech 15 N 61 E 101 - White Elm 12 N 23 W 125 1/2

This corner stands near the edge of Swamp Creek on the East side.

Sept. 24th 1863 - J. Norris

Chain Carriers - Wm Rittenhouse and George Osborn

F Limestone Walnut stump 48 S 18 W 24

E Willow 6 S 35 E 76.

June 3rd 1867

W. H. Miller

Recorded on Pages 176 & 178.
C. F. Webster

Sec 16. T13 R 6


(Rock)
Boulder

- L. Beh 11 S 61 1/2 E 25
- W. Buck. 5 S 23 E 25 - Am. 3 S 56 E 45 - Boulder
- N. Beh 22 S 74 W 75 - Hack 10 S 14 1/2 W 54 - Boulder
- S. Hick 12 S 45 W 30 - Oak 30 S 21 W 37 1/2 - Boulder
- MI. A Boulder set but not marked May 5th 63. J. Norris

D&O, Stone corners = see Dargins notes
 P, G & Z. Stone corners = see Dargins notes & Boulder
 D, W Beech & N 10 W 13 - Beech 18 S 85°, 19

II. Limestone marked II 16
 Chain Carriers - Lewis Francis, J. W. Holmes
 Flag Bearers - Smith, Walker
 40 rods South of N a sandstone boulder marked 40.
 May 5th 1863. J. K. Norris, C. P. H. B.

Recorded on Page 178. @ 180 Record No. 1.
 C. P. Webster



17
Sec 17. T13 R 6

W. Sugar 8 115-C 23 - Buckeye 3 147-C 11

Y. Elm 30 176-C 17 - Beech 12 188-C 23

N. Poplar 11 125-C 7 - Sugar 14 125-C 23

Recorded on Page 180 Record Book.

L. P. Webster

Sec 18.

- I. Beech 36 S33 W 25 - So 32 N26 E 30
- M. Beech 12 S65 E 22 - Sugar 30 N25 W 14
- N. W. Beech 8 N35 W 8 - Do 5 South 1
- W. Elm 2 S77 E 7 - S Ash 3 N35 W 4
- W. Oak 72 N25 E 16 - W Oak 24 N75 W 20
- Y. Hickory 15 S54 W 75 - Beech 15 S29 E 80 - Stone
- X. Beech 8 N15 W 54 - Poplar 6 S14 W 37 - Stone
- W. Poplar 30 N20 W 65 - Beech 15 S39 E W 63 - Stone
- O. Stone
- L. Ash 16 S12 E 37 - Hawth 4 S87 E 69. ~~Stone~~
- N. Stone
- M. Stone L, D, O, N, stones set by Dargie July 24th 1858 page 48.
- U. Stone
- V. Stone
- T. Stone - Beh. 9 S79 E W 32 - Beh 10 S46 E 67. #

-
- A, a Stone corner Relocated
 - L, ash 16 S12 E 37 - Hawth 4 S87 E 69.
 - V, a Stone corner Perpetuated
 - X, a Stone corner Relocated
 - W, a Stone corner Established
 - Y, a Stone corner Established
 - N, a Stone corner Established
 - O, a Stone corner Established
 - M, a Stone corner Established
 - U, a Stone corner Established
 - T, a Stone corner Established

April 28th 1859 Ed Kinchel Surveyor S.C. Ind.
 Recorded On Page 180. @ 182 Record A.S.
 C. F. Webster

15
Sec 19 T13 R. 6

Rock

L. Bear 19. 24. 67 - 2010 N 23 E 44 1/2 - Perpetuated - a Stone

- A, a Stone corner Perpetuated
- B, a Stone corner Established
- C, a Stone corner Relocated
- D, a Stone corner Established
- P, a Stone corner Relocated
- L, a Stone corner Perpetuated by Rock
- V, a Stone corner Relocated
- W, a Stone corner Established
- X, a Stone corner Relocated
- Y, a Stone corner Established
- Z, a Stone corner Relocated
- N, a Stone corner Established
- M, a Stone corner Established
- O, a Stone corner Established
- 44.32 Rods West of M, a Stone corner
- 67 Rods South of M, a Stone corner
- 67 Rods South & 44.62 Rods West of M, a Stone corner
- 44.62 Rods ~~West~~ 29.88 Rods South of M, a Stone corner
- 44.48 Rods West of B, a Stone corner
- 30 Rods South of O, a Stone corner

March 30th 1860 Ed Winchel Surveyor S C Ind

Recorded on Page 182, Record No. 1.

C. P. Webster

20
Sec. 20. T13 R 6

III. Beh 12 120 & 14 1/2 — Am 18 160 & 18

IV. Stan. — MI. Stan

MI 12 26 a. Beh. 14 N 61 E 25 — to 10 169 & 13

II. Beh 18 186 & 17 — to 12 140 & 20

Nichols

Barjin
28

Recorded on Page 184. Record No. 1.

C. P. Webster

Sec 21. T13 R 6

Sept 26th 47 Surveyed for W. Gibson

- x N. Beh 22 D36W50 - S 20 D54W34
- Z. Am 22 D10C8 - Beh 12 N48E16
- x P. Beh 20 N83E28 - S 20 N46E50
- x. Beh 14 D32E17 -

Surveyed for Wiley Ray & others E 1/2 Sec 22

U. & V. Sec 22, } Lime Stone
III. Beh 12 S89W41 - Am 20 D29E35 1/2 }
IV. Beh 15 N88E19 - S 6 N32W13 } corners perpetuated

Aug 18. 1851

W. McCallister Surveyor

Recorded on Page 184, Record No. 1.

C. F. Webster

Sec. 22, T13N, R6E.

- W. Limestone marked W 22 set by Elliott's witnesses
Ash 30 S 27 W 46 — Both of Elliott's witnesses found
 - O. Limestone marked O 22 — set by Elliott's witnesses
White Elm 30 S 18 1/2 E 25 — Both of Elliott's witnesses found
 - 86 1/2 rods South of C limestone marked 86 1/2
 - 86 1/2 rods South of D limestone marked 86 1/2
- Chain Carriers — Martin Cobble & M. Goodman
Oct 28th & 29th 1863. Morris

Recorded on Page 188. Record No. 1. — C. P. Webster

Sec 22 T13 R6

Surveyed for Wiley Ray & Leach & others section into half qrs E 1/2 of N E into qrs.

- A. Beh 16 079 W 13 —
 - B. Beh 10 N 63 W 73 — So 14 S 40 E 33
 - C. Elm 22 N 74 E 42 — Beh 8 S 59 E 54 Boulder
 - D. Oak 20 S 34 E 42 — Beh 16 N 72 W 108 Boulder
 - E. Maple 18 N 7 E 53 — Beh 9 S 6 E 50
 - F. Oak 30 N 5 E 76 — Beh 10 N 55 E 101
 - G. Beh 12 N 19 E 84 — So 15 S 17 W 16
 - H. Beh 14 S 59 E 32 1/2 —
 - I. Lime Stone corner perpetuated
 - J. Beh 14 S 57 W 21 — So 14 N 58 W 17 Lime Stone perpetuated
 - K. Beh 20 S 26 W 46 — So 12 N 36 1/2 W 69
 - L. Beh 8 S 82 E 20 — So 20 S 15 W 60
 - M. Beh 18 S 46 W 22 — So 20 N 04 E 67 Lime Stone perpetuated
 - N. Lime Stone Perpetuated
 - O. Lime Stone Perpetuated
- Aug 18, 1851
J. Mc Elliott Surveyor

Recorded on Page 186 & 187. Record No. 1. C. P. Webster

- B. Limestone marked B 22 — set by new measurement
Beech 18 N 66 W 76 1/2 — Beech 24 N 33 W 99 1/2
- C. Large boulder marked C 22 set by Elliott's witnesses
- I. Long block of limestone marked I 22 — by new measurement
- K. Limestone marked K 22 — set by new measurement
Beech 18 N 11 W 3 — Beech 20 S 22 N 21
- L. Limestone marked L 22 both original witnesses found
Beech 10 N 5 1/2 E 28 1/2 — White Oak 30 N 34 W 46
- M. Long sandstone boulder marked M 22
- V. Long block of limestone marked R 6 E, T 13 N, S 23
on the East side by some Surveyor and V 22 on the West by me
Beech 20 N 58 1/2 W 68 — Beech 24 S 58 W 56
Both of Elliott's witnesses found, also old stake

Sec 23. T13 R6

B. Lynn 18 S 70 E 11 - J. Wood 6 S 35 W 25 - ^{Jargin}
 W. Beh 24 N 5 E 36 - B. Oak 6 N 80 E 38
 I. W Oak 44 S 35 W 23 - Beh. 8 N 65 E 34
 N. W Oak 24 S 45 E 15 - Beh. 4 S 25 E 17 X
 M. J. Wood 4 S 40 W 15 - Beh 24 S - 25
 * H. Hickory 6 S 20 E 18 - R. Aud 4 E - 6

Surveyed for M. M. Mages & others as follows

O. Beh 12 S 65 W 29 - S 14 N 66 E 19
 7th S. of O. Beh 10 N 26 E 18 1/2 - S 10 N 65 W 21
 7th S. of P. Beh 14 N 74 E 3 1/2 - S 12 N 33 E 45 1/2
 S. Boulder
 T. S. Oak 22 S 18 W 18 - Beh 16 N 50 1/2 W 32
 X. Beh 6 S 64 W 83 - Elm 24 S 24 E 65
 Z. Aug 18. 1851

1851

J. Mc Elliott, Surveyor

O. Limestone marked O 23 set by Elliott's witnesses
 October 31st 1863. J. Morris

N A Limestone marked N 23, set by Jargin's witnesses
 M Oak 24 S 55 E 15 - Beh 4 S 25 E 17

B a Limestone marked B 23. No wit

H a Limestone marked H 23. " "

4.95. 1/4 East of B A Limestone marked B 4.95 No wit

Chas Carriers Geo C Ridz & Lewis Cook,

Flag Bearer Andrew Leel & George Mohr.

Dec. 7th 1865 John Hoop, Surveyor

Recorded on Pages 190 } Record No. 1. G. P. Webster

Sec 23. T13 R 6

M. A limestone marked M 23.

W. A limestone marked W 23

V. A " " " V 23

Set by original wit Ash 14 W. 01

Chain carriers John Clark & George Mohr

Flag bearers James Clark & John Mohr

Aug 10th 1866 John Hoop S.S.

Recorded on Page 190. Record A. 1.
C. H. Webster

24
Sec. 24. T13 R 6

Survey for Thos Boyd & La Rule N^o 1 of sec
& line connecting the following corners

B. Ash 6 N 19 E 28 - Hick 8 N 28 W 21

D. Beh 24 S 18 W 29 - Jo 20 S 12 E 55

L. Beh 20 S 17 W 40 - Jo 12 N 82 W 21

M. Beh 5 N 33 W 18 - Jo 14 S 88 W 33

O. Beh 10 S 45 W 2 - Jo 24 N 28 W 9

Feb. 25. 1850

J. M. Elliott Surveyor

See page 190
for

L & U, Stone corners

N, Lynn 48 S 18 W 9 - Beh 10 S 14 E 35

I, Sugar 14 S 17 E 14 - Beh 20 S 7 W 20

L, a stone, S. Ash 3 N 70 E 7 - Elm 4 S 81 E 15

D. A limestone marked D 12.

Recorded on Page 190. Record A. 1. C. H. Webster

wit. for A Stone W 25 li.

Sec 25. T13 R 6

Nichols

- III. Ben 20 S70W20 - So 27 S30E24
- IV. Ben 16 Carr 11 - So 14 NW 17
- ⓪. Ben. 14 S E 27 - So 6 N65W 21
- III. Ben. 9 N30E 26 - So 20 West 23
- * V. Ben 15 S30E 45 $\frac{1}{2}$ - So 13 S87W 12 (Rock)
- A. Ben 13 S1W 17 $\frac{1}{2}$ - So 11 S82 $\frac{1}{2}$ W 15
- C. Ben 3 S6 $\frac{1}{2}$ E 6 $\frac{1}{2}$ -
- L. Lynn 6 S85 $\frac{1}{2}$ E 7 - Ben 12 S39W 24

Nickel

- * Y. Beech 8 S70 $^{\circ}$ W 21 ^{links} - Burr Oak 60 N33 $^{\circ}$ W 21 ^{links}
- Y. Beech 8 S70W 21 - B Oak 60 N33W 21

Sec 26. T13 R. 6

Sargin

- Y. Hick 12 N 8 W 12 - Elm. 36 N 53 E 19
- N. S. Am 12 N 84 E 5 - So 4 N 6 W 11
- O. Beh 36 N 60 W 4 - So 8 S 85 W 14
- R. B. Oak 8 S 65 E 11 - Elm 12 N 30 E 18
- * Q. Ash 3 N 84 W 7 - H. Beam 3 S 24 W 8
- W, a Stone. M., Ash 24 N 88 E 37 - T. Beh 4 N 51 E 53
- S. Beh 4 S 17 W 21 - Do 4 S 42 E 24

192

Surveyed for Mc Gray & others

- F. Walnut 16 N 53 1/2 W 55 1/2 - Cherry 10 N 14 W 60
- Co. Boulder, Corner perpetuated
- M. Am 30 N 75 E 33 - Oak 36 N 41 E 73
- N. S. Am 10 N 76 E 11 - Am 2 N 7 1/2 E 2
- O. Beh 9 N 23 E 32 - So 7 S 82 1/2 E 55 - Lime. Stone ^{Walnut} perpet
- R. Elm 16 N 61 W 15 - S. Am 30 S 35 W 13 1/2
- S. Beh 3 South 10 - So 4 S 71 1/2 E 23
- T. Walnut 12 S 23 W 66 - Beh 3 S 63 W 53 1/2

Aug 18. 1851

J. Mc Elliott Surveyor

- ^{WF} C Limestone set by Elliotts witnesses
- D " no witnesses available
- F " set by Elliotts witnesses
- M " " " " "
- N " Burr Oak 60 S. E. 9
- L " no witnesses available

Jan 15. 1869

W. H. Miller. S.S. &

Recorded on Pages 192 @ 194 Record Ch. 1.

C. B. Webster

Sec. 27, T13 R 6

Surveyed for H Campbell Ewing & others
divided Sec. into 9s and on equal division
of N E of N & S

- L. Walnut 3 ~~N 33 W 33~~ N 9 E 4 1/2
- MM. Beh 20 S 42 E 15 1/2 - Walnut 12 S 34 W 29 Stone perpetuated
- NV. Hickory 16 S 32 W 42 - Lime Stone, perpetuated
- 20 R S. of P. W. Beh 5 S 28 W 12 - Beh 9 N 1 W 32
- 160 R. E. of above. Sugar 5 N 54 E 10 - Walnut 60 N 66 W 15
- X. Hick. 6 S 76 E 64 - To 8 N 77 1/2 E 49 Stone perpetuated
- Y. my bearings
- Z. Stone Corner perpetuated

Aug 18. 1857

Wm Elliott Surveyor

196

IP. Quarter Section Corner to Sections 27 and 28 perpetuated
from Old Witness Tree, see Field Notes, Walnut 36 N 50 W 17 links
Stone set marked II + P - an elbow of 22 links West
April 13th 1861. Morris Caldwell.

3 rods South of N a boulder and 5 rods East of that a boulder.
3 rods North of N a boulder and 5 rods East of that a boulder.
These 4 boulders are large and marked with a cross on top
they are set to designate the corners of a school-house lot
Sept. 10th 1863. Dick Morris.

Recorded on Page 196. Record No. 1.

C. F. Webster

Section 28 Town 13 R 6

- (10) chains and (10) Links west of Y a Boulder
(9) chains + (86) Links North of Y a Boulder
(19) chains + (71) Links South of W a Boulder
(10) chains + (58) Links South of P a Sand Stone 1 side flat
(29) chains (82) Links South of P. 2 Boulders a Large + Small
December 1st 1870

28
Sec 28, T13 R6

Surveyed for Geo. Francis of Cudd, Keith
& others said Sec. into groups

D. Beh. 16 S 81 W 33 - to 8 N 6 E 38

G. Sugar J S 55 E 12 - to 8 S 14 W 22 - Boulder

H. Beh. 15 S 3 E 26 - to 12 S 64 W 37 - Boulder

I. Beh. 10 N 80 E 13 - to 9 S 30 W 33 - Boulder

L. & M. Boulders II. Boulder

N. Walnut 12 S 88 1/2 E 121 - to 14 S 70 E 135 - Boulder

O. Beh. 12 N 12 W 24 - Notch on North side of School House

R. Beh. 10 S 23 E 16 - to 12 N 48 E 45 - Boulder

S. Beh. 10 N 17 W 6 1/2 - to 14 S 16 W 11 1/2 - Boulder

W. Hack. 6 S 76 W 14 - Hickory 10 S 36 E 33 - Boulder

X. Beh. 10 N 7 E 30 - to 22 S 35 W 75 - Boulder

Z. Beh. 15 S 82 W 35 1/2 - to 22 N 36 W 81 -

(Aug 21, 1852)

John Elliott Surveyor

Recorded on Page 196. Record No. 1.
L. P. Webster

Dec. 1st 1870

W. Buck 20 N 12 W 28 - J Dugan S. S. 6

Sec 29. T13 R 6

Nichols

- ⓪. Beh 18. N40 W14 - Elm. 32 East 18
- Ⅳ. Beh 18 N E 3 - S. Am 22 S20 W15
- Ⅲ. S. Am 20 S W 1 - W. Beh. N25 E 5
- Ⅱ. Beh 10 S20 W22 - S 12 N12 E17
- Ⅰ. Beh 20 S36 W67 1/2 - Elm. 18 S22 W43
- Ⅷ. Beh. 8 East 2 1/2 - S. Am 20 S E 11 1/2

Survey for Commissioners on Menzies East.
 W 1/2 of N W 91. & divided by a line 31.2 R. N. of S. End

- ⓪. Beh 6 N40 E45 - S 8 N37 W51
- Ⅰ. Beh 12 N18 E12 - S 5 S35 W25
- Ⅱ. Beh 14 N43 W59 - S 15 N12 W96
- Ⅲ. Am 8 N48 W35 - Beh. 14 S83 W48

March 21. 1850

J. McEllioty Surveyor

See Parsons Notes 28

- C, N, U, Z, P, V, W, X. S. E. N. Stone corners
- B, Ash 24 S74 W2 - Beh 4 S16 E5
- B, Beech 12 N11 E17 - Beech 10 S16 W15
- N, Beech 20 N79 E15 - S. Ash 20 S24 W15

Recorded on Page 198. Record No. 1.
 C. P. Webster

Dec 31

Dec. 30. 513 R 5

(Nichols)

- 200/ | NM . Aug. 20 N 58 49 - To 18 N 60 W 46
- N . Aug. 18 S 20 E 29 - Ben 16 N 15 W 33
- O . Ben. 18 N 5 W 9 - To 17 S 5 W 18

(Do = N 57 W 13)

- L . A Stone corner Relocated = a Stone S 57 W 13
- M . A Stone corner Established (Do S 31 E 64)
- N . A Stone corner Established = Beech 12 S 26 W 41
- O . A Stone corner Established = Beech 12 S 77 W 8 = Do 16 S 55 W 22
- P . A Stone corner Relocated = Ash 24 S 38 W 26 = Hickory 14 S 24 E 35
- V . A Stone corner Relocated = a Stone S 65 E 25 = Do South 15
- W . A Stone corner Established = Beech 8 S 61 E 4 Do 10 S 6 W 40
- X . A Stone corner Relocated = Sugar 24 S 34 E 69 = Beech 10 S 88 W 2
- Y . A Stone corner Established = Ash 8 S 40 E 26 =
- Z . A Stone corner Perpetuated

April 25th 1860 Ed Winchel Surveyor S 6 W

Recorded on Page 200, Record No. 1.

C. P. Webster

Section 31 T13 R6

G. Boulder marked G 31
 Apple 8 S 63 W 26 1/2 m Cherry 6 N 7 W 34
 H. Boulder marked H 31
 Ash 12 N 63 1/2 E 35 m Hickory 12 S 70 E 21
 Chain Carriers - Martin Strickles & Arthur Bowers
 Dec 10th 1863. J. Morris

Recorded on Page 200 Record No. 1.

C. P. Kelster

Mastone set and marked M Set by Elliott with R oak 30 N 5 E 10

Sec 31, T13 R6

31. Nichols

Page 200 C 201
C. P. Kelster

B. Elm 16 S 20 E 14 - Beh. 8 S 60 W 19
 D. Beh. 12 S 50 W 24 - Ash 9 N 25 W 20
 M. R. Oak 22 N 40 E 10 - Elm 10 S 50 E 20
 N. W. Oak 10 S E 18 - Elm 10 N 15 W 25
 O. L. Asp 5 S 10 E 7 - W. Oak 8 S 58 W 19
 P. R. Oak 5 S 40 E 13 - Hick. 4 N 67 E 13
 W. Walnut 4 S 85 E 18 - Beh. 18 N 55 W 9 1/2
 X. Mulberry 6 N 60 W 12 - S 4 S 10 W 16
 Y. Hick. 10 S 95 E 16 - Beh. 10 S 55 E 10
 N 55 29 W 77 1/2 Rods from L. Beh 18 N 37 W 2 1/10 R. - - - Rock
 see page 81 "Rocks notes"

Recorded on Page 200 Record No. 1.
C. P. Kelster

Surveyed for Kenton, Crosby & Brown

L. Beh. 18 S 75 E 61 - S 18 N 87 W 53
 M. R. Oak 30 N 5 E 10 - Elm 12 S 45 E 20
 N. Boulder
 R. Ash 15 S 30 W 16 - Hick 9 S 88 W 10
 S. Oak 24 S 25 W 41 - Beh. 14 S 49 W 29 1/2
 W. W. 40 a. Boulder
 L. V. S. Boulder
 X. Beh 24 N 22 W 66 - Poplar 12 N 47 W 55
 Y. Oak 14 N 3 E 67 - S 9 S 63 E 52
 Voluntary W. Boulder
 Sch

Sept 3, 1851

J. M. Elliott Surveyor

1/2 of M to B & the 1/2 of N to C & the 1/2 of O to D. Stone corners
 see Record Page 200 for Letters
 This should be written. J. M. E.

Sec 32. T13 R 6

(Rock)

N. Beh 9 S 28 1/2 W 30 - Elm N 74 W 9
 X. Dugan 14 N 43 E 29 - do 25 S 32 1/2 W 47 1/2
 N 5° 29' W 77 3/4 Rods from P. Beh 18 N 37 W 2 3/4 Rods

See Dugan's notes

O, Poplar 12 S 65 E 21 = S. ash 10 S 23 W 36
 Y, a stone corner

Norriss.

M, Ash 22 S 72 W 24 1/2 - Hickory 17 N 59 1/2 W 34.
 stone set, marked M

L or P, White Oak 26 N 86 E 24 - Beech 14 S 16 E 10, see Field Notes
 Stone set, marked Ls for section 32 and P for section 33.
 March 11th and 12th 1861

Recorded on Page 204, Record A. 1.
 C. B. Webster

November 30 1870

X a stone corner

J Dugan Surveyor

N a stone corner marked N
 W a limestone marked W. 6

W. Beech 10 S 20 E 31 1/2 = do 14 N 12 W 57
 Feb 19th 1872

Section 33 Township 13 Range 6

L. a limestone marked L & P
set by old wit H locust^{N 3 E 91}
Chainmen & Ragnen John Boles J H Bryan
Edward Travis
Sept 14th 1874

J Dugan S. S. C

Sec 33 T 13 R 6

Rock

27. W of L. Boye seen 15 N 46 E 9
N. Beh 10 N 57 E 8 - full N 66 W 14
X. Beh 14 S 38 W 70 1/2 - full 10 S 21 E 35 } Men or corner
V. A Stone at corner

C. A hard flinty reddish boulder marked C 33
D. A hard rough boulder marked D 33
O. A long smooth reddish boulder marked O 33

Chain Carriers - William Cramer & Wm Cottrell
Flag Bearers - Edmund Hocker & John Whited
November 2nd 1866 R. Norris Dep. Surveyor

Recorded on Page 204, Record No. 1.
C. P. Webster

November 30th 1870

Z a Lime Stone marked Z no witness available
J Dugan S. S. C

Q a Blue Boulder marked Q
V a Sandy Boulder marked V

Witness a Black Walnut 10 N 31 E 29 Sinks
20 Rods North of S Beech 23 S 4 1/2 E 40 = W Beech 6 N 6 1/2 W 22 1/2
20 Rods N of Q a Beech at corner trunk 1 Sink West
white oak 30 S-W 39 Sinks

Chainmen Peter L Todd & John A Taylor
Flagmen Jerry W Butler & Sam Juggins

February 19th 1872 Jerry Dugan S. S. C

Section 34 Township 13 Range 6

N. a huge long boulder marked N 34 set in the road
 Mulberry 24 N 4 1/2 E 51 ft 4 in = 77.7 links
 X. Limestone marked X 34 on the North side - no witnesses available
 O. Limestone marked O 34 set in the lane
 Black Walnut 4 branches S 8 1/2 E 95 + 19 = 114 links
 24 rods South of N a long slim boulder marked 24
 1/2 AB large flat boulder marked 1/2 AB
 Beech 12 S 9 W 5 3/2 - Beech 20 S 50 W 55
 1/2 L M limestone marked 1/2 L M
 Beech 20 S 15 1/2 E 64 1/2 - White Elm 20 S 22 1/2 W 72
 24 rods South of 1/2 L M limestone marked 1/2 L M 24
 Beech 24 N 2 1/2 E 28 - White Oak 24 N 76 1/2 W 69
 March 30th & 31st 1863 - Wm R Norris
 Chain Carrier - Sam Wray and Martin Cobble
 Flag Bearers - Daniel Nail - David Smith - Sidney Thayer

Recorded on Page 206, Record No. 1.
 C. F. Webster

Sec 34. T 13 R 6

Surveyed for Mrs. Beryl C. & Wm G. Sept 10th 1857
 W. S. Cole

N. Beh 14 S 27 E 39 - S 12 S 45 E 36
 O. Walnut 5 S 89 E 95 -
 10 R. N. of X. Walnut 54 S 33 E 75 - Maple 22 N 87 E 93
 10 R. N. of V. Beh 14 N 14 E 38 - S 9 S 32 W 14

Sept 3. 1857

Wm Elliott Surveyor

Surveyed for Mr. Feyenberk - see former record - N W G. of N W G. ran N 80 S 50 E W 5°

F. Elm 12 S 22 E 98 - Hackberry N 82 E 122
 Co. Beh 36 S 2 W 21 - S 13 N 83 E 31

Oct 6. 1857

Wm Elliott Surveyor

See also page 18

W, a stone corner (perpetuated)
 L, Beh 18 S 43 W 22 1/2 AB, a stone
 BSM, Stone corners 1/2 L M, a stone
 P, C, S, N, Stone corners

P, a stone N. Locust 12 N 9 E 91

F, W, Beech the corner stands 4 poles W of a stake

Witness to the corner Red Beech 8 N 52 E 32 - Red Beech 4 S 38 E 25

Recorded on Page 206, Record No. 1.
 C. F. Webster

31-
Sec 35. T13 R6

Nichols

B. Hick. 10 North 4 - Bush 12 20 W 36
D. Elm 20 S 70 W 25 - Hick 10 North 12
M. Bluelum 2 North 27 - Oak 5 S 67 W 13
O. Ash. 22 N 35 W 15 - S 18 South 22
W. Beech. 14 S 80 E 17 - S 21 N 40 E 16
W. Buck. 14 S 52 E 12 - Elm 30 N 10 W 28 - Rock
T. Beech. 14 S 81 W 14 - S 9 S 61 E 8 40 link chain

Recorded on Page 208 Record No. 1.

C. P. Webster

36
Sec. 36. T13 R 6

Rock

Sept 1845. Surveyed for M. Montgomery

V. Hick. 22 N31 E 91 - do 16 N 87 E 82 (500.00)

Stone

N. Mulberry 6 N48 W 29 - do 4 N45 W 1

M. Beech. 9. N 9 W 19 - Sugar 5 N 53 W 12

A Limestone set by an original witness to wit Beech 12 N 52 W
Oct 19th 1867 Wm. H. Miller S.S.C.

Recorded on Page 208. Record No. 1.
C. F. Webster

V a Limestone marked V Elm 16 N 31 W 4 Links
W a Limestone marked W on North side + T+13 on top - wit a Limestone 8 45 Links
P a limestone marked P + L - wit a Limestone N 46 W 42 Links

May 1st 1873

J. Egan S.S.C.

I a Limestone marked I wit Beech 12 N 59 E 56 - do 24 S 32 W 25

M a Limestone marked M wit Beech 14 N 27 W 14 - Sugar 10 S 46 W 18

Chaimmen. J. James + ex goodrich flagmen J. Francis + J. Francis

May 24th 1873

J. Egan S.S.C.