

Section 1 Township 13 Range 7

E astone marked A B T 13 R 7 wit ash 17 N 17 W 35 1/2

C astone marked C wit Pin oak 18 S 39 W 48

B astone marked B wit B oak 14 N 37 W 64

N perpetuated from old Bearing <sup>the stone marked</sup> E 12 N 20 E 30 - Beech 18 N 13 W 38

perpetuated a stone marked M old wit B oak 17 N 80 W 31

do 14 N 67 1/2 W 54 1/2

Chainmen and Flagmen S. A. Sleeth Wm Talbert

Eli Myres - Myres

May 7th 1874

- J Dugan S S C

35-51

Sec 1. T13 R7

C, Sycamore 20 S10E 10 - Hick 3 N E 8  
 M, Beech 16 S E 6 - Fu 17 N 80 W 31  
 N, Elm 12 N 20 E 30 - Fu 9:1 W 26  
 W, Poplar 12 West-10 - Sup. 3 S 80 E 57

E. A Stone - P, Beech 20 S 77 W 19 - Do 24 S 57 E 21 - [See Darius's sale]  
 The  $\frac{1}{4}$  of N W  $\frac{1}{4}$  except 30 Acres off the SE corner of said quart

7. A Stone corner Perpetuated  
 8. Elm 5 S 87 W 22 = G 5 S 83 W 27 = a Stone  
 9. A Stone corner established  
 10. A Stone corner established  
 11. A Stone corner Perpetuated  
 12. A Stone corner Perpetuated  
 13. A Stone corner established  
 14. 40 rods South of P, a Stone corner  
 April 19<sup>th</sup> 1860 Ed Winchel S.S.

344

Recorded on Page 344 Record Mt.  
 C. P. Webster.

Sec 2. T13 R7

C. W Oak 5 South 13 - Hick 5 N 16 -  
 D. Elm 4 N 50 W 5 - Hick 8 S 3 E 19  
 M. Sugar 22 N 3 W 22  
 N. Beech 12 S 28 W 19 - Elm 12 N 6 W 23  
 O. Hick 16 S 70 W 13 - Sugar 10 South 20  
 R. Hick 18 S 65 E 11 - Beech 10 N 70 W 27  
 W. Poplar 60 N 3 W 22 -

345

X. A Stone corner Relocated  
 W. A Stone corner Perpetuated  
 W. A Stone corner Established X  
 U. A Stone corner Established  
 L. A Stone corner Perpetuated  
 A. A Stone corner Perpetuated  
 75.43 rods North of V, a Stone corner  
 73.43 rods North of W, a Stone corner  
 April 19<sup>th</sup> 1860 Ed Winchel S.S.

Recorded on Record 344 & 346. Record  
 Mt. C. P. Webster

Sec. 3.

- 846  
A. Elm 14 N 87 W 40 - Hickory 10 S 75 E 47  
M. Beech 10 N 53 W 14 - Do 16 S 55 W 22  
N. Beech 18 N 60 W 17 - Do 10 S 5 E 23  
O. Hickory 20 S 38 E 9 - Sugar 6 West 15  
S. Beech 8 S 15 W 24 - Do 16 N 17 W 15  
U. Beech 12 N 13 W 10 - Lym 10 S 20 E 22

Recorded on Page 346 Record Book  
C. F. Webster

Sec 4. T13 R 7.

30 a of C<sup>2</sup> N W q<sup>r</sup> & N E cor of S W q<sup>r</sup>. <sup>Survey</sup> Stones at all the corners

IP. a limestone marked IP 4 set by the original witness  
Wiskory See Field Notes

74. a limestone marked 74 4 set by Rocks witnesses  
see Section 9.

There are limestone corners set to all the shares of Seno Fox's estate  
in the West Half of the Section, marked with a cross on top.

See Commissioner's Report to C. R. P. March 1864. R. M. Davis

Recorded on Page 346 Record of N. A.  
C. F. Webster

See Diggins  
Notes Page 11

5  
Town 13 North of Range 7 East Sec 5

N.E.S. Stone corners

Q, Beh 16 x 856 31 = Do. 14 x 45 7 x 25 -

T, Beh 16 x 226 13 = A 48 x 8 7 x 22

x 31 + 6

Recorded on Page 348, Record No. 1,

C. F. Webster

Nov 29<sup>th</sup> 1870

(13) chains and (33) Links North of ~~V~~ in Section (9)

a stone (11) Links East witness B walnut 6 N 32 1/2 E 11

(16) chains (25) Links west (from Thence) a stone now not available

(16) chains (25) Links west of E in section (8)

a stone witness - a mulberry 3 N 11 1/2 W 28

J Dugan assisted by C. F. Webster

See Dargins  
Notes Page 11429

Town 13 Range 7 Sec 6

M, Beh 18 N45 E 20 = Do 18 S 85 W 25  
 W, Ash 12 S 27 W 27 = Do 24 N 68 E 26 - 31 1/2  
 P, Beh 11 S 70 E 29 = Do 18 N 66 W 46 (should be P 16) P  
 P, a stone corner Dargins 27.  
 Ash 20 S 17 W 4 - Beech 14 S 74 E 19  
 South end of same Ash 12 N 12 E 23 - Ash 18 N 12 W 28

348

C. A large boulder marked C 6  
 N. A long red flinty boulder marked N 6  
 Sept. 22nd 1863. D. Romies

Recorded on Page 348 Record of N.S.  
 G. F. Webster

Section 7. T 13. R 7. - East

Y Limestone Past - Nit-Stone N 2 1/2 W 4 1/2  
 Beech 18 N 86 E 8  
 Tr 12 S 20 E 29 -

Oct 21st 1870 -  
 C. P. Webster Dep Surveyor

C. Sandstone. Set by original Nit. N. Oak & cesh.  
 New Nit. Water Cabin 18 N 83 E 29 1/2  
 Hickory 6 S 88 E 30  
 Original N. Oak 40 S 69 W 20.

EE. Stone, set by Zap Corner, but find it to be 18 Links  
 too far South, by running the line C & Whitman 67 1/2.  
 Nit - Beech 18 N 82 E 63 - Tr 18 S 72 1/2 E 72 -

K. Stone. Nit Beech 12 S 8 1/2 W 90 -  
 B-Oak at 8 3/4 W 8 3/4.

M. Stone. Nit Stone at 41 W 38

N. Stone, - N. Oak 12 S 63 W 62  
 Marlberry 8 S 59 W 41.  
 N-Beech N 83 W 29 1/2 Nit Stone S 82 1/2 E 26.  
 Sept Oct 24th 1870.  
 C. P. Webster Dep Surveyor

Sec 7. T 13 R 7

x N. Beh 20 N - 13 - <sup>Survey</sup> 24 180 E 25 -  
 D. Beh 18 E - 17 - 20 12 N 85 W 25 -  
 R. Elm 30 S 75 1/2 W 5 - W. Beh. 4 South. 4 1/2 E 4 - Rocks  
 T. Cherry 4 S 61 1/2 E 14 - Eye. 6 S 45 1/2 W 20

Surveyed for Van Boon - W 1/2 of S W 1/4

O. Beh 7 West - 11 - 20 18 S 4 W 17  
 P. Beh 18 S 31 W 9 - 20 14 N 70 E 24  
 Y. Beh 12 N 77 E 9 - 20 9 S 20 E 29

Sept 10. 1871

C. P. Webster Surveyor

Recorded on Page 348 of 350 Record Chit.  
 C. P. Webster

Survey for J. C. Wagner & others.

Z. Limestone Past Marked Z. 7.  
 Nitless Stone. East 30 Links

" " N 78 1/2 E 4 1/2 S  
 Limestone Past - Marked III. 7.

Nit Stone S 42 E 32 -  
 Beech 18 S 36 W 9  
 Tr 16 N 72 E 21

O Limestone Past - Nit Stone S 14 1/2 W 33.  
 Beech 26 S 72 1/2 W 41 1/2

Oct 18th 1870 -  
 C. P. Webster Dep Surveyor

Section 8 Town 13 R 7

Nov 29<sup>th</sup> 1870

C a Stone corner original witness.  
 Beech 24 S 12 W 28 Beech 20 N 28 E 28  
 J Dugan Surveyor  
 assisted By C F Webster

Dec 18<sup>th</sup> 1870

Dugan

D a Lime Stone marked D set from old witness ~~view~~ ~~quit~~ ~~Naken~~  
 a R oak 20 N 30 E 32 a Hickory 16 S 65 E 72  
 D set from old Bearings and found wrong

O a Square Limestone marked O 7 on North side  
 W 50 15'

Sec 6, T 13 R 7

D. R. Oak 14 S - C 14 - S. Am. 24 N 25 E 6  
 G. S. Am. 8 N 30 W 3 - Walnut 12 S 26 E 23  
 H. Beech 6 S 40 W 30 - So 10 N 40 W 21  
 I. S. Am. 30 S 86 E 53 -  
 P. S. Am. 8 S 31 E 66 - S. Am. 20 N 14 W 59  
 V. - Buckeye 8 N 79 W 47 - Hack. 10 S 36 W 46  
 X. S. Am. 18 N 38 E 55 - So 24 S 25 W 82  
 B Dugan 30 S 40 E 57

SE corner of the above 50 Acres a stone, SW corner a stone,  
 NE corner a stone - see Dargins notes page 14  
 W. L. P. N. C. R. W. A Stone corner [see Dargins notes page 14]  
 The above section into 1/2 qrs - and the West 1/2 of the SE 1/4 into 50 and 50 acre lots  
 V, a stone perpetuated } Laid off 10 Acres off the West of N 1/2 of SW 1/4  
 P, a stone perpetuated } There are stones set at the corners. (Dargin 14)  
 C, Sugar 18 N 60 links

W, a Stone corner established

V, V, a Stone corner established

Z, a Stone corner relocated

April 16<sup>th</sup> 1860 Ed Winchel S. C. Ind

A, B Oak N 70 E 25 - B. Oak 20 S 80 E 39 (Dargin 1)

Names of Cords

M. Blue Boulder marked M 8 } Chain } Cook  
 O. Small flinty boulder marked O 8 } Carriage } Buckhart  
 R. A long block of limestone marked R 8 } Flag men } Jacob Meeks  
 T. Limestone marked T 8 } } Oxman } Gator & Bassett  
 U. Limestone marked in the top U 8 - N.W. Corner Gator's Mill S 31 E

N.W. corner Maden Factory S 67 E - Gable point Leander Kennedy house S 37 E

Gable point John Perry house N 87 E - Variation of Compass 6° East

Recorded on pages 350 and 352, Record Ch. A.  
 C. F. Webster March 6<sup>th</sup> 1863 J. Morris

Section 9 T13 R7

N Black Walnut 18 N42 W11 — Sugar 14 N45 E12  
 X Beech 18 N20 W44 — Beech 14 S21 E53  
 Z perpetuated from old witnesses, see Rocks Survey next page  
 Elm 32 N75 1/2 E125 — Box Alder 16 NW87

S stone set and marked in the road } Set in the Road, and marked  
 W stone set and marked in the road } would sound better,  
 101 rods and 12 links west of N a stone set in the  
 west side of the Marion Road marked with a crop on top  
 Stones set and marked at all the above corners according to law  
 April 16<sup>th</sup> and 17<sup>th</sup> 1861. J. Noyes, S. S.

20  
 30  
 35  
 54

Recorded

Nov 28<sup>th</sup> and 29<sup>th</sup> and Dec 20<sup>th</sup> 1870

E perpetuated from old witnesses } stone marked Z  
 Bur oak 15 N33 E57 Bur oak 24 N85 E24  
 J Dugan Surveyor  
 assisted By C. F. Webster  
 P Honeylocust 12 S76 W162 Sycamore 40 S1 E130

Sec 9. T13 R7

Nichols

N. B. Oak 16 N48 E26 — Walnut 14 N70 W25  
 Y. Hickory 12 S70 W5 — R. Hawth 6 S64 E32  
 C. W. D 50 a — Hack. 15 N73 E11 — Beh 6 S12 E35 — Sugar  
 N. W. D to Stone

Jan 9<sup>th</sup> 1848 } Survey for Clark Fox — Rock  
 1<sup>st</sup> X West 125 7/10 Rods to west of State Road  
 2<sup>nd</sup> N6 1/2 E13 3/10 Rods to a Stake  
 3<sup>rd</sup> East 122 2/10 Rods to East line of gr  
 4<sup>th</sup> South 12 8/10 Rods to place of beginning — 10 Acres

Survey for Huan 7<sup>th</sup> of

1<sup>st</sup> N W cor. of Clark Fox, N6 1/2 E 38 1/4 Rods to a Stake  
 2<sup>nd</sup> East along South line of town of Marion 34 8/10 Rods  
 3<sup>rd</sup> South with East line of gr 36 8/10 Rods  
 4<sup>th</sup> West 41 7/10 Rods to beginning — R 7 2/10 Acres

Also for the same

1<sup>st</sup> O. South 50 55 100 Rods, 2<sup>nd</sup> West 26 2/10 R. 3<sup>rd</sup> N3 0 41 E  
 50 66 100 Rods, 4<sup>th</sup> East 23 65 100 R. to Beginning — 7 8 8 100 Acres

Also for the same

47 14 100 Acres in the N W part of C 1/2 of Slu gr  
 S E cor of same, Beh 14 S34 W8 Hick. 3 N21 W35 (var 6°)  
 John Fox 5 Acres E 8 W 26 R. N4 S36 R

C. A Stone — N E corner of the above [var 5 3/4°]  
 S E cor of the above, Lime Stone, Stones at all the corners

E. B. Oak 16 N79 E25 1/2 — Sugar 12 N28 1/2 E6 1/2 X  
 P. Oak 16 N1 E67 1/2 — Sycamore 12 N82 1/2 W98 3/4  
 Z. Elm 32 N73 1/2 E125 — Balden 16 N W 87

Page 333

Page 332

Recorded on Pages 332 & 333 Recd by A. L.  
 C. F. Webster.

N  
X  
Z

S  
U

E

354

T13R7 Sec 10

W. Bach 14 52 W 10 = Do 24 1808 20 [See Dargins notes page 14]  
A.L.S.P. Stone corners [See Page 26 Dargins notes]  
N. Sugar 8 1865 to 29 [See Page 26 Sugar 9 S 27 E 28  
20 Acres set off the N end of the W 1/2 of the SE 1/4  
There are stones set at all the corners

25 rods west of X a long block of Limestone marked 25  
Bach 30 S 2 1/2 W 22 Burr Oak 24 N 5 2 W 9 1/2  
25 rods West of N a long block of Limestone marked 25  
Bach 15 N 6 E 7 near Bach 20 S 21 W 9

354 March 28<sup>th</sup> 1863 Wm R Morris

Recorded on Page 354 Record 1.  
L. B. Webster

T 13 R 7 Sec 11  
Aug. 9, 1929. Located O by end post.  
X & Y in center of Road.  
Set stones (line) as follows: 294.5 ft E of O &  
653.3 feet east of O. Also 286.7 ft east of  
Y. 638.2 ft east of Y. and 957.3 ft E east of Y.  
Ralph Cochran & Son.

Sec 12. T 13 R 7

Surveyed for E Cross, Carmony & (Rock)

L. Sycamore 16 S 13 E 32 -

Y. Oak 10 S 34 E 8 - S wood 4 N 40 C 6

X. Am 12 N 60 W 10 - Walnut 14 West 27

V. a Sycamore 36 N 19. W 35 1/4 = Sycamore 30 N 44.

U. a Sugar 12 S 82 1/2 W 12. no stones

W. a stone marked W 12. no wit available

X. a stone marked X 12. set by Rock's  
witness. Walnut 14. West 24.

N. a stone marked N 12 no wit

O. a stone " 0 12. witnesses

Burr Oak 18 S 46 W 26 1/2 = R oak 18 N 21 E 24

Chain carriers John Todd & Phillip

Rhodes Flag bearers. Lafayette

Thomas William Gibe & Justice Clapp

Aug 22<sup>nd</sup> & 23<sup>rd</sup> 1866 John Hoop  
24<sup>th</sup>

Recorded Page 334 Record cont.

C. J. Webster

13  
Sec 13. T 13 R. 7

Surveyed for Michael Rice & Co. Oct 11. 1847 (Rock,  
M<sup>o</sup>. Sec 14 & 39 in 13 - Beh 10 & 21 & 7

N. Large boulder Beh 24 N. W. 5-

O. Limestone, marked O. 13 now it, available

356 L. P. X. C. Boulder by former Surveyor  
Sept 7<sup>th</sup> 1867 Wm. H. Miller & Co

Recorded on Page 356 Record ch. 1.

C. F. Webster

Sec 14 T13 R7

8/19/24 8/23/29 14  
 16 70 25  
 30 70 55

41 <sup>3</sup>/<sub>10</sub> R. Atkin. Beh 20 N 68 W 19 - to 11 16 84 E 23  
 40 <sup>15</sup>/<sub>2</sub> 40 <sup>45</sup>/<sub>2</sub> [See Rocks Map Page 76] 19  
 40 <sup>15</sup>/<sub>2</sub> 40 <sup>15</sup>/<sub>2</sub> 23  
 30 - <sup>1</sup>/<sub>2</sub> 42

Rock

See Duly's  
 1862

6  
 5  
 4  
 3  
 2  
 1

N, Ash 8 S 74 E 21 = Do 10 S 38 W 34  
 M, W. Cherry 12 S 41 W 15 = Beh 16 S 38 E 35

Dargin 5  
 34  
 21  
 55

94 A 42 P off of the N end of the SE 1/4 commencing at the 1/4 section corner, on the E line of section, thence N to the middle of section 16 3 1/4 poles; thence S 11 7/2 poles; thence E 10 9/5 poles; thence with the meanders of Little Blue River to the place of beginning, containing 94 Acres and 4 1/2 square poles more or less.

April 30<sup>th</sup> 1862. Sick Norrial.

IP. A huge boulder marked IP 14 and II 15. Perpetuated from original witness Beech 13 S 20 W 21 see field notes

1862

O. A grey boulder marked O 14  
 Beech 20 N 37 E 20 - Beech 15 S 33 W 9.

S. A red boulder marked S 14  
 Burr Oak 12 N 69 E 37 - White Elm 36 S 46 1/2 E 24.

Recorded on Page 356 Record Chrt.  
 C. P. Webster

Sec 15. T13 R7

- Mi. Beh. 27 East 74 - 2024 N 58 W 30.  
 O. Beh. 10 N 12 E 30 - W. Beh. 6 N 63 E 36.  
 H Small Boulders no witnesses available -  
 I Boulders " " "  
 M Long slender Limestone " "  
 N Boulders " " "  
 O " set by the above witnesses  
 1/2 of O. P. Small Boulders no wit. available  
 13 and 2/3 mile east of 1/2 of O. P. Boulders " "  
 1/2 of D to E. Small Boulders " "  
 13 and 2/3 mile east of 1/2 of D to E Small Boulders.  
 12.29 Chains South of W Limestone  
 14.02 " North of X Boulders  
 12.21 " South of M Limestone  
 T Limestone  
 7.32 Chains South of T Limestone Beh 12 N 75 E 12.  
~~16.54 " North of W Limestone a mistake~~  
 14.09 Chains North of W Limestone  
 # 16.44 " " " "  
 U Heid. 12 N 10. Boulders  
 7.32 Chains South of U Boulders. Beh 12 S 5 W 20.  
 6.39 North of V Heid. 15 N 75 W 23  
 Y Small Limestone

809

Feb 3<sup>rd</sup> 9<sup>th</sup> 6<sup>th</sup> 1868

W. H. Miller Surveyor

Recorded on Page 338 Record Ch. 1.

C. P. Webster

Sec 16. T13 R7

H. Ben. 27 N55W9 - Buckeye 870634 <sup>Nichols</sup>  
H. Ben. 14 S56W31 - do 10140120  
N. Ben. 24 N16W23 - ~~do 870634~~

Survey for Corners East of Laube Hines

Z. Ben 20 N83 E73 - Am 20 N85 W76  
6.50 ch. N. of Q. Cherry 12 S40 W39 -  
B. 75 ch. S of N. Buckeye 12 S40 W39 - Hill 10 N62 W81  
19.50 ch. West of am. Sugar 24 N15 W32 -  
19.50 ch. West of N. Water - See Corners Report to Petrol. Ct.  
Sept 18. 1850  
J. M. Elliott Surveyor

K. I. S. Q. Stone corners [ see Diggins notes page 47  
P Limestone marked "P. 16" no witnesses available  
87 rods east of P Limestone. - ref. Locent 5-5378 19  
55 rods south and 78 rods west of N Limestone set by Elliott's wife  
108 rods south of N Limestone Cherry 10 S68 W10  
54 1/5 north of Z Walnut 8 S40 W24. Limestone  
55 rods south of N Limestone set by Elliott's witnesses  
1/2 H. C. Ash 12 N67 E7.  
Survey 20th of Nov 1868. W. W. Miller Surveyor

Recorded on Page 366. Record of A. S.  
C. E. Webster

Sec 17 Town B R 7 East

Survey for Morgan Robins & Bassett,  
Corner Established 3.58 Chamo West of the  
S.W. Cor. of Pally Robins 45 acre tract, viz.  
Stake 19 1/2 East of true corner, near River

N.W. Walnut stump 24 S 15 E 32  
Buckeye 12 at 20 E 17 - the true corner  
is 19 1/2 West at the Bank of Big Blue River,  
Sept 1874  
Chas. Webster Deputy Surveyor

X A Limestone marked X set by original witness  
at a Buckeye also a Red Haw 12 S 4 E 44

S Perpetuated a Bur oak Stake 2 ft 4 in long

2 1/2 in By 3 in Square  
Set by Corrish old Bearings

January 17<sup>th</sup> 1872 J. Sugan, S.S.C.

Sec. 17, T13 R 7

Nichols  
C.W. N 78 1/2 W 2 1/2 mi. end Sugar 2 Carr 9 - to 20 Apr 18  
B.W.M. do do N. Beh. 9 S 42 W 15 - Sugar 8 240 E 23

Surveyed for Corns in Est. of Jacob Hines  
See report to Probate Court.

X  
N.W. Elm 18 S 52 E 27 - to 30 N 89 W 25  
N. Ash 10 S 78 W 49 - Walnut 12 S 33 W 39  
7.50 ch. S. of N.W. Beh 16 S 19 W 44 - to 10 S 57 E 23  
Sept 19<sup>th</sup> 1870

J.M. Elliott Surveyor

S White Hickory or Spigmit 9 S 11 E 16  
White Ash 13 N 39 1/2 W 79 1/2 marked with a crop - notch  
Red Haw 8 S 4 1/2 W 36 - Stone set marked S  
December 28<sup>th</sup> 1860, Dick Norris, S.S.C.

Surveyed Mar. 22<sup>nd</sup> 1867  
P a slender limestone marked +  
N.H. Miller S.S. County  
Z A slender limestone marked 17,  
no witnesses available  
Mar 20<sup>th</sup> 1870.

C.F. Webster, Deputy Surveyor  
Recorded on Pages 360 & 362 Record M.S.  
C.F. Webster

362

Section 18. Town 13 R 7

P a Limestone marked P  
 wit a Cottonwood 18 S 53 E 40 1/2 Links  
 O a Limestone marked O  
 wit a Beech 20 S 4 E 78 (Where it ought to be)  
 R a Limestone marked R This corner is 106 ft off  
 wit a Beech 14 N 62 W 37 do 18 S 66 W 54  
 Q a Limestone marked Q  
 wit Beech 19 N 82 E 66 Links  
 Chainmen Joseph Yeager + Spencer Lawson  
 Flagmen Christopher Rudisal + Leonard Ostiner  
 April 15<sup>th</sup> 1872 Jerry Dugan S S County

M a Limestone marked M wit Linn 12 S 15 1/2 W 96  
 N a Limestone marked N bet by old wit See Rocks survey  
 Ash 18 E 20 Beech 12 S 45 W  
 X a Limestone wit a Limestone N 38  
 Chainmen James Davis Wm Rice + Bassett  
 Flagmen Wm Bauman Lawrence Fick  
 February 4<sup>th</sup> 1874 } J Dugan S S Co

Sec 18. T 13 R 7

Rock

N E cor of P. Pharis Sawyer Beh 10 N 30 E 26 - W. B. 10 N 11  
 N W .. .. .. Beh 8 S 25 W 20 - Ju 16 N 35 W 19  
 S E .. .. .. Beh 130 W 22 - Elm E - 15  
 N of S. E. cor .. .. Beh. 148 W 46 - S E - 42  
 X . Beh 24 N 2 E 16 - Ju 6 N 65 E 14  
 N . Aug 18 E - 20 - Beh. 12 S 45 W -  
 W . Hick 6 N 30 W 7 - Beh. 10 S - 15  
 W . Beh 24 S 30 E 13 - Ju 18 N 70 W 12  
 P . Beh 12 S 76 E 13 - Ju 16 S 9 W 17

Surveyed for Van Bost - W & N W 1/4  
 Sept-10. 1851

J. M. Elliott Surveyor

18.53 chains North of O  
 Ash 16 N 53 E 6 - Beech 10 S 52 W 21 1/2  
 18.53 " North of P  
 White Elm 30 N 28 E 22 - Beech 12 S 45 E 1  
 May 9<sup>th</sup> 1864. R Morris

Recorded on Page 362 & 364 Record No. 1.

C. F. Webster

Dec. 19 1864

19

B. A stone marked B 19.

M. A Limeslow marked M 19.

Chain carriers Isaac Dollard Jonathan Gilver-  
thorn Joseph Sawood and B J Frowbridge

Flag bearers B J Frowbridge and Oliver Bassett

364  
May 24<sup>th</sup> & 26<sup>th</sup> 1866 John Hoop

Recorded on Page 364. Record No. 1.

C. F. Webster

Sec 21. T13 R7

Nichols

E. Buckeye 10 N38E68 - Bch 7 S35W80  
I. Bch. 16 S33W30 - S 12 N37W10  
W or M. Maple 9 N40E12 - Hick 24 S73W18

Survey for J. Trinity 60 Rods off N End of C<sup>1</sup> of B<sup>9</sup>  
on B<sup>9</sup> W 54 N 82 1/2 E 6"  
M. Bch 6 S50W13 - S 12 S19E24  
Sept 6<sup>th</sup> 1850  
J. M. Elliott Surveyor

Survey for Johnson & others  
Z. Peachberry 10 N31W37 1/2 = B. Alder 12 S46E37 1/2 = Perpetual  
P. No trees near = A stone corner = Perpetual  
Y & O. Stone corners  
There are stones set & marked as the law directs  
at all of the corners of the west half of  
the south west quarter.  
Oct 13<sup>th</sup> 1859 Ed. Winchel S. L.

II, Beech 12 S39W5 - Sugar 8 N10E19 Sargis 46  
November 4<sup>th</sup> & 5<sup>th</sup> 1862. Thomas

M. Boulder marked M 21 set from Elliotts witness above  
Beech 6 S50W13 - Beech 12 S19E24

60<sup>+</sup> 22 South of M sand boulder marked 60<sup>+</sup> 22  
Beech 9 N 79 E 83 1/2 - Beech 12 S32 W 59

100<sup>+</sup> 41 north of V sand boulder marked 100<sup>+</sup> 41  
Beech 8 N 87 1/2 W 43 1/2 - White Elm 12 N 116 1/2 D.

Recorded on Page 366. Record No. 1. C. E. Webster.

Section 22, T13 R7

December 12<sup>th</sup> 1862. J. Norris

- V. boulder marked 22, 23, 26, 27 on top and V 22 on the West side - re-located by new measurement
- Ash 20 S 17 1/2 W 62 1/2 - Hackberry 18 N 20 1/2 W 116
- II. Large boulder set and marked by Wm. Rock
- Stumps of both original witnesses remaining
- Hickory 78 N 18 W 69 1/2 - Hickory 18 S 74 W 64
- U. Large sand boulder marked U 22 - Beech 20 S 45 W 3 Links
- Beech 16 N 26 W 98 - Beech 14 N 86 E 88 1/2
- Chain Carriers - George Yearling and Oscar Walker
- Flag Bearers - Peter Yearling and Samuel Walker

368.

See 22. Recorded on Pages 366 and 368.  
Record N. 1. - C. E. Webster

Chain Carriers, Oscar Walker and George Yearling - Flag Bearers - Peter Yearling and George Yearling - Samuel Webster

Sec. 22, T13, R7

- S. Sugar 20 S 40 W 20 - So 18 N 30 W 38
- T. Beh 24 W. 8 - So 8 N 20 E 18
- W. Sugar 16 N 30 W 15 - Pop. 4 N 40 E 14

A. large boulder marked by Rock located by the original witnesses found right by Norris April 30<sup>th</sup> 1862.

Survey for J Fritz a line from P East 101 2/10 Rods

101 2/10 Rods East of P. Sugar 18 S 80 W 15 - Beh 16 S 59 E 32

Sept 6. 1840

J. M. Elliott Surveyor

R, Beech 10 S 29 W 21 - W Beech 6 S 75 W 15 (for 22 & 23) Sugar 18

Corner of sections 22, 23, 26, 27 gone a stone set marked for X - X

November 3<sup>rd</sup> 4<sup>th</sup> 5<sup>th</sup> 1862. Norris

- C. a long boulder large at the bottom marked C 22
- Original witness Maple N 77 E 7
- H. sandy boulder marked H 22
- N. sandy boulder marked N 22 placed in notch cut in Elm tree
- The corner is indicated by a Railroad spike driven in the tree
- Hickory 16 N 24 1/2 W 42 1/2 - Burr Oak 40 S 81 1/2 W 88
- S. long sandy boulder marked S 22
- Grey Ash 12 N 52 W 41 - Hickory 8 N 1 E 68
- G. large flinty boulder marked G 22
- O. a boulder set in field marked O 22
- 20<sup>r</sup> 8 East of O a boulder set in road marked 20<sup>r</sup> 8
- 32<sup>r</sup> 14 South of the above a boulder set in road marked 32<sup>r</sup> 14
- 32<sup>r</sup> 14 South of P small boulder marked 32<sup>r</sup> 14
- Beech 12 N 40 W 43 1/2 - White 24 S 46 W 4
- 20<sup>r</sup> 9 East of Y limestone set in road marked 20<sup>r</sup> 9

Sec 23. T13 R 7

Dargin

N. Beech 18 S 71 W 5 - Ain. 8 S - 39  
N. Beech 11 S 1/2 W 13 - Chain 16 N 34 E 30 (Rock)  
N. Beech 30 N 70 E 7 1/2 - Ain. 5 S 39 W 46  
22 1/4 Acres off of the E 1/2 of the N E 1/4  
East end of line a stone - West end of same Chn 18 S 82 E 12 1/2 links

TR - Beech 10 S 29 W 21 - N. Beech 6 S 75 W 15 - Dargin

Croods West of O a boulder marked 6

Croods West of R a limestone marked 6

Burr Oak 30 S 50 E 6 1/2 -

Chain Carriers - Oscar Walker and William Walker

Oct 13<sup>th</sup> 1864 - R. Morris

Recorded on Page 370 Record No. 1.

C. P. Webster

872

Sec 24. T13 R7

Mid of E & NW. Aug 12 S 34 E 36 - Beh 15 S 15 W 28  
" " W & W. Beh 12 N 60 W 18 - Aug 4 E - 10

Survey

Aug 18<sup>th</sup> 1847. Survey for H & Gains & others (Rock)

870

- N. Beh 12 N 60 E 15 - Jul 14 S 16 E 27
- O. Pop 24 West 54 - Beh 12 North 37 1/2
- E. Stone. Elm 7 N 21 E 26 - Beh 5 N 77 E 15
- A. Aug 22 N 60 E 20 - Beh 14 S 60 E 10
- P. Stone
- B. Beh 10 N 72 E 35 - Jul 13 S 35 E 40
- D. Beh 8 N 50 W 43 3/4 - Jul 6 N 87 1/2 E 45
- I. Beh 11 N 78 E 133 1/2 - Elm 10 N 33 3/4 E 207
- M. Beh 13 N 41 W 14 1/2 - Hick 14 S 64 1/2 E 29
- L. Beh 14 N 57 W 33 - Jul 14 N 68 E 35
- K. Hick 12 N 38 W 13 3/4 - Beh 22 N 25 1/4 E 40
- X. Stone

872

- W. Aug 15 N 31 1/2 E 56 - Beh 12 S 80 1/2 E 67 1/2
- mid of W & W. Beh 12 S 5 1/2 W 45 - Jul 9 S 29 1/2 E 35
- F. Aug 10 S 43 E 21 - Beh 10 S 37 W 20

Recorded on pages 370 & 372. Revid ch. 1.

C. P. Webster

21  
Dec 25. T B R 7

(Rock)

P. Stone

L Established by original witness see field notes  
M Beh 10321 W 9. Beh 4 720 W 10 1/2 Boulder  
Boulder 46 rods west of and 146 2/3 rods north of V  
Beh 352 & 26

C Red Oak 36531 & 22. Poplar 307153 W 30.

S<sup>th</sup> Boulder marked S. 23.

V Boulder set by original witnesses

A Boulder set by original witnesses

V to W 1/2 Boulder marked 1/2

46 rods west of V Boulder

Survey March 20<sup>th</sup> 9 21<sup>st</sup> 1868

W. H. Miller. Surge

Recorded on Page 372, Record No. 1.

C. F. Webster

Sec 26 Town 13. N Range 7 East.

W. Long Limestone - Elm 24 S 32 1/2 E 69 -  
N-Oak 36 S 7 1/2 E about 130 -  
Sept 1870. C. P. Webster Deputy  
Surveyor

E.

Sec 26, T13 R7

Witness

O. S. Am 8 S 52 W 8 - Elm 24 N 75 E 13  
 V. Beech 14 N 38 E 44 - So 20 S 27 E 51  
 W. Walnut 36 W - 37 - Elm 24 S 12 W 40 - Day in  
 M. B. Eye 5 S - 11 - Beech 18 N 83 E 12  
 A. Beech 11 N 76 E 12 1/2 - So 11 N 36 W 41 1/2 - Rock  
 N. Ash 6 N 49 E 40 - Beech 12 N 52 W 56 1/2  
 B. Oak 15 N 49 E 28 3/4 - Elm 30 N 62 W 51 1/4  
 O. Am 8 N 86 E 6 1/2 - So 14 N 33 W 36 1/4  
 X V. Walnut 12 S 42 W 30 - Beech 16 N 85 E 35  
 W. Elm 16 S 34 E 56 1/2 - So 20 S 25 W 45 1/2  
 X X. Beech 12 N 32 E 35 1/2  
 X Y. Elm 12 S 6 W 12 - Beech 15 E 32

C Stone corner no wit available  
 E " " set by Morris and found right  
 N Stone corner of the above witness  
 P " " by the original witnesses  
 Survey Aug 1869 W. B. Miller

Recorded on Page 374 Record Ch. 1.  
 C. P. Webster

Sec 27. T13 R 7

Nichols

MI. Birch 12 S 70 E 28 - (Buckeye 12 S 20 E 18)

III. Elm 11 S 25 W 39 ( " " " )

X IV. Maple 12 S 60 E 19 - (Sycamore 18 N 55 W 16)

IV. Sugar 20 N 24 W 28 - (Bch. 24 N 36 E 34) Dargin

MI. Bch 10 S 20 E 73 - Sugar 24 N 15 W 100

B. Sugar 16 S 60 W 38 - Hick. 4 S 83 W 36

Line between Wm & J Webster, Ch. End. Mul. 8 N 76 W 17 - Sugar 14 N 24

Surveyed for Penning & Whitecomb the SW quarter and divided N & S

MI. Lime Stone N. Lime Stone

O. Oak 24 South 4 - Lym 10 West 3 1/2

X W. Hick. 12 N 10 W 8 - Sugar 18 N 54 E 46 X X X X

March 3. 1852

J. Mc Elliott Surveyor

December 12<sup>th</sup> 1852

II. both original witnesses - saw witness Beech 24 N 88 E 33

Recorded on Page 376 Record Book

C. F. Webster

*[Signature]*

Section 28 T13 R7 E

99 1/2 Rods South of Castone marked 28  
 1895  
 79 Rods and 20 Links North of a stone marked 28  
 wit a walnut 6 x 84 7/8 53 Links to 10 St 4 7/8 37 Links  
 79 Rods and 20 Links North of Castone marked 18  
 wit an Elm 18 x 25 7/8 62 Links  
 99 1/2 Rods South and 41 Rods East of Castone marked 99  
 By Mr Shaws yard first  
 40 Rods South of Castone wit a Beech 8 x 66 7/8 25 Links  
 79 2/3 Rods South of Castone marked 39  
 April 26 1871 J Sugan S S County

To a stone set 160 Links East of the corner  
 and marked A 32 E 33 2 28 + V 29  
 witness 4 Boulders Buried 4 8 67 6 7 7 Links

To a limestone set 150 Links East of the corner  
 marked 29 wit a maple 24 S 67 E 77  
 1965 Links North of Y stone marked 7  
 wit a Red Elm 16 N 8 W 28 - B ash 18 x 57 7/8 7  
 1965 Links North of Z stone marked 28  
 40 Rods South of P a corner established  
 witness a Bur oak 40 x 75 E 88 Links  
 J. Sugan Assisted by C. F. Webster

all links marked  
 7 7 7

Town 13 R 7 Sec 28

See Page 26

A, Back 10 S 38 7/8 112 - D 12 x 66 7/8 12  
 I, Bch 14 East 13 - D 20 x 55 E 23  
 M Sycamore 11 x 30 E 21 - Ash 4 118 7/8 14 Washed out  
 B, a Stone corner  
 N Boulders no witness available  
 40 rods E. M. Elm 12 7/8 31 W 33. Ash 8 5/8 56 E 16. Boulders  
 79 2/3 rods south of M Sugar 24 7/8 24  
 40 rods south of M Bch 45 6 5 W 23. Elm 6 7/8 25 W 28 Boulders  
 79 2/3 rods south and 40 1/2 rods East of M. Bch 12 7/8 86 W 32.  
 39 2/3 rods west of M Bch 6 7/8 83 W 21 1/2  
 V Oak 6 7/8 30 W 16. witness mulberry remaining  
 See Sec 33. corner D.  
 September 7<sup>th</sup> 1868 U. W. Miller County Surveyor

Recorded on Page 376 Record A. 1.

C. F. Webster

C a Boulder marked C + 28 wit W oak 24 S 43 E 28 1/2  
 B a Limestone marked B wit B oak N 32 W 10 8  
 H a Boulder marked H wit W Hickory 24 S 42 E 13  
 I a flat stone marked I Beech 24 x 85 7/8 84  
 Chaimmen & flagmen John Long Mahlon Barman  
 Monton Ware  
 Sept 3<sup>rd</sup> 1873 J Sugan S S C

N Relocated a stone marked N; T 13 R 7 wit a stone marked  
 WIT 85 7/8 40 Chaimmen R Hantens Thoma Kenely Flagmen Kenely  
 February 5<sup>th</sup> 1874 J Sugan S S County

See 29<sup>th</sup> 13<sup>th</sup> R 7 East

21, 27 Chains North of O & 19, 24 Chains of D  
Set Stone - for 42 + Acres South of 58 + acres draft.  
The true corner is 40<sup>th</sup> East in center of Pike,

21, 27 Chains of D & 19, 24 Chains of B as above  
Set Stone, Nit-Beech 12<sup>th</sup> 18<sup>th</sup>  
So 10 x 5 1/2  
Sept 12<sup>th</sup> 1870  
C. F. Webster Deputy Surveyor

T 13 R 7 Sec 39

A, C, L, N, O, D, S, P, Stone corners. [See Dargins notes]

P, a stone corner (relocated)

Z, Hickory 1 88 1/2 x 17 = Blackberry 1 88 1/2 x 11 3/4 Relocated

March 16<sup>th</sup> 1860 Ed Winchel

A, B Oak 20 S 33 E 83 - Walnut 24 N 43 W 19 perpetuated

C, Beech 14 S 57 E 66 - Beech 14 S 50 E 85 or 66

L, a stone perpetuated

A, C, L, N, O, D, P

Stone corners - Dargin 8

A, Beech 20 S 83 E 83 - Walnut 24 N 43 W 19 - Dargin 16

L, a stone set and marked no witnesses. June 7<sup>th</sup> 1861, J. Norrie, C. S. S.

X, a stone set from Norris's witnesses, Sec. 32.

Y, a small rock, no witnesses available

79 rods and three links north of X Beech 18, N 20 E, 24

May 1<sup>st</sup> 1867

W. A. Miller S. S. C.

N Limestone Wit stone N 13 1/2 links E 24 links

79 rods + 3 links north of Y Limestone

W. A. Miller

Record on Page 318, Record No. 1,

C. F. Webster

Sec 30. T13 R7

(Rock)

P. Hick. 9 S 51 E 13 - Ash 9 S 23 E 44  
D. Sugar 16 N 7 1/2 W 24 - Beh 12 S 31 1/2 E 22 1/2  
Co. Beh 12 N 73 1/2 W 20 - So 9 S 39 1/2 E 25  
E. Beh 16 N 18 1/2 E 44 1/2 - So 10 N 48 1/2 W 35

378

G, Hickory 20 W 30 - Ash 6 S 38 W 52

H, Beech 10 S 29 E 25 - Beech 12 N 74 W 19

C. U. Store corner

H, Hick 20 West 45 - Ash 6 S 30 W 52

G, Beh 10 S 29 E 25 - G, Beech 10 S 29 E 25

O, Beh 16 S 63 E 65 - Do 16 S 8 W 24 - Beech 16 N 5 W 24

N, Beh 12 S 67 W 11 - S. Ash 18 S 20 W 52

see Gains notes 944

61 rods 16 links North of W a stone set, marked 61.16 on top.  
59 rods North of Y a stone set, marked 59 on top and N on side for 59 rods North.  
February 20<sup>th</sup> 1861

61 rods 15 links North of W a stone set marked "61.16" on top  
in the Michigan Road opposite a lane on the West

61 rods 7 links North of W a stone set marked "61.7" on top "N" on side post  
witness tree, Sugar 12 S 73 1/2 E 20 3  
June 7<sup>th</sup> 1861. Dick Morris, Chgo.

V. Limestone

Black Walnut N 85 W 27

Laid corner established Dec. 1862 - Morris assisted by M. Elliott

379

Recorded on pages 378<sup>th</sup> & 380<sup>th</sup> Record No. 1.  
C. F. Webster

Sec 31. T13 R7

Rock  
Survey

50 a. of N. End of E 1/2 of A B of Stover set at all the corners  
by Wheeler & Robinson West

84.1 N. Doubt of L. Boyden 16 N 78 E 6 - to 14 N 2 W 31

35.55 W of the above. Miller 10 W 9 E 39 1/2 - to 10 N 11 E 39

Surveyed for E. G. Mayhew Rock  
for particulars see description furnished Mayhew  
10 Rods N of Stover. Area 2 53 1/2 W 53.6 - Elm 3 East 6  
80 N. East of above W. Oak 16 West 8 1/2 - to 25 N 28 1/2 E 18

A E, Hickory 1 N 84 1/2 W 17 = Hackberry 1 S 58 1/2 W 11 1/2 - Stone  
L P, a Stone corner (Relocated)

March 16<sup>th</sup> 1860. Ed Winchel S to  
W<sup>m</sup> Rock.

15 1/2 acres for Robinson and Wheeler, May 28<sup>th</sup> 1845.  
in the SE corner of the W 1/2 of the NW quarter of Sect. 51.  
SW corner Beech 10 N 55 E 30 - Beech 6 S 29 links  
NW " Hickory 6 S 15 E 2 1/2 - Sugar 5 S 28 "  
NE " Beech 10 S 15 E 16 - Beech 12 S 68 E 20 1/2 links

Shelbyville Corners

V. Limestone Black Walnut 10 N 85 W 27

64 Rods south of E. Behl 12 N 41 E 31. Hick 30 S 13 W 27  
E. Limestone 27 links north of corner A D. 36. on R. line  
Oct 19<sup>th</sup> 1867 W. H. Miller S. S. C.

Recorded on Page 382 and 380. Record No. 1.  
C. F. Webster

Sec 32 T13R7

Nov 6<sup>th</sup> 1846 Survey for Heirs of Gatewood Rock

- 29 <sup>45</sup>/<sub>100</sub> R. South of L. Beh N53:W 40 - to 169 1/2 E 38
- 69 <sup>45</sup>/<sub>100</sub> R. " N. W. Oak 24 1/2 49 1/2 15 - Cherry 8 N 68 1/2 W 13
- A. Lines N E corner. Area 20 N 4 1/2 W 31 - R. Oak 48 1/2 66 W 22
- 70 <sup>4</sup>/<sub>10</sub> R. West of V. Ark 4 1/2 32 1/2 W 13 - Beh N 65 1/2 E 22
- V. Lynn 24 N 35 W 17 1/2 - Beh 12 1/2 35 W 7

C. Black Walnut 18 N 12 W 31 - Red Elm 12 N 36 1/2 W 62 - Stone  
 at corner established between Leonidas Gordon, George Senner  
 and the Shelbyville Mill property, to be found as follows, viz.  
 Beginning at a point 8 rods East of the North West corner ~~of~~ of  
 the section; thence S 10 W 60.3 rods; thence S 11 1/2 W 62 rods; thence  
 S 10 1/2 W 64.3 rods; thence S 3 W 14.3 rods, to the corner aforesaid.

June 1861. J. Morris, C. Elliott.  
 Shelbyville Corner

X. Limestone marked X 32 - Dec. 1862, J. Morris assisted by C. Elliott

Recorded on Page 382 } Record No. 1.  
 C. F. Webster

X I think this should be in sec 33-13-7 -  
 James Gatewood  
 of land -

Sec 33, T13 R7

Nichols

B. July 18 S 18 E 24 - Dec 8 S 5-6 W 33 1/2  
D. H. Loun 4 S 17 W 10 - Mulberry 18 N 78 E 21 X  
O. Dec 27 S 5-6 E 15 - do 18 S 37 W 14 1/2 ---  
L & P Stone, Cornus perpetua --- Rock

B. Large sandstone boulder marked B 33  
M. Hard red sand stone boulder marked M 33 35 N M S  
Black Walnut 20 N 2 1/2 E 22  
I<sub>1</sub>. Large sand stone boulder marked I<sub>1</sub> 33 old stake found  
White Elm 6 S 67 1/2 W 48 - White Elm 10 N 33 1/2 W 64.  
Original witness Ash S 31 E 29 still remaining but blown down

Recorded on Page 384. Record No. 1.  
C. F. Webster

Q a limestone marked Q no nit available  
21 <sup>96</sup>/<sub>100</sub> chains East of Q a limestone <sup>marked 21</sup> no nit available  
21 <sup>96</sup>/<sub>100</sub> chains <sup>marked 21</sup> East of Q a limestone set 81 links North  
the corner <sup>marked 21</sup> with B low 10 S 57 E 2 - do 10 S 47 W 11 1/2  
Chairman & flagmen S. L. Wanyelt Jones & Steward  
& Buell and David Janester  
April 29<sup>th</sup> 1874 J. Tegan S. S. County

Sec 34 T13R7

(Back)

Recorded on pages 384 & 386. Record Ch. 1.  
C. F. Webster

Apr. 1846 Surveyed East line of Mrs. Jeanie Ann  
C. cor of dam. Beh. 6 N 81 1/2 W 13 - So 10 N 82 E 17 1/2

Surveyed for John Cartmell the N line

O. Elm 16 S 70 E 9 - Maple 13 S 42 E 20  
E. Beh 15 S 31 1/2 W 102 - So 12 S 6 W 99, Boulder, Perpetual  
N. Oak 6 S 57 E 25 - W Beh 2 S 61 W 25

Nov 26, 1849

J. M. Elliott Surveyor

Surveyed for G. Law & Mrs an equal division  
of SW quarter N & S

O. B. Oak 26 N 67 E 10 1/2 - Hick. 14 S 75 W 23

April 14, 1851

J. M. Elliott Surveyor, By J. M. Elliott

Y. White Oak 40 N 69 E 56 -

5.03 chains East of X

Ash 24 N 62 W 29 - Beech 12 S 73 E 16

5.02 chains East of N

Walnut 6 S 10 1/2 W 36 -

W. Beech Stump 20 S 65 W 14 - Aug. 4<sup>th</sup> 45<sup>th</sup> 1864. R. Morris

10.46 chains West of W

White Elm 50 N 28 E 49 -

11.45 chains West of T's

Beech 30 S 45 W 52 - Oak 36 S 56 E 28. Aug 4<sup>th</sup> 45<sup>th</sup> 64. R. M.

57  
Sec 35. T13R7

①. Oak 27 S 67 E 24 — Area 18 N 18 E 41

15.06 chains East of T<sub>1</sub>

Poplar 50 N 60 E 4 1/2 —

15.05 chains East of P

Beech 24 S 70 E 21 — Pin Oak 24 S 9 E 54.

N.

Beech 6 S 6 N 20 — Hickory 24 S 85 E 23 —

Ash 15 S 6 E 15 (stump)

The Ash stump has been marked by some predecessor

X. Poplar 30 North 92 —

Aug. 4<sup>th</sup> 1864 — R. Morris

Recorded on Page 386 Record Book 1.

G. F. Webster

I have Examined all of Sargis's notes,  
and have given the dates <sup>of page</sup> ~~and~~ in  
the General Record to all of his Record,  
and have given the Page of Gen  
Record. to the dates. So that they may  
be readily Examined. G. F. Webster.

See 35 Town 13. Range 7.

20 Chains N of M. Set Stone marked 20. on  
S. side. Walnut Beech 11<sup>m</sup> N 23° W 14.

T Limestone marked 20 on S. side.  
Oak 16<sup>m</sup> N 54° W 37. L Beech 24<sup>m</sup> N 35° E 43.  
March 2nd & 28th 1870.  
C. F. Webster. Surveyor

C Stone. Covered up. In the Road.  
Not

C. F. Webster Sept Surveyor

Recorded on Page 386 Record No. 1.

C. F. Webster

See 36 Town 13. R. 7.  
1/2 of N to N Boulder Beh 14 1124 & 38  
7<sup>th</sup> Feb 20 1868 & 22  
Sunny May 20<sup>th</sup> 1868

U. H. Miller. Surveyor

Survey Mar 22nd & 23rd 1870.  
20 Chains N of C. Stone marked 20 on  
S. side. Nut, Swamp Ash. 12<sup>m</sup> N 35° W. Oak 15<sup>m</sup>  
S. 53° W. 28. 2 C. F. Webster. Surveyor

Y Stone to Reory Linn,  
East of C. for See 1-127 - in Robertson's  
field. C. R. D. Stones Not Recorded,  
C. F. Webster Sept Surveyor

Recorded on Page 386 Record No. 1.

C. F. Webster

Survey for P. Barnes Wheeler & Moberly R.

H. Large Sand Boulder -  
White Oak 18 & 23 N 143 -  
Nut Stone S 36 & 81 1/2 -

Sept 1870. C. F. Webster  
Sept Surveyor