

Explanation

One Section

E	D	C	B	A
F	G	H	I	K
P	Q	N	M	L
Q	R	S	T	U
Z	V	X	W	Y

Dec 1 1/4 R 6

Winchel

P. a stone corner perpetuated - May - 1859

W. a stone corner - Beh 10 843 & 812 - Beh 6 834 & 892

89 1/2. Rods 80 of XV. a stone corner established for Burg & True by Ed Winchel 186

See Burgess
80 les

P, E, B, W, O, S, D, Stone corners

C, Lynn 12 824 & 14 - ash 16 858 & 13

N, Beh 14 854 & 9 - Do 10 861 & 40

M, Beh 12 871 & 7

Recorded on Page 210, Record No. 1,
C. P. Webster

Sec 2. T14 R6

Rock

X & Z 100 a. Beh 13 223 1/2 w 37 1/2 - Elm 25 - N 22 1/2 E 26 1/2
 W & P " Beh 14 221 1/2 E 9 1/2 - So 15 - S 62 1/2 w 8 1/2
 L. Beh 15 224 1/2 w 63 3/4 - So 15 - S 74 1/2 E 53 3/4
 M. Beh 14 west 3 - Poplar 8 N 56 E 32
 M. Beh 10 222 1/2 E 9 - So 8 S 70 1/2 w 2
 Y.

See Garrison
 2/22/24 notes twice

D, Lash 4 834 87 - Do 6 S 8 E 28
 B, Ash 24 S 32 W 12 = W, Beh 4 S 81 W 30
 C, H, G, Ash 15 866 E 33 - H 80 Stone corners
 N, Beh 12 876 W 8 = Do 18 S 56 W 22 - Buck 12 N 76 W 8
 P, O, D. Stone corners
 F, Ash 15 860 E 33 -
 C, H, O, P Stone corners

Recorded on Page 210. Record No. 1.
 C. F. Webster

Sec. 3 T14 R6

- A - established from Original Witness viz - Burr Oak 30 West 5
piece of the Old Stake found
35.07 Chains South of B; thence West 8.61 chains
A huge boulder marked 8.61
Boulder S 61 W 23 - boulder S 54 E 22 both marked wit.
35.07 Chains South of D; thence East 16.04 chains
A long boulder marked 16.04
Boulder S 55 E 28 - Boulder S 52 W 26 both marked wit.
Chain Carriers - Nix on Fox, John Martin & John Powell
Flag Bearers - Thomas Law, Joseph Keginbottom & Smith
October 19th & 20th 1864. R. M. M. M.

Recorded on Page 214 Record No. 1.

C. F. Webster

See Jurgens
80 to 141

Recorded on Page 212 Record No. 1.

Sec 3 T14 R6

- F, a Stone corner = Perpetuated
D, Beh 24 S 80 W 34 - Do 18 S 45 E 31 - a Stone corner
V, a Stone corner
W, Beh 16 S 50 W 11 - Do 12 S 58 E 14 - a Stone corner
M, S, ash 8 S 25 E 4 - Fick 30 S 32 W 21 - a Stone corner
A, a Stone corner = Perpetuated
U, Q & R, Stone corners
S, Sugar 10 S 70 W 14 - Beh 16 S 63 E 14 - a Stone corner
T, ash 24 S 45 W 20 - Do 5 S 20 W 29 - a Stone corner
C, ash 8 S 8 E 18 - Do 3 S 70 E 22 - a Stone corner
P, Beh 10 S 80 E 20 - Oak 10 S 12 W 24 - a Stone corner
O, Beh 10 S 20 W 48 - Do 12 S 60 W 48 - a Stone corner
Q, Sycamore 18 N 70 W 20 - Elm 24 S 10 W 38 - stone corner
30 Acres set off of the S end of the E 1/2 of the NW 1/4 and S end
of the W 1/2 of the NE 1/4. The 1/2 into qrs. the W 1/2 into 1/2 qrs.
Stones set at the corners as the law directs
D, Beech 24 S 80 W 34 - Beech 18 S 45 E 31
B, Ash 8 S 8 E 18 - Oak 3 N 70 E 22
P, Beech 10 N 30 E 20 - Oak 10 N 12 W 24
O, Beech 10 N 20 W 48 - Beech 12 N 60 W 49
E - Hard boulder marked 3 & 4 for both sections 3 & 4
boulder S 28 W 41 - boulder S 20 W 27 both marked wit.
Established from Original witness viz: Hickory 14 N 45 E 10
D - Hard boulder marked D3
Boulder N 78 E 36 - boulder S 41 1/2 W 28 both marked wit.
16.04 chains East of D long boulder marked 16.04
Boulder N 66 E 58 - boulder S 10 W 33 both marked wit.
32.08 chains East of D Huge boulder marked 32.08
Boulder S 74 E 27 - boulder S 7 W 20 both marked wit.
A - Large boulder marked 2 & 3 for both sections 2 & 3
Boulder S 33 W 56 - boulder S 55 E 54

See Survey
Notes 22

Sec. 4 T14 R 6

4

O. & D. Stone corners

M. Beh 18 S 70° E 13 = 90-10 8 70 E 20

B. Oak 10 N 88° E 41 = mulberry 4 X 83 7 9 or 9'

D. Beh 16 S 65° W 24 = 90 14 8 12 W 16 + Error

B, D, M, N, O, R, S, T, W, X, Y, boulders
set and marked in the usual way to wit B 4, D 4,

28.42 chains South of D a large boulder marked 1

28.17 chains South of B a boulder marked 1

8.07 chains North of O a boulder marked 2

7.95 chains North of M a boulder marked 2

Chain carriers - Lewis Reeves, Nixon Fox, Smith
Oct 20th 1863, J. Morris

D. Beh 18 S 77° W 2 1/2 - D 15 N 5° W 19 1/2

B Red Bud 5 S 40 1/2° W - Beech 20 N 84° E 2 1/2

Apr. 11th 1865 Jno. Hoop S & Co

Recorded on Page 214 Recon. No. 1.

C. F. Webster

3 40 chains East of D a stone marked 14 for East
terminus of County Road; wit a stone S 10° W 12 Links
Chain carriers Marcus Case + David Allen
Flag carriers Maston House + John Asherby
Sept. 8th 1871 J. Egan S & S County

Section 5 T14-R6

East End of Road, above set in center
 220 chains East of E a Stone Set marked 14
 in the County Road to decide the work
 Between Shell & Hancock Counties
 E a Stone Set by Lap corner in Hancock county
 Chain carriers Marcus Case & David Mery
 Flag carriers Maston House & John Ashcraft
 Sept 8th 1871 J. Sugar S. S. County

Sec 5 T14 R 6

Surveyed for Manan, Harper & others the Sec.
 into half qrs. except the N 1/2 q
 A. Stone corner perpetuated
 B. Bch 7 S 54 E 34 - Sugar 15 N 87 W 24 1/2, Stone, Perpetuated
 C. Bch 5 S 25 W 7 - So 16 S 81 E 35, Stone, perpetuated
 D. Old Bearing, - Stone, corner perpetuated
 M. Bch 14 East 17 - Oak 26 N 85 W 20, Stone marked
 N. Oak 10 N 24 E 10 1/2 - So 10 N 57 1/2 W 15, Stone, perpetuated
 O. Bch 25 S 63 E 14 - So N 70 1/2 W 20, Stone marked
 P. Stone, corner perpetuated
 V. Old Bearing, Stone, corner perpetuated
 W. Bch 24 N 80 E 29 - So 10 N 57 E 42, Stone marked
 X. Old Bearing, Stone corner perpetuated
 Y. Bch 20 S 23 W 12 - Elm 22 S 29 1/2 W 25 Stone perpetuated
 Z. Old Bearing, - Stone corner perpetuated
 June 20, 1857

J. M. Elliott, Surveyor

Recorded on Page 216 Record No. 1.

C. F. Webster

+ Sec 6. T14 R 6

Dargin

N. Sugar h N78E6 - Beh 20 S15E19
P. R. Am 14 N45E14 - Hick. 12 N50E37
D. Beh 12 N25W11 - So 6 S10E9

W. Stone

C. J. Am 10 S15W2 - So 4 S54E7

B & M. Stones

C & P. Stone corners - See Dargins notes
See P34. Sec 1-14-S. X. C. & A. = E. 6. See Notes Page 34.

+ B A stone marked B 6 now it

C A stone marked C 6 wit Beh 10 S 31 W 46 - W. Oak. 6 S 76 W 40
Chain Carriers George Mosper and Alexander Wilkins
Mag Bearers Ota Wilkins and Joseph Hutchinson on
Nov 1865 John Hoop surveyor

Recorded on Page 216 Record No. 1.
C. F. Webster

Section 7 Town 14 R 6 E

X a Stone marked X 7
 Wit a Stone N 54 $\frac{1}{2}$ W 36 Link
 W a Stone marked W 7
 Wit a Beck 18 S 27 E 35 Link
 Chain carriers Henry L Smith & E H Standly
 flagman Gordon King & Walter King
 July 17th 1871 J. Dugan S 36

L a stone marked L - wit stone S 69 W 5 - do S 87 W 106 $\frac{1}{2}$
 M a stone marked M no wit
 A a stone marked A-E-V-Z wit stone S 34 $\frac{1}{2}$ E 48 do N 53 W 35 $\frac{1}{2}$
 7th at corner of J. moles & J. mearns land stone
 marked 6 wit stone W 27 $\frac{1}{2}$ do S 46 $\frac{1}{2}$ W 45
 Which way is this from the section corner.

Sec 7. T 14 R 6

D. Aug. 18 N 42 E 16 - Elm 4 N 62 E 22 ^{Darwin}
 * D. B. M. 18 S 70 E 7 - do 24 W - 33
 * R. B. M. 14 N 30 E 5 - do 12 S 10 E 18
 Y. Stone
 Z. Stone

Recorded on Page 218, Record No. 1, C. Webster

Sec 6. T14 R 6

Surveyed for Hatchem, Reines & others
the sec into half & q. grs

H. Cherry 7 S 42 E W 40 - Hick 2 N 88 E 22 1/2 Stone marked

I. Hickory 12 S 69 W 30 - Stone marked

L. Beh 6 N 10 E 54 - Ash 24 S 14 E 56 Stone perpetuated

M. Elm 5 N 46 E 72 - Stone marked

N. Stone, corner perpetuated

O. W. Beh 4 N 7 E 22 - Elm 6 S 74 E 44 Stone marked

P. Old Bearings - Stone perpetuated

R. Beh 10 S 40 E 29 - So 13 N 31 E 31 Stone marked

S. Hick. 12 N 81 E W 20 - R. Oak 10 S 30 E W 16 Stone marked

T. Beh. 12 N 60 E 10 - So 14 S 7 E 16 1/2 Stone marked

U. Beh 32 N 69 E 37 - R. Oak 8 S 54 E 37 Stone marked

V. Old Bearings, Stone corner perpetuated

X. Hick 24 N 1 E W 61 - Beh 12 S 48 W 38 1/2 Stone perpetuated

Y. Beh. 20 S 34 E 19 - So 12 S 40 W 29 Stone marked

Z. Old Bearings Stone corner perpetuated

June 20. 1851

J. M. Elliott Surveyor

Recorded on Page 218 Record No. 1.
C. F. Webster

See Darius
Notes 6 & 13 twice

See 9 314 R 6

E, a Stone Septuagint

N, Beh 18 245 & 38 =

D, Beh 12 125 Tr 16 = Elm 24 176 Tr 33

B, ash 6 540 & 48 = Oak 17 Tr 37

W, Hickory 12 823 & 71 = Do 11 829 Tr 35 = Hickory 11 N 9 W 35

R, Oak 8 138 Tr 31 =

O, a Stone corner

M, Elm 8 40 & 40 = Beh 12 855 & 46

T, Beh 12 830 & 120 = Tr Beech 12 N 20

U, Beh 8 85 Tr 42 = Do 14 840 Tr 62

Stones set at the corners as the law directs

WW, Hickory 12 N 23 E 7 = Hickory 11 N 29 W 35 - page 6

WW, Hickory 12 N 28 E 71 = Hickory 11 N 9 W 35 - page 17

Recorded on Page 220 Record No. 1.
C. F. Webster

See Dargens
Notes 59 64 6
16 9 17 twice

12205
985.7

See 10 S 14 R 6

WW, Bch 14 8 57 = ash 8 131 78 91 Stone cor
B, ash 4 8 63 E 65 = Loc 8 17 78 57 Stone cor
I, Ash 10 8 23 78 93 = Stone cor
O, D, K, F, Y, H, G, S, Q, U, T, & R, Stone corners 33
F, Oak 24 150 E 44 — Hickory 20 150 E 56 44 A stone
Y, Beech 8 152 E 15 — R. Oak 36 N 37 E 13 — stone corner
H, Beech 14 N 11 E 38 — Beech 14 N 62 E 34 — " "
G, Elm 12 E — 15 — S Ash 18 N 51 W 22 — " "
Q, Beech 8 N 80 E 46 — Beech 12 S 30 W 69 — " "
U, Sugar 16 S 30 W 43 — Beech 12 S 45 W 53 — " "
R, Beech 12 S 8 8 W 21 — Beech 18 N 53 — 69 — " "
T, Beech 8 S 52 E 15 — R. Oak 36 N 37 E 13 — " "
S, Ash 18 N 51 W 22 — " "
R, Beech 12 S 8 W 21 — Beech 18 N 53 — 69 " "
X or Y a stone corner — the Devil can't tell which

Recorded on Page 222, Record No. 1,
2205

C. F. Webster

Sec 11 T14 R6

Rock

P. Beh 14 S 58 1/2 W 88 - B. Alan 10 S 22 1/2 W 69 1/4
 R. Beh 10 S 33 1/2 W 10 - So 7 S 14 1/2 E 62
 N. Beh 4 S 88 1/2 E 8 - So 18 S 43 1/2 W 33
 X. Beh 16 N 36 1/2 E 57 3/4 - So 11 S 24 1/2 E 39
 C. Am 5 N 45 W 1 1/10 - So 6 N 69 E 15
 B. Beh 9 N 71 1/2 E 4 - So 8 N 36 W 33 1/4
 E. Beh 15 S 55 1/2 E 31 - So 12 S 42 W 29
 C. & E 100 a. Beh 13 S 23 1/2 W 37 1/2 - Elm 25 N 22 1/2 E 26 1/4
 D. Am 4 S 22 W 27 1/2 - So 4 N 34 E 21 1/2

Recorded on Page 222 Record No. 1.
 C. F. Webster

Sec 12 T14 R 6

Surin

MI. Ash 16 S11W 13 - Elm 18 N48W 20
 MI. Hick 12 S87W 181 - Ash 3 S32E 141 - Rock -
 L. Beech 11 S24E 3 -
 E. Hick 22 N81E 474 - Sugar 7 N61E 50

See Surin
 80 to 30

N, Dogwood 4 S18E 5 = Elm 4 S59E 13
 O. Ash 6 S82E 6 = Ash 14 S47W 23 - or Ash 46 S82E 6
 V, a stone corner
 MI, Hickory 12 S71W 16 = Ash 14 S42E 26
 An equal division of the NW 1/4 E and W except 5 Acres off
 of the N side of S 1/2 of the NW 1/4
 East end of Line Beech 16 S19W 18 - Beech 14 N7W 26
 North end of same line, a stone

Recorded on Page 224, Record No. 1,
 C. E. Webster

Sec 13 T14 R6

Rock

E. Hick 20 N 39 E 23 - Beh 16 S 33 E 59
 P. Sugar 30 N 86 W 41 - Beh 7 N 67 W 54
 N. Beh 8 N 32 W 54 - S. Wood 3 N 17 E 36
 H. Beh 9 N 39 E 49 - So 13 N 12 E 57
 S. Beh 3 S 41 E 24 - So 12 N 89 E 14 E
 V. Beh 12 N 60 E 13 - Pop. 6 N 19 W 40
 W. Oak 36 N 26 W 43 - So 30 S 33 E 30
 T. W. Beh 6 N 89 W 8 - Am 16 N 41 E 15
 A. S. Wood 4 S 80 E 7 3/4 - So 3 E N 38 W 10
 B. Beh 12 N 6 W 31 - Poplar 16 N 13 E 36 3/4

Recorded on Pages 124 @ 126 Record No. 1.
 C. F. Webster

Sec 14. T14 R6

Rock

##. B. Ber. 20 N 81 E 12 - to 15 N 81 E 36

C. Hick. 30 E. 122 - to 28 S 71 W 73

Land
Notes 8 & 21
twice

U.S.R. Stone corners

W. Ber. 20 S 37 E 3 - Stone corner - Perpetuated

M. Sugar 16 S 65 E 24 - R. Haw 6 S 14 W 38 - Stone cor.

L. J. Wood 6 S 60 W 30 - Elm 4 S 52 E 31 - 2 Stone cor.

B. ~~Star~~ 20 S 64 W 15 - Do 6 S 23 W 27 - a Stone corner

S. ^(hick) Beech 20 S 64 W 15 - Beech 6 S 23 W 27 - Stone corner

Recorded on Page 226, Record No. 1.

C. F. Webster

Sec 15 T14 N6 - Recorded on Page 226
228.

O, Beh 20 x 38 & 64 Stone Record Ch. 1.

M, a stone corner

C, Lash 24 112 7x30 = Do 24 136 & 42 = Stone

N, Lash 18 7x4 = Do 16 x 60 & 11 = a Stone

X, Beh 20 x 20 & 49 = a stone corner

D, Beh 16 x 9 7x65 = Do 16 x 22 7x72 = a stone cor.

B, Beh 14 x 7 & 49 = Elm 36 19 & 6 = a Stone cor.

W, Beh 24 x 4 7 & 101 = Do 16 133 7x64 = a stone corner

U, Beh 16 175 7x38 = Do 8 155 & 56 = a stone corner

Z, Beh 18 145 & 59 = Do 14 x 47 & 53 = a stone corner

Sett off 35 Acres off of the S End of W 1/2 of S 1/4
for Peter Giles

See Valgins Notes

226
227

Sec 16. T14 R 6

Day in

- N. B. Oak 30 S 75 E 10 - S 24 S 43 E 22
- Y. Hick. 15 S 14 E 11 - Beh 10 N 25 W 31
- Q. Beh 16 N 81 E 24 - Sycamore 30 N 61 W 42
- DO. Beh 20 S 42 E 34 - S 20 N 41 E 47
- B. Poplar 48 S 21 E 13 - Beh 10 S 59 E 28
- MI. Beh 20 S 26 W 6 - Am 3 N 20 E 10
- WV. Elm 40 N 56 E 33 - S 18 N 35 W 46

Reconled on Page 228. Recon'd to. 1.
C. F. Webster

made
part
13

Sec 17. T14 R 6

B. Oak 40. N10E13 - Elm 12 N80W20
 M. Am 20 N20W21 - So 6 S10E17
 N. Spruce 4 S55W13 - Sugar 8 S74E20
 O. ash 12 S53E10 = 224 S44E8

Aug. 1867
 L Boulder stone set by original witnesses. See Field Notes
 M Boulder Ash 18 N35W14
 N Boulder B Oak 36 N39W34
 P Boulder set by Original witnesses to wit. Beech S6E
 B Boulder no witnesses available
 W. H. Miller S.S.C.

Recorded on Pages 228 and 230. Rechecked by
 G. B. Webster

Sec 18. T14 R 6

Nichols

B. Beh. 10 S E 15 - Barn 18 N 35 W 12

D. la. Walnut 14 S 20 E 28 -

M. Elm 16 West 10 - Barn 12 S E 24

O. Beh. 20 East 31 - la. Beh. 4 West 8

O. Beh. 11 S 47 W 55 - So 22 S 6 E 56

R. Beh. 15 N 60 W 11 - So 9 N 38 E 28

Stones at other corners

P. Beh. 20 S 14 W 32 - Art. 5 - S 82 E W 19

Rock

Surveyed for La Smith Division N & S van 40

H. Oak 15 S 62 E 62 - Ark 18 S 21 W 15

N. Beh. 16 S 25 W 23 - So 17 N 49 E 26

S. Beh. 16 S 48 E 22 - Ark 4 N 29 E 10

May 27. 1851

J. M. Elliott Surveyor

O. a Stone corner

D. Beh. 12 N 23 W 8 - So 12 S 55 W 16

W. M. V. Beh. 14 S 7 W 29 - Stone corners

Recorded on Page 236 Record No. 1.

G. P. Webster

Sec 19. T14 R 6.

232
 MI. S. Am 14 1/4 W 32 - Sycamore 24 N 20 - - Nichols
 IV. Beech 18 E. 14 - Elm 22 W 5
 W. Hickory 18 E 11 - Cherry 21 S 38 W 34
 Y. Hickory 16 S 43 E 27 - Beech 16 N 76 W 18
 C. Beech 12 S 42 E 28 - S 16 N 24 W 37 Rock
 D. Beech 10 East 1 - S 12 W 18

Recorded on Page 232 Records to 1.

W. F. Webster

20
Sec 20. T14 R 6

D. Beh. 16 Dec 10 — to 9 Jan 17
Ten Rods (10) west of M a sand stone set
and marked M 10. 1 mi. Beech 20 N 45 E 15.
Beech 20838 W 12. Also a stone set 10 rods west
of M. marked W 10. March 8th 1885.
John H. Coopers Assk

Recorded on Page 232 Record of A.
C. F. Webster

Sec 21. T14 R6

Rock

- 232
- L. Beh 11 west 20 — Am 5 S 21 1/2 W 35 1/2
 P. Beh 10 west 15 — Hick 25 S 10 1/2 E 46 1/4
 M. Beh 20 S 71 E 10 — So 9 N 47 1/2 W 5 1/2
 N. Beh 14 South 21 1/4 — So 16 N 14 E 15
 W. Beh 20 S 43 1/2 E 14 — So 20 N 3 1/2 W 25
 V. Beh 20 N 34 E 15 1/2 — So 9 S 57 W 31 1/4
 X. Beh 6 S 10 W 12 1/2 — So 18 S 46 W 45 1/2 50 1/4
 Z. Beh 10 N 63 W 25 — Poplar 4 S 2 W 21 1/4
 234 Y. Beh 22 N 34 1/2 W 40 1/2 — J. Wood 3 S 34 1/2 W 30 1/2
 W. Beh 22 S 28 W 50 — So 30 S 7 1/2 E 44

Recorded on Pages 232 & 234 Record Mr. A.
 C. P. Webster

Sec 22 T14 R6

Rock

- B. Elm 6 111 1/2 W 35 - So 6 N 54 E 35
- C. Beh 10 117 W 40 - Cherry 8 160 1/2 E 38 3/4
- F. Sugar 10 N 77 1/2 E 42 - Beh 14 140 E 30
- G. Beh 10 N 31 1/2 E 30 - Am 3 143 1/2 E 10
- X. Beh 9 N 43 W 67 1/2 - Wood 3 N 35 1/2 E 48 3/4
- S. Am 2 142 E 13 - So 10 171 W 25
- R. Elm 12 N 20 W 28 3/4 - Sugar 15 N 61 1/2 E 29 1/4
- Q. Elm 5 N 85 1/2 E 37 1/2 - Beh 9 131 1/2 E 37 1/2
- L. Beh 24 W 15 - W Beh 9 134 1/2 E 25 1/2
- N. Beh 12 N 88 1/2 W 36 1/2 - Am 20 N 27 1/2 E 18 3/4
- Am 1 W Beh 2 N 61 1/2 W 20 1/2 -

Stones at corner

* 284

Stone

Boulder with stone N 68 W 87

May 22 1869

W. B. Miller

Recorded on Page 234 Record A. A.

C. B. Webster

22
Sec 23. T14 R 6

M. S. Am 6 North 10 - So 6 West 19
 N. S. Am 10 S 57 W 15 - High 30 East 36
 O. Ben. 4-8 E 14 - So 18 S 60 E 14
 Y. Elm 24 S 17 W 35 - Am. 6 N 45 E 10
 W. Ben 15 S 70 W 13 - So 3 N 30 W 17

236 M Boulder marked as the Saw again
 set by the above witnesses.
 June 12th 1869 H. H. Miller.

Recorded on Page 236 Record No. 1.

G. F. Webster

Dec 24th 1862

S. Hick 30 E 49 — Beh 24 N 36 E 52 — Hickory 30 East 49
 X, T^h W, Stone corners = containing 4 1/2 Acres 82 2 1/2 X 80 2 1/2 = Area
 S' Hick 30 East 49 By Ed Winkler

See Dargens notes

1/4 Sec cor gone a stone set cor Perpetuated
 A X E cor of section gone = Beh 14 N 57 W 17 Perpetuated
 1/4 Sec cor gone line = Beh 14 S 55 W 11 = X End
 M of line dividing S E 1/4 S S End of line dividing
 M X E N Elm 16 S 85 W 19 = B. Oak 6 S 18 E 22
 B X end of line dividing X E 1/4 = B. Oak 36 S 27 W 53
 W S. End of line dividing S E 1/4 = B. Oak 40 S 25 E 52
 End of line = W^h of S W 1/4 = ash 6 S 80 W 6
 N Mid of Section = sugar 20 S 32 { 22
 Beh 14 S 53 W 30 = S E cor of W^h Tottens
 40 Acres = Beh 20 S 60 W 14 = Do 18 S 10 E 20
 T. Beech 22 S 11 1/2 W 23 by Dick Norris

January 24th 1862, D. Norris
 42 rods 14 1/2 links West of T a small boulder marked
 "42 14 1/2" and set in the south edge of a little mound
 Beech 12 S 53 1/2 E 18 1/2 — Beech 14 N 7 1/2 W 23 1/2
 42 rods 14 1/2 links West of V a small boulder set in
 the road marked "42 14 1/2"
 Ash 4 N 40 1/2 E 73 1/2 — Beech 18 N 48 W 73 1/2

Recorded on Page 236 Record No. 1.
 C. E. Webster.

21-
Sec 25. T14 R 6

238 | M, Hick. 24 N4E 15 - Am 18 S20W 23
①, S. Am. 30 N20W 32 - Am 24 East- 11
Stones at other corners

Recorded on Page 238. Record A. 1.

C. F. Webster

Sec. 26. T4 R6

May 24. 1847 Survey for C. Sleeth & others A. & M. (Rock)

D. S. Am 5 N 31 1/2 E 37 1/2 - S 10 1/2 W 22 E 68 3/4 (vol. en.)

B. Beh 10 N 54 E 50 - S 16 N 47 E 62 1/2 ..

L. Beh 12 N 65 1/2 E 7 1/2 - S 16 N 20 E 20 ..

O. S. Wood 3 N 16 W 3 - Beh 3 East 2 ..

N. Beh 10 N 30 1/2 W 54 - S 6 S 34 1/2 E 16 1/4 (vol. en.)

M. Am 10 S 63 W 22 1/2 - Beh 22 S 63 E 10 ..

Recorded on Page 238 Record A.M.

C. F. Webster

27
Sec 27. T14 R 6

238
B. Aug 15 - Dec 23 - Beh 10 to 31 m 27 Dayin
M. None

Recorded on Page 238 Record Ant.

C. F. Webster

Sec 28 Town 14 R 6

M Stone 6h 6 N 22 E 20. Beh 153 67 1/2 10 1/2
 N " Elm 40 S 72 W 20 Beh 107 145-18
 O " Beh 20 N 50 E 8. Beh 125 50 W 18 1/2
 P " Hick 24 S-W 1
 X " Ash 24 N 28 E 40
 Y " no wit 3 available
 S " " 6 S 43 W 67 Beh 153 4 W 77 1/2
 D " " 6 S 43 W 67 Beh 153 4 W 77 1/2
 May 21st 1865 26.6 miles

Recorded on Page 240. Record ch. 1.
 C. F. Webster

35 7/8 Rods East of M a Stone marked 6
 wit B Walnut 3 N 36 4 1/2 Links
 Chain carriers Thomas W Fisher + Fountain Huffman
 Flagmen George W Captright + Mikelberry Bush
 Nov 12th 1872 Oregon 55 County

SW cor of Sec 29 is 2 feet under ground
Wt Oak stump N N 63
SH Fence cor N E 27 1/2
Ash Tree 125 N E 112

Sec 29. T. 14 R. 6

Nichols
NW 1/4 40 a off north end of log wood 5-42 E 35 - Bush 20 N 3 W 33
[Oak 5-4 N 82 W 12 - Bush 14 N 42 E 6
H. . Bush 12 N 15 W - 19 - So 20 N 58 W 21
H. . S. wood 4 West - 10 - S. wood 8 N 54 E 14
M. . Bush 16 N 30 W 24 - So 18 East - 5

Survey for Roberts & Hoops St of S. W. cor

Q. . W. Bush 5 N 73 W 26 - Stone is 8 links South of Corner
S. . Boulder Stone
Found Stone Z. . S. Area 16 S 57 W 15 = Oak stump N 63. Ash 15 N 61 W 12
S. H. Cor Post S. H. Feb 27 1/2 April 23. 1850
Sept 26th 1879. C. P. Webster, J. M. Elliott Surveyor

See Diggins
8000

D, R, W, S, X, Stone corners
Y, Bush 16 S 37 W 13
S, Bush 18 S 55 E 6
Sec. 30. Z to W is 19.95 chains Ia to M is 20.15 chns

Recorded on Page 240. Record of C. P. Webster

Sec. 30.

Sept 26th 1879. Surveyed 40. acres off of South end
of E 1/2 Sec 30. Set a large Boulder at 20 chains
North of W. and a stake at 20 chains North of V 30
Found Stone set for U. 8 links too far South.
V to Ia is 20.06 and V to U is only 19.98 chns, W to Boulder 4.

Sec 30. T14 R 6

- B. Beech 14 S 34 E 27 - S. wood 9 N 26 W 11
 C. Elm 4 East 5 - Ash 14 S 48 E 12
 ① H. Beech 9 S 29 W 10 1/2 - So 16 N 20 W 15
 I. Elm 16 North 2 1/2 - Beech 12 S 62 E 31 Sept 26th 1879.
 M. Beech 14 N 62 W 20 - So 12 N 21 E 32 found Nit
 N. Hickory 3 N 57 E 39 - Walnut 1 1/2 S 5 W 25 - Nit gone
 O. Beech 8 S 21 W 22 - So 18 N 30 E 3
 P. S. wood 3 S 83 E 16 - Sugar 18 S 87 W 87
 W. Beech 16 S 87 E 26 - So 9 S 76 W 20
 Y. Beech 5 N 18 E 9 - So 11 S 69 W 9 1/2

X, T, V, W, stone corners

Winchel.

S, Hickory 30 West 49 - Beech 24 N 36 E 52.

E, a stone, by Dargie

Recorded on Page 242, Record No. 1.

C. F. Webster

Section 31 Town 14 R 6
 39 Rods West of V a Stone marked 31
 39 Rods West of V a Stone marked 31
 April 26th 1871 Jeremiah Sugan & S Co

December 10th 1874. - Set off 40 Acres off of
 the N.W. Corner of N.W. 31-14-6, as follows,
 14 1/2 chns E of H. Stone Set 1 Rod of true corner.
 33 4/5 chns S of the above Cor Stone is a Stone.
 Set 78 Links North of Centre of R.R. Track, and
 60 Links N.E. Centre of R.R. Track,
 Set Stone for C. 31. to wit: H to A is 79.22 chns
 Field Notes calls for 79.60 chns, A to C is 39.81 chns and
 H to C is 39 1/4 chns, again Men, Sworn,
 Var Needle N 8. 3 x 24. Magnet, Bearing E 1/2 N is
 N 85 x 28' E.
 Chas. F. Webster, Sur, S. Co.

Sec 31 T14 R 6

Surveyed for D & R. H. Crum the N & E
 & divided N & S

A. Boulder - B. Boulder - C. Boulder
 L. Boulder

VI. Beh. 12 S 53 W 11 - W. Beh. 3 N 22 E 4 1/2 - Boulder

IV. Beh. 3 S 87 E 7 - S. Wood 7 N 47 W 30 - Boulder

Nov 23. 1851

J. M. Elliott Surveyor

244.
 See Page 100
 Notes

W, Beech 20 S 60 E 21 - Do 20 S 85 W 13

W, Beech 16 S 48 W 25 - stone right
 March 20th 1862 J. M.

V. a boulder marked V 31 and Z 32 no witnesses

U. stone marked U 31

Beech 20 N 71 E 6 1/2 - Beech 20 N 81 W 23

II. a Boulder marked II 31

Beech 24 S 61 W 18 - Beech 10 N 1 1/2 W 16

Recorded on Page 244 Record No. 1.
 C. F. Webster

Sec. 33, T14R6

A11, Ben 8 S W 16 - So 15 N W 12
 D, Wood 8 S E 12 - Ark 14 N 30 E 18
 D, Ben 18 N 35 E 19 - Aug 14 West 33
 W, Ben 9 N 45 E 19 - D, Ark 22 S 45 W 34

Survey for Jacob Carter W + N W gr

E & P 19 a, Wood 5 N 13 W 10 - Oak 6 N 45 E 14
 D & D " Stake no trees
 D, Ben 18 N 40 E 19 - So 18 N 28 W 66
 E, Ark 36 N 71 W 61 -

April 17, 1850
 J. M. Elliston Surveyor

See Survey
 8000 5

L, Ben 6 S 25 W 86 = Do 12 S 5 W 20 = perpetuated
 M, Ben 40 S 3 E 23 51
 B, Ben 16 S 36
 II, Ben 10 N 68 W 10 = Do 16 S 30 E 18 10
 K, Ben 20 S 73 E 30 29

W Boulder. Jan 10th 1868. Wm H Miller Surveyor

1246
 Recorded on Page 246 Record Ch. 1.
 C. F. Webster

Sec 34. T14 R 6

N. Ber 14 N 19 W 20 - To 4 S 18 E 37
 O. Ber 8 N 80 E 8 - To 2 N 10 W 5
 Y. Ber 14 South 19 - To 20 North 19
 NA. Hick. 20 South 25 - Ber. 6 N 60 W 16
 W. Hick. 22 N 26 W 43 - W Oak 5 - S 83 E 15 -

" 242 H. I. S. ST. Stone corners = Le Dargins notes

Recorded on Page 248 Record ch. 1.

C. P. Webster

Sec 35. T14 R6

Surveyed for Harall & others, 64 Stages, Lincane N & S
 820 a. off Delia E & N W g. & divided the same N & S
 N. Auger 10 N 40 W 61 - Ber 18 N 27 E 94

W. Aug 1 N 6 W 26 -

Mid. of NW W. Moulbury 8 N 36 E 95 - Apple 8 N 6 W 88

P. Ber 10 N 15 W 50 - So 5 N 11 E 83

X. Ber 12 N 61 W 18 - Hick 20 West 19

Y. Aug 6 N 28 E 14 - Hick 22 N 62 W 30

Mid. of X & Y. Ber 10 N 21 E 10 - So 6 N 45 W 7

Z. Ber 12 N 45 E 2 - Hick 18 N 57 W 15

NW C 20 a. Ber 8 N 36 E 25 - So 8 N 26 E 27

W & D So. Cherry 2 N 46 E 2 - Aug 2 N 56 E 9

Mid. of above, Aug 1 N 38 E 5 - So 1 N 44 W 3

Jan. 18. 1850

J. M. Elliott Surveyor

2148.

Recorded on Page 248 Record No. 1.

L. F. Webster

Sec 36. T14 R 6

Stones set at all the corners of Martin half Nichols

A. B. Eden 16 N 12 W 44 $\frac{3}{4}$ - Hack. 5 - 171 $\frac{1}{2}$ W 54 - Rock -B. W. Beh 6 N 68 $\frac{1}{2}$ E 7 - Beh 7 S 19 E 16L. Beh 30 N 60 $\frac{1}{2}$ E 50 - B. Eden N 29 $\frac{1}{2}$ W 54

See page 86 "Rocks move"

256.

Recorded on Page 250 Record No. 1.

July 2nd 1870. - C. F. Webster