


# Explanation

## One Section



# Sec 5. T14 R1A

M. Sugar 24 110 to 31 — Beh 6 to 20  
 B. Beh 18 N 35 E 13 — So 20 West 24  
 W. Beh 18 East 24 — Hick 24 130 to 21

Dargin 28

A, B, C, N, L, W, X, Stone corners [See Dargin's section]  
 B, a stone, witness stone N 70 E 27 — " N 29 W 27  
 M, Beech 18 170 W 30 — B Oak 40 128 28  
 C, a stone, witness, stone N 68 E 16 — " N 72 W 37  
 N, a stone, witness, stone N 10 links — " 158 W 29  
 L, a stone, witness, stone N 45 W 24 — " 145 W 28  
 W, a stone, witness, stone N 30 E 20 — " N 37 W 24  
 X, a stone, witness, stone 145 E 19 — " N 57 E 24  
 28 Acres laid off of E side NE 1/4 of SW 1/4, stones set at the corners.

Recorded on Page 478 Recorder's L.

A. F. Webster

Sec 6. T14 R8

Surveyed for H Wolfe & others 37 acres of the  
west side of S. W. q<sup>r</sup>

North end of Line. Beh 10 S 84 E 1.15 - Beh 10 S 33 W 1.46  
South " " " W. Oak 20 S 7 E 27 - So 20 S 64 W 40

May 21. 1857

J. M. Elliott Surveyor J. W. Elliott dep

See Duggins  
S. W. Page 40

X, B, M, I, Iron corner

P, Beh 8 S 12 E 25 - So 20 S 76 E 40

N, Beh 10 S 6 E 18 - So 6 S 72 W 15

Recorded on Page 478. Record Ch. 1.  
C. F. Webster

Sec 7. T14 R 8

M. Beh 10 N 52 W 9 - So 14 S 32 E 19

O. Beh 22 S 12 W 13 - So 14 S 80 E 23

P. Z, L, N, O, Y, R, S, B, Stone corners [See Duggins notes page 33]

M. Beh 14 S 3 E 20 = Do. 14 S 38 E 13 [See same notes]

IP, a stone, witness, stone S 50 W 15 - stone N 45 W 15

T = East end of line dividing W 1/2 of S E 1/4 Beech 12 S 66 W 4 -

Recorded <sup>in</sup> Record No. 1, Page 480.

C. E. Webster

Section 8, T14, R 8. Dargin 40

X, a stone, witnesses, stone S33E19 — " N27E20  
 N, Beech 10 S5E18 — Beech 6 N72W15  
 B, a stone, witnesses, stone S42W39 — " S24E41  
 M, a stone N24E20 —

480 =

II a stone  
 P, Beech 8 S12E25 — Beech 20 S76E40  
 Also 4 off the side of the NW 1/4 of No 14  
 No corner a stone — No corner a stone

Recorded on Page 480, Record No. 1.  
 C. F. Webster

I. See Winchel's Stone Corner.  
 It is buried under the timber  
 in the Road probably.  
 C. F. Webster Deputy Surveyor  
 May 18th 1870.

Section 8 Town 14 N of Range 8 East

V, B. Oak 3 S88E40 = Lash 10 S52E36 1/2 - Perpetuated & planted a Stone corner  
 X, Lash 4 S81W36 = S. Elm 6 S6E110 = A. Stone corner established  
 Z, N. Oak 24 S61 1/2 E 144 = Hick 15 S88E126 1/2 - Perpetuated & planted a Stone corner  
 P, beh 12 S71E65 1/2 = Sugar 870 1/2 E 66. A Stone corner established  
 E, a Stone witness 876 W8 = Do S42 1/2 W10, a Stone corner established  
 C, a Stone corner by Dargin (subful)  
 A, witness Stone S74W29 = a Stone corner established  
 L, S. Oak 7 S81 1/2 W62 1/2 = Elm 11 S86E83 1/2 = Stone corner Perpetuated  
 N, Mulberry 4 S83 1/2 W75 1/2 = Beh 16 S33E18. Stone corner established  
 W, Coffeet 3 S12 1/2 E37 1/2 = Lash 8 S110 1/2 W116 = a Stone corner established  
 T, P. Oak 1 1/2 S87 1/2 E29 = Beh 10 S85 1/2 W22 = a Stone corner established  
 U, Mulberry 8 S22 1/2 W69 = Poplar 7 S81W82 = a Stone corner established  
 M, Linn 8 S70E132 B. Oak 4 S87W64 1/2 = a Stone corner established  
 1/2 of M to L, Lash 6 E55 = Beh 16 S29W5 1/2 = a Stone corner established  
 I, a Stone corner established  
 K, a Stone corner established X  
 1/2 of I to K, P. Oak 1 S13 1/2 E30 1/2 = B. Oak 1 S6 1/2 W2 = a Stone corner established  
 B, a Stake X  
 H, a Stone corner established  
 O, Beh 20 S69 1/2 E78 = B. Walnut S74W77 = a Stone corner established  
 20 Rods E of H, Hick 12 S75 = Walnut 6 S37E120 = a Stone cor. Established  
 20 Rods E of C, a Stone witness S21 1/2 = a Stone corner established  
 D, a Stone witness S20 = a Stone corner established  
 Done by Ed. Winchel S S County  
 August 20, 1839

Recorded on Page 482,  
 Record No. 1. C. F. Webster

See page 36

Sec 9. Town 14. Range 8. E.

- N. Beech 16. N. 58. E. 5 - B. Oak 56. S. 8. W. 7.
- K Stone Corner
- H Stone Corner
- I Stone Corner
- R Stone Corner. Wit. Red Oak 16. N. 46. E. 34.  
Hickory 20. N. 46. 30. W. 33.
- O Stone Corner, Witness Walnut 10. N. 58. W. 4. 4.  
Beech 12. N. 21. W. 31.
- Y Sandstone Corner. Wit. Beech 15. S. 31. E. 33.  
Stone S. 28. W. 22 1/2.
- 1/2 Y & X Sandstone, Wit. Hickory 18. N. 51. W. 10.  
Lynn 12. S. 32. W. 30.

May 19th & 20th 1840. C. F. Webster Deputy Surveyor

Recorded in Record A. 1. Page 484,  
C. F. Webster

Records of Sec 14 are on page 34.

Sec 16 Town 14. R. 8.

- A. Boulder
- C. Boulder
- D. Beech 15. N. 12. W. 11. - So. 20. N. 75. W. 21.
- E. Boulder
- L. "
- M. Wit. Beech. 10. N. 83. E. 20. - Sugar 26. N. 15. W. 13 1/2.
- N. " Beech. 7. N. 38. W. 14. - So. 30. N. 9. E. 32.
- O. " Oak 36. N. 40. W. 23. - Poplar 60. S. 20. E. 60.
- P.
- V.
- W. Wit. Hycamore 6. N. 40. W. 39. - So. 3. N. 4. W. 30.
- Y. " Hickory 20. N. 12. W. 15. - So. 16. E. 13.
- Z. " Beech. 14. N. 41. E. 24. - So. 18. N. 20. W. 39.

April 15th 1852. J. M. Elliott Surveyor.

- 1/2 of C to D Survey. May 20th & 21st 1840. 484
- 10. Chains E. of C. Boulder. Wit. Stone N. 15. E. 9.
- 1/2 of N to O " S. 89. W. 9 1/4.
- P. Sandstone, on Road, No. Wit. available.
- 15. Chains S. of L. Boulder. Wit. Beech 15. S. 1. W. 81.  
" Ash 10. N. 73. W. 64.
- 25. Rods. N. of Y. Slender Sandstone Edge N. S.  
Wit. Beech 18. S. 2. W. 11. - So. 12. N. 3. E. 28 1/2.

Recorded on Page 484 C. F. Webster Deputy Surveyor  
Recorded in. C. F. Webster,

Sec. 17. T 14 R 8

M. Beh. 9 N 40 E 24 - So 9 S 22 W 20

O. Beh. 20 N 30 E 15 - So 8 S 8 W 25

V. B. Am 27 S 5 W 10 - Beh. N 83 W 15

Aug 17<sup>th</sup> 1868

M Beh 15 S E. 2. Boulder marked M. 17.

N Large Boulder marked N. 17.

O Boulder. Witness stone north 10 links

2 Boulder " " East 21 1/2 "

R Boulder " " West 22 1/2 "

T Box Oak 36 S 68 13 79. Iron

U Swamp Ash 35 S 60 W 20 - 85 9 W 83

W Swamp Ash 10 inches in diameter at corner. S Ash 85 S E 6

V Boulder set by Roche witness

H Boulder. marked H. 17.

I Beh 25 N 58 E 10. Beh 12 S 41 W 36

4.41 chains east of I Beh 18 S 11 W 4

4.41 " " M Boulder.

W. H. Miller. Surveyor

Is Stone set in Center of Road

No Witness available

May 26<sup>th</sup> 1870

C. P. Webster Surveyor

Recorded on Page 486. C. P. Webster  
Record ch. 1.

Sec 13. T 14 R B

B. Jan 4 N W 4 - Hick 16 N 25 E 7

M. Beh 22 N W 40 - Do 22 S 30 W 48

N 6 M 10 a off W side R. Oak 14 S 32 E 27 - Beh. 6 S 55 W 10

C W B 10 a " "

P W 60 a off W side Beh 14 S 15 W 17 - L. Wood 8 N 50 W 14

Mr. Stone Keoney Locust - 12 S 67 E 54.

V, L. M. Stone corners

X, Bach 12 S 8 E 39 - Ash 8 S 28 W 24

IV, Beh 20 S 27 W 13 - Do 11 S 55 W 2 E 10

IV, L. wood 4 S 71 W 13 - Beh 24 S 68 E 22

See Diagrams  
Notes Page 36

Recorded on Page <sup>488</sup> 488 Record Ch. 1.  
C. J. Webster

Sec 19 Town 14 R. P. E.

W Stone. — Beech 18 ct 45 c 15  
So 8 S 50 W 26 1/2  
May 18<sup>th</sup> 1870. C. P. Webster Deputy Surveyor

Recorded on Page 488. Record Ch. 1.  
C. P. Webster

Section 20 T 14 R 8

B a stone marked B  
bit S wh 22 N 2 44-maple 20 N 8 11 21

Chambers Mrs Ray & Hollister Ray  
flagmen Alex Pollett H - Ray  
April 7<sup>th</sup> 1873) Jeremiah Dugan, S. B. Coon

Sec 20 T 14 R 8

See page 39

N, a stone corner  
S, Elm 6 N 1 E 13 = ash 3.862 E 15  
X, Gum 4 857 E 23 = ash 12.885 71 32 X

M. a large boulder marked M 20

T. a sandstone marked T 20

July 27<sup>th</sup> 1864, R. Morris  
488

Zs. Stone - Beech 18 ct 45 E 15

to 8 of 30 N 26 1/2  
May 18<sup>th</sup> 1870  
L. B. Webster Deputy Surveyor

Recorded on Pages 488 and 490, of a. h. Record  
L. B. Webster

Section 21. T14 North, of R 8 East.

50 rods South of C a pearshaped boulder marked "50" on North side  
Swamp Ash 10 S 68 E 3 3/4 - White Elm 20 N 73 1/2 E 8 1/4.

January 16<sup>th</sup> A.D. 1862.

Section 21. is Recorded on Page 490.

Record made by C. F. Webster

H a Stone set and marked H by mistake  
not having deeds to Run by  
wit Cottonwood 18 S 24 W 47 - Beech 15 N 74 W 68

K a stone marked K  
wit a white oak N 44 1/2 W 11 1/2 - R oak 10 S 79 W 18  
Chainmen Wm. Ray & Hollister Ray  
flagmen A. Pollett & Mr. Linville

April 2<sup>nd</sup> 1873 J. Dugan S.S.C.

Sec 21. T14 R 8

Nickels

N. Hickory 27 N 50 E 7 - Beech 12 S 20 W 30

U. 79 Rods & 22 links North of V, a stone corner = Stone Wit S 10 = 90 S 10  
T. 79 R 22 links North of W, a stone corner = Stone Wit S 10 = 90 S 10  
Sept 21<sup>st</sup> 1860 = Ed Winchel S.S.C. Ind

Dick Norris.

A. White Oak 24 S 43 W 3 1/2 - Swamp Ash 12 S 55 W 8 1/2

The Stump of Original Witness remaining to wit  
Ash 6 N 45 W 10 - A grey boulder set marked "A 21" <sup>on top</sup>

C. Beech 12 N 58 W 30 - Black Hickory 36 N 25 E 6 1/2.

Original Witness remaining Beech 12 N 16.

A long thin flat boulder set marked "C 21" on West side.

II. Sycamore 50 N 39 W 70 - Beech 12 N 42 E 9 1/2

Both original witnesses remaining to wit. Ash 10 N 88 W 15

Ash 9 N 20 E 12 - A very large boulder 2 1/2 feet long  
set and marked "II 21" on the top.

N. Beech 30 N 44 1/2 E 1 1/2 - White Elm 24 N 77 E 14 8

Roots of Hickory remaining 27 N 50 E 7 taken by Nickels

a large boulder set marked "N 21" on top

50 rods south of A a nice smooth boulder set marked "5+0" on top

White Oak 48 S 21 W 4 1/2 - Beech 18 N 81 W 8 1/2

Recorded on Page 490.

Chain Carvers - John M. Pollette  
and Stephen R. Buck

Sec 28 T 14 R 8

(North)

June 11<sup>th</sup> 1847 Surveyed for Bloomer & Son

M. Bear 12 E 10 1/2 - Am 7 N 47 1/2 W 22 1/2

N. Hick 9 S 25 E 18 - Elm 12 N 20 E 7 1/2

O. Bear 15 Oak 11 1/2 - W. Bear 3 S 80 1/2 W 12 1/2

C. Bear 14 N 27 1/2 W 15 - Sugar 12 N 45 E 25

B. Buck (misc) N 54 1/2 W 26 - Beech (medium) E - 26

D. R Oak 36 N 65 W 27 1/2 - Spruce S 35 E 20

S. corner of Bloomer Oak 60 S 68 1/2 E 15 - Bear N 80 1/2 E 6 1/2

S. C. So Bear 20 N 60 1/2 W 16 1/2 - So 8 S 83 E 15

A. A Stone witness North 18 3/4 - Do South 18 3/4 Links

B. A Stone witness North 20 - Do South 20 Links

L. B. & A. Stone corner

September 21<sup>st</sup> 1860

Ed. Mitchell S. S. C. Ind

Recorded on Page 492, Record Ch. 1.

C. P. Webster

Sec 29 Town 14 R 8

- E. Stone, Beech 18 N 45 E 15  
 F. " Burr Oak 4 S 18 W 14  
 G. " Red Oak 18 N 79 E 23  
 H. " on Road -  
 I. " Swamp-Ash 18 S 11. W 31  
 D. " do 12 N 35 E 28  
 O. " Beech 20 N 74 E 5 1/2 from C. }  
 not regularly established, measured N. }  
 P. " on Road Poplar 30 S 50 E 22  
 Q. " firmly set - by former Surveyor  
 R. Stone lying down, supposed to be  
 at or near its proper place.  
 S. Stone firmly set in the center of  
 the Road. It has gone. Not known. The  
 stone is not recorded in either  
 section.

Recorded on Page 492 and 494. Record Ch. L.  
 C. F. Webster

Sec 29. T 14 R 8

- M. Hick 18 corner Nickel  
 N. Oak 5 N 20 W 10 - 20 10 S 60 W 4  
 O. Beech 15 S 60 W 18 - 20 9 East 19 Nickel  
 A. B. K, Boulders marked A 29, B 29 + K 29  
 II, a boulder marked II 29  
 White Elm 14 N 50 E 18 - Burr Oak 30 S 12 E 16  
 III, a large Boulder marked III 29  
 established from remains (roots) of original witness  
 Sawit Beech 8 N 30 W 18 see field notes

492

July 26<sup>th</sup> 1864. R. Morris

Section 29 Township 14 Range 8

G perpetuated Stone set marked G  
no wit available

Chainmen + Flagmen — Powell contract Neish  
J. Talbert James Nash  
June 8<sup>th</sup> 1874 J. Dugan s s C

Sec. 30 T14. R 8.

E. L. P. stones firmly set by former sur-  
veyors  
John Hoop

Survey May 18<sup>th</sup> 1870.

A. Stone. Wit Beech 18' N 45° E. 15'.  
to 8' S 30' W. 26'.

K. Stone Marked E. Burr Oak 4' S 18' W. 14'  
Red Oak 18' N 79° E. 23'.  
C. F. Webster Dep Surveyor

Recorded on Page 494 Record No. 1.

C. F. Webster

31  
Sec 31 T14 R8

N. Am 4 S E 4 - Jo 18 S W 9

W. Walnut 14 S W 7 - Hick 18 N 30 E 6

M. Sugar 8 N 70 E 2 - Hick 8 S 5 W 13

B. Am 18 S 7 W 18 - Poplar 36 N 50 W 11

W a stone, Sugar 8 S 4 - Ash 8 N 48 W 6

V a stone

Sugar 26

Recorded on Page 496 Record ch. 1.  
L. E. Webster

---

Dec. 32 T 14 R 8

X. Boulder marked X 32

Beech 20 N 5 W 59 — White Oak 20 N 22 W 80

Y. Boulder marked Y 32

N. Boulder marked N 32

Ash 24 N 55 E 6 — Pin Oak 18 S 61 W 34 1/2

O. Boulder marked O 32

Sycamore 20 N 39 W 48 — Sycamore 20 N 28 1/2 E 46

P, Z, L, V Old Boulders set by former Surveyors

Nov. 3<sup>rd</sup> & November 4<sup>th</sup> 1863. J. Norris

K. Boulder marked K 32

Beech 20 N 69 E 51 — Sycamore 20 N 67 W 42

H. Boulder marked H 32

White Oak 12 N 82 W 9 — White Oak 24 N 8 E 47 1/2

A and C Boulders set by former Surveyors

Nov. 5<sup>th</sup> 1863. J. Norris

D Stone firmly set in Road, and  
Not Recorded, by J. Norris  
Known for it — C. F. Webster & Surveyors

Recorded on Page 496 Record No. 1.  
C. F. Webster

Sec 33 T14 R8

June 8<sup>th</sup> 1847 survey for Hume & Co (Rock)

- P. Sugar 4 N48E 17 1/2 - Wood 3 N35E 1/2 W 29 (solen)
- O. Beh 11 S13E 31 - To 22 S60E 1/2 W 40 (chain)
- N. Beh 20 S79E 1/2 C 15 - To 10 S10E 1/2 W 27 1/2
- M. Clin N49E 1/2 W 17 - W Beh S57E 1/2 W 14
- L. Beh 12 S15E 1/2 W 30 - Sugar 10 N25E 1/2 W 29
- E. W Oak 12 N30E 9 - To 14 S20E 1/2 C 60
- B. Beh 10 S20E 1/2 W 31 - To 22 S47E 1/2 C 52 1/2
- C. W Clin S10E 1/2 W 41 - R. Oak N53E 1/2 C 60
- H. Oak 14 N53E 1/2 W 50 - Lynn 8 N38E 1/2 W 50
- D. Am 5 S14E 1/2 W 41 - G S43E 1/2 C 43 1/2
- G. Clin 7 S5E 1/2 C 26 - Oak 13 N27E 1/2 W 6 1/2
- X. Sugar 12 N62E 1/2 C 75 - Beh 25 N40E 1/2 C 77 1/2

See Diagram  
180 to 243

Z. W. Stone corners

V. Beh 10 S42E 1/2 W 30 - Oak 18 S24E 1/2 C 29 - Am 18 S24E 1/2 C 39

Recorded on Page 498, Record Ch 1,  
C. P. Webster