

FIELD NOTES---EXPLANATION OF.

A	a	B	b	C	c	D	d	E	e	F	f	G	g
J	6	6	5	6	4	6	3	6	2	6	1	8	1
Y	6		5		4		3		2		1	H	1
X	7	5	8	5	9	5	10	5	11	5	12	h	
X	6		5		4		3		2		1	I	1
W	18	1	17	1	16	1	15	1	14	1	13	i	
W	6		5		4		3		2		1	K	1
V	19	3	20	3	21	3	22	3	23	3	24	k	
V	6		5		4		3		2		1	L	1
U	30	2	29	2	28	2	27	2	26	2	25	l	
U	6		5		4		3		2		1	M	1
t	31	1	32	1	33	1	34	1	35	1	36	m	
T	s	S	r	R	q	Q	p	P	o	O	n	N	

Township 11 North, Range 5 East. of 2nd Principal Meridian

7.00
7.60

EA 190.23
eA 181.28
FA 191.00
fA 178.37

82.48
84.32

83.27
84.50

84.97
83.30

85.45
81.79

84.09
82.60

Red River

1.75

5.56

27

1.42

over 60 10 10

Field Notes of Shelby County, Indiana.

Township *11* North, Range *3^v* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>E</i>	Gray Ash	4	N 65 W	15	<i>L</i>	B Ash	10	N 10 E	12
<i>E</i>	Jug wood	6	N 30 E	15	<i>L</i>	Alm	27	N 19 E	20
<i>F</i>	B Ash	8	N 15 E	30	<i>M</i>	Beech	20	N 66 W	35
<i>F</i>	do	9	N 10 W	14	<i>M</i>	do	10	N 87 E	16
<i>G</i>	Beech	9	W	30	<i>M</i>	Beech	18	N 27 E	15
<i>G</i>	do	8	N 38 E	11	<i>M</i>	do	12	N 1 W	26
<i>G</i>	Ash	8	N 47 E	14	<i>M</i>	do	18	N 32 W	36
<i>H</i>	Alm	12	N 52 W	39	<i>N</i>	Ash	21	N 22 W	30
<i>H</i>	Buckeye	9	N 39 E	18	<i>N</i>	do	8	N 80 W	14
<i>H</i>	Sycamore	30	N 72 W	27	<i>N</i>	do	12	N 70 E	3
<i>H</i>	B Ash	9	N 55 W	16	<i>N</i>	Beech	18	N 77 W	14
<i>I</i>	do	7	N 60 E	15	<i>O</i>	do	14	N 69 E	6
<i>I</i>	Ash	18	N 43 E	11	<i>O</i>	Beech	21	N	4
<i>I</i>	Sugar	30	N 24 W	18	<i>O</i>	do	10	N 15 E	26
<i>I</i>	do	9	N 46 W	12	<i>O</i>	Sugar	18	N 71 W	10
<i>K</i>	do	8	N 55 E	20	<i>P</i>	Alm	10	N 78 E	35
<i>K</i>	Beech	9	N 2 E	12	<i>P</i>	Sugar	9	N 46 W	9
<i>K</i>	do	7	N 17 W	13	<i>P</i>	N Beech	7	N 47 E	12
<i>K</i>	Sugar	9	N 46 W	15					
<i>K</i>	Beech	9	N 81 E	—					

Field Notes of Shelby County, Indiana.

Township 11 North, Range 5 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
23, 26, 35, 36	Beech	14	N 73 W	25	M to U				
	do	10	S 39 E	24	1	Beech	9	S 40 E	15
23, 24, 25, 26	Sugar	10	S 16 W	18	"	do	18	N 32 W	10
	Hackberry	20	N 27 E	27	2	Ash	3	N 47 E	8
13, 14, 23, 24	Hickory	18	S 15 E	31	"	Red Bud	6	S 3 W	12
	Sugar	16	S 75 W	29	L to V				
11, 12, 13, 14	N Beech	4	N 89 W	9	1	Beech	12	N 35 W	17
	Hickory	5	S 77 E	8	"	Oak	24	S 14 E	20
1, 2, 11, 12	do	18	S 89 E	11	2	Sugar	6	N 37 E	12
	Elm	5	S 42 W	14	"	do	6	S 30 E	6
26, 27, 34, 35	Walnut	20	S 30 E	26	K to W				
	do	20	N 3 W	3	1	Sugar	10	N 35 W	23
22, 23, 24, 27	Ash	36	N 30 E	20	"	do	14	S 47 E	15
	Red Head	8	S 3 W	20	2	Hickory	4	S 73 W	5
14, 15, 22, 23	Hickory	20	S 65 E	21	"	Hackberry	5	N 47 E	13
	N Oak	6	N 3 1/2 W	30	I to X				
10, 11, 14, 15	Hickory	20	S 65 E	21	1	do	5	S 29 E	10
	N Oak	6	N 3 1/2 W	30	"	B. Ash	10	N 32 W	35
2, 3, 10, 11	Elm	12	S 48 E	14	2	N Oak	12	S 57 W	10
	Hickory	6	N 10 1/2 W	18	"	4 Ash	10	S 35 E	15

Field Notes of Shelby County, Indiana.

Township *11* North, Range *3^v* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
H to Y						P to E				
1	Elm	36	N 8 E	24		1	Sugar	18	S 34 E	24
"	N Beech	6	S 8 N	28		"	Ash	4	N 32 N	20
2	R Elm	10	N 83 E	34		2	Hickory	8	N 79 E	5
"	N Beech	7	N 84 N	35		"	so	12	N 31 N	10
O to F						3	Sugar	20	S 59 E	18
1	Gum	24	N 87 N	23		"	N Oak	26	N 41 N	36
"	so	30	N 38 E	15		4	so	16	N 60 E	19
2	Hickory	3	N 78 E	25		"	so	16	S 60 N	14
"	so	10	S 71 N	26		5	Hackberry	12	N 3 1/2 N	30
3	so	18	S 22 E	17		"	so	18	S 17 E	22
"	N Beech	4	N 36 N	17		6	Elm	6	N 7 1/2 N	21
4	Walnut	3	S 59 N	16		"	Hickory	20	S 57 E	23
"	Hackberry	24	S 62 E	15						
5	Poplar	30	N 88 E	15						
"	Ash	10	N 75 N	29						
6	Beech	16	N 34 E	21						
"	so	8	S 66 N	25						

Record of Surveys in Shelby County, Indiana.

Section / Township // North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	O	Stone			Beech	16	N 74 E	46
	Q	"			Sugar	12	N 34 W	39
	R	"			Hickory	18	S 34 E	17
	W	"			do	20	N 42 W	27
	Y	"			Beech	24	N 72 W	38
	E	"			do	11	N 37 E	27
	C	"			Sycamore	30	S 70 W	33
	B	"			Hickory	20	S 40 E	44
	M	"			N Oak	8	S	23
June 5 th 1846		"			B-Haw	2	S 3 W	10
		"			Hickory	10	S 28 W	21
		"			Elm	3	N 38 W	33
		"			Beech	10	N 83 E	6
		"			do	10	N 10 W	19
		"			do	18	S 60 W	7
		"			do	24	S 29 1/2 W	32
		"			N-Oak	36	S 71 1/4 W	32
Rock, Surveyor Oct 31 st 1838		"			Maple	13	N 83 W	17
		"			do	10	N 46 W	10
		"			N Oak	6	N 9 E	16
		"			Ash	18	S 27 1/2 W	41
		"			Elm	36	S 24 E	46
		"			Ash	14	S 75 E	64

Section / Township // North, Range 3 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
32 3/4 R S above cr. of	ID	"			Ash	5	N 10 W	2 1/2
					Oak	11	N 40 E	2 1/2
34 3/4 R S of Same		"			Hickory	8	N 83 W	3 1/2
					Maple	20	S 41 W	4 1/2
33 R S of above or of Same		"			Wood	5	N 78 W	3 1/2
					Oak	36	N 37 W	4 1/2
33 R S of above or of Same		"			Maple	20	N 36 W	3 1/2
24 R E of ID		"			Beech	16	N 15 E	1 1/2
					Oak	6	S 83 W	1 1/2
46 1/2 R N of above or of Same		"			Ash	4	S 70 E	8
					elm	36	N 2	
33 R N of above or of Same		"			Beech	16	S 58 W	1 1/2
					Hickory	24	S 7 E	1 1/2
33 R N of above or of Same		"			elm	18	N 38 W	7
of Mr. Elliott Surveyor					Ash	10	N 13 E	1 1/2
of Aug 24 th 1868	N	Boulder			No Nit			
	H	"			"			
	I	"			Beech	10	N 76 W	1 1/2
	D	"			K. States			
	X-N	Stone			No Nit			
	W-M	"			"			
	O-D	Boulder			"			
	D-E	"			"			

W. H. Miller's Surveyor

Record of Surveys in Shelby County, Indiana.

Section / Township // North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>9.36¹/₂ chains North of</p> <p>9.36¹/₂ chains North of</p> <p>J. Standfield, R. Campbell + H. Saunders</p> <p>Flagmen + chainmen</p> <p>Sept 14th 1891</p> <p style="text-align: right;">J. Dugan S S C</p>	<p>O</p> <p>N</p>	<p>Stone</p> <p>"</p>	<p>inced</p> <p>"</p>	<p>-</p> <p>"</p>	<p>Sandstone</p> <p>" "</p>		<p>East -</p> <p>S 88 W</p>	<p>22 Link</p> <p>22</p>

Record of Surveys in Shelby County, Indiana.

Section *2* Township *11* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	C	Stone			Hickory	16	N	19
	N	"			Hogwood	8	N 35' E	2
	E	"			do	6	N 70' W	11
	L	"			Hickory	24	S 28' E	3 1/2
	of	"			do	10	S 28' W	25'
	of	"			elm	3'	N 38' W	25'
<i>30. R. N.</i>	of	"			Beech	30	N 16 1/2' W	26
	of	"			ash	4	N 86' E	18'
<i>40. R. N.</i>	of	same			Hickory	18	N 41' W	9
	of	same			Hogwood	3	S 72' W	11 1/2
<i>28 3/4. R. N.</i>	of	same			H. Beech	3'	N 12' E	3
<i>78 S. R. S.</i>	of	A			Sugar	8'	N 56' W	25'
	of	"			Oak	20	S 88' E	31
<i>62 1/4. R. S.</i>	of	B			do	36	S 15' W	39
<i>Jan'y 24th 1868</i>	of	N			Boundary		above Nit	
	of	T			"		No Nit	
	of	W			"		"	
	of	U			Range "		"	
	of	X			"		"	
	of	L			"		F. States	
	of	O			"		"	
	of	P			"		No Nit	
	of	D			"		"	
<i>the Village of Gallity Sh.</i>								
								<i>Miller Surveyor</i>

Section 2 Township 11 North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>5.06 chains north and 16.53 1/2 E of above corner 10.06 chains south of $\frac{7}{4}$ Survey made in partition of Whiteside's Estate, Nov. 7th 1889, Thomas Finley S. S. Co. Var. 2 1/4 degrees. See if this is in 5-2-12-5</p>	Z	long flinty stone Boulder.	25.	00.	stone wit v. Red elm	2	East East	8 8 1/2.
<p>Sept, 10th, 1894. 10 chs. and 52 links South of 9.94 chains North of Wm M. Pruitt Co. Surveyor.</p>	N S U	Boulder " "			No wit " " " "			
John W. Whiteock	X	Stone			See Tie File		See Remarks pg. 120	

Record of Surveys in Shelby County, Indiana.

25

Section // Township // North, Range 3rd East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	C	Boulder			Elm	18	25 N	29
	H	"			Hickory	30	56 N	29
	R	"			H-Oak	22	43 N	25
					So	30	42 E	42
					Hickory	24	18 N	36
					Hoghead	30	69 N	12
Oct 13 th 1868	L	L "			F. Choles			
	N	" "			No Nit			
	D	" "			"			
	X	" "			H. Oak.		F. Choles	
	V	L "			No Nit			
124 1/2 R. E. & 70 1/2 R. S of 70 1/2 R. S of same	E	L "			"			
		" "			"			
Relocated March 25 th 1893	V	Long Boulder			H. K. Miller Surveyor			
Sept. 10 chains and 88 lbs South of	C	" "			Wm. M. Pruitt.			
Oct. 24 10 chains and 86 lbs " "	B	" "			No. Nit			
Wm. Pruitt Sept. 10 th 1894					" "			
John W. Whitlock	C	Stone			See Tie file		See Remarks	
							P. 120	

Record of Surveys in Shelby County, Indiana.

Section **12** Township **11** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Jan'y 26 th 1868	C	Boulder			elm		W. Notes	
	H	"			No Nit			
	N	"			Sycamore	36	85 E	27
	P				elm	4	8	3
					Poplar		W. Notes	
5 th R. N.	Q	"			No Nit			
5 th R. N.	Y	"			"			
	Z	"			"			
	X	"			"			
Sept 1 st 1868	A	Sand Stone ¹²			"			
4 th R N	of Same	"			Sycamore	60	820 N	39
	L				Cherry	18	821 N	25
5 th 3/5 R N	of Same	"			No Nit			
4 th R N	of Same	"			"			
	M	"			Red Bud	12	83 N	24
5 th 3/5 R N	of Same	"			do	12	83 N	24 1/2
					Walnut	12	84 N	9
36 3/5 R N	of N	"			Mulberry	12	87 E	13
					elm	30	812 N	23
	V	"			Beech	24	881 N	18
Miller - Sumner					do wit Ar			
1703 1/2 N	of	"			do wit Ar			
1703 1/2 N	of	X						

Record of Surveys in Shelby County, Indiana.

Section

12

Township

//

North, Range

5

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
April 18 th . 1906.	A	Sandstone			Hollowycamore	3 1/2 ft.	S. 77° W.	37 l.
James E. Morris, County Surveyor	B	Boulder			Double Honey Locust	20 in.	N. 22° W.	39 1/2 l.
					Willow	6 in	North	38 l.

Record of Surveys in Shelby County, Indiana.

Section *1 B* Township *//* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nickals - Sumner</i>	<i>Y</i>	<i>stone</i>			<i>Sugar</i>	<i>10</i>	<i>N 87 E</i>	<i>11</i>
	<i>X</i>	<i>"</i>			<i>do</i>	<i>14</i>	<i>N 11 W</i>	<i>30</i>
	<i>X</i>	<i>"</i>			<i>do</i>	<i>14</i>	<i>N 30 E</i>	<i>82</i>
	<i>X</i>	<i>"</i>			<i>do</i>	<i>8</i>	<i>N 37 E</i>	<i>99</i>
<i>Manchel - Sumner</i>	<i>N</i>	<i>No. Boulder</i>			<i>Beech</i>	<i>20</i>	<i>N 43 E</i>	<i>34</i>
					<i>Hickory</i>	<i>24</i>	<i>N 32 E</i>	<i>94</i>
					<i>Beech</i>	<i>10</i>	<i>N 18 W</i>	<i>10</i>
<i>40. R. E.</i>	<i>of same</i>	<i>stone</i>			<i>No Nit</i>			
<i>65. R. S.</i>	<i>of same</i>	<i>"</i>			<i>"</i>			
	<i>Y</i>	<i>Stone marked</i>		<i>Y</i>	<i>Stone</i>		<i>N 63 1/2 E</i>	<i>29</i>
<i>May 14th 1877</i>					<i>Armiss - Sumner</i>			
<i>July 22nd 1884</i>								
<i>1.60 chs S + 7.41 chs W of</i>	<i>R</i>	<i>Stone</i>			<i>Beech</i>	<i>14</i>	<i>S 36 1/2 E</i>	<i>85</i>
<i>5.74 chs S +</i>					<i>"</i>	<i>16</i>	<i>N 38 1/2 W</i>	<i>64</i>
<i>3.94 chs S + 7.80 chs W of</i>	<i>"</i>	<i>"</i>			<i>"</i>	<i>12</i>	<i>S 66 3/4 W</i>	<i>31</i>
					<i>"</i>	<i>8</i>	<i>S 24 E</i>	<i>61</i>
<i>3.25 " " " 11.96 " " "</i>	<i>"</i>	<i>"</i>			<i>"</i>	<i>6</i>	<i>S 30 1/2 E</i>	<i>28</i>
					<i>"</i>	<i>16</i>	<i>S 26 W</i>	<i>33</i>
<i>.91 " " " 11.57 " " "</i>	<i>"</i>	<i>"</i>			<i>"</i>	<i>16</i>	<i>N 70 E</i>	<i>60</i>
<i>the above set a round</i>					<i>"</i>	<i>10</i>	<i>N 7 3/4 W</i>	<i>39 1/4</i>
<i>Grave yard</i>					<i>Murphy - Sumner</i>			

Record of Surveys in Shelby County, Indiana.

Section 13

Township 11

North, Range

5

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 15-16	H				no wit,			
Geo. E. Diltman. Point for	K	located	and	stone set west of	line			
John W. Whitlock 17, April, 75	X	R.R. spike			See Tie File		See Remarks pg. 120	

Record of Surveys in Shelby County, Indiana.

49

Section *14*

Township *11*

North, Range *5*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.	
<i>Nickals Surveyor</i>	<i>B</i>	<i>Stone</i>			<i>Hickory</i>	<i>6</i>	<i>N 46 W</i>	<i>33</i>	
					<i>do</i>	<i>8</i>	<i>S 24 W</i>	<i>34 1/2</i>	
	<i>C</i>	<i>"</i>			<i>do</i>	<i>11</i>	<i>S 16 E</i>	<i>32</i>	
	<i>D</i>	<i>"</i>			<i>Sog Wood</i>	<i>4</i>	<i>N 39 E</i>	<i>13</i>	
	<i>M</i>	<i>"</i>			<i>N-Oak</i>	<i>24</i>	<i>S 83 W</i>	<i>12</i>	
					<i>N-Beech</i>	<i>8</i>	<i>N 81 E</i>	<i>43</i>	
	<i>Jan 26th 1868</i>	<i>N</i>	<i>Boulder</i>			<i>Hickory</i>	<i>12</i>	<i>N 63 W</i>	<i>37</i>
						<i>do</i>	<i>24</i>	<i>S 12 1/2 W</i>	<i>41</i>
		<i>O</i>	<i>"</i>			<i>N-Oak</i>	<i>10</i>	<i>N 17 E</i>	<i>14</i>
	<i>Gen Johnson Co. Line,</i>					<i>Hickory</i>	<i>3</i>	<i>S 70 W</i>	<i>17</i>
<i>A</i>		<i>"</i>			<i>Ch Nit</i>				
<i>C</i>		<i>"</i>			<i>N-Oak</i>		<i>3 notes</i>		
<i>E</i>		<i>"</i>			<i>Ch Nit</i>				
					<i>W. H. Miller Surveyor</i>				

Record of Surveys in Shelby County, Indiana.

Section *23* Township *11* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>B</i>	<i>Stone</i>			<i>elm</i>	<i>18</i>	<i>ct 60 N</i>	<i>62</i>
	<i>C</i>	<i>"</i>			<i>Walnut</i>	<i>4 1/2</i>	<i>ct 31 E</i>	<i>51</i>
					<i>Hickory</i>	<i>5</i>	<i>ct 14 E</i>	<i>2 1/2</i>
	<i>N</i>	<i>"</i>			<i>H-oak</i>	<i>24</i>	<i>ct 28 E</i>	<i>28 1/2</i>
					<i>so</i>	<i>18</i>	<i>ct 15 1/2 E</i>	<i>10</i>
	<i>V</i> <i>W</i>	<i>"</i> <i>Boulder</i>			<i>Sugar</i>	<i>10</i>	<i>ct 3 1/2 E</i>	<i>37</i>
					<i>so</i>	<i>14</i>	<i>N</i>	<i>12 1/2</i>
					<i>so</i>	<i>10</i>	<i>ct 1 1/2 N</i>	<i>29</i>
<i>May 31st 1864</i>	<i>X</i>	<i>Stone</i>			<i>Hickory</i>	<i>12</i>	<i>ct 1/2 E</i>	<i>99</i>
<i>3 19 chus E</i>	<i>Y</i>	<i>"</i>			<i>ch Nut</i>			
<i>6 33 chus E</i>								
<i>Aug 1st 1864</i>	<i>O</i>	<i>Stake</i>			<i>ash</i>	<i>10</i>	<i>ct 34 E</i>	<i>34</i>
					<i>elm</i>	<i>20</i>	<i>ct 61 N</i>	<i>38</i>
					<i>ly camose</i>	<i>30</i>	<i>ct 3 E</i>	<i>26</i>
<i>Arviss Sumner</i>								
<i>Sept 24 - 1925</i>								
<i>wit. for</i>	<i>P</i>							
					<i>End post N.E. 16 1/2</i>			
					<i>" " E. 39 1/2 1/2</i>			
					<i>S.E. end post. 37 1/2</i>			

Record of Surveys in Shelby County, Indiana.

65

Section **24** Township **11** North, Range **3rd** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Geo. Gargis, Surveyor</i> <i>Stoviss, Surveyor</i></p>	<p>B, Z, L, P, A</p>	<p><i>Stones</i> <i>L. Boulder</i></p>			<p><i>No Nit</i> <i>Beech</i> <i>to</i></p>	<p><i>9</i> <i>27</i></p>	<p><i>N 2 E</i> <i>S 17 N</i></p>	<p><i>12</i> <i>13</i></p>
<p><i>June 3, 1921</i> <i>Geo. E. Oltman Surveyor.</i> <i>10.23 ch N. of M.</i></p>	<p>B</p>	<p><i>Stone</i> <i>Stone on line of E & W. halves</i></p>			<p><i>Stone Mark 2</i> <i>Stone Mark 2</i></p>		<p><i>S 55° W</i> <i>S 66° E</i></p>	<p><i>50 li.</i> <i>50 li.</i></p>
<p><i>John W. Whitlock</i> <i>17, April, '75</i></p>	<p>C C</p>	<p><i>Spike</i></p>			<p><i>See tie file</i></p>		<p><i>See Remarks</i> <i>pg. 120</i></p>	

Record of Surveys in Shelby County, Indiana.

Section **23** Township **11** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	M	Stone			Beech	16	ct 15° E	32
					Hackberry	18	ct 76 N	21
					do	8	ct 40 E	16
	X	"			Ash	18	ct	22
					Beech	24	S 25 N	41
	D	Boulder			No Nit			
Oct 8 th 1863								
13.82 corners E	of	Same	"	1/3	"			
13.88 corners E	of	Z	"	1/3	"			
Feb 12 th 1864		L	L	"	Beech	20	S 64 N	33
					F. cotes			
					No Nit			
88. R. N.	of	Same	"	80				
60. R. S	of	A	"	60	"			
4. R. N.	of	B	Kege	4.	"			
4. R. N. & 60. R. S.	of	Same	Sandstone	60.	"			
Corriss Sumeyor								
Oct 10 th 1868		C	Boulder		Beech	16	ct 15° E	32
		N	"		do	12	S 75° E	18
					Gum	18	N	15
					No Nit			
44. R. N.	of	B	"					
128. R. N	of	L	"		Beech	36	ct E	6
Miller - Sumeyor								
March 1 st 1878		M	Stone		Beech	33	S 13 E	45

Record of Surveys in Shelby County, Indiana.

Section 25 Township 11 North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
RECOVERED 3-15-61 By K L Bowman ± 90' NORTH OF INT RDS.	"A"	BOUNDER					NORTH OF LEAN RD ± 90	
RECOVERED 3-15-61 By K L BOWMAN	"C"	STONE			NAIL IN P. POLE NW COR. STONE HSE		N.E. S.E.	24.92' 82.50'

Record of Surveys in Shelby County, Indiana.

Section **26** Township **11** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Haud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	X	<i>Post</i> Stone			No Nit		Corner perpetuated	
	S	Stone	perpet		Gum	32	S 10 1/2 E	32
	P	"			Sugar	3	N 38 E	31
	Q	"			Cherry	7	S 8 1/2 N	33
	R	"			Hickory	9	N 7 1/2 E	66
	S	"	perpetuated		Walnut	32	S 10 1/2 E	32
	T	"			Sugar	3	N 38 E	31
	U	"			B-Gum	24	N	32
May 14 th 1852	V	"		No Line	No Nit			
J. H. Elliott Surveyor	W	"			"			
Mar 31 st 1864	X	Boulder	Ancient		"			
	Y	"	26		"			
	Z	"	26, 11 26		"			
Corriss Surveyor	AA	"	26, 11 26		"		N. Perpetuated	
May 9. 1904 I set for Geo. & Alf. Muck	AB	Stone		Ed Cuttenger	Stones as follows:			
13 ³⁴ chains West of	AC	Mark +			Stone		North	35
13 ³⁴	AD	Stone			Stone		West	20
S. P. Harris S. S. C	AE	"			Limestone		North	30
May 19. 1916. set corner	AF	Boulder +			"		S.P. Harris	

Record of Surveys in Shelby County, Indiana.

Section *33* Township *11* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Elliott, Was Geo Surveyor in 1830 & 2 - There is no date to this Record, by F. Webster.	M	Stone			Beech	13'	N 48° E	23
					So	10'	S 76° W	12
		P			Sugar	16'	N 14° E	33
		Q			So	24'	S 3° E	23
		U			So	14'	S 26° W	13
		Z			H-Oak	24'	N 60° E	25
					Beech	12'	N 60° W	22
					H-Oak	30'	S 78° W	25
					Cherry	22'	S 60° E	25
August 1880 - Edinburg Fair Ground Corners Perpetuated 20 Chus S and S 42 1/2 Chus E of C. F. Webster Surveyor etc	E E G F Y	Grain Stone Stone			M. E. 35, found Original Mark. Stone		N 31° W	18
		"			Stone			
		"			Set 30 links East of true Corner,			
		"			"mistake"	Oak	18	N 66 1/2° W 43 1/2
		"			"	B Walnut	12	S 79 1/2° W 88 1/2
Survey for Heomer Frost et al. 15 feet South of	D				and Set Stone for line dividing the			
Found Stone at Corner Lehas, F. Webster. Deputy S.S. Co.	O				Boulder M + outcrop, on line between the lands of Heomer Frost and others, on the North in place. Covered with gravel. Ran the line O-D and Set Stakes and corrected same to line, I found the fence at S. 3 feet on lands of Frost			

Record of Surveys in Shelby County, Indiana.

97

Section *36* Township *11* North, Range *3^W* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>There is no date given to this Record, it was made in about 1837 or 32, by Webster.</i></p> <p><i>Colliott Sumeyor</i> <i>Feb 10th 1834</i> <i>Sargin - Sumeyor</i></p>	<p>N</p>	<p><i>Stone</i></p>			<p><i>Beech</i></p>	<p><i>21</i></p>	<p><i>S 52 N</i></p>	<p><i>21</i></p>
	<p>O</p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>So</i></p>	<p><i>19</i></p>	<p><i>N 8 1/2 E</i></p>	<p><i>22</i></p>
	<p>P</p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>So</i></p>	<p><i>12</i></p>	<p><i>N 40 N</i></p>	<p><i>32 1/2</i></p>
	<p>X</p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>Sugar</i></p>	<p><i>7</i></p>	<p><i>N 18 E</i></p>	<p><i>48</i></p>
	<p>Y</p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>Beech</i></p>	<p><i>10</i></p>	<p><i>S 69 N</i></p>	<p><i>20</i></p>
	<p>L.A</p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>So</i></p>	<p><i>20</i></p>	<p><i>N 4 E</i></p>	<p><i>45</i></p>
	<p>B.M</p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>So</i></p>	<p><i>14</i></p>	<p><i>N 19 N</i></p>	<p><i>45</i></p>
	<p><i>"</i></p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>So</i></p>	<p><i>18</i></p>	<p><i>S 21 N</i></p>	<p><i>17</i></p>
	<p><i>"</i></p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>No Mark</i></p>			
	<p><i>"</i></p>	<p><i>"</i></p>	<p><i>"</i></p>		<p><i>No Mark</i></p>			