


FIELD NOTES---EXPLANATION OF.

40
 $\frac{131}{3}$
 $\frac{3}{3}$
 $\frac{3}{3}$

40
 9
 $\frac{3}{3}$



18

151
 151
 151

Township 11 North, Range 7 East of 2nd Principal Meridian

Field Notes of Shelby County, Indiana.

Township // North, Range 7 East. of 2nd Principal Meridian

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
M'	Beech	10	N 65 W	44	S.	Beech	9	N 45 E	21
	so	12	N 83 E	21		so	10	N 55 W	21
N.	so	30	N 23 W	24	S'	so	18	N 26 E	24
	so	15	N 4 W	15		Ironwood	5	N 34 W	8
N'	so	21	N 37 E	18	T,	Beech	10	N 15 E	14
	so	9	N 21 E	9		so	8	N 37 W	34
O.	so	22	N 85 E	20	T'				
	so	18	N 64 W	55	U.	Beech	11	N 63 E	2
O'	so	18	N 74 W	21		so	18	N 74 W	15
	so	8	N 24 E	25	U'				
P.	Ironwood	6	N 2 E	17	V.	Beech	8	N 45 W	6
	Beech	9	N 80 E	30		so	12	N 54 E	4
P'	so	12	N 85 E	16	W.				
	so	16	N 81 W	26	W'				
Q.	so	5	N 4 E	28	W'				
	so	12	N 12 W	10	W'				
Q'	so	20	N 57 W	7	X.	Alum	11	N 71 W	10
	so	14	N 75 E	12		B. Alder	-	N 88 E	14
R.	so	6	N 35 E	25	X'				
	so	15	N 77 W	7	Y.	McOak	45	N 20 W	3
R'	so	21	N 66 W	30		Beech	6	N 62 E	12
	so	10	N 36 E	3	Y'				

Field Notes of Shelby County, Indiana.

Township *11* North, Range *7* East. of *2nd Principal Meridian*

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
25, 26, 35, 36	N Beech Ash	3 10	S 31 N N 58 E	8 15	21, 22, 27, 28	Beech So	20 20	S 54 N N 54 E	14 12
23, 24, 25, 26	Beech So	10 15	S 63 N N 60 E	18 16	15, 16, 21, 22	So Calm	12 4	N 9 E S 4 E	11 8
13, 14, 23, 24	So So	25 20	N 38 N S 30 E	18 21	9, 10, 15, 16	Beech So	20 7	N 61 E S 12 N	7 14
11, 12, 13, 14	Ash Oak	10 6	S 48 E N 23 N	14 15	3, 4, 9, 10	So So	22 4	N 48 N S 70 E	4 6
1, 2, 11, 12	Beech Gum	15 12	S 33 E S 75 N	8 6	28, 29, 32, 33	So So	10 20	S 52 E N 4 E	4 21
26, 27, 34, 35	Ash Beech	10 12	S 33 N N 52 E	5 14	20, 21, 28, 29	Calm Sugar	14 4	S 84 N N 67 E	10 18
22, 23, 24, 27	So So	15 12	N 64 N N 67 E	8 5	16, 17, 20, 21	Butternut Sugar	- 4	S 12 E N 9 N	2.50 1.25
14, 15, 22, 23	Beech R. Oak	7 30	S 31 N N 49 E	18 20	8, 9, 16, 17	Ash Beech	4 10	S 21 N N 58 E	8 13
10, 11, 14, 15	Oak Beech	34 10	N 63 N N 81 E	6 2	4, 5, 8, 9	Sugar Beech	4 11	S 85 E S 30 N	4 6
2, 3, 10, 11	So Ash	5 28	N 43 E N 64 N	5 10	29, 30, 31, 32	So Ash	4 22	S 75 E S 57 N	8 12
27, 28, 33, 34	So So	20 12	S 64 N N 66 E	6 14	19, 20, 29, 30	Wickory Ash	10 3	S 62 E N 14 E	12 6

Township 11 North, Range 7 East. of 2nd Prime Merid

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
17. 18. 19. 20.	Beech	10	S 45 E	8	Same.	2 Beech	15	S 44 E	10
	do	12	S 48 N	16	"	do	9	N 7 N	4
7. 8. 17. 18	Sugar	15	S 81 E	12	3	do	5	N 5 E	4
	Beech	3	N 2 N	18	"	do	24	N 37 N	12
5. 6. 7. 8.	Sugar	20	S 75 E	3	4	do	18	N 59 N	15
	Elm	4	S 37 N	13.	"	N Beech	2	S 61 E	19
M to U					5	Sogwood	3	S 42 N	4
1	Beech	8	S 53 E	6	"	do	4	N 9 E	15
"	do	12	N 69 N	12	6	do	3	N 34 N	5
2	do	10	S 30 N	14	"	do	2	S 21 E	3
"	do	20	N 6 E	20	K to W				
3	do	3	S 30 E	14	1	Beech	7	S 23 N	4
"	do	30	N 27 E	10	"	do	20	N 77 E	22
4	do	12	S 61 E	15	2	N-Beech	3	S 89 N	11
"	do	40	S 77 N	12	"	Sogwood	3	N 25 E	14
5	Elm	6	S 78 N	6	3	Hickory	4	N 36 E	6
"	N Beech	2	S 75 E	7	"	Beech	24	N 86 N	3
6	Ash	19	N 41 E	8	4	Elm	11	N 43 E	7
"	Beech	3	N 52 N	7	"	Sogwood	4	N 68 N	5
L to V					5	Elm	20	S 75 E	15
1	Elm	7	S 72 N	4	"	Ash	4	N 31 N	4
"	Beech	3	N 44 E	9	6	Mulberry	11	S 60 N	5
					"	Ash	13	S 61 E	14

Field Notes of Shelby County, Indiana.

Township *11* North, Range *7* East. of *2nd* Prim Meridian

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
I to X	Beech	3	N 71 W	5		Same - 6	Beech	6	N 2 E	16
"	do	3	N 57 E	4			do	7	S 84 W	18
2	elm	13	S 75 E	8		O to E				
"	Beech	7	N 47 W	25		1	Beech	24	S 25 W	4
3	H-Oak	39	S 35 W	5		"	do	10	N 42 E	12
"	Beech	8	N 76 E	12		2	do	10	S 30 W	6
4	do	8	S 88 E	13		"	H-Beech	2	N 75 E	15
"	Oak	30	S 38 W	12		3	Beech	10	S 6 E	20
5	Beech	15	S 88 E	5		"	do	12	N 6 W	6
"	do	20	N 31 W	13		4	do	18	N 66 W	25
6	do	20	S 31 -	15		"	do	15	S 10 E	20
"	do	6	N 73 E	10		5	do	18	N 85 E	5
H to Y						"	H-Beech	4	S 12 W	14
1	Pest					6	Hickory	20	S 28 W	3
"	—					"	Buckeye	12	S 35 E	15
2	Beech	3	S 31 E	10		P to E				
"	do	7	N 31 E	11		1	Beech	20	S 36 W	5
3	H-Beech	2	N	18		"	do	2	N 8 E	6
"	do	3	S 8 W	4		2	do	20	S 20 W	15
4	elm	28	S 73 W	12		"	do	12	N 31 E	12
"	B-Calder	3	S 86 E	7		3	do	18	S 37 E	7
5	Sugar	18	S 57 W	15		"	do	20	N 41 W	9
"	Buckeye	3	N 87 E	5						

Township // North, Range 7 East. of Ind. Prin Merid

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
P ^{to} E	4 Poplar	36	N 32 E	4	Same.	2 Ash	4	N 80 E	3
"	Beech	15	N 22 W	6	"	H-Beech	3	N 87 W	18
3	So	20	N 9 W	9	3	Beech	8	N 89 W	11
"	So	5	N 52 E	11	"	B-Oak	36	N 76 W	13
6	So	6	N 62 E	4	4	Linn	10	N 75 E	10
"	So	4	N 70 W	13	"	Beech	4	N 62 W	18
O ^{to} D					5	So	7	N 21 W	8
1	Beech	4	N 63 E	13	"	So	30	N 15 E	17
"	So	34	N 43 W	10	6	Elm	4	N 78 W	8
2	So	13	N 28 W	11	"	Beech	21	N 63 E	27
"	So	12	N 31 E	15	S. to B				
3	So	18	W	18	1	Beech	20	N 25 E	5
"	So	10	N 77 E	10	"	So	8	N 70 W	13
4	So	10	N 75 W	18	2	So	10	N 28 W	14
"	Elm	18	N 52 E	11	"	Sugar	20	N 28 W	25
5	Beech	10	N 27 W	7	3	Hickory	4	N 14 W	15
"	So	18	N 19 E	30	"	Hickory	12	N 29 E	4
6	Linn	28	N 75 W	11	4	Beech	12	N 31 W	14
"	Beech	10	N 26 E	14	"	So	10	N 83 W	11
R ^{to} C					5	H. Locust	12	N 42 W	8
1	Beech	10	N 87 E	8	"	Hickory	14	N 76 E	25
"	So	8	N 28 W	6	6	H-Beech	7	N	25
					"	Hickory	10	N 43 E	25

INDEX

Township //

North, Range 7

East. of 2nd Prin Meridian

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>Section</i>	<i>Page</i>				<i>Section</i>	<i>Page</i>			
1	9				23	141			
2	15				24	147			
3	21				25	153			
4	27				26	159			
5	33				27	165			
6	39				28	171			
7	45				29	177			
8	51				30	183			
9	57				31	189			
10	63				32	195			
11	69				33	201			
12	75				34	207			
13	81				35	213			
14	87				36	219			
15	93								
16	99				<i>Remarks</i>	226			
17	105					<i>to</i>			
18	111					276			
19	117								
20	123				<i>Plats</i>	225			
21	129					<i>to</i>			
22	135					275			

Record of Surveys in Shelby County, Indiana.

Section /

Township //

North, Range 7

East. of 2nd P.C.N.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	D				Blk Ash	14	N 75° E	24
	O				do	16	S 55° W	21
	U				Nut	40	N 52° E	40
	S				Kickapoo, Surveyor			
					Linn	6	S 23° W	30
					Beech	8	S 69° E	16
					Hackberry	25	S 11° E	17
					Beech	8	S 81° E	11 1/2
	B				Rock, Surveyor			
		Stone			Elm	6	S 23° W	18
					do	6	S 23° E	19
	P.C.N	Stones			No Nit given			
					Geo. Sargis, Surveyor			

Sept 1853

Record of Surveys in Shelby County, Indiana.

Section **2** Township **11** North, Range **7** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.	
Oct 31st 1884	C N O	Boulder			Ash	10	N 10 E	13 1/2	
		Stone			No Hit				
	H Y	Boulder			Oak	36	S 38 W	9 1/2	
					do	18	S 34 E	13 1/2	
	Z	Stone Boulder			No Hit				
					Beech	12	N 45 E	6 3/4	
						Ash	17	N 39 E	7 3/4
	Feb 24th 1885	Z	Stone			Beech	14	N 31 E	5 1/2
						Walnut	6	S 19 E	4 1/2
		W. B	Stones			J. M. Calliott Surveyor			
					No Hit				
					J. M. Gargis Surveyor				
Z	Y	Relocated from Walnut stump. Calliott suit.							
				B. Walnut	8	N 65 1/2 W	8 1/2		
Aug. 1st 1895. Var 4"	C D	l. Boulder.			Bould		S E.	16 ft 6"	
					"		N	2 ft 6"	
C to D 20 2 3/4 D to O 39.72 ch.	C D	Red Flint Boulder	15 x 12		Ash		N 10 E	10 Links	
					Cross + on top & C on the side.				
		Sand Boulder			Stone		S 9 x 10 W	26 1/3	
					C. F. Webster.				

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
On April 22, 1904 I set	M	Stratified Limestone M			Boulder S.P. Harris, S.S. Co. by W.H. Isley, Dep		S.	17½

Record of Surveys in Shelby County, Indiana.

Section *D* Township *//* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Land.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Oct 31st 1854 sur. for J.</i>	<i>E</i>	<i>Boulder</i>			<i>Hickory</i>	<i>12</i>	<i>S 7 E</i>	<i>14</i>
	<i>F</i>	"			<i>Ash</i>	<i>8</i>	<i>N 6 W</i>	<i>42</i>
	<i>M</i>	"			<i>Beech</i>	<i>14</i>	<i>S 38 E</i>	<i>64</i>
	<i>N</i>	"			<i>do</i>	<i>12</i>	<i>S 2 E</i>	<i>76 1/2</i>
	<i>X</i>	"			<i>do</i>	<i>10</i>	<i>N 36 W</i>	<i>87</i>
	<i>W</i>	<i>Stone</i>			<i>Oak</i>	<i>36</i>	<i>S 45 W</i>	<i>76</i>
	<i>Y</i>	"			<i>No Hit</i>			
	<i>A</i>	"			<i>do</i>			
	<i>C</i>	"			<i>Nut</i>	<i>6</i>	<i>S 7 1/2 E</i>	<i>80</i>
					<i>hackberry</i>	<i>8</i>	<i>S 13 W</i>	<i>81</i>
					<i>Beech</i>	<i>12</i>	<i>S 2 W</i>	<i>82</i>
					<i>Ash</i>	<i>6</i>	<i>S 2 E</i>	<i>33</i>
					<i>Poplar</i>	<i>40</i>	<i>S 24 W</i>	
					<i>do</i>	<i>30</i>	<i>S 46 W</i>	
	<i>Nov 16th 1866 989 Chas S Same</i>	<i>D</i>	<i>of same Stone</i>			<i>No Hit</i>		
<i>D</i>		"			"			
<i>F</i>					<i>W. H. Miller Surveyor</i>			
<i>June 11th 1877 J. L. Ligon SSB</i>	<i>G</i>	<i>Stone mark</i>	<i>F</i>		<i>Sycamore</i>	<i>10</i>	<i>E</i>	<i>51</i>
	<i>D</i>	"	<i>G</i>		<i>Hickory</i>	<i>14</i>	<i>S 8 1/2 E</i>	<i>61 1/2</i>
	<i>D</i>	"	<i>D</i>		<i>do</i>	<i>20</i>	<i>S 9 E</i>	<i>33</i>

Record of Surveys in Shelby County, Indiana.

Section 3 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
13.32 chains East of	F	stake.			red oak	8	S 50° E	25 1/2
13.61 chains East of July 20, 1888. Finley S. S. C.	vari Z	3d. stout s.			G. ash Walnut,	6. 2 1/2	S 54° W N 79 1/2° E	12. 78.
chain carriers + Pagoner Wm Howe indicott Fees Howe Feb'y 5/91 J Dugan S.S.C.	Z	stone mark			B. walnut Beech	10 30	S 13 1/2° E S 52° W	59 1/2 36 1/2
Aprile 14 th 1902. M. F. Crawford County surveyor, 1905. 52 rds. 1 1/2 links north of 49 rds. 24 1/4 " " " 47 rds. 22 " " " James E. Morris, S. S. C.	L	line stone		Wit.	Line st.	H	N 3 1/2° E N 88 1/2° E	2 1/2 29.
	L	Boulder			No witness			
	M	Limestone			"			
	N	Stable			"			

Record of Surveys in Shelby County, Indiana.

Section *3* Township *//* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>May 14 th, 1906.</i> <i>Set stone 87 ¹/₂₄ rods west</i> <i>and 108 rods south of</i> <i>James E. Norris, Shelby</i></p>	<p><i>A</i> <i>County</i></p>	<p><i>Surveyor.</i></p>			<p><i>Twin Hackberry</i> <i>..</i></p>	<p><i>27</i></p>	<p><i>South</i></p>	<p><i>30 links</i></p>

Record of Surveys in Shelby County, Indiana.

Section 4 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	L				Cum	28	N 75° W	8 ³ / ₁₀
	P				Beech	70	N 26° E	11 ³ / ₅
	A				Elm	4	S 19° W	6 ¹ / ₂
	E				Beech	21	S 68° E	21 ¹ / ₂
	V				so	20	N 83° W	7 ¹ / ₅
	Z				so	15	S 8° E	
	X				N. Oak	39	N 75° W	4
	P				Ash	12	E	20
	O				Beech	22	N 48° W	34
	N				so	4	S 70° E	5
	M				Sugar	6	S 85° E	3 ¹ / ₅
					Beech	11	S 30° W	5
					Elm	28	S 73° W	9 ¹ / ₂
					N. Alder	3	S 86° E	5 ¹ / ₂
					Ash	3	S 55 ¹ / ₂ ° W	11
					N. Ash	2	S 47 ¹ / ₂ ° E	21
					Beech	12	N 11 ¹ / ₂ ° W	13
					so	8	S 66° E	26
					so	12	S 27° W	21 ¹ / ₄
					so	12	S 32° E	32
					Walnut	14	N 36° W	10
					Elm	12	S 66 ¹ / ₄ ° E	11
					Rock, Surveyor			

Record of Surveys in Shelby County, Indiana.

Section 4

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>1/2 of 77 68 Rods South of 82 40 " West of said corner.</p>	<p>O-P A</p>	<p>Stone " "</p>			<p>No Nit " "</p>			
<p>Sept 11th 1863</p>	<p>1/2 of O-P Y</p>	<p>" Boulder</p>			<p>Ed Minchel Surveyor No Nit Keweenaw 14 N 28 1/2 W 16 1/2 N-Oak 30 N 30 E 42 Torriss. Surveyor</p>			

Section 3 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Mar 28 th 1831	E	Stone			Beech	15	S 35° E	64
J. M. Elliott, Surveyor	F	"			Ash	26	S 42° E	61
					Buckeye	12	N 62° E	61
Mar 25 th 1834 Geo. Sargin, Surveyor					do	6	N 45° W	63
	V	"			No Wit			
	W	"			Beech	18	N 8° E	16
					Hickory	4	S 55° W	7
	N	"			Buckeye	8	S 82° E	15
					Hickory	8	N 44° W	70
	T	"			Ash	8	S 51° W	22
					do	4	N 13° E	7
Sept 11 th , 1863	Y	Aug 29. 21 wit. 11 est.			stone 5, 50 th of 6 to 6 5/28 th W		50 27; 50. 11.	
	R	"			"			
	L	Sand			Ash	4	N 28 1/2° W	42
					H-Oak	24	N 24° E	107
	M	Boulders			Ash	6	S 39° E	4
					do	10	N 88° W	87
					B-Walnut	30	S 54° E	129
16 ⁷⁴ / ₁₀₀ chains E 16 ⁷⁴ / ₁₀₀ " E + 19 ⁷³ / ₁₀₀ chains N of 16 ⁷⁴ / ₁₀₀ " E + 17 ⁹² / ₁₀₀ chains N of 16 ⁷⁴ / ₁₀₀ ch E	L	Stone			Norris, Surveyor W oak	24	N 81° E	90
	"	"			Walnut	15	N 63° W	47
	"	"			Negro Head mk wit		N 37° E	29 1/2
	"	"			R Elmo	18	S 72° E	107

Section

5

Township

//

North, Range

7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>Aug. 13th, 1906, set a stone 4 chs. 25 links North 3rd East of a point 20 chs. 460 links north and 48 chains West of Set 2nd. stone, ^{3 chs. 54 links} North 45th East of above. Set 3rd. stone, ^{3 chains 65 links} North 31st East of 2nd. stone Set 4th. stone 41 chains and 62 links west of</p>	L	Lime Stone			Stone		East	39
		" "			Anchor Post	12	S. 27 ^{3/4} W.	60
		" "			Sycamore	24	N. 57 ^{1/2} E.	10 1/2
	A	" "			Lime Stone		S. 59 ^{1/4} E.	45
<p>James C. Norris, Co. Surveyor, assisted by W. H. Isley.</p>								

Section 6

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Apr 4 th 1830-	Y R	Stone "			Oak 36 S 8 W 25 Beech 12 N 72 E 38 Calm 24 N 24 E 67			
Nov 26 th 1862-	L M	L-Stone Boulder			J. M. Elliott, Surveyor Blk-Walnut 40 N 30 E 37 S-Ash 40 S 41 W 42 1/2 Hackberry 10 N 19 E 49 Beech 12 N 63 W 22 1/2 Gum 30 S 75 1/2 W 36 No Nit			
	O	"						
	F G B	" " "			B-Oak 6 N 54 1/2 W 94 S-Ash 9 S 41 W 64			
14 27 Chus S Same S 5 46 Chus N 5 60 Chus N	D B O P E	L-Stone Sand " Lime " " Stone			Bur-Oak 8 S 65 W 20 do 8 S 36 1/2 W 11 Hackberry 30 N 42 1/2 E 29 Beech 12 N 32 E 77			
1.81 chains W 1.81 " W 1.77 chains West + 17.92 chains S of Relocated	L A "	Stone " " " marked B			Kornis, Surveyor Beech 20 N 33 W 50 B Walnut 12 N 72 E 42 no mt available ash 10 South 29 W 76 do 10 S 71 W 88			

Record of Surveys in Shelby County, Indiana.

Section **6** Township **11** North, Range **7** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
17 <u>9 1/2</u> Chains N November 27+28 th 1877 of J. Sugan, S.S. & L.	M	Stone			Maple	16	N 17° E	46 1/2
10 Links West of	O	Stone mark O			Hickory	14	N 8° W	20
	N	"			Stone		W	25
	D	"	pub D		Stone		N 13° W	29 1/2
	G	"			Stone		N 86 1/2° W	20
May 23-1878 Survey for Henry DeBaun and Frank Reem Run a line from Perpetuated by Wt.	M to N N	Set stone on line Stone			Writ. Stone		E. 23° W	
					C. F. Webster, S.S.			

Section 7 Township // North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	N				Beech	27	N 10 E	16
	B				so	14	S 73 E	15
					R-Oak	24	S 10 E	34
					Ash	12	N E	18
	T	Stone			Oak	2	N 75 1/2 W	4 3/4
	S	"			Beech	15	S 66 1/2 E	11
	O	"			so	18	N 8 E	31
	Y	"			Oak	20	S 17 1/2 E	24
	V	"			Ash	4	N 60 W	28 1/4
	W	"			Beech	20	S 73 1/2 W	31 1/2
	X	"			so	10	N 10 W	13 3/4
Mar 18 th 1857		"			No Nit			
		"			Beech	12	N 40 W	32
		"			J-wood	4	N 10 E	21
		"			No Nit			
40 Rods E of S E Corner of Sec 8, T. 7 N., R. 7 E.		"	31		Beech	20	N 68 W	19
x This Corner. Cannot be S E Cor determined. unless you a Resurvey be made, to 7 N.		"			No Nit			

Nickols, Surveyor

Jno Dargiv, Surveyor

Section 7

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	C	Stone marked C			B Locust	8	S 34 1/2 W	37
					do	6	S 17 1/2 W	30
	D	Stone marked D			B oak	48	S 11 E	29
from original with see field notes	E	" " E+Z			W oak	30	S 56 E	81
May 29 th 1888; T. Finley Co. Survey,	H	Sand stone	Mt., Ft.		Beech.	30.	S. 75 E.	32.
10.72 chains East of March 18 th 1891 chainman + Flagman Willis Maple Sand Maple + Andrew Monroe J. C. Egan S.S.C.D.	H	stone			Beech	14	N 20 E	12

Record of Surveys in Shelby County, Indiana.

Section 8 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Mar 19 th 1837	C. X. M.	Stones			No Nit			
	N	"			W-ash	20	N 31 E	15'
Sept 1881.	Y	Boulder			Geo. J. Sargin Surveyor			
	O	"					Beech	15
					Stone		N 72 3/4 N	25 1/2
					So		S 61 N	24.
Co. F. Webster Surveyor &c. Nov 20 th 1883 Hawkins Sub	W	"			No Nit-			
11 chains North of	W-V	"			" "			
13 " " "	"	"			" "			
11 chains North of	"	"			" "			
13 " " "	"	"			" "			
Geo Murphy Surveyor Made witness for Aug. 29, 1921 Geo. E. Oltman C.S.	D				Stone		S 58° E	50 Li.
					stone		S 28° W.	50 Li.

Record of Surveys in Shelby County, Indiana.

Section

9

Township

11

North, Range

7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Feb 5 th 1862	N	Stone			Beech	12	N 42 N	13 1/2
					do	16	N 73 1/2 E	10 1/2
	X	No Boulder,			Stone		N 35 N	37
					do		S 60 N	26
<i>Kovviss, Surveyor</i>								

Section 10 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 31st, 1851	M	Boulder			Beech	16	S 42 N	12
	N	"			so Ash	14 18	N 38 E S 28 1/2 E	13 31
	O	"			Beech No Nit	16	S 65 1/2 N	114
March, 1881, 19.5 1/2 Chus North of 10.9 1/2 Chus East of 10.9 1/2 Chus East of C. F. Webster Surveyor Sta	W	Stone			of, Mr. Calliott. Surveyor no nit.			
	N	"			no nit;			
	X	"			no nit			

Record of Surveys in Shelby County, Indiana.

Section *11* Township *11* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nickols, Surveyor,</i> <i>Oct 10th 1850</i>	<i>O</i>	<i>Stone</i>			<i>Elm</i>	<i>30</i>	<i>N</i>	<i>3</i>
	<i>A</i>				<i>Ash</i>	<i>12</i>	<i>N E</i>	<i>9</i>
					<i>Beech</i>	<i>16</i>	<i>N 85 E</i>	<i>27</i>
	<i>C</i>				<i>Sum</i>	<i>20</i>	<i>N 75 W</i>	<i>6</i>
					<i>Beech</i>	<i>20</i>	<i>N 83 W</i>	<i>9</i>
	<i>H</i>				<i>so</i>	<i>20</i>	<i>N 30 W</i>	<i>34</i>
					<i>so</i>	<i>24</i>	<i>N 28 E</i>	<i>24</i>
	<i>K</i>				<i>B- Ash</i>	<i>4</i>	<i>S 72 E</i>	<i>26</i>
					<i>Sycamore</i>	<i>6</i>	<i>S 49 N</i>	<i>21</i>
	<i>L</i>				<i>Beech</i>	<i>14</i>	<i>S 38 E</i>	<i>64</i>
<i>so</i>					<i>24</i>	<i>N 49 W</i>	<i>37</i>	
<i>N</i>				<i>Oak</i>	<i>40</i>	<i>S 68 E</i>	<i>28</i>	
				<i>Elm</i>	<i>30</i>	<i>S 30 W</i>	<i>13</i>	
<i>M</i>		<i>Stone</i>			<i>Beech</i>	<i>18</i>	<i>E</i>	<i>10</i>
					<i>No Nit</i>			
<i>J. M. Calliott Surveyor,</i> <i>June 27th 1837</i>	<i>L</i>	<i>mark & Stone</i>			<i>J. Morgan, Surveyor</i>			
	<i>A</i>				<i>B oak</i>	<i>48</i>	<i>S 68 E</i>	<i>27</i>
<i>Stone</i>						<i>N 42 W</i>	<i>27</i>	
<i>1021 Links S of</i> <i>1022 1/2 " " "</i>	<i>C</i>	<i>Stone</i>			<i>Stone</i>		<i>E</i>	<i>27</i>
	<i>C</i>	<i>" "</i>			<i>" "</i>		<i>N</i>	<i>20</i>
<i>may 25th 1871 J. C. Owens</i> <i>Perpetuated</i>	<i>N</i>	<i>S Stone</i>			<i>dit wit Elm</i>	<i>30</i>	<i>S 31 W</i>	<i>15</i>
	<i>O</i>	<i>" "</i>			<i>S Stone</i>		<i>N</i>	<i>44</i>

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 28 1921 made witness for	II	Stone marked + S.W. 2R Stone marked + S.E. 2R					N ^o E. N ^o W	50 Li. 50 Li.

Section

12

Township

11

North, Range

7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
21 Chms East to N. Webster Sump.	P	and 64 links North of Centre of road.			Ash	15	A 88 A	29 1/2

Record of Surveys in Shelby County, Indiana.

Section 14 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>April 2nd 1852, C. F. Webster, Deputy, S. S. C.</p> <p>Nov. 14. Set the following 82 links 11 chains & West of 7. 11 chains & 82 links West of W. H. Isley, S. S. C.</p>	<p>M</p> <p>O</p> <p>L</p> <p>V</p>	<p>Boulder</p> <p>"</p> <p>Post -</p> <p>Stone Mark +</p>	<p>marked</p> <p>"</p> <p>"</p> <p>"</p>	<p>M.</p> <p>0</p> <p></p> <p></p>	<p>Boulder</p> <p>do</p> <p>Stone Mark +</p> <p>"</p>	<p></p> <p></p> <p></p> <p></p>	<p>N 20° E</p> <p>North</p> <p>South</p> <p>North</p>	<p>34 ³/₄</p> <p>24 ¹/₂</p> <p>204</p> <p>25.</p>

Record of Surveys in Shelby County, Indiana.

Section 13 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	P	stone			No Nit			
	Y	"			Ash	22	S 46 E	43 3/4
	X				Beech	18	N 39 1/2 E	61 1/4
	W.				Sycamore	4	N 1 1/2 N	32
					Asp	4	N 61 E	63
					Beech	13	N 28 N	17 1/2
					do		N 61 1/2 E	32 1/2
45 Rods N	of same				S Wood	2	N 32 1/2 N	5
	V				Hickory	14	N 40 E	25
					Beech	3	S 79 1/2 N	40
					S Wood	4	S 88 1/2 E	37 1/2
	L				Sugar	10	N 53 1/2 N	31 1/4
	N				Hickory	13	S 72 N	27 1/2
					Beech		S 53 1/2 E	78 3/4
	M				do	22	S 25 1/2 N	18 3/4
					do	12	S 41 1/2 E	28 3/4
South End	X-N				do	12	S 70 N	54 1/4
					do	11	S 50 N	83
	Y-O				Sugar	12	S 6 E	34 1/4
					Buckeye		N 8 E	32
	R.				Sugar	12	N 32 N	13 3/4
					do	14	N 54 E	30
Nickols-Sumeyor.	S.				Buckeye	12	N 49 1/2 N	68 3/4
					do	12	N 83 N	83.

Section / 3rd

Township / /

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Apr 18 th 1830-	B				Beech	8	S 33 E	19
					Ash	18	S 26 1/2 N	50
	D				H-Oak	48	N 75 E	32
					Oak		S 83 N	35
	I				Ash	28	N 15 N	6
					So	18	S 58 1/2 E	25
	O				Beech	10	N 34 N E	19.
					So	14	S 77 E	34.
October 1880, Perpetuated	B	Stone			Stone by Rich Stump	8.	S 35 E	19
	L	Large Fine Stone			Stone		West	34
21 1/2 Chus North of	L	Boulder			Boulder		S 87 1/2 N	34 1/4
21 1/2 Chus North of	M	Yng "			Walnut	4	N N	5 1/2
{ Sub for distance					Mulberry	2	S E	5 1/2
	O	Stake			Beech	24	N 52 1/4 N	22 3/4
					So	20	S 74 E	37
					So	15	S 32 E	55
15 1/2 Chus West of	O	Stake			Beech	30	N 42 1/2 E	14 1/2
C. F. Webster Surveyor, S. Co.					So	24	S 30 N	12
Sept. 3rd. 1906.								
35 chs. and 37 links north of	U	stone		no	wit.			
35 chs. and 37 links north of	W	"		"	"			
James E. Morris, S. S. Co.								

J. M. Callist, Surveyor

Record of Surveys in Shelby County, Indiana.

Section 13 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>10 96 Chus East of</p> <p>April 8, 1915</p>	<p>VC</p> <p>C</p> <p>S</p>	<p>Sand Stone marked X. 14 Stone</p> <p>Blue Gneiss for SE cor 43. a. track</p>			<p>20.43 1/2 North of X.</p>		<p>18 1/2 E</p>	<p>2 1/2</p>

Surveyed with...

Record of Surveys in Shelby County, Indiana.

Section 15 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
April 8, 1915	S	Limestone			20.43½ North of X.			

Record of Surveys in Shelby County, Indiana.

Section 16

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
May 9 th 1830-	W X				Beech	9	N 11 E	27 1/2
Elliott, Surveyor Feb 3 th 1862	E	L. Boulder			Oak	18	N 36 W	84
	D	"			Gum	24	N 7 N	77
					Stone		N 64 E	11
					Sugar	24	N 45 W	1
					Stone		N 82 1/2 W	137 1/2
					do Top		S 68 W	154 1/2
24 R 19 Q N	of same	Stone			do		N 7 E	34
					do		N 67 E	52 1/2
49 R 13 Q, N.	of same	"			do		N 68 1/2 E	40
62 R. N.	of same	"			do		N 89 E	151
					do		N 74 E	34 1/2
					do		S 77 1/2 E	23 1/2
	O	Boulder			Beech	20	N 69 1/2 W	29 1/2
					Blk Gum	9	N 21 1/2 E	7
24 R 19 Q East	of same	"			do	36	N 43 E	25
					Beech	12	N 37 W	27
49 R-13 Q West	of same	"			do	11	N 62 E	24
					do	11	N 60 1/2 W	23
18 R. 19 Q, East Var of Needle 45-27-30"	of	K	Sec 17. 18+19		Korniss, Surveyor			
Dugan Surveyor Feb. 8 th 1877	M	Stone mks M			ash	15	E	35 1/2
					Beech	16	S 19 W	70 1/2

Record of Surveys in Shelby County, Indiana.

Section 17 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bound.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	M	Stone			Beech	18	N E	13
					so	12	S 20 E	18
	N	"			ash	20	S 60 W	6
					Wal'kong	18	N	27
	Y	x			Ash x	8	corner	
	K	Boulder			White			
	G.				Oak		S 50 E	54
					Beech	14	S 42 W	76
	L	"			so	15	N 32 E	4 3/4
					Oak	30	S 7 1/2 E	52
	O	"			Beech	20	N 23 1/2 E	64
					ash	6		
					Former Surveyor			
Feb 5 th 1862	A	L "			Stone		N 64 E	11
28 R. 8 L. N.					Sugar	24	N 45 W	1
	B	"			Stone		N 50 W	42
							S 43 E	35
					so		N 64 1/2 E	22 1/2
	I	"			so		N 18 1/2 E	4 1/2
					so		S. W. cor.	62 1/2
	K	"			so		N 29 E	13 1/2
28 R. 18 L. N					Beech	10	N 34 E	40 1/2
Atchiss, Surveyor.					so	25	N 14 W	27 1/3

Section 18

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	N	Stone			Elm	22	S 1 N	14 1/4
	O	"			Oak	14	S 25 E	3
	G	"			Beech	12	N 86 N	8
	H	"			do	14	S 62 E	22
		"			do	22	N 68 N	31
		"			do	15	N 23 1/2 N	21
		"			do	16	N 48 N	6
		"			do	17	S 73 N	27
82.4 Rods	N	"			do	6	N 89 N	22 1/2
	M	"			Ash	6	N 21 E	8
	R	"			Beech	12	S 79 1/4 N	15
		"			Ash	3	N 49 E	6 1/2
		"			Beech	18	S 12 E	28 1/2
	S	"			No Hit			
	W	"			Beech	24	N 82 1/4 E	12 1/2
	X	Sandstone			No Hit			
	Y	Rough "			"			
	C	Stone			"			
	H	"			"			
Pro. Keop, Surveyor, Dec 26th 18th 15 1/2, R. N. of 1866 - Same of	X	Sandstone			Miller, Surveyor Marked Gray Ash	24	S 8 E	49
November 8th 1886. W. R. Norris, Deputy County Surveyor.					X 18 Black Walnut	12	S 63 W	49

Section 18 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
P.	II ^D	boulder			B. Oak	10	S 8 1/2° W	83
	"				E. Gum	17 1/2	S 40° E	56
(with. taken by Nov. 3rd 1887. M. W. Finley, S. C. C.)	O	boulder			B. Oak	25	S 69° W	63
	"				S. Gum	11 3/4	S 8 1/2° W	86

Section 19 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
May 17 th 1866	M	No Boulder			No Nit			
	N	"			Beech	12	S 23 1/2 N	19
					do	24	N 37 N	31
	O	"			do	20	N 34 N	33
					do	25	S 66 N	29
This Corner is 209. North	P	"			Red Elm	8	N 72 N	30 1/4
					Beech	30	S 68 3/4 N	17
See Field Notes of	L	Stone, 24			Keop. Sumner			
May 3 rd 1867 Tested.	N				Beech	12	N 78 N	19
found wrong - True Nit					do	12	S 28 E	13 1/2
Goes N. E. L. & N. S. L. of Keops	M				Miller Sumner assisted			
8 ⁸⁶ / ₁₀₀ Chains W of	X	L Stone m 886			By Cornish, Ex. L. S.			
7 ⁶⁴ / ₁₀₀ chains E of	"	" " 40			B Walnut	30	S 30 W	20
18 ⁰⁰ / ₁₀₀ " N of the above	"	" " "			no nit avail			
252 " W " " "	"	" " 72			ash	10	S 83 E	22
15 ⁸⁴ / ₁₀₀ " N " " "	"	" " 10			no nit			
72 Rods N of	X	" " 15 24						
890 Chains W of the above		Stone " 7						
309 " E " " "		" " "						
33 ⁸⁴ / ₁₀₀ ch N + 8 ⁸⁴ / ₁₀₀ W of	X	" " "						
309 ⁶ / ₁₀₀ W of the above					D. wood	5	N 45 E	10 1/2
					do	4	S 12 E	12
					ash	18	E	2

See partition of Hageman Winkers and Elac

Section

19

Township

11

North, Range

7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct. 12th 1892. I made a survey of the $\frac{1}{2}$ of N.E. and cut off 50 acres from the N. end thereof an established corner as follows.								
24.82 $\frac{1}{2}$ chains S. of	B	Corner			Stone building N 56° E			27.
24.82 $\frac{1}{2}$ " " "	C	Corner			" " " S 87 $\frac{1}{2}$ E			42.
					" " Small St.			12.
					Small building 3 N			2 $\frac{1}{2}$.
Notice served in writing to all parties interested.								
Thomas A. Finley C. Surveyor.								
For additional record see page 226.								
August. 26-1898.								
8.50 ch. ct and 10 ch W of	S	Lime Stone			Stone		North	26
(30 ch ct of) 38.50 ch north of	R	Stone			Stone		South	15
					at S side of Gravel pit.			
10.54 ch East of above corner		Boulder			Beech	10	North	16 $\frac{1}{2}$
10 ch East of above corner in Road.		Stone for ct & cov of						
		30 Acre tract						
C. F. Webster. S. S. C.								

Section 19

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
40 chains W + 6 chains S of	M	Stone +			Maple Large lime Stone	8	N 12 W N	6 22 7/10

Record of Surveys in Shelby County, Indiana.

Section 20.

Township 77.

North, Range 7.

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Aug 18-1870.	Q	Stone			Stone		South	22 1/2.
10.80 chs. South of.	R	Stone			Do.		S. 39 1/2 E.	34.
	R	Stone			Oak	18	N. 3 1/2 E.	14 1/2.
	R	Stone			Stone		South	41.
10 chs. North of.	R	Stone			Stone		North	26 1/2.
	R	Stone			Do		South	17.
0.50 chs. North of last above corner.	R	Stone			Stone		N. 17 E.	17 1/2.
	R	Stone			Do		S. 13 E.	16.
1.50 chs. North of	A	Stone			Do		N. 30 1/2 E.	18.
found by T. Sumnerford L.S. 3-73	A	In Flat Rock River.			Do		S. 15 1/2 E.	17.
ALSO found Spike w/cut driven in	B	Stone.			Beech	18	N. 25 1/2 E.	14.
Rock bed of river 223' East of A	B	Stone.			Sugar	20	S. 55 1/2 N.	30.
	M	Stone			Beech	12	N. 9 E.	20.
	M	Stone			Sugar	24	N. 34 E.	22.
	M	Stone			Cedar	26	S. 44 E.	42.
	M	Stone			Beech	20	N. 13 E.	11 1/4

C. F. Webster,
Dep. Surveyor, &c.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Mar. 1. 1923 relocated	X	Stone			stone		S. 65 $\frac{1}{2}$ ° W.	50 li.
Made wit for	W.				stone		N. 60° E	50 li.
					stone		S. 19° W	50 li.
					Stone		S. 75. W.	50 li.
Geo. E. Oltman	X	Stone			no wit.			
Co. Surv.	VI	stone			no wit.			
60 rds N. of								
60 rds N. of								
John W. Whitlock 4, APR, 1980	W	Red. Nail			See Tie File		See Remarks, pg. 228	
" 4, APR, 80 1790.23' N. of	W	RR Spike			"		"	

Section *23* Township *11* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Rock, Surveyor Mar 21st 1854</i>	<i>C P.M H.I N</i>	<i>Stone Stones " Stone</i>			<i>Sugar No Nit Beech No Nit</i>	<i>24 8 8</i>	<i>S 65 1/2 N S 22 E</i>	<i>34 38</i>
<i>Middle of Line</i>	<i>M</i>	<i>"</i>			<i>Beech</i>	<i>9</i>	<i>N 30 N</i>	<i>14</i>
<i>Jargin, Surveyor. Apr 17th 1830 - 30, R.S. of Elliott, Surveyor</i>	<i>K</i>				<i>So Calm Beech</i>	<i>10 6 24</i>	<i>S 29 N N 54 N S 68 N</i>	<i>15 24 32</i>
<i>July 6th 1864 - 11.07 ch N of 11.07 chus N of</i>	<i>Same A</i>	<i>Limestone Boulder</i>			<i>So Calm No Nit</i>	<i>10 8</i>	<i>N 87 N S 62 E</i>	<i>11 40</i>
<i>Feb 1876 Perpetuated</i>	<i>C</i>	<i>Stone</i>			<i>Blue Ash</i>	<i>24</i>	<i>S 45 N</i>	<i>103</i>
<i>12 Rods 11 ft West of L. F. Webster, Surveyor Oct. 8 - 1897.</i>	<i>R</i>	<i>Stone</i>			<i>Sugar Beech</i>	<i>12 24</i>	<i>N 38 1/2 E N 65 1/2 N</i>	<i>78 34 1/2</i>
<i>Survey for W. A. Benson, et. al. Set stone in Vandalia Road 9.65 ch N of line 4.47 ch N of the above</i>		<i>A to C Boulder at S side of Vandalia Road.</i>						

C. F. Webster S. S. C.

Section 23 Township // North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>Nov. 30th, 1906. Survey for Peck & Goodwin. Set 1st stone, a red boulder, at 37 rods and 10 links west and 13.80 chains south of Set a limestone 12 chains and 52 links west of above James E. Morris, S. S. Co.</p>	C				No witness "			

Section 24

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.

Corners.

Stone, Mark, &c.

Acres.

Bound.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

Z
F

N-Beech 3 N 55 1/2 E 18
Beech 30 S 15 E 12 1/2

P

so 10 N 22 1/2 W 17
Oak 12 S 10 1/2 E 13

M

so 30 N 85 W 38
Beech 10 N 67 W 12 1/2

N

so 10 S 71 W 25 1/2
so 12 S 67 E 44

O

so 6 N 13 1/2 W 50
Hickory 12 N 10 W 28

Y

Ash 25 S 67 1/2 W 24
Beech 14 W 15 3/4

X

so 6 N 52 E 26
Hickory 8 N 46 E 17

W

Beech 18 S 31 1/2 W 21

H

so 12 S 81 W 24
Oak 4 N 70 E 8 1/2

L

elm 25 S 12 E 18
Beech 12 S 17 1/2 W 18 1/2

K

Cherry 4 S 2 1/2 E 27 1/2

I

Beech 8 N 14 W 49

G

so 14 N 73 1/2 W 19 1/2
so 11 N 63 W 11 1/2

so 14 N 1 W 24

Rock, Surveyor.

Record of Surveys in Shelby County, Indiana.

Section *25* Township *11* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Rock, Surveyor.</i> <i>Sept 12th 1831</i> <i>Elliott, Surveyor.</i> <i>Apr 28th 1868</i>	N.				<i>Beech</i>	<i>10</i>	<i>E</i>	<i>26</i>
	M.				<i>do</i>	<i>18</i>	<i>S 76° E</i>	<i>30</i>
						<i>do</i>	<i>12</i>	<i>S 63 1/2° W</i>
 <i>Miller, Surveyor</i>	H.	<i>Boulder</i>			<i>Beech</i>	<i>13</i>	<i>S 72 1/2° W</i>	<i>43</i>
	G.	"			<i>do</i>	<i>13</i>	<i>N 41 1/2° E</i>	<i>39</i>
	O.	"			"			
	Z.	"			"			
	X.	"			"			

Section 26

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.		
Nichols, Surveyor Sept 12 th 1850 N. E. cor. of N. W. of N. E. cor.	N				Beech	13	S 25° E	8		
	O				So	13	N 38° W	23		
					So	20	N 20° W	23		
					So	18	S 14° E	28		
	F. M. Elliott, Surveyor 9.32 Chrs South and 11.32 Chrs West of E. T. Webster, Surveyor 1875. 9.10 chains East of	B	Stones Stone			Calm	15	N 66° E	10	
		C	"	"	"	Beech	24	N 3° W	18 1/2	
						H. Locust	4	S 48° W	30	
		H	"	"	"	"	Beech	8	N 85° E	31
							W- So	6	N 15° E	37
I		"	"	"	"	Beech	12	N 78° E	18	
						So	10	N 23° W	48	
L N		"	"	"	"	So	20	S 30° W	6	
	Oak					24	S 86° E	32		
					Beech	8	N 34° W	138		
11 1/8 Chains W 30 7/8 " " N 11 1/2 Ch W of the above of		Sand Stone			Stone		North	30		
	C	Boulder	"	"	So		N 54 1/2° E	12 1/2		
					So		S 71 1/2° W	25		
	C D	Stones inc	"	45	"	Four Mulberries		S 13° E	50	
						greyhead		N 79 1/2° W	28	
4 mulberries						24	S 30° E	43		
					(Stone not)		W	35		
					do		E	35		
					do		E or	25		

Record of Surveys in Shelby County, Indiana.

Section 27 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Mrs. Koendricks, Surveyor</i> <i>Apr 1st 1862</i></p>	O				N-Oak	30	N 20 W	7
					Beech	14	S 30 W	23
		N			N-Oak	20	ct	31
		L	Boulder		Boulder		N 30 W	63
					so		N 57 E	3:5
		M	"		so		S 31 W	3:7 1/2
<p><i>Apr 30th 1863</i></p>					Ash	15	N 39 E	171
		P	"		N-Calm	10	S 80 1/2 W	123 1/2
					N-Oak	6	S 33 1/2 W	137
		B			ct to Nit			
<p><i>1/2 of</i></p>	N-O	" Large "						
<p><i>John W. Whitlock</i></p>								
<p><i>4, APR, 1980</i></p>	B	Rd. Nail						
					See tie file		See Remarks, pg. 228	






Cross's Surveyor.

Record of Surveys in Shelby County, Indiana.



Section 2^d Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Keendricks, Surveyor Apr 29 th 1863	N				Keickon	27	S 56 N	19
	M	²⁸ Boulder			Beech No Nit	20	N 65 E	9 1/2
65.38 East. of	E	Stone			Keeniss, Surveyor Beech	30	N 18 N	32
	D	"	"	"	So	24	S 34 N	41
					So	8	N 12 E	47
					So	12	S 17 E	39
					So	8	N 28 E	31
So	8	N 50 N	43					
Sept 23 rd - 58.42 Rds N of 1859 - 59.20 Rds N of Same N of 104.64 Rds N of 97.90 Rds N of	P	"			No Nit			
	N	"			"			
	H	"			"			
	Same	"			"			
	Same	"			"			
July 19 th 1863	E	Boulder			Keichel, Surveyor No Nit			
	Same	"			"			
	C.	Stone			"			
	Same	L. Boulder			"			
	Same	B	"		"			
	Same	M	"		"			
					Keop, Surveyor			

Section 28 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
3.41 Chains North of		Boulder			marked		3.41	
13.74 chains North of		Boulder			"		13.74	
3.41 chains North of  ;								
thence East 11.62 1/2 chains		Boulder			"		11.62 1/2	
13.74 chains North of  ;								
thence East 11.62 1/2 chains		Boulder			"		10.33	
11.62 1/2 chains East of  ;								
thence East 17.47 chains		Limestone			"		17.47	
Chain George W. Newton	—	Flagman	—	John T. Bengser				
Barriers Frank P. Bengser	—	Arman	—	Dr. Samuel A. Kennedy				
April 28 th & 29 th 1884.	By Wm R. Morris, Deputy County Surveyor.							

January 2, 1905, I made survey locating the following corners

31.39 chains North of		Stone + '90	Stone	North	35'
31.36 ²¹ / ₁₀₀ chains " "		Stone +	"	"	35'

W. H. Isley, deputy of S. E. Norris, County Surveyor of Shelby Co. Ind.

Record of Surveys in Shelby County, Indiana.

Section

28

Township

11

North, Range

7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
4. Ch. 46 Links West of M. F. Crawford Surveyor. February 6 th 1899.	M	Stone mark +			Beech	24	S. 2 W	15
4. Ch. West M. F. Crawford Es. Surveyor. Feb. 6 th 1899.	B	Stone " +			Boulder		S 89 E.	5

Section 29 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Rand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
See 16 th 1836-	D	Stone			Hickory	12	N 30 W	16
					do	6	S 32 W	11
	O A L C E X W N M P	" Stones			Ash	20	N 16 W	3
					No Nit			
Margin, Surveyor								
(M to O = 41.15 chs.)	N	Sand Bmlde			Lime Stone		S 89 E	20 1/2
60 Rods East of. 60 Rods East of Var. Wand S. 3 3/4	M C C C	Sand Stone [marked and + note] hard boulder Stake			Ash.	15	S 70 E	18
					Beech	24	S 7 1/4 W	82 1/2
					Beech	18	S 7 1/4 E	100 1/2
					Walnut	14	S 70 W	84 1/2
60 Rods East of	N	Sand Stone			Beech	18	S 32 E	88
					Hickory	18	S 75 W	47 1/2
					Ash	15	S 35 W	30
October 11 th 1899	C. F. Webster. S.S.C. C	Stone			Walnut	14	S 70 W	84 1/2
					Beech	20	S 32 E	88
					Millard W. Crawford C. S.S.			

Section 30 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Jan 9 th 1857	O	Stone			Beech	14	S 30 W 11	
	N.M.E.	"			Elm	48	N 63 E 11	
	C.P.S.	"			No Hit			
	X.Z.Q	"						
S. End of Line divid E ¹ / ₂ of N. E. q ^r					Margin, Surveyor			
Searched for 3-22-85, found Corner Post and long stone laying flat N-S. on East side and against Post.	M							
Searched for 3-22-85, NOTHING FOUND.	N							

Section *B1*

Township *//*

North, Range *7*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Jan 6th 1857</i>	YWX	<i>Stone</i>			<i>No Mark</i>			
<i>May 10th 1863</i>	OMN	"			"			
<i>69¹/₂, R. A.</i>	D, E	"			"			
<i>Same at</i>	N.	"			"			
<i>Koop, Surveyor</i>	O.	"			"			
	P	"			"			

*of
of*

Section *B 2* Township *//* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Sept 27th 1832 - 62 R. N. of S of above 7 R H. S. R. N 3 R - East 13 Rods	A							
Jan 7th 1837 - Jargin, Surveyor	XVZ PN	Stones "			30 J. M. Calliott, Surveyor No Nit		N 51 W 63 1/2 R	
August 10th 1892. Notice served in writing 16 days previous to June 30th 1892, all parties present on Aug. 10th.	W	large quartz sand stone			Stone border		N 14 1/2 E	30,
	T	grey sand stone			" "		N 43 1/2 W	39,
	T	grey sand stone			" "		1 East	10
	U	long red sandstone			" "		South	10
					" "		North	11
					" "		South	16
Daniel Waige } Charles Bruner } Joseph Middleton, flg. beam. } Chariners								
A survey made for the purpose of establishing the corner and lines to the South East quarter of the South East quarter of the section. at the instance of Jacob Wetmer, owner. Thomas S. Shirley, county Surveyor,								

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Haud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>May 23-1927 Surveyed for Herrod & Caudell Geo. E. Oltman surd.</p>	C.	+ on top			<p>Conc head walls Same</p>		<p>NW SW</p>	<p>17 30</p>

Record of Surveys in Shelby County, Indiana.

201

Section *33*

Township *11*

North, Range *7*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>Q</i>				<i>Beech</i>	<i>6</i>	<i>N</i>	<i>16</i>
	<i>R</i>				<i>Wood</i>	<i>6</i>	<i>N</i>	<i>25</i>
<i>Oct 19th 1861 - For Road.</i>	<i>X</i>	<i>2 Stones</i>			<i>Beech</i>	<i>24</i>	<i>S 55 N</i>	<i>29</i>
					<i>so</i>	<i>24</i>	<i>N 45 N</i>	<i>39</i>
					<i>so</i>	<i>16</i>	<i>N 21 N</i>	<i>98 1/2</i>
	<i>C</i>	<i>L Boulder</i>			<i>No Hit</i>			
	<i>N</i>	<i>"</i>			<i>Beech</i>	<i>14</i>	<i>N 10 E</i>	<i>33</i>
				<i>so</i>	<i>16</i>	<i>S 55 N</i>	<i>30</i>	
	<i>O</i>	<i>"</i>			<i>No Hit</i>			
	<i>P</i>	<i>"</i>			<i>"</i>			
<i>Miller, Surveyor</i> <i>Sept 1876,</i>	<i>X</i>	<i>"</i>			<i>"</i>			
	<i>Y</i>	<i>"</i>			<i>"</i>			
	<i>P</i>	<i>"</i>			<i>Beech</i>	<i>24</i>	<i>S 41 E</i>	<i>95 1/2</i>
				<i>so</i>	<i>18</i>	<i>N 83 N</i>	<i>56</i>	
	<i>E</i>	<i>Stone</i>			<i>Stone</i>		<i>N 30 1/2 E</i>	<i>37</i>
	<i>N</i>	<i>"</i>			<i>so</i>		<i>N 31 N</i>	<i>18 1/2</i>
	<i>O</i>	<i>"</i>			<i>Elm</i>	<i>10</i>	<i>N 67 1/2 E</i>	<i>61 1/2</i>
<i>J. H. Webster Surveyor.</i>					<i>Beech</i>	<i>15</i>	<i>N 58 1/2 N</i>	<i>112 1/2</i>

Section *B4*

Township *11*

North, Range *7*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Mar 31st 1862</i>	<i>E.</i>	<i>L. Boulder</i>			<i>N-Oak</i>	<i>24</i>	<i>S 25 1/2 N</i>	<i>106</i>
	<i>B.</i>	<i>"</i>			<i>Boulder</i>	<i>N 46 E</i>	<i>51 1/2</i>	
					<i>Wildcherry</i>	<i>12</i>	<i>S 47 1/2 N</i>	<i>138</i>
					<i>Ash</i>	<i>5</i>	<i>S 26 N</i>	<i>81 1/2</i>
					<i>L. Boulder</i>	<i>N 22 E</i>	<i>63 1/2</i>	
	<i>P.</i>	<i>"</i>			<i>Ash</i>	<i>12</i>	<i>N 77 1/2 E</i>	<i>75</i>
					<i>So</i>	<i>12</i>	<i>N 64 E</i>	<i>108 1/2</i>
<i>This Corner is 3/4 Chus E of Sec. 3-10-7-Bartholomew Co.</i>	<i>Z.</i>	<i>Blue "</i>			<i>Boulder</i>	<i>N 39 1/2 E</i>	<i>38</i>	
					<i>So</i>	<i>N 70 E</i>	<i>46 1/2</i>	
	<i>Y</i>	<i>"</i>			<i>Poplar</i>	<i>24</i>	<i>S 38 1/2 N</i>	<i>12</i>
<i>Both Field Note Not Living</i>	<i>X</i>	<i>"</i>			<i>Beech</i>	<i>20</i>	<i>S 4 E</i>	<i>47 1/2</i>
	<i>M</i>	<i>"</i>			<i>Sugar</i>	<i>9</i>	<i>N 35 1/2 N</i>	<i>41</i>
					<i>Hickory</i>	<i>14</i>	<i>N 38 N</i>	<i>26</i>
					<i>Ash</i>	<i>20</i>	<i>E</i>	<i>23</i>
	<i>N</i>	<i>Rough "</i>			<i>Sugar</i>	<i>6</i>	<i>S 38 E</i>	<i>15 1/2</i>
					<i>Walnut</i>	<i>20</i>	<i>N 40 E</i>	<i>114 1/2</i>
					<i>Beech</i>	<i>20</i>	<i>S 9 1/2 East</i>	<i>33</i>
					<i>Wildcherry</i>	<i>8</i>	<i>N 20 1/2 E</i>	<i>45 1/2</i>
<i>26 30 Chus North</i>	<i>M</i>	<i>Boulder</i>			<i>Sugar</i>	<i>6</i>	<i>N 69 1/2 N</i>	<i>156</i>
					<i>So</i>	<i>6</i>	<i>S 75 N</i>	<i>118 1/2</i>
<i>5 13 Chus East</i>	<i>O</i>	<i>"</i>			<i>Ash</i>	<i>9</i>	<i>S 42 E</i>	<i>28</i>
					<i>Beech</i>	<i>12</i>	<i>S</i>	<i>51</i>
<i>26 15 Chus North</i>	<i>of</i>	<i>Same</i>	<i>L "</i>		<i>Hackberry</i>	<i>12</i>	<i>S 36 1/2 E</i>	<i>88</i>
					<i>Ash</i>	<i>12</i>	<i>S 31 1/2 E</i>	<i>122</i>

Record of Surveys in Shelby County, Indiana.

Section *23* Township *//* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	Y	Stone			Beech	4	E	52
					do	10	S 75° N	42
	O	"			R-Oak	10	N 45° E	33
					Beech	30	S 52° E	42
	H	"			do	13	S 35° N	40
					S-Wood	40	17° N	26
	N	"			Ash	15	N 70° N	33
					Beech	18	S 30° N	62
	G	"			do	30	S 30° N	6
<i>Sargis, Sumner.</i>					Mulberry	20	S 82° E	34
	K	"			Beech	24	S 15° E	33
					do	14	E	9
<i>Rock, Sumner</i>	I	"			do	24	N N	2
					do	18	E	30
<i>Sec 4th 1861</i>	A	L. Boulder			Keuse		N 76 3/4° N	
<i>E. Lehman on J. C. Blades</i>					do		S 41 1/4° N	
<i>S. Point of Reef. W. C. Chou's</i>					Barr		N 85° E	
					<i>Thomas Sumner</i>			
<i>Sec 4th 1861</i>	E	L. Boulder			Stone		N 66° E	26
<i>J. Smiths Keuse,</i>					W. Beech		N 7 1/2° E	54
					Elehunny			
	P	L. Stone			Ash	10	S 38° E	86
					Stone		S 66° E	8 1/2

Section 35 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Dec 4 th 1861	C D	Boulder Stone			No Nit Beech	10	N 15 th W	44
					Sugar	14	N 61 th W	66 ^{1/2}
This Stone is 343 Chus E of Corner E. Sec 2-15-7. Bartholomew Co.	Z	"			Ash	6	N 46 th W	85
					So	10	N 25 th W	92
This Stone is 418 Chus E of Corner E. in above named County.	V	Boulder			Beech	22	S 19 th W	45
					Hickory	7	S 18 th E	33
	R	Stone			Sugar	10	S 73 th W	69 ^{1/2}
Norris, Surveyor					Oak	10	S 12 th E	96 ^{1/2}
	W	"			Stone	6	N 32 th W	30 ^{3/4}
						6	N 19 th E	29 ^{1/4}
With-taken to	V				Ash	18	S 38 th E	39
Jan 15 th 1883					Beech	22	S 20 th W	88
Murphy S. S. C								
May 15 th 1888.	M N L	L. Boulder Boulder L. Boulder			walnut Stone stone	8	South North S 75 th E	66 ^{1/2} 13 31 ^{1/4}
J. Finley, S. S. C.					Stone		S 84 th W	31 ^{1/4}

Section 36

Township 11

North, Range 7

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	M				Sugar	17	E	32
	N				Beech	18	N 75 W	21
	O				So	16	E	1
	Y				So	4	N 50 W	23
	W				Ash	16	N 35 W	13
					Beech	20	N 80 E	33
					So	20	N 40 W	4
					So	14	N E	14
					So	1	N 65 E	24
					Ash	20	N	41

Mr. Keendrick's Survey

REMARKS.

Copy of Notice,
Mrs. Flora S. Hawkins,

You are hereby notified that on the 7th day of October 1892, or as soon thereafter as the work can be done, the County Surveyor will proceed to survey the $\frac{1}{2}$ N.E. Dr. of Sec. 19 - Sp. 11 N. of Range 7 East in Shelby County, Indiana, to which survey you are an interested party and requested to be present in person or by agent.

Signed — Rue Maxwell.

State of Indiana, Shelby County S.S.

I, Evermout Sullivan, Constable of Washington Township in said County, swear that on the 26th day of September, 1892, I served on the within named Flora S. Hawkins, by reading to her and delivering to her, a notice of which the within and foregoing is a true copy.

E. A. Sullivan, Constable.

Subscribed and sworn to before me this 15 day of October, 1892.

William M. Clevert, J. P.

In Resurvey of the
lands of Susan Rue
Maxwell & Flora
S. Hawkins

On the 26th day of September, 1892, the said Susan Rue Maxwell gave notice to said Flora S. Hawkins of her intention to survey the ^{above} ~~her~~ described real estate which notice and the proof of the service thereof are in the words and figures as shown ^{above} to wit:

And on said 7th day of October, 1892, I proceeded to survey and locate said real estate, but not being able to make said survey on said day I adjourned and continued the same until the 12th day of October 1892. On October 12th 1892, I proceeded to make said survey, and made the same, in the presence of said Susan Rue Maxwell and Flora S. Hawkins, which survey and the field notes thereof are as shown. Witness my hand and seal this 12th day of October, 1892, Thos. S. Finley, Surveyor Shelby County.

REMARKS.

Corners by John W. Whitlock - Search for stone was made at all corners
 If stone wasn't found - either - Monument found before digging & was reset
 or - Monument was set from best evidence