

Field Notes of Shelby County, Indiana.

Township **11** North, Range **P** East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
A.	Beech	10	N 23 N	4		Q.	Beech	24	N 17 E	0
	do	0	S 33 E	21			do	15	N 25 N	24
A'						Q'	do	24	S 42 E	—
							do	18	N 30 N	—
B.	Beech	7	N 23 E	6		R.	do	10	S 12 E	—
	do	6	S 13 N	18			do	12	N 60 E	—
B'						R'	do	24	N 11 E	15
							Waickony	10	S 61 N	24
C.	Beech	10	N 81 E	10		S.	Beech	24	S 13 E	5
	do	8	N 2 E	40			do	10	N 10 N	27
C'						S'	do	18	S 7 E	25
							do	4	N 38 N	15
D.	Ash	6	S 83 E	0		T.	do	30	N 23 N	24
	Beech	3	N 46 N	4			do	15	S 4 N	15
D'						T'				
E.	Beech	24	S 34 E	12		U.	Beech	30	S 1 N	30
	do	20	N 74 E	12			do	10	N 79 N	12
E'						U'				
						V.	Post			

Field Notes of Shelby County, Indiana.

Township 11 North, Range P East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
W.	Beech	31	S 31 N	12	27.28.33.34	Beech	12	S 4 E	6
	do	5	N 14 E	21		do	28	N 53 E	8
W'					21.22.27.28	do	12	S 38 N	5
						do	14	N 39 E	25
X.	Beech	30	N 37 E	4	15.16.21.22	Ash	12	N 87 E	5
	do	24	S 20 N	21		Beech	30	S 12 N	30
X'					9.10.15.16	do	15	S 43 N	20
						do	4	N 21 N	22
Y.	Hickory	12	S 34 N	2	3.4.9.10	do	30	S 75 E	15
	Hackberry	7	N 47 E	28		Buckeye	4	N 73 N	20
Y'					28.29.32.33	Beech	15	S 33 E	21
						do	8	N 80 N	15
					20.21.28.29	do	20	S 7 E	13
						Ash	13	N 7 E	25
					16.17.20.21	Beech	12	S 37 E	10
						do	8	N 70 N	25
					8.9.14.17	do	10	N 13 E	20
						do	12	S 32 N	20
					4.5.8.9	do	3	S 70 N	4
						Hickory	13	N 70 E	12
					29.30.31.32	Beech	10	N 15 E	19
						Ash	24	S 63 N	3

Field Notes of Shelby County, Indiana.

Township *11* North, Range *8* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>19.20.29.30</i>	<i>Hickory</i>	<i>14</i>	<i>N 67 E</i>	<i>2</i>	<i>K to W.</i>	<i>Beech</i>	<i>4</i>	<i>S 18 N</i>	<i>3</i>
	<i>Ash</i>	<i>7</i>	<i>S 13 E</i>	<i>8</i>	<i>4.</i>	<i>Poplar</i>	<i>48</i>	<i>N 56 N</i>	<i>12</i>
<i>17.18.19.20</i>	<i>Beech</i>	<i>6</i>	<i>S 17 E</i>	<i>20</i>	<i>3'</i>	<i>Beech</i>	<i>36</i>	<i>S 4 E</i>	<i>23</i>
	<i>do</i>	<i>7</i>	<i>N 48 N</i>	<i>30</i>	<i>"</i>	<i>do</i>	<i>24</i>	<i>N 6 N</i>	<i>30</i>
<i>7.8.17.18</i>	<i>do</i>	<i>12</i>	<i>S 68 E</i>	<i>10</i>	<i>6</i>	<i>do</i>	<i>12</i>	<i>N 75 E</i>	<i>12</i>
	<i>do</i>	<i>30</i>	<i>N 58 N</i>	<i>40</i>	<i>do</i>	<i>do</i>	<i>10</i>	<i>N 63 E</i>	<i>10</i>
<i>5.6.7.8.</i>	<i>do</i>	<i>10</i>	<i>N 78 E</i>	<i>20</i>	<i>II to X.</i>				
	<i>do</i>	<i>18</i>	<i>S 69 N</i>	<i>40</i>	<i>4</i>	<i>Beech</i>	<i>11</i>	<i>N 13 E</i>	<i>8</i>
<i>M to U.</i>					<i>"</i>	<i>do</i>	<i>12</i>	<i>S 5 N</i>	<i>3</i>
<i>4</i>	<i>Cherry</i>	<i>4</i>	<i>N 64 E</i>	<i>8</i>	<i>3'</i>	<i>do</i>	<i>12</i>	<i>N 87 E</i>	<i>19</i>
<i>"</i>	<i>Beech</i>	<i>12</i>	<i>S 84 N</i>	<i>13</i>	<i>"</i>	<i>do</i>	<i>7</i>	<i>N 58 N</i>	<i>22</i>
<i>3'</i>	<i>do</i>	<i>8</i>	<i>N 4 N</i>	<i>3</i>	<i>6</i>	<i>Buckeye</i>	<i>10</i>	<i>N 68 E</i>	<i>4</i>
<i>"</i>	<i>do</i>	<i>28</i>	<i>N 65 E</i>	<i>40</i>	<i>"</i>	<i>Hickory</i>	<i>6</i>	<i>S 77 N</i>	<i>12</i>
<i>6</i>	<i>H-Oak</i>	<i>20</i>	<i>S 79 N</i>	<i>12</i>	<i>H to Y.</i>				
<i>4</i>	<i>Beech</i>	<i>7</i>	<i>N 33 E</i>	<i>19</i>	<i>4</i>	<i>elm</i>	<i>10</i>	<i>N 79 E</i>	<i>6</i>
<i>L to V.</i>					<i>"</i>	<i>H-Beech</i>	<i>3</i>	<i>S 57 N</i>	<i>3</i>
<i>4</i>	<i>Beech</i>	<i>12</i>	<i>N 47 N</i>	<i>7</i>	<i>5'</i>	<i>Beech</i>	<i>9</i>	<i>N 25 N</i>	<i>6</i>
<i>"</i>	<i>do</i>	<i>11</i>	<i>N 61 E</i>	<i>12</i>	<i>"</i>	<i>do</i>	<i>15</i>	<i>S 62 N</i>	<i>12</i>
<i>3'</i>	<i>do</i>	<i>5</i>	<i>N 11 N</i>	<i>4</i>	<i>6</i>	<i>do</i>	<i>11</i>	<i>S 37 E</i>	<i>10</i>
<i>"</i>	<i>Ash</i>	<i>40</i>	<i>S 28 E</i>	<i>14</i>	<i>"</i>	<i>do</i>	<i>4</i>	<i>N 21 N</i>	<i>13</i>
<i>6</i>	<i>Beech</i>	<i>18</i>	<i>S 33 E</i>	<i>12</i>					
<i>"</i>	<i>do</i>	<i>12</i>	<i>N 84 N</i>	<i>13</i>					

Field Notes of Shelby County, Indiana.

Township // North, Range ϕ East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
Q to D. 1	Beech	10	S 32 N	15	Same - 6	Beech	8	N 60 E	4
"	do	30	N 10 E	6	"	do	15	S 36 N	25
2	Ash	24	S 50 N	7	S to B.				
"	Beech	4	S 88 E	10	1	Beech	12	S 46 N	20
3	Ash	4	N 84 E	3	"	do	10	N 35 E	18
"	Beech	26	S 68 N	25	2	do	11	N 65 N	8
4	do	4	S 89 N	3	"	do	6	S 29 E	25
"	do	30	E	20	3	Elm	10	S 80 N	4
5	do	15	S 10 E	28	"	do	12	S 84 E	3
"	Ash	30	S 65 E	16	4	Beech	12	N 60 N	8
6	Beech	3	S 26 N	4	"	Sogwood	3	S 60 E	4
"	do	18	N 72 N	10	5	Beech	12	N 26 E	3
R to C.					"	Ironwood	3	S 67 N	18
1	Beech	4	S 12 N	10	6	Beech	30	S 61 E	7
"	Ash	24	N 69 E	11	"	do	20	S 88 N	28
2	Beech	7	S 62 N	10					
"	do	30	N 47 E	12					
3	do	4	S 4 N	3					
"	do	26	N 11 N	12					
4	do	10	S 44 N	3					
"	N Beech	3	N 50 E	18					
5	Elm	10	S 43 N	35					
"	No. Locust	36	N 82 E	12					

Field Notes of Shelby County, Indiana.

Township // North, Range *8* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>SEC.</i>	<i>PAGE</i>								
4	9								
5	15								
6	22								
7	27								
8	33								
16	39								
17	45								
18	51								
19	57								
20	63								
21	69								
28	75								
29	81								
30	87								
31	92								
32	97								
33	103								

Plat 120

Remarks 122.

Record of Surveys in Shelby County, Indiana.

Section **4** Township **11** North, Range **8** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>Apr 27th 1850, Aff'd End W^r McGr</p>	B	stone	75		<p>W^r 85° 30' E x 1/2 5" = 20'</p>			
	C.				Beech	20	N 91 W 20	
					so	10	N 60 1/2 E 28	
					so	12	N 46 1/2 W 14	
					so	6	N 81 E 14	
					so	34	N 4 W 25	
<p>S. W. Corner of the above tract</p>					S-ash	20	N 56 W 19	
<p>S. E. Corner of same</p>					Beech	24	N 72 E 20	
<p>Oct 17th 1856,</p>	N.	stone			J. M. Elliott Surveyor			
					North of True corner			20.
					John Gargin Surveyor			
<p>at the North West terminus of a Road 20 feet wide conveyed by manford Feaster to John Gargin a stone set on the line dividing the East half from the west half of the North South East quarter of Sec 4 Town 11 R 8 and north of</p>	M							
<p>Flagman and Chummen, John Gargin Morris Diltz and Jerome Ogelsand March 16th 1891</p>								
<p>J. Gargin 5568</p>								

KINER

Record of Surveys in Shelby County, Indiana.

Section

4

Township

11

North, Range

8

East.

Date, Intermediate Corners, &c. &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>Var At S. 3rd E 7th 2nd 1/4 April 14th 1898 Survey for John Reardon Absalom Bailey, Sec. 9. for this, Began at West 53⁷⁶ feet = 81.45 Chs to Set a Lime Stone Found Corner Stone Under the fence. N. 9. to N. 4. = 81.20 Chs. See page 122.</p>	<p>I P N. C.</p>	<p>Survey track of land in SW 1/4 of SE 1/4 of West Side of, for John Garrigan, M. Ditts, Major, and Sheldon.</p>			<p>No. 111 available Fence is on line here N + S. Wm M. Pruitt Surveyor, S. Co. C. F. Webster Deputy</p>			

JUNE 26-1942 Set Stone
 7.69 ch. S + 10.54 ch. E of ~~I~~. which is ^{the NE cor. of} 6 li. S of ^a 31.76 A Tract
 Sold to Stokley Bros canning factory by a ME Moberly

APRIL 20, 1953 FOUND M T 1000 IN NORTH ROAD FEE NORTH OF CANNING
 Robt Smith Surveyor of Shelby County Ind. FACTORY (NW EDGE OF ST PAUL)

Record of Surveys in Shelby County, Indiana.

Section *3rd* Township *//* North, Range *7th* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Diam.	Bearings, Trees, &c.	Courses.	Dist.	
<i>Aug 25th 1857</i>	<i>P.</i>	<i>Stone</i>			<i>No Mark given</i>			
<i>Dec 18th 1856-</i>	<i>N.</i>	<i>"</i>			<i>Alum</i>	<i>8</i>	<i>of 18 ft 22</i>	
	<i>R.</i>	<i>"</i>						
	<i>Y.</i>	<i>"</i>						
	<i>X.</i>	<i>"</i>						
	<i>S.</i>	<i>"</i>						
<p><i>July 21st 1879,</i> <i>Survey for J. A. Leutis</i> <i>13 3/4 Chus of N.</i> <i>(varies as 18 & 3 3/4)</i> <i>3 7/8 Chus West of said corner</i> <i>C. F. Webster Surveyor.</i></p>			<p><i>Stake</i> <i>"</i></p>	<p><i>do</i> <i>do</i></p>	<p><i>Beech</i> <i>do</i> <i>do</i> <i>do</i></p>	<p><i>18</i> <i>24</i> <i>24</i> <i>13</i></p>	<p><i>N 60 W</i> <i>S 60 W</i> <i>N 2 W</i> <i>S 72 W</i></p>	<p><i>31</i> <i>30</i> <i>29</i> <i>27</i></p>

Jno Sargis Surveyor

Record of Surveys in Shelby County, Indiana.

Section 4 Township 11 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
--------------------------------------	----------	------------------	--------	-------	----------------------	-------	----------	-------

May 17th 1853 -

N.

stone

18 ft

30 ft

4

X.

"

Z.

"

C.

"

Beech

30 ft

48 ft

30

Ash

4 ft

25

for Sargis Sumner

July 21st 1879,

Lehas. F. Webster

Surveyor, s.c.

M

stone

Beech

12 ft

4 1/2 ft

29

do

18 ft

4 1/4 ft

8 1/2

(N. 31) to 7 1/2 W. West of this Stone 44 7/4 Ch. E of B
44 7/4 Ch. S of "

Line Stone

2

No Mark

" do

do

March 15th 1892. made survey for James Johnston. of a 4 acre tract according to his deed. located the following stones for corners: one South of N. W. cor of Section 16. 48 chains; one South 18.48 chains, and East 2.30 chains. of " " "

" Survey made for the purpose of defining and fixing the lines of his land according to deed. Chainmen: James Price and Everett Hayman.
Thomas S. Finley & Surveyor.

Record of Surveys in Shelby County, Indiana.

23

Section **6** Township **11** North, Range **8** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Var. 2^x30'</i></p> <p>May 3rd 1895 - Survey for Wm Avery and Jones, Begin at Stake 4 47$\frac{1}{2}$ Ch of B.</p> <p>Chas. F. Webster Surveyor, S. C. Jan. 7 - 1896. Survey for Frederick Stickford and Jasper Corile. 13.62$\frac{1}{2}$ ch. North of _{399.25}</p> <p>^{429'} 6.50 ch. East of above corner</p> <p>⁴⁶² 7. ch. East of (O to L = 40.61 ch)</p>	<p></p> <p style="text-align: center;">X</p> <p style="text-align: center;">"</p> <p style="text-align: center;">X L</p> <p style="text-align: center;">" L "</p>	<p>A Line running South from a Stone Set in a former Survey, viz. and running South 30 Chains. Then West to Conns Creek.</p> <p>Stake</p> <p>Stake on W bank of Conns. Creek.</p> <p>Stake Lime Stone</p>	<p></p> <p></p> <p></p> <p></p>	<p></p> <p></p> <p></p> <p></p>	<p>Hickory</p> <p>Elm</p> <p>Sugar</p> <p>Beech</p> <p>Large Boulder</p>	<p>12</p> <p>12</p> <p>18</p> <p>18</p> <p></p>	<p>N 42$\frac{1}{2}$° E</p> <p>S 65° E</p> <p>N 16° E</p> <p>East</p> <p>S 39° E</p>	<p>12$\frac{1}{2}$</p> <p>11</p> <p>31</p> <p>3</p> <p>57$\frac{1}{2}$</p>
<p>FOUND BY PENNINGTON</p>		<p>FOUND APPROX $\frac{1}{2}$ OF BOTH RDS</p>			<p>REF BOULDER FOUND AT SE EDGE OF BLACKTOP SEPT 1962</p>			

Record of Surveys in Shelby County, Indiana.

Section **7** Township **11** North, Range **8** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	C.	Stone			Elm		N 75° W	27
	E.	"						
Original Corner. Stud in flat rock. Creek.	P.	"	North of True Corner					4 33/4
70 Rods East of	P.	Stone			for Sargis Surveyor Sycamore	16	N 31° E	39
					do	12	N 11° W	33.
36 2/3 Rods nearly West of last named Corner		Stone						
33 1/3 Rods East of	Z				Beech	15	S 50° W	8
70 Rods East of	Same				Hackberry	18	S 84° W	17
					Beech	14	N 12° E	62
					Hackberry	10	N 49° W	90.
Feb 14 th 1862 -	X.	Line "			Ed Maichel Surveyor			
					N Elm	40	N 10 1/2° E	97.
					Buckeye	10	N 46° W	99
13.86 Chus West of	Same	" "			Sugar	15	N 22 1/2° E	35 1/2
	W	Stone			N alnut	9	S 80° W	5 1/2
					N Oak	14	E	27
					Hackberry	6	S 1° W	32 1/2

Record of Surveys in Shelby County, Indiana.

Section **7** Township **//** North, Range **7** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Feb 14 th 1862, - 8 1/2 Rods West of H. Michels Stone		Stone	viz 70 Rods E of P		Sycamore	13	S 72 E	54
					do	12	S 8 N	18
	V.M.X	Stones	Found right,		Sick Arnis Sumner			
Nov 12 th 1862, - 700 Chus E of	Z ,	"			Red Elm	12	N 14 W	17
					Hackberry	20	N 75 E	47 1/2
Nearly 400 Chus N of last named Corner, "					In mark. J. Aueny's West Line			
& is 28 R. E of Range Line & several		Mark, 28.			Rods S of Flat Rock River			
Jan 16 th 1863, - 194 Chus E of	X .	Limestone						
6 3/8 Rods N of last named		"						
63. R 3/4 West of " "		"						
					Richard Arnis Sumner			
June 1 st 1864 - 18.75 Chus N of	M	Stone	By Mrs Rick. Sumner		N. Ash	24	S 68 N	57 1/2
1600 Chus West & 1500 Chus S 10 th	Same	"			N. Buckeye	4	N 76 N	44
2.15 Chus East of above	Corner	Line "			N. Walnut	10	N 62 1/2 E	63 1/2
					do	12	N 35 N	45 1/2
400 Chus N of above		"						
					At 14.8. for S E cor of Gravel Pit			
2.85 Chus N of above		Stone						
		N. S. N.						
					Geo Kemp Sumner			

Record of Surveys in Shelby County, Indiana.

Section **7** Township **11** North, Range **8** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>May 25th 1879, 6 1/2 Rods E of C. F. Webster, Surveyor.</p> <p>July 10th 1895. Survey for Geo. Wright, Thad Lewis. Sam Stroup Trustee of Eden Grave Yard, For Corners Lewis, F. Webster Surveyor, S. Co.</p>	<p>Z</p>	<p>Stone</p>			<p>Walnut</p> <p>do</p>	<p>12</p> <p>12</p>	<p>S 34 1/2 E</p> <p>N 87 W</p>	<p>31</p> <p>20</p>
<p>Set to mark the same see Plat on Page 121.</p>								
<p>SEE Pg 121</p>								

Record of Surveys in Shelby County, Indiana.

Section *P* Township *//* North, Range *P* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	P.				S- Mud	6	S 36 N	24
					to	3'	N 74 1/2 N	26 1/2
	D.				Elm	8	N 88 N	25
					Beech	11	S 11 1/2 E	38
	E.	Limestone			Elm	11	S 65 1/2 N	94
					Beech	11	S 21 E	129
	O.				W-Oak	9	S 75 N	4 1/2
	1/2 of O to P				Mulberry	11	S 71 1/2	8
	1/2 of D to E				Beech	24	S 62 1/2 N	18
					to		N 72 1/2 N	3'
<p>May 7th 1834 - Survey for E. Major - see Plat No. 1. Sept 1881 C. S. Heister Survey, 86 mistaken for Books 61-7</p> <p>FOUND SEPT 1962 BY PENDLETON</p>	<p>V O</p>	<p>Boulder "</p>			<p>New Rock Surveyor J. W. Jargin Surveyor</p>		<p>N N 18 1/2 N 72 3/4 N 25 1/2 S 61 N 24.</p>	
	E.	Limestone			PROJECT THROUGH BL. TOP. ± 1 1/2' E. OF GRD.			

Section 9 Township 11 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Ind.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
10 chains East of 45 Rods South of 10 chains East of the last described corner Chain carriers Peter, J. Bailey and Absalom Bailey Flag carrier Nicholas Bailey Nov 18 th + 19 th 1871 Jerry Sugan surveyor	N	Lime Stone	mkd N+8		flint stone		East	20
	"	Lime Stone	" 11+8		lime stone		West	20
	"	" "	" 45		" "		North	25
	"	Stone	" 40		Stone		"	47
May 13 th 1896. Survey for John Reiger & Absalom Bailey. var N+S. 2° E + N 2 1/2° Began at a Boulder Thence West 10 ^a Chains Thence North 10 ^a Chains 10 ^a Chains S of V Hoerman Sherman & James Rathburn Chain Carriers, John Reiger, Flagman A. Bailey, A. Man	V				Sit by former Surveyor. Large Boulder Marked + top + 40. R. Lime Stone 8" x 12" x 24. Marked + top 40. R. on S. Side Lime Stone Oak 40 S 66 W ^{about} 40			
All hands sworn. G. W. Webster Surveyor, &c.								

Record of Surveys in Shelby County, Indiana.

37

Section 9 Township 11 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 19, MAR, 1979	x	Stone			See Tie File		See Remarks, pg. 116B	

Record of Surveys in Shelby County, Indiana.

Section 16 Township 11 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<u>E.</u>	Limestone			Beech	14	N 13 E	20
					do	24	S 60 E	25
	<u>P.</u>	"stone			Stone		N 46 W	25
	<u>N.</u>	"			Beech	16	S 23 W	27
					do	6	N 17 W	64
	<u>C.</u>	"			Ash	20	N 32 W	14
					do	30	S 85 W	27
<i>J. M. Elliott Surveyor</i>								
Sept 16 th 1876, 53 ¹ / ₃ Rods North of	<u>Z</u>	Stone			No Hit			
40 Rods North of	<u>X</u>	Stake			Beech	18	S 8 W	35 ¹ / ₂
					Sweet-Gum	3	North	1 ¹ / ₂
					Beech	12	N 16 ¹ / ₂ W	63
<i>Le. J. Webster, Surveyor,</i>	<u>U</u>	Stone	28 ⁰ / ₄		No Hit			
23.19 Chus West of		Stone +			"			
12.08 th of above	<u>L</u>	Stone +			"			
12.08 Chus North of								
Aug 18 th 1879, <i>Le. J. Webster, S. & S. Co.</i>								
John W. Whitlock 19, MAR, 1979	<u>C</u>	Stone			See Tie File,		See Remarks, pg. 116B	

Record of Surveys in Shelby County, Indiana.

Section / P. Township // North, Range P East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	M.	Stone						
	O.	"			Mrs. Rock. Sumeyor.			
	E.	"			Beech	7	ct 84 1/2 E	21 1/2
	P.	"			do	25	ct 52 N	28
	N.	"			Mulberry	5	ct 19 E	38 1/2
		"			Ash	3	ct 6 1/2 E	9
		"			Alum	28	ct 40 N	7 1/2
		"			Beech	12	ct 78 N	60
Stones at the other corners					For Sargis Sumeyor			
	T. W. L.	Stones						
	U. Z.	"						
	Y.	Stone			Beech	36	ct 32 E	18
	1/2 of M to N.	"			do	8	ct 2 N	22
		"			do	4	ct 53 N	29
					For Sargis Sumeyor			
May 23 rd 1867, Relocated	N.	Limestone						
	H.	"						
	L.	"						
Perpetuated Found right	X. & K.	"			By former Sumeyor H. H. Miller Sumeyor			

Record of Surveys in Shelby County, Indiana.

Section 18 Township 11 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
20.43 chains East of 4.67 chains North of 15.60 chains South of April 25 1913 15.21 ch. E. of	E E H E H H	Stone Stone	No witnesses	Limestone	stone " Black Horn stone wit. stone wit.	10 12 10 wit. S.	N 3 W S 00 W N 8 1/4 W W. S.	53 25 17 17 1/2 18

Record of Surveys in Shelby County, Indiana.

Section **19** Township **11** North, Range **8** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Nov 14 th 1862 - 19.75 Chns East of	Z.	limestone						
Same East of	D.	stone			Beech	7	73 ft	13
					so	12	17 ft	38
<i>Richd. Tomiss Surveyor</i>								
Feb. 1 st , 1906. set stone No. 1 28.64 Chns East of	P	stone			no witness			
No. 2, 13.68 " North of No. 1		"			"			
Stake 16 ft. west of No. 2.					"			
Stake 4.24 chs. south of above stake					"			
19.80 chs. west of above set stake No. 3					"			
.963 chs. north of last stake set stone		"			"			
8.65 chs. west of above stone set stone		"			"			

Record of Surveys in Shelby County, Indiana.

Section **20** Township **11** North, Range **7** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.	
Jan - 1846 ^{for} Mr. Marsh.	O.				Beech	6	S 5° N	25'	
	N.	Stone			So	24	N 61° E	31	
	A.				So	10	S 14 1/2° N	18 3/4	
for, Jones Harris	A.				So	16	N 11° E	28 3/4	
	L.				So	12	S 57° E	8	
1884					So	12	N 70° N	20	
1846					So	12	N 53° N	11 1/2	
38 years					So	20	N 29 1/2° E	32.	
					The Rock Surveyor				
Old Limestone at X found not recorded.									
Set on East Bank of Ditch	MI	Boulder			Burr Oak	36	S 85° W	46	
19 links East of the corner, which is in the ditch, near the middle.									
Limestone is 3 cornered	W	Limestone			Beech	10	N 77° E	20	
Rocks witness see section					White Oak Stump	40	North	31	
Chain of Eddie Morris		Flagman - Frank Reed,							
Barriers, Christian Reigar		Axmen - Allen M. Reed + My Reed,							
March 13 th - 14 th + 15 th 1884.		By My R. Morris Deputy County Surveyor.							
March 21, 1917 Survey for CopeLand, Dodd + Reed									
Set Stone 2 ch. 16 2/3 ft S. of C.									
Stone 2 ch. 16 2/3 ft S. + 31 ft. W. of B.					Geo. E. Olman Co. Surv.				

Record of Surveys in Shelby County, Indiana.

Section *21* Township *11* North, Range *P* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.	
<p><i>Nov 26th 1856.</i></p> <p style="text-align: center;"><i>South End</i> <i>North "</i></p>	N.				<i>Beech</i>	<i>8</i>	<i>S 70 E</i>	<i>4</i>	
					<i>Ash</i>	<i>4</i>	<i>N 3 W</i>	<i>18</i>	
	M.				<i>Beech</i>	<i>6</i>	<i>S 14 W</i>	<i>18</i>	
					<i>do</i>	<i>14</i>	<i>N 35 W</i>	<i>14</i>	
	U.				<i>do</i>	<i>10</i>	<i>S 76 W</i>	<i>1</i>	
					<i>do</i>	<i>12</i>	<i>N 38 W</i>	<i>20</i>	
	T.				<i>do</i>	<i>10</i>	<i>S 75 W</i>	<i>18</i>	
					<i>do</i>	<i>6</i>	<i>N 53 W</i>	<i>26</i>	
					<i>do</i>	<i>6</i>	<i>N 83 W</i>	<i>17</i>	
					<i>do</i>	<i>10</i>	<i>N 24 E</i>	<i>24</i>	
					<i>do</i>	<i>8</i>	<i>N 44 W</i>	<i>22</i>	
					<i>do</i>	<i>6</i>	<i>North</i>	<i>14</i>	
		<i>O. A.</i>	<i>stones</i>						
	<i>1/2 of</i>	N to O.	<i>stone</i>			<i>Beech</i>	<i>16</i>	<i>N 5 E</i>	<i>7</i>
	<i>1/2 of</i>	X to Y	<i>"</i>			<i>do</i>	<i>8</i>	<i>S 40 E</i>	<i>17</i>
<i>Long Boulder set in road</i>	O	<i>Boulder</i>			<i>Geo Sargin Surveyor</i>				
<i>" " " " "</i>	Y	<i>Boulder</i>			<i>Witness Stone</i>		<i>East</i>	<i>25</i>	
<i>Chain carriers</i>					<i>"</i>		<i>West</i>	<i>25</i>	
<i>Eddie Norris</i>		<i>Flagman, Frank Reed</i>							
<i>Christian Reigan</i>		<i>Axmen - Allen M. Reed and My Reed</i>							
<i>March 13th 14th + 15th 1884.</i>		<i>Wm R. Norris, Deputy Co. Surveyor.</i>							

Record of Surveys in Shelby County, Indiana.

Section *28* Township *11* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nov 27th 1836</i> →	<i>N.</i>	<i>Stone</i>						
	<i>M.</i>	<i>"</i>			<i>Beech</i>	<i>24</i>	<i>S 20 N</i>	<i>7</i>
					<i>do</i>	<i>10</i>	<i>cr 60 N</i>	<i>44</i>
	<i>B.</i>	<i>"</i>			<i>do</i>	<i>6</i>	<i>cr 83 N</i>	<i>17</i>
					<i>do</i>	<i>10</i>	<i>cr 24 E</i>	<i>24</i>
	<i>O.</i>	<i>"</i>			<i>do</i>	<i>20</i>	<i>cr 18 E</i>	<i>16</i>
					<i>do</i>	<i>24</i>	<i>cr 33 N</i>	<i>24</i>
	<i>D.</i>	<i>"</i>			<i>do</i>	<i>24</i>	<i>S 33 E</i>	<i>11</i>
					<i>do</i>	<i>20</i>	<i>S 68 N</i>	<i>24</i>
		<i>L. I. K.</i>	<i>Stones</i>					
	<i>G. H.</i>	<i>"</i>			<i>Geo. Jergin Surveyor</i>			

Record of Surveys in Shelby County, Indiana.

Section **29** Township **11** North, Range **7** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	N.				Bassh	12	N	20
					Beech	6	N 70 N	13
	M				Maple	18	N	16
					Do	18	N	27
	B				Hickory	10	N 33 E	21
					Hickory	30	N	31
<p>X to Y $81\frac{7}{10}$ Rods = 20 $42\frac{1}{2}$ Chs</p> <p>X to S $78\frac{3}{10}$ Rods = 400 <u>old</u> <u>seed</u></p> <p>Oct 7th 1880</p> <p>(var N $3\frac{1}{4}$ N E + N 4th)</p> <p>March 12, 1902.</p> <p>37 rods $5\frac{1}{2}$ feet East of</p> <p>41 " 4 " west ...</p> <p>37 " $5\frac{1}{2}$ " East "</p> <p>41 " 4 " west "</p>	<p>V. X. W.</p> <p>Y. R. S.</p> <p>S</p>	<p>Stones</p> <p>"</p> <p>Lime "</p>	<p>40</p>	<p>to Nit</p> <p>"</p> <p>Elm</p>	<p>Green</p> <p>for Jargin Sumeyor</p> <p>Chas. F. Webster, S.S.C.</p>	<p>10</p>	<p>S 3 E</p>	<p>64 $\frac{3}{4}$</p>
<p>There being an over plus of 2 rods and $15\frac{1}{4}$ feet at the south end and 2 rods and $13\frac{9}{10}$ feet at the north end.</p> <p>Millard F. Crawford County Surveyor of Shelby County, Indiana.</p>								

Record of Surveys in Shelby County, Indiana.

Section *B1* Township *//* North, Range *P* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	D.				Beech	11	N 69 1/2 E	18
					do	9	S 89 1/2 E	27 1/2
	X.				do.	16	S 64 1/2 E	97
					do	9	S 13 E	7 1/2
	Z.				do	13	S 32 E	25
					do	13	N 20 1/2 E	27 1/2
	Y.				do	6	N 35 E	10 1/2
	N.				do	12	S 37 1/2 E	21
					Ash	4	S 79 1/2 N	17
	P.				Beech	20	N 4 1/2 E	22
					do	6	N 40 N	24 1/2
	O.				do	8	N 9 1/2 N	7 1/2
					do	5	S 72 E	20
	M				do	13	N 36 1/2 N	15
					do	13	N 64 E	31
	W.				do	15	N 60 E	61
					do		N 37 1/2 E	47 1/2
	T.				do	12	N 1 E	9 1/2
					do	3	N 51 1/2 N	3
	S				do	6	S 1 E	27 1/2
					do	12	N 89 1/2 N	25

William Rock Surveyor

Record of Surveys in Shelby County, Indiana.

Section *51.* Township *//* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>N.</i>				<i>Beech</i>	<i>18</i>	<i>S 70 N</i>	<i>21</i>
					<i>do</i>	<i>12</i>	<i>N 12 N</i>	<i>20 1/2</i>
					<i>Nickols Surveyor</i>			
	<i>P.</i>				<i>Ash</i>	<i>8</i>	<i>N 20 1/2 E</i>	<i>26 1/2</i>
					<i>Beech</i>	<i>4</i>	<i>N 64 1/2 N</i>	<i>31</i>
	<i>Z.</i>				<i>Mulberry</i>	<i>14</i>	<i>N 50 E</i>	<i>76 1/2</i>
					<i>Cherry</i>	<i>10</i>	<i>N 39 E</i>	<i>62</i>
	<i>X</i>				<i>Beech</i>	<i>11</i>	<i>S 18 N</i>	<i>39</i>
					<i>Ash</i>	<i>8</i>	<i>N 20 N</i>	<i>77</i>
	<i>W.</i>				<i>Sugar</i>	<i>5</i>	<i>S 37 E</i>	<i>67</i>
					<i>do</i>	<i>10</i>	<i>S 18 N</i>	<i>43</i>
	<i>M</i>				<i>Ash</i>	<i>3</i>	<i>N 49 1/2 E</i>	<i>11 1/2</i>
					<i>Cherry</i>	<i>10</i>	<i>S 19 1/2 E</i>	<i>24</i>
					<i>William Rock Surveyor</i>			

Record of Surveys in Shelby County, Indiana.

103

Section *33*

Township *//*

North, Range *P*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Oct 26th 1863,</i>	<i>N.B.W.</i> <i>O.L.V.</i> <i>L.</i>	<i>Stones</i> " "			<i>No Nit Given</i> <i>For Sargis Sumeyor</i> <i>Beech</i>	<i>18</i>	<i>N 13 1/2 E 40</i> <i>So 18 S 31 1/2 W 3 1/2</i>	
<i>June 15th 1853-</i>	<i>M.N.</i> <i>S.D.T.</i> <i>X.Y.R.</i>	" " "			<i>No Nit Given</i> <i>Richard Norris Sumeyor</i> <i>No Nit Given</i> <i>For Sargis Sumeyor</i>			

Section 7 Township 71 North, Range 8 East.

Date, Intermediate Corners, &c., &c.

Corners.

Stone, Mark, &c.

Acres.

Hnd.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

Survey July 10th 1895. for Geo. Wright. Squire Lewis et al
 Additional tracts of land for Cemetery known as the
 Ogden Grave Yard in the Center West $\frac{1}{2}$ of Sec. 7-11-8.
 Beginning at a Stone Recorded Corner. 16⁰⁰ Chains West and 1⁵⁰ Chs
 South 10⁰⁰ West of M. 7-11-8. Thence var Needle 3⁰⁰ as follows, viz:
 N 89 $\frac{1}{2}$ ⁰⁰ E 2¹⁵ Chns to a Stone Corner. Set to mark the N & E Cor. of the old Grave yard
 Thence South 18 links: Thence East 16 feet. to N & E Cor. of a Strip heretofore
 added to the East Side of the old Grave yard.
 Thence South 5⁸⁷ Chns to S & E Cor of Old Grave yard as fenced.
 Thence N 89 $\frac{1}{2}$ ⁰⁰ E 2⁵⁶ Chns. Set a Stone marked with a Cross on top.
 Thence North 5⁸⁷ Chns, ^{Set a stone for corner.} Thence N 89 $\frac{1}{2}$ ⁰⁰ E 5⁶⁴ Chns, Set a Stone Corner.
 Thence N 8 $\frac{1}{2}$ ⁰⁰ E 2⁰⁰ Chains to a point in the middle of the Flat Rock Road.
 Thence North West down the Center line of said Road to a Stone
 Corner set at the foot of the hill. Thence South 10⁰⁰ West 4⁷⁵ Chns to
 the place of beginning. Containing 4 ^{$\frac{59}{100}$} acres more or less.

Chas. F. Webster,

Surveyor. S. C.

28.87 Ch
PLAT.



Iron Bridge
Erected in the Year
1888.