

122 | 74 | 53
19
87

FIELD NOTES---EXPLANATION OF.

A	a	B	b	C	c	D	d	E	e	f	F	f	G	g
Y	6	6	5	6	4	6	3	51.16	125.16	132.28	53.70	133.74	155.04	52.53
Y	6		5		4		3					2	1	H
X	7	5	8	5	9	5	10					80.70	78.80	
X	6		5		4		3	130	142			2	1	I
W	18	1	17	1	16	1	15					1	14	i
W	6		5		4		3			120		2	1	K
V	19	3	20	3	21	3	22			70		3	24	k
V	6		5		4		3			100		2	1	L
U	30	2	29	2	28	2	27			125		2	26	l
U	6		5		4		3					2	1	M
t	31	1	32	1	33	1	34					1	36	m
T	s	S	r	R	q	Q	P	P	o			O	n	N

Township 12 North, Range 3 East. of 2nd Prin Meridian

DRAWN BY 5/31/06

Field Notes of Shelby County, Indiana.

Township **12** North, Range **3rd** East. *of Lud. Mich. Mendon*

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
E	Beech	10	E	22	L	Beech	13	N 54 W	4
	so	10	S 80 W	18		so	18	S 62 E	16
E'					L'	so	15	S 65 W	22
F	Hickory	18	S 64 W	17	M	elm	6	N 82 E	11
	ash	10	N 34 E	7		ash	7	N 74 W	8
F'						so	9	S 19 E	14
G	Hickory	12	S 29 W	32	M'	so	12	S 43 W	26
	Beech	10	N 30 E	31		so	7	N 4 W	16
G'	so	10	N 23 W	11	N	Beech	9	W	30
	so	12	S 29 W	20		so	7	N 38 E	11
H	so	10	S 35 E	16	N'	R Oak	24	N 40 W	27
	Hickory	9	S 67 W	10		Hickory	10	S 44 E	12
H'	ash	15	N 89 E	10	O	W Oak	21	N 62 W	20
	Hickory	12	S 31 W	20		Beech	8	S 34 E	18
I	Beech	9	S 32 E	11	O'	Hickory	7	S 65 W	8
	so	15	S 37 W	19		S-Wood	6	N 46 E	14
I'	so	30	S 89 E	20	P	Hickory	20	S 73 W	13
K	ash	18	S 62 W	17		S-Wood	6	N 50 E	28
	Red Oak	40	S 28 E	11	P'				
	W Oak	12	N 40 E	11					
K'	Beech	12	N 35 W	6					
	so	15	S 35 E	16					

Township 12

North, Range 3

East. of Dubois Meridian

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
23.24.35.34.	J- Wood	6	N 68° 40' E	10	M to U				
	Ash	8	N 63° 20' N	13	1	Hickory	18	N 84° E	8
23.24.25.24.	Beech	24	N 11° E	9	"	Beech	24	N 68° N	29
	So	8	S 66° 30' N	32	2	So	18	S 55° E	18
13.14.23.24	So	16	N 41° N	7	"	J- Wood	8	N 81° N	31
	So	12	S 74° E	28	L to V				
11.12.13.14.	Beech	6	N 36° E	9	1	Ash	15	N 63° E	8
	So	3	S 38° 30' N	8	"	Beech	12	S 36° N	23
1.2.11.12.	Ash	24	N 78° E	33	2	So	24	N 31° N	17
	Beech	13	N	5	So	20	S 6° E	34	
26.27.34.38	So	14	S 20° E	13	K to W				
	So	12	N 40° N	26	1	Beech	5	N 74° E	22
22.23.24.27	Walnut	12	N 25° N	24	"	Ash	10	S 36° N	6
	N-Beech	6	S 17° E	25	2	Beech	35	S 75° E	11
14.15.22.23.	Hickory	20	S 63° N	22	"	Walnut	36	N 18° E	13
	Hackberry	12	S 72° E	68	I to X				
10.11.14.15	Ash	12	N 43° E	23	1	Beech	12	S 80° N	6
	Hackberry	12	S 77° N	42	"	So	7	N 52° E	13
2.3.10.11	Beech	36	S 41° N	24	2	Hickory	5	N 8° N	24
	So	10	S 85° E	13	"	Ash	6	S 44° E	9

Field Notes of Shelby County, Indiana.

Township *12* North, Range *3* East. *of 2nd Principal Meridian*

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>H¹⁰ Y</i>						<i>P¹⁰ E</i>				
<i>1</i>	<i>Beech</i>	<i>18</i>	<i>N 84 E</i>	<i>19</i>		<i>1</i>	<i>N Oak</i>	<i>3</i>	<i>N 19 W</i>	<i>11</i>
<i>"</i>	<i>do</i>	<i>36</i>	<i>S 20 W</i>	<i>14</i>		<i>"</i>	<i>Ash</i>	<i>3</i>	<i>South</i>	<i>12</i>
<i>2</i>	<i>N Oak</i>	<i>48</i>	<i>S 26 E</i>	<i>24</i>		<i>2</i>	<i>h. cut</i>	<i>10</i>	<i>S 54 E</i>	<i>20</i>
<i>"</i>	<i>Beech</i>	<i>12</i>	<i>N 80 W</i>	<i>2</i>		<i>"</i>	<i>Beech</i>	<i>8</i>	<i>West</i>	<i>21</i>
<i>O¹⁰ F</i>						<i>3</i>	<i>hackberry</i>	<i>12</i>	<i>S 6 W</i>	<i>20</i>
<i>1</i>	<i>Beech</i>	<i>10</i>	<i>N 4-40 W</i>	<i>10</i>		<i>"</i>	<i>do</i>	<i>20</i>	<i>N 65 E</i>	<i>20</i>
<i>"</i>	<i>N Oak</i>	<i>12</i>	<i>S 44 W</i>	<i>24</i>		<i>4</i>	<i>Ash</i>	<i>15</i>	<i>S 2 W</i>	<i>9</i>
<i>2</i>	<i>Ash</i>	<i>24</i>	<i>S 35 W</i>	<i>6</i>		<i>"</i>	<i>Elm</i>	<i>22</i>	<i>N 4 E</i>	<i>7</i>
<i>"</i>	<i>hackberry</i>	<i>22</i>	<i>N 28 W</i>	<i>9</i>		<i>3</i>	<i>Beech</i>	<i>15</i>	<i>S 33 W</i>	<i>11</i>
<i>3</i>	<i>Beech</i>	<i>6</i>	<i>S. 4-26 E</i>	<i>17</i>		<i>"</i>	<i>do</i>	<i>15</i>	<i>N 83 E</i>	<i>33</i>
<i>"</i>	<i>do</i>	<i>12</i>	<i>N 39 E</i>	<i>36</i>		<i>4</i>	<i>do</i>	<i>6</i>	<i>N 42 W</i>	<i>13</i>
<i>4</i>	<i>do</i>	<i>10</i>	<i>N 33 W</i>	<i>20</i>		<i>"</i>	<i>S-Wood</i>	<i>3</i>	<i>S 27 E</i>	<i>19</i>
<i>"</i>	<i>Ash</i>	<i>12</i>	<i>S 9 E</i>	<i>23</i>						
<i>3</i>	<i>Beech</i>	<i>30</i>	<i>N 40 W</i>	<i>23</i>						
<i>"</i>	<i>do</i>	<i>12</i>	<i>S 41 E</i>	<i>12</i>						
<i>6</i>	<i>do</i>	<i>12</i>	<i>N 25 E</i>	<i>11</i>						
<i>"</i>	<i>do</i>	<i>12</i>	<i>S 45 W</i>	<i>27</i>						

Record of Surveys in Shelby County, Indiana.

Section *2* Township *12* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>about 1830 a 2-</i>	M	<i>Stone</i>			<i>Maple</i>	<i>8</i>	<i>S 80° E</i>	<i>11</i>
	N	"			<i>S-ash</i>	<i>11</i>	<i>N 5° E</i>	<i>9</i>
	Q	"			<i>Beech</i>	<i>14</i>	<i>N 12° E</i>	<i>8</i>
	R	"			<i>B-ash</i>	<i>2</i>	<i>N 62° W</i>	<i>2 1/2</i>
	S	"			<i>Beech</i>	<i>12</i>	<i>S 24° W</i>	<i>31</i>
	T	"			<i>B-ash</i>	<i>14</i>	<i>S 76° W</i>	<i>27</i>
	U	"			<i>Beech</i>	<i>5</i>	<i>N 37° W</i>	<i>21</i>
	V	"			<i>B-ash</i>	<i>20</i>	<i>S 83° W</i>	<i>20</i>
	W	"			<i>Beech</i>	<i>20</i>	<i>S 26° W</i>	<i>10</i>
	X	"			<i>B-ash</i>	<i>14</i>	<i>S 2° W</i>	<i>31</i>
<i>Asuppase this Record to be, Calliotts, C. F. Webster,</i>	Y	"			<i>Beech</i>	<i>15</i>	<i>S 30° W</i>	<i>26</i>
	Z	"			<i>B-ash</i>	<i>16</i>	<i>N 60° W</i>	<i>27</i>
	AA	"			<i>Beech</i>	<i>14</i>	<i>N 70° W</i>	<i>24</i>
					<i>SO</i>	<i>2</i>	<i>N 63° E</i>	<i>7 1/2</i>

Record of Surveys in Shelby County, Indiana.

Section *12* Township *12* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nov 26th 1849</i>	B	Stone			<i>Hickory</i>	12	<i>S 33¹/₂ N</i>	56
	C-D	"			<i>Beech</i>	24	<i>N 1 E</i>	60
	D	"			<i>Hickory</i>	4	<i>N 26 N</i>	91
	M	"			<i>H-Oak</i>	10	<i>N 35 E</i>	140
	N	"			<i>Oak</i>	24	<i>S 15 N</i>	62
	O	"			<i>Beech</i>	15	<i>N 5 N</i>	90
	B-M	"			<i>Poplar</i>	15	<i>N 33 E</i>	49
	C-N	"			<i>Beech</i>	8	<i>N 40¹/₂ N</i>	9
	"	"			<i>do</i>	24	<i>N 12 N</i>	7
	"	"			<i>Hickory</i>	9	<i>S 72 N</i>	13
	"	"			<i>Beech</i>	18	<i>S 88 E</i>	10
	"	"			<i>H-Oak</i>	24	<i>N 69 N</i>	21
	"	"			<i>Sogwood</i>	5	<i>N 32 E</i>	2
	"	"			<i>Poplar</i>	18	<i>S 28 E</i>	13
	<i>J. W. Elliott Surveyor March 5th 1879, 13.20 Chus North of 13.54 Chus North of C. S. Webster, S. G.</i>	"	"			<i>S-wood</i>	3	<i>N 32 E</i>
N-O		"			<i>Beech</i>	12	<i>N 43 N</i>	28
"		"			<i>Hickory</i>	10	<i>N 72 N</i>	13
"		"			<i>Beech</i>	8	<i>S</i>	10
O		Stone			<i>Beech</i>	15	<i>N 87¹/₂ E</i>	27
P	Stone			<i>Hickory</i>	18	<i>S 45¹/₂ N</i>	66	
"	"			<i>H-Oak</i>	18	<i>S 46¹/₂ N</i>	52	
"	"			<i>Ash</i>	12	<i>S 53¹/₂ E</i>	64 ¹ / ₂	

Record of Surveys in Shelby County, Indiana.

Section 12 Township 12 North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
13 20 Chms North of	O	Stone			Beech	15	S 84 E	27
					Hickory	18	S 41 W	68
13 24 Chms North of	P	Stone			B Oak		S 81 1/2 W	37
10 10 Chms East of	P	Stone			Beech	10	N 32 E	26 1/2
					So	18	N 75 W	53 1/2
13 20 Chms N and 10 10 Chms West of	O	Stone			Ash	18	S 85 1/2 W	52
to the Webster Surveyor, 86					Sugar	30	S 56 E	47 1/2
16 chains North of	N	Stone			No wit.			
Wm M. Pruitt Surveyor								
Oct. 23, 1902 I set stones as follows								
22 chains 25 links West of	N	Stone			Dogwood	5	S 72 W	9
					Beech	8	N 24 W	40
22 ch'ns 25 links West of	X	Stone +			stone		N	33 1/3
					stone		W	36 1/3
					W. H. Isley - Surveyor			

Record of Surveys in Shelby County, Indiana.

Section *13* Township *12* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hind.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	G	Stone			Sugar	14	S 80 N	15
					Beech	12	S 70 E	7
	F	"			Poplar	30	S 5 N	19
					H-Oak	22	S 80 E	20
	A	Boulder			Walnut	6	S 20 N	45
					do	8	S 73 1/2 E	119
	B	"			Cherry	6	S 5 E	394
					do	1	S 42 1/2 E	78
	C	"			Apple	3	S 65 E	230
					do	3	S 83 E	306
	E	"			Oak	18	N 41 E	212
					Beech	14	N 3/4 E	182
	M	"			Ash	7	N 13 E	10
					Hickory	12	S 40 E	25
	N	"			Poplar	24	N 10 N	61
					Sycamore	5	N 3 N	30
	O	"			Beech	12	S 52 N	38
					Hickory	10	N 62 E	53
	P	Boulder			Nut			
	Y	"			Beech	10	N 3 N	32
	Z	"			S-Ash	8	N 46 E	37
					Boulder			
	L	"			Stone			

Elliott & Hummer

Record of Surveys in Shelby County, Indiana.

Section 13 Township 12 North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
5 ⁵⁰ / ₁₀₀ Chains East of	F	Stone			Stone		North	29
5 ⁵⁰ / ₁₀₀ " " "	E	"			no witness		available	
Chain carriers John Samar					apple tree	8	S 37 $\frac{1}{2}$ W	113
Flagmen E Evans								
Dec 29 th 1890 J. Hagan Surveyor								
Oct. 23. 1902 I set Stones as follows.								
2 chains 25 links West of	D	Stone +			Stone		N 47 E 50	
2 chains 25 links West of	O	Stone +			Stone		E 36 $\frac{1}{3}$	
					Stone		N 10 W 27 $\frac{1}{4}$	
					nut	10	N 77 $\frac{1}{2}$ W 75	
					W. H. Isley, Surveyor S.C.			

Record of Surveys in Shelby County, Indiana.

Section **14** Township **12** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
About 1846 or 7	M	Stone			Ash	18	N 61° W	8
					do	26	S 25° E	32
	O	"			N-Beech	8	E	87
	Y	"			Sugar	18	S 23° N	8
					Beech	22	S 80° E	18
Rock-Surveyor Oct 17th 1838	E	"	8		No Nit			
	B	"	8		"			
	H	"	8		"			
	C	"	8		"			
	N	"	8		Beech	30	S 33° N	10
Largin-Surveyor Feb'y 24, 1850.					do	10	S 27° E	48
	I	"			do	20	N 71° W	12
					do	18	S 73°	73
	W	"			do	20	S 36° W	68
					do	14	S 37° N	63
E. Wheeler & J. S. Sexton Chain Carriers Wm. Reece. Flag Man.	L	Boulder No. Nit.						
	K	do			Poplar	30	S 5° W	19
					N-Oak	22	S 80° E	20
	A	do			Oak	18	N 41° E	212
					Beech	14	N 45° E	182
	V	do			S-Ash	8	N 46° E	37
	H	L. do.			Sugar	2	N 40 1/2° E	13

Record of Surveys in Shelby County, Indiana.

57

Section **23** Township **12** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>June 9th 1833</p> <p>Resurveyed from Walnut Fct.</p>	R	Stone			Beech	12	S N	27
	S	"			do	32	N 75 W	47
	Z	"			Poplar	32	S 48 W	8
	C	"			Beech	12	—	—
	O	"			N do	8	S 60 W	27
	D	"			Hackberry	8	N 80 E	33
	G	"			Stone	8	S 46 E	6
	F	"			B. Walnut	6	N 6 W	124
	L	"			Buckeye	10	N 60 E	3 1/2
	B	"			Sugar	18	S 75 W	100
	M	"			Apple	15	S 47 E	98
	N	"			Chesnut	8	N 12 W	76
	V	"			Hickory	20	N 34 E	92
W	"			Buckeye	6	N 60 E	33	
<p>Mr. Sargis - Surveyor</p> <p>Feb 17th 1868</p> <p>Miller - Surveyor</p>	L	"			Beech	16	N 30 W	67
	B	"			N-Oak	14	S 50 W	106
	M	"			Ash	20	N 61 W	21
	N	"			N-Oak	36	S 3 W	175
	V	"			No Hit			
W	"	Boulder		Stone		E	14	
	"	"		F. cotes				
	"	"		Red Oak	15	S 41 W	25	
	"	"		Ash	6	S 24 E	23	

Record of Surveys in Shelby County, Indiana.

Section 23

Township 12

North, Range 5

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Half way from V to W August 26, 1885. Will H. Sley-Surveyor.	V to W	Stones			White Oak	14	S 64° 30' W	18 1/2
1. Eighteen rods West of 2. Forty eight and two fifth rods S. of 3. Sixty five and ninety five hundredth rods West of the above named corner	L L A	Boulder "			Hickory No Wit.	7	North	25 ft
4. Eighteen rods West and Fifty nine Three Tenth rods North of	L	Boulder			No Wit.			
5. Forty seven rods and Ninety five hundredth rods West of the above named stone		Boulder			No Wit.			
6. 22 rods East and 7/8 rods and 2 3/4 links South of	C	Boulder			Boulder		South 19 ft.	
7. 44 rods East of May 6th, 1893. Wm. M. Pruitt, County Surveyor	C G	Boulder Boulder			"		" 8 ft.	
May 1 1945 Set stone 16.42 N. & 18.84 ch. S of	A.	No wit.						

Record of Surveys in Shelby County, Indiana.

Section *24*

Township *12*

North, Range *3*

East.

Date, Intermediate Corners, &c., &c.

Corners.

Stone, Mark, &c.

Acres. Hand.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

N

Stone

Beech

14

N 30 W

19

to

9

S 30 E

27

A

Boulder

No Nit

B

"

Ash

18

S 38 W

19

H

Hickory

12

N 74 E

37

Beech

8

N 39 W

48

I

Oak

60

S 35 E

22

II

Beech

10

S 13 1/2 E

60

Ash

20

S 36 E

70

V

Oak

30

N 60 E

19

X

Beech

12

N 60 E

105

Oak

5

N 4 1/2 E

79

M

"

Oak

40

N 62 W

79 1/4

N

Stone

Wit. corner church foundation S.E.

88 1/2

Wit. Stone N.E.

48

7 1/2

*Elliott-Symms
June 28th 1883
Murphy ss*

Geo. E. Ottman, May 26, 1919.

Record of Surveys in Shelby County, Indiana.

Section *23* Township *12* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nov 10th 1837</i>	<i>L</i>	<i>Stone</i>			<i>No Nit</i>			
	<i>A</i>	<i>"</i>			<i>Beech</i>	<i>20</i>	<i>N 40 E</i>	<i>17</i>
	<i>C. B.</i>	<i>"</i>			<i>No Nit</i>			
<i>Sargin - Surveyor</i>	<i>M</i>	<i>"</i>			<i>"</i>			
<i>Aug 7. 1919 Made wit. for</i>	<i>Z</i>	<i>Stone</i>			<i>Stone</i>		<i>N E.</i>	<i>42 li.</i>
					<i>Maple tree</i>	<i>12"</i>	<i>N W</i>	<i>68 li.</i>

Record of Surveys in Shelby County, Indiana.

Section **26** Township **12** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>No date given, <u>Nickols</u> was Sec. Surv. before <u>Rock</u> viz: 1842. 4. 5. 7. &c. <u>E. H.</u></p> <p>S. E. Cor. of Taylor's <u>Nickols</u> & <u>Sumner</u> Nov 20th 1834</p>	H	Stone			Beech	24	N 30 E	20
	G				So	12	S 30 E	24
	G				Sogwood	4	S 10 W	3
	N	"	50		Beech	14	N 35 W	4
	N	"			Bur-Oak	30	W	4
	X	"			So	10	N 43 W	36
	S	"			Ash	3	S 10 E	13
	Q	"			No Nit			
	Q	"			Mulberry	8	N 12 E	37
	Q	"			Buckeye	10	S 21 E	32
<p>Mr. Gargin - Surveyor Aug 30th 19 1/2 R.S. of 1866</p> <p>19 1/2 R.S. of</p>	R	"			Ash	14	N 42 E	39
	Y	"			No Nit			
	E	L Boulder			"			
	G	Stone			"			
	E	"			B-H Walnut	20	S 1 1/4 E	35 1/2
<p>Mr. Hoops Surveyor Flagman & chainman John Hendricks Elwood Facevine & James Sandifer June 11th 1891</p> <p style="text-align: right;">J. G. Gann, S.S.C.</p>	P	Stone 1 1/2 R			So	24	S 3 3/4 W	77 3/4
	W	stone			stone		North	35 1/2 by
	W	stone			stone		N 45 W	37 by
	M	stone			Beech	16	N 33 1/2 W	19 by

Record of Surveys in Shelby County, Indiana.

89

Section *D 3^c* Township *12* North, Range *3^c* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>No date given -</i> <i>Perhaps this Record</i> <i>was made in 1830-</i> <i>by Jno. Hendricks -</i> <i>who, knows.</i></p> <p><i>Jno. Hendricks, Co. Sur.</i></p> <p><i>1254 chains North of</i> <i>1254 " " "</i></p> <p><i>Chainmen Flagmen, & Hays</i> <i>J Standfield, R. Campbell, Porter Tucker</i> <i>Sept 14 + 15th 1851</i></p> <p style="text-align: right;"><i>Jerry Cogan, S.S. &c.</i></p>	M	<i>Stone</i>			<i>Beech</i>	<i>24</i>	<i>S 63 N</i>	<i>26</i>
	N				<i>S-Hnd</i>	<i>5</i>	<i>N 33 E</i>	<i>10</i>
	O				<i>S-Ash</i>	<i>10</i>	<i>N 33 N</i>	<i>24</i>
	W				<i>Hickory</i>	<i>18</i>	<i>N 10 E</i>	<i>14</i>
	Y				<i>S-Ash</i>	<i>5</i>	<i>N 73 N</i>	<i>17</i>
	X				<i>G-Ash</i>	<i>7</i>	<i>S 67 E</i>	<i>12</i>
	V				<i>Calu</i>	<i>5</i>	<i>S 30 N</i>	<i>2</i>
	U				<i>S-Wood</i>	<i>7</i>	<i>N 61 E</i>	<i>21</i>
	T				<i>S-Ash</i>	<i>13</i>	<i>S 73 E</i>	<i>20</i>
	S		<i>Stone</i>		<i>Beech</i>	<i>7</i>	<i>N 73 E</i>	<i>10</i>
	R		<i>"</i>		<i>G. Ash</i>	<i>18</i>	<i>N 66 3/4 W</i>	<i>43 1/2</i>
	Q		<i>"</i>		<i>B Walnut</i>	<i>12</i>	<i>S 79 1/2 W</i>	<i>83 1/2</i>
	P		<i>"</i>		<i>Stone</i>		<i>S 50 E</i>	<i>52</i>
O		<i>"</i>		<i>Beech</i>	<i>15</i>	<i>S 97 W</i>	<i>38</i>	
N		<i>"</i>		<i>G ash</i>	<i>14</i>	<i>N 76 E</i>	<i>4</i>	
M		<i>"</i>		<i>N. wit available</i>				
L		<i>"</i>		<i>"</i>				

Record of Surveys in Shelby County, Indiana.

97

Section *36*

Township *12*

North, Range *3*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses	Dist.
<p><i>No Record, up to date in this sec. G. Webster 2d</i></p>								
<p><i>Aug 7. 1919 made wit for E At wood & Shutt,</i></p>		<p><i>Stone</i></p>			<p><i>Stone</i></p>		<p><i>N.E.</i></p>	<p><i>42 li.</i></p>
<p><i>Set Stone 9.91 ch. w. of D</i></p>		<p><i>Stone</i></p>			<p><i>Maple tree 12"</i></p>		<p><i>NW</i></p>	<p><i>68 li.</i></p>
<p><i>Set Iron pipe 9.91 ch. W of G</i></p>					<p><i>No wit.</i></p>			
<p><i>Set Iron pipe 9.91 ch. W of G</i></p>					<p><i>No wit.</i></p>			

Jan'y 29th 1871 REMARKS.

You ought to go into some such sections as 36-12-5-

Notice of Survey
State of Indiana
Shelby County Jas:

The following is a true copy
of the notice served on
Elwood Facevine
Chas. F. Webster Deputy, S. S. Co.

Mr. Elwood Facevine, you are

hereby notified, that on the 6th day of August 1894,

the County Surveyor will proceed to Survey the North East
quarter of Section 35 in Township 12, North, in Range 5th East,
and establish the lines and corners between your land
in said quarter section and the lands owned therein by me,
to which survey you are an interested party and required
to be present in person or by agent, with your deeds, and
assist in doing the work. Signed and dated this 23rd day
of July 1894.
Amanda Facevine.

Delivered and read personally, July 24. F. B. Black.

Pursuant to said notice, I did on the day set therein proceed
and did make the necessary survey to locate the lines and
corners between the lands of the above named parties,
which are recorded on page 90 of this book.

Chas. F. Webster
Deputy Surveyor, S. Co.

REMARKS.

Corners by John W. Whitlock - Search for stone was made at all corners
if stone wasn't found - either - Monument found before digging was reset
or - Monument was set from best evidence