



# Field Notes of Shelby County, Indiana.

Township **12** North, Range **8** East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
A.	Sugar	6	N 17 E	11	Q.	Beech	14	S 50 N	16
A'	Beech	9	S 11 N	27	Q'	do	12	N 32 E	28
B.	Beech	4	S 56 N	10	Q'	do	8	S 57 N	10
B'	do	12	S 80 E	15	Q'	do	12	N 65 E	18
C.	Ash	10	S 49 N	20	R.	Ash	13	S 72 E	12
C'	do	4	N 52 E	21	R'	Beech	12	N 80 N	14
D.	Beech	6	N 35 N	4	R'	do	9	N 86 N	18
D'	Ironwood	6	S 30 E	14	S.	do	20	S 86 E	33
					S'	do	12	N 87 N	14
					S'	do	8	S 67 E	2
					S'	Sugar	18	S 60 E	18
					T.	Beech	20	N 33 N	23
					T'	do	10	N 23 N	4
					T'	do	8	S 35 E	21
					U.	Beech	10	N 58 E	10
					U'	do	10	S 63 N	12
					V.	do	15	N 27 N	3
					V'	do	7	S 78 E	20

## Field Notes of Shelby County, Indiana.

Township 12 North, Range P East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
W.	Beech	3	N 68 E	15	27.28.33.34	Beech	30	S 61 N	24
W'	Hickory	24	S 72 N	10		so	13	N 14 E	15
					21.22.27.28	so	6	N 75 N	5
						so	30	S 73 E	19
X.	Beech	6	S 32 E	6	15.16.21.22.	so	28	S 66 N	14
	so	7	N 46 N	4		so	12	E	18
X'	so error	7	N 36 N	10	9.10.15.16	Beech	18	S 13 N	10
	so so	34	S 37 E	37		Sugar	15	N 80 E	19
Y	Beech	7	N 36 N	10	3.4.9.10	Beech	7	S 11 E	6
	so	34	S 37 E	3		so	8	N 12 N	13
Y'					28.29.32.33.	so	20	S 76 N	25
						N Beech	5	S 78 E	18
					20.21.28.29	Beech	6	N 37 N	7
						so	8	N 71 E	15
					16.17.20.21	N Walnut	6	S 65 N	7
						Ash	5	N 60 E	15
					8.9.16.17	Beech	13	S 29 N	6
						so	20	N 10 E	20
					4.5.8.9.	so	30	S 80 N	6
						so	20	S 79 E	5
					29.30.31.32	Buckeye	10	S 36 N	12
						so	5	N 88 E	7

# Field Notes of Shelby County, Indiana.

Township 12 North, Range P East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
19.20.29.30	Beech	7	S 13 N	3		K to W <sub>4</sub>	Poplar	50	N 12 N	13
	so	12	N 25 N	30			Brownwood	3	S 38 N	4
17.18.19.20	elm	20	S 68 N	11		5	Beech	4	S 36 N	6
	Beech	10	N 66 E	25		"	Sugar	15	N 31 E	14
7.8.17.18	so	7	S 75 E	8		6	Beech	3	S 50 E	2
	so	12	S 65 N	14		"	Ash	4	N 55 N	3
5.6.7.8	N-Oak	10	N 35 E	12		II to X				
	Beech	9	S 62 N	50		4	Beech	10	S 53 N	8
M to U						"	so	8	N 32 E	12
4	Ash	20	N 60 E	5		5	so	4	N 40 E	5
"	Beech	10	S 26 N	5		"	so	9	S 14 N	4
5	so	10	N 2 N	18		6	so	20	S 31 E	15
"	so	15	S 39 E	20		"	so	18	N 35 N	10
6	Ash	9	S 25 E	10		H to Y				
"	Beech	4	N 26 N	10		4	Beech	4	N 74 E	12
L to V						"	Sugar	6	S 55 N	3
4	so	4	S 33 E	10		5	Beech	28	S 88 E	4
"	so	5	N 39 N	5		"	so	18	S 21 N	14
5	so	3	N 36 E	20		6	Sugar	7	N 46 E	15
"	so	40	S 14 N	3		"	so	4	S 62 N	20
6	so	8	N 26 E	6						
"	so	20	S 56 N	15						

## Field Notes of Shelby County, Indiana.

Township 12 North, Range P East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
Q to D.	Hickory	10	N	12	6	Beech	30	S 10 N	3-
"	Beech	13	N 49 E	15	"	Buckeye	10	N 32 N	40
2	so	8	S 66 N	3	S. to B.				
"	so	20	N 6 N	4	1	Beech	10	S 47 N	15
3	so	12	S	6	"	Buckeye	5	N 85 E	25
"	so	3	N 63 E	12	2	Sugar	9	N 4 E	31
4	Buckeye	12	N 26 N	15	"	Beech	10	S 40 N	30
"	Sycamore	4	N 84 E	30	3	so	12	S 18 N	15
5	Beech	20	S 46 N	8	"	so	26	N 6 E	12
"	Sugar	15	S 86 E	18	4	so	6	S 23 E	14
6	Beech	30	S 61 E	40	"	so	23	N 34 N	17
"	Sugar	12	N 49 N	15	5	so	6	S 19 E	15
R to C.					"	so	10	N 36 N	30
1	Buckeye	5	S 21 N	3	6	Ash	24	N 76 E	10
"	elm	10	N 3 E	20	"	Sugar	10	- 82 N	11
2	Beech	30	N 18 N	12					
"	so	6	S 59 N	15					
3	so	6	S 15 N	19					
"	so	10	N 16 E	5					
4	Ash	19	S 2 N	20					
"	Sugar	14	N 47 E	15					
5	Beech	5	N 32 N	12					
	Sugar	5	S 87 E	8					

## Field Notes of Shelby County, Indiana.

Township 12 North, Range 8 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
----------	----------------	-------	----------	-------	----------	----------------	-------	----------	-------

*SEC. PAGE.*

4 9  
5 15  
6 21  
7 26  
8 31  
9 36  
16 39  
17 45  
18 51  
19 57  
20 63  
21 68  
28 73  
29 79  
30 85  
31 91  
32 97  
33 103

*Plat 115*

*Remarks 116*

# Record of Surveys in Shelby County, Indiana.

Section 4 Township 12 North, Range P East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 13 <sup>th</sup> 1866.	C	Boulder			No Wit Given			
9 <sup>th</sup> 66 Chus West of same	Same	Long "						
9, 72 Chus N 83° 0' 2 chus of	N	" "			Gessh	36	N 52 W	39 1/2
	P.E.D.	Boulders			Set by former Surveyor			
1 21 Chus N of	B.	"			Gap Cor for Sec 33-13-8 former Surveyor			
December 1874.					Richard Crossis Surveyor			
	C.	Stone			Stone		N 36 1/2 E	20 1/2
20 12 Chus South of	C	Stone			Beech	15	S 81 W	25
20 12 Chus South of	B	Stone			No Witness taken			
C. F. Webster Surveyor,								
Nov. 22nd 1894.								
Survey for Frederick Friday, Mr. Fisher, and others								
Wet 4 <sup>th</sup> N x S 30° E + W.								
Perpetuated Cor.								
X Set the Stone in proper place from old Wit								
and took new witnesses,								
Run and measured the								
line East 1300 feet to West edge of road								
Set a Stake, and East 2647 feet to middle of County line road,								
There being no corner in sight nor any line of fence to indicate								
the same, I went to the half mile corner South found Stone, no Wit								
given, Center of Large Boulder on East edge of road is South East 16 feet.								
Run North, W. 4 <sup>th</sup> Center line of Road 2753 feet to Stake, North 2613 feet								
to center of Main Street E + W through Cynthiana,								

# Record of Surveys in Shelby County, Indiana.

Section 5 Township 12 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Sept 1 <sup>st</sup> 1863.	A.C.L.	Stones			To Mt. Green			
	M.N.	"			"			
	W.X.Y.	"			"			
15.00 Chus North of	N	Boulder						
10.00 Chus South of	Same	"						
20.00 Chus " "	Same	"						
30.00 Chus " "	Same	"						
15.00 Chus North of	L.	"						
10.00 Chus South of	M.	"						
20.00 Chus " "	Same	"						
30.00 Chus " "	Same	"						
Richard Norris Surveyor								

# Record of Surveys in Shelby County, Indiana.

Section *6*      Township *12*      North, Range *8*      East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	B.	stone			Beech	4	S 13 E	62
					do		S 64 N	51
	N.	"			Bugur	12	S 55 N	65
	P.	"			Beech	20	N 68 N	22
					do	8	N 60 E	30
	Y	"			do	14	N 30 E	3
					Black	26	S 68 E	14
<i>Sept 3rd 1863.</i>	M	" +			<i>John Hendricks Surveyor</i>			
	X				<i>do Nit-Grien</i>			
					<i>Original Nit.</i>			
<i>Sept 4th 1864</i>	C	"			<i>Richard Crossiss Surveyor</i>			
					Lynn	15	S 33 N	59
	D.	"			Beech	12	S 42 E	70
					do	20	S 40 E	41
					do	20	S 30 N	44 1/2
<i>Dec 28th 1886</i>	A	limestone +			<i>Geo Hoop Surveyor</i>			
	B	+ Boulder +			<i>No witness</i>			
					<i>No witness</i>			
					<i>Thos Finley S.S.C.</i>			



# Record of Surveys in Shelby County, Indiana.

Section *P* Township *12* North, Range *P* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>May 21st 1888.</i>	<i>X</i>	<i>lime stone</i>			<i>No witness</i>			
<i>8.988 chains E of</i>	<i>—</i>	<i>" " +</i>			<i>"</i>			
<i>8.988 " " " above corner</i>	<i>—</i>	<i>" " +</i>			<i>"</i>			
<i>8.988 " " " " "</i>	<i>—</i>	<i>" " +</i>			<i>"</i>			
<i>6.778 " " " "</i>	<i>X</i>	<i>" " +</i>			<i>"</i>			
<i>12.733 " West "</i>	<i>L</i>	<i>" " +</i>			<i>"</i>			
<i>8.97 1/2 " " " above</i>	<i>—</i>	<i>" " +</i>			<i>"</i>			
<i>8.925 " " " "</i>	<i>—</i>	<i>" " +</i>			<i>"</i>			
<i>8.925 " " " "</i> <i>Geo Finley, S.L.C.</i>	<i>—</i>	<i>" " +</i>			<i>" This will be the ev. N.</i>			

Section *9* Township *12* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hind.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
1853.	KWL	Stones			To Nit Guen			
	P.N.	"			"			
	C.	"			Sugar 18 W			8
	$\frac{3}{8}$ of M-W	Stone			To Nit Guen			
	Same N-X	"			"			
	$\frac{1}{4}$ of P-Q	"			"			
	Same O-R	"			"			
Oct 15 <sup>th</sup> 1863-					Jno. Jargui Dumeyer			
10.00 Chus South	of	M	Botolder		To Nit			
25.30	"	"	Same	"-102				
10.00 Chus	"	"	L.	"-40.				
5.75	" West of last named	"	L.	"-23				
25.30	" South of	"	L.	"-102				
5.75	" above	"	Same	"-23				
					Richard Corris Dumeyer			

# Record of Surveys in Shelby County, Indiana.

Section 16 Township 12 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
See Page 122 →	Z	Stone			Hackberry	12	N 45° E	37
	Y	"			elm	12	S 51° N	60 1/2
					Stone	Nit	S 32 1/2° N	12 1/2
					do	"	N 42° N	33 1/2
End of line dividing 5 1/4 Stone = U.					Ed Winchel Surveyor			
and E. end of " " 5 1/4 = S	X	"			No Nit			
	N. Z. Y.	Stones, no. Nit.			Mr Jargin Surveyor			Nov. 4 1854
March 18 <sup>th</sup> 1881.	S. U.	Jargins notes Page 27. —			C. F. Webster S. S. Co.			
50.56 Chus bath & 3.50 Chus E of	X	Stone			Beech	24	S 4° E	44
					Sugar	12	S 27° E	50 1/6
3.50 Chus E and 20.22 1/2 Chus N of	X	Stake			Beech	18	N 20 1/2° E	7
C. F. Webster Surveyor, S. S.								
10 Chus South of	A	Boulder marked			Beech	24	S 77 1/2° N	55 1/2
					do	30	N 88 1/2° N	65 1/2
10 Chus South of	B	" "			Yash	15	S 57° E	18
					Sump Ash	15	S 54° N	10
Corner to the lands of								
Elzy Rucker is 10 links S of the last named corner,								
23 1/5 Chus S of	B	Stone			Beech	12	S 72° N	29 1/2
SE corner of Mrs Eusmingers tower,					do	6	N 60 1/2° N	88 1/2
and NE corner Wagners shore		Stone			Sugar	10	S 22 1/2° N	25
See Partition					Boulder		S 63 1/2° E	20
C. F. Webster S. S. Co.					do		N 3° N	20 1/2

Section 16 Township 12 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
--------------------------------------	----------	------------------	--------	-------	----------------------	-------	----------	-------

May 12-1903  
Set stone  
Harris Surveyor  
June 5 1929.

X Boulder in X outcrop no wit

NW SW Set 3 limestone stones on line between Howard Mull and Harve Hewitt. One at West end of line set 5.9 feet S of line. Two Hackberry trees on line. Set another limestone where line leaves brow of hill at last curve in line before it reaches Conno Creek. Run line S 60° E to creek (Compass Var 5°). Set another limestone stone on this line 46 W of creek wit tree Hickory 14.7 ft NW. Parties both present & agreed to this  
Ralph Cochran

LEGAL SURVEY ORDERED BY JAMES W. & MINNIE CLAPP. FOR OCT 19, 1955.  
STARTED SURVEY ON THAT DATE AND CHECKED THROUGH FROM SW COR TO N.W. COR. OF SECTION, FOUND COR. POST AT E. & W. FENCE AT 1/2 OF TOTAL LENGTH OF WEST LINE (WEST LINE 5341.00 FT. - POST AT 2670.5') THEN OFFSET 250 FT WEST OF THE EXISTING E. LINE OF THE NW 1/4 OF THE NW 1/4 OF SECT 16-12-8 AND RAN THIS LINE THROUGH FROM N. LINE OF SECTION TO SOUTH LINE OF SECTION. FOUND 5344.2 FEET. THE EXISTING FENCE BETWEEN SEVER AND CLAPP WAS FOUND TO BE AT 2672.1 FT OR 1/2 OF THE DIST. FROM THE N. TO THE S. LINE OF THE SECTION.

Robt Smith  
Surv. Shelby Co.

# Record of Surveys in Shelby County, Indiana.

Section *17* Township *12* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>1/2 of M-I</i> <i>same L-K</i>	<i>Stone</i> "			<i>No Nit</i>		<i>Given</i>	
<i>Mar 12<sup>th</sup> 1868</i>	<i>M</i>	<i>Boulder</i>			<i>No Nit</i>			
<i>60 R East &amp; 28 1/3 R South</i>	<i>same</i>	<i>"</i>			<i>"</i>			
<i>28 1/3 R South</i>	<i>N</i>	<i>"</i>			<i>Oak</i>	<i>8</i>	<i>N 41 E 12</i>	
	<i>same</i>	<i>"</i>			<i>No Nit</i>			
<i>Aug 14 - 1903</i>					<i>H. K. Keller Surveyor</i>			
<i>14.82 Chains East of</i>	<i>W</i>							
<i>14.82 Chains East of</i>	<i>M</i>							
<i>S. P. Harris</i> <i>S. S. C.</i>								
	<i>V</i>	<i>See Page</i>	<i>122</i>					







Section 19

Township 12

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
109 1/4 Rods West of 116 7/8 Rods North of	W	Stone			Beech	24	S 42 1/2 N	35 1/2
109 1/4 Rods West of Aug 8 <sup>th</sup> 1876. G. F. Webster, Surveyor.	W	"			Sugar	18	S 12 E	51
					Beech	12	N 51 1/2 E	25
					So	24	S 13 1/2 N	10
May 27 - 1907 Survey made for Roy McDaniel and George Miller set stone 22.04 chms south of S. P. Harris Surveyor	A	Boulder			Boulder		East	25

# Record of Surveys in Shelby County, Indiana.

Section *20*      Township *12*      North, Range *7*      East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Sept 21st 1847</i> <i>40 Link Chain</i></p>	<b>P.</b>				<i>Cherry</i>	<i>15'</i>	<i>S 18 N</i>	<i>3 3/4</i>
	<b>N</b>				<i>Walnut</i>	<i>12'</i>	<i>N 27 E</i>	<i>3 8/16</i>
	<b>C</b>				<i>Ash</i>	<i>4'</i>	<i>S 73 1/2 N</i>	<i>11</i>
	<b>X</b>				<i>do</i>	<i>6'</i>	<i>N 82 1/2 E</i>	<i>20</i>
					<i>Beech</i>	<i>5'</i>	<i>N 15 1/2 E</i>	<i>90</i>
					<i>do</i>	<i>20'</i>	<i>S 68 N</i>	<i>90</i>
					<i>do</i>	<i>40'</i>	<i>S 14 N</i>	<i>3</i>
				<i>do</i>	<i>3'</i>	<i>N 44 N</i>	<i>12 1/2</i>	
<i>William Rock Surveyor</i>								
<p><i>Oct 6th 1881</i> <i>1375 Chains West of</i> <i>1007</i></p> <p><i>Lehas F. Webster</i> <i>Surveyor, S.C.</i></p>	<b>A</b>	<i>Stone mks</i>			<i>Stone</i>		<i>S 72 1/2 E</i>	<i>37 1/2</i>
	<b>H</b>	<i>"</i>			<i>"</i>		<i>S 59 N</i>	<i>25</i>
	<b>A</b>	<i>See page 122</i>				<i>point available</i>		
<i>Joy Dugan Dept Surveyor</i>								

## Record of Surveys in Shelby County, Indiana.

Section *21* Township *12* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Oct 1st 1853,</i> <i>N of N End of Line</i>	<i>Y</i> <i>O. R.</i>	<i>Stones</i> <i>Stone</i>			<i>Beech</i> <i>ch Nit</i> "	<i>16</i>	<i>N 75° W</i>	<i>10</i>
	<i>E</i>	<i>See page 122</i>			<i>from Jargin Surveyor</i>			

# Record of Surveys in Shelby County, Indiana.

Section *28*

Township *12*

North, Range *8*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bearing, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Perpetuated.</i></p> <p><i>April 6. 1898.</i></p> <p><i>Surveyed for J. H. Zauss and Alfred Crissler. Line</i></p> <p style="text-align: center;"><i>10 13 1/2 Chas</i></p> <p><i>Chain Carriers Sworn.</i></p> <p><i>Lehas. F. Webster, SSC.</i></p>	<p><i>P</i></p>   <p><i>X to N</i></p> <p style="text-align: center;"><i>X</i></p>	<p><i>Stone</i></p>   <p><i>(Var. N 30° 30' W)</i></p> <p><i>Lime Stone</i></p> <p><i>" + on 22 2/3 lks S of Center of Township</i></p> <p><i>Boulder one foot N of Line of Hedge fence,</i></p> <p><i>and at East end of same</i></p>		<p><i>No Wit</i></p> <p><i>Jno Jarquin Surveyor</i></p>			
<p><del><i>April 10th 1899.</i></del></p> <p><del><i>Millard F. Crawford S. S. Co.</i></del></p> <p><del><i>Set Stone 7 rods East of W. Witness line Stone N. 25° W</i></del></p> <p><del><i>32 links.</i></del></p> <p><del><i>Set Stone 7 rods East of C. Witness</i></del></p> <p><del><i>Millard F. Crawford S. S. Co.</i></del></p>	<p><del><i>N</i></del></p>	<p><del><i>line stone mark +</i></del></p>		<p><del><i>Witness line, N 48° E</i></del></p> <p><del><i>Pop 12 S 46° W</i></del></p>		<p><del><i>32.</i></del></p> <p><del><i>16 1/2</i></del></p>	

## Record of Surveys in Shelby County, Indiana.

Section 28

Township 12

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
April 10, 1899. M. F. Crawford surveyor.		lime stone mark +			Wil. line stone.		N. $49\frac{1}{2}^{\circ}$ E	32
70 rods 14 feet East of	N N	" " " "			" " "		N $18\frac{1}{2}^{\circ}$ E	25 $\frac{3}{4}$
70 rods 14 feet East of	C	stone " " "			Populae 12		S E	13 $\frac{2}{3}$
December 14, 1900. Millard F. Crawford, County Surveyor.								
Oct 5 1915 wit. for. Geo. E. Oltman, Surv.	V	Stones					N W S W	30 30

# Record of Surveys in Shelby County, Indiana.

Section **29** Township **12** North, Range **7** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Mar 29 <sup>th</sup> 1848.	M				Beech	14	S 33 N	68
					Ash	18	S 33 N	68
Platt on Page					Mr Rock Surveyor			
SEARCHED FOR 11-85 NOT FOUND L.MAY	O				Cherry	4	S 48 N	10
					Poplar	5	N 38 N	12
Mar 26 <sup>th</sup> 1860.	L. P.	Stones			No Nit			
25 <sup>th</sup> Chus North	W	Stone			Buckeye	13	S 32 <sup>1</sup> / <sub>2</sub> E	30
					Beech	14	S 62 N	61
10 <sup>th</sup> 2 <sup>1</sup> / <sub>2</sub> Chus "	of Same	"			No Nit			
Same "	V							
25 <sup>th</sup> 18 <sup>1</sup> / <sub>2</sub> Chus "	of Same	"						
Nov 16 <sup>th</sup> 1861.	Q	"			Ed Minchel Surveyor			
Stroups Brick Building (House)		U + Q			Church Steeple	2 <sup>1</sup> / <sub>2</sub>	N	
Apr 1853 - Jurgins Corner,	Z	Stone			Whimney	8 <sup>1</sup> / <sub>2</sub>	S 12 E	
					Boulder	Nit	N 23 <sup>1</sup> / <sub>2</sub> E	28
					Limestone	"	S 9 <sup>1</sup> / <sub>2</sub> E	32 <sup>1</sup> / <sub>4</sub>
	R	"			By Canon	7	East	53 <sup>1</sup> / <sub>2</sub>
	X	" G			B-oak stump	2	S 30 N	7 <sup>1</sup> / <sub>2</sub>
	Y	" + D			Beech	10	S 7 E	72 <sup>1</sup> / <sub>2</sub>
					do	10	S 22 <sup>1</sup> / <sub>2</sub> N	63 <sup>1</sup> / <sub>2</sub>
Feb 11 <sup>th</sup> 1862 -	N	Stone			By Canon	14	N 76 <sup>1</sup> / <sub>2</sub> E	105 <sup>1</sup> / <sub>2</sub>
8 <sup>th</sup> Chus West of	same	"			do	18	S 83 E	119 <sup>1</sup> / <sub>2</sub>
SEARCH MADE 11-85 NO STONE FOUND L.MAY					do	12	S 86 <sup>1</sup> / <sub>2</sub> E	30



# Record of Surveys in Shelby County, Indiana.

85

Section *30* Township *12* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inhd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
11-85, SEARCH MADE, NOT FOUND. L. May D.C.S.	M				Ash	4	N 73° W	13
					S- Wood	3	N 33° W	3
11-85, CONSERVANCY LAKE PLACE AROUND this stone. No possible way to locate. →	N				Beech	14	S 6 1/2° E	16
					do	17	S 3 1/2° W	10
	P,				Oak	30	N 72 1/2° W	33 1/2
	Z,				Beech	11	S 13 1/2° E	22
	X.				do		S 33° E	6 3/4
	O. S.	stones			Wm Rock Sumeyor			
	T.	"			do Nit			
800 Chus South of	Name	" 686			Ed Winchel Sumeyor			
	W	"			S- Wood	4	N 24 3/4° W	3 1/2
1500 Chus South of	U	" 1536			Beech	18	N 71° E	22 1/2
1000 Chus West of	East named	" 1047			Sulcentre of RR			
May 16 <sup>th</sup> 1899	L	I Stone			Beech	12	S 1/2° E	7
Millard F Crawford	Searched Made, Not Found		11-85	L May D.C.S.	do	11	N 19 1/2° W	21
Surveyor					A E Corbaldon			
					In center of RR			
					Richard Corbaldon			
					Wit Iron Bridge		N.	12, 15
					Center of			301.90

Section 30

Township 12

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
48 rods north of	M.	<p>Set stake. Thence 50 rods East set an Iron rod in river. Wit sye<sup>14</sup> S. 32° 32' Thence south of Iron rod 2 rods set stake for corner.</p> <p>May 17<sup>th</sup> 1899. Millard F. Crawford Surveyor, S.C.</p>						
June 12 1945 Set Stone 753' west & 262 ft. N. of SE. Cor. 30-12-8 for SE cor. of tract of land on NW. Part of Waldron.								
		Geo. E. Oltman.						

# Record of Surveys in Shelby County, Indiana.

91

Section *31*

Township *12*

North, Range *8*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	O				o-wood	4	88 N	11
	P				Beech	16	N 33 E	10
	Y				do	8	N 45 E	26
	R				B. ash	12	N 34 E	27
	W	stone			Beech	20	N 84 E	16
	D	"			do	10	N 47 N	13
<i>July 14<sup>th</sup> 1855-</i>	A	Boulder			No Nit			
	L	stone			(Beech	10	N 25 N	10)
	V	L + P			( do	10	N	88)
<i>Nov 16<sup>th</sup> 1861-</i>	Z	stone			<i>Geo Dargwin Surveyor</i>			
	K	Boulder			Boulder		N 23 1/2 E	28
	N	stone			Limestone		N 4 1/2 E	32 1/2
	H	L + P			Poplar Stump		N 28 E	60
	X	stone			do	36	N 63 1/2 E	80
	A	V + Z			Beech	12	N 87 N	14
	X	stone			Field Notes.			
	A	stone			No Nit			
	X	Boulder			"			
	A	" "			"			
	X	Limestone			Sugar	22	N 85 N	36
<i>14 3/4 Chris West. of</i>	A	Boulder			Coon		N 84 1/2 E	32 1/2
<i>By James Surveyor</i>	X	stone			No Nit see above			
	A	Boulder			Sugar	18	N 60 E	18
	X	stone			Field Notes to Nit			

Section 31

Township 12

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>May 7<sup>th</sup> 1895.            Survey for Lehas Ausden            and Thomas Knight.            Begin 57 30<math>\frac{1}{2}</math> Chms South of <del>FE</del>            57 30<math>\frac{1}{2}</math> Chms S of C.            Lehas, F. Webster            Surveyor, S.C.</p>	<p>Line</p>	<p>East and West from Stakes set in            the Partition of the Estate. viz:            and running East 35<math>\frac{1}{2}</math> Chms to Stake            Two feet N.E. of P. Ash. 12</p>						

# Record of Surveys in Shelby County, Indiana.

Section *B2*

Township *12*

North, Range *8*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Mar 21<sup>st</sup> 1856</i>	<i>X</i>	<i>Stone</i>			<i>No Nit Given</i>			
	<i>M.V.</i>	<i>"</i>			<i>"</i>			
	<i>O.</i>	<i>"</i>			<i>Beech</i>	<i>16</i>	<i>N 7 E</i>	<i>17</i>
					<i>Sugar</i>	<i>18</i>	<i>N 40 E</i>	<i>27</i>
	<i>N</i>	<i>"</i>			<i>No Nit</i>			
<i>Corner set on E line of A Agr</i>		<i>"</i>			<i>Mr Jargin Surveyor</i>			
<i>6 17 Chus South of</i>	<i>E</i>	<i>Stone</i>			<i>No Nit Given</i>			
<i>15 80 " "</i>	<i>Same</i>	<i>"</i>			<i>"</i>			
<i>20 64 " "</i>	<i>Same</i>	<i>"</i>			<i>"</i>			
<i>25 42 " "</i>	<i>Same</i>	<i>"</i>			<i>"</i>			
<i>30 24 " "</i>	<i>Same</i>	<i>"</i>			<i>"</i>			
<i>35 05 " "</i>	<i>Same</i>	<i>"</i>			<i>"</i>			
<i>39 85 " "</i>	<i>Same</i>	<i>" L+P</i>			<i>"</i>			
<i>6 17 Chus</i>	<i>O.</i>	<i>"</i>						
<i>15 82 " "</i>	<i>Same</i>	<i>"</i>						
<i>20 64 1/2 " "</i>	<i>Same</i>	<i>"</i>						
<i>25 47 " "</i>	<i>Same</i>	<i>"</i>						
<i>30 29 1/2 " "</i>	<i>Same</i>	<i>"</i>						
<i>35 12 " "</i>	<i>Same</i>	<i>"</i>						
<i>39 9 1/2 " "</i>	<i>Same</i>	<i>"</i>						
	<i>I, Z</i>	<i>"</i>			<i>Beech</i>	<i>12</i>	<i>N 87 W</i>	<i>14</i>
					<i>Richard Morris Surveyor</i>			

## Record of Surveys in Shelby County, Indiana.

Section 32 Township 12 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Survey for of Curtis & Simpson C. S. Webster S. S. C. July 22nd 1879. C. S. Webster. W. A. Steele & N. 4. S. Surveyor S. C.	Y	Stake			Beech	18	S 40 1/2 W	40 1/2
					do	18	N 42 E	57
	Z				Pencil Post		S 51 1/2 W	42
					Stone		N 51 1/2 W	42
					Walnut	15	N 22 W	90
16.88 chains East of 6.27 chains south of above Feb. 19. 1886	C	Stone + +			No witnesses " "			
17 chains south of	N	Stake in Deer creek			Beech	24	N 88 1/2 E	108 1/2
					G. Ash	20	S 15 E	114.
15 chains East of	N	Stake in " "			Sycamore	48	W.	33
Variation 3 1/2° Thos Finley S. C. June 11. 1888.					Hickory	24	N. 73 W.	112.

# Record of Surveys in Shelby County, Indiana.

Section *B B* Township *12* North, Range *P* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>L</i>				<i>Hickory</i>	<i>20</i>	<i>N 81 1/2 N</i>	<i>42</i>
					<i>Beech</i>	<i>10</i>	<i>N 38 N</i>	<i>68</i>
	<i>M</i>				<i>do</i>	<i>7</i>	<i>N 43 E</i>	<i>3</i>
					<i>do</i>	<i>14</i>	<i>N 50 N</i>	<i>23</i>
	<i>W</i>				<i>do</i>	<i>14</i>	<i>N 36 1/2 N</i>	<i>24</i>
					<i>Hickory</i>	<i>23</i>	<i>E</i>	<i>22</i>
					<i>Mr Rock Burney's</i>			
	<i>C</i>	<i>Boulder</i>			<i>Beech</i>	<i>12</i>	<i>N 41 1/2 E</i>	<i>30</i>
					<i>do</i>	<i>17</i>	<i>N 30 1/2 N</i>	<i>84</i>
	<i>D</i>	<i>Stone</i>	<i>chain</i>		<i>Bur Oak</i>		<i>E</i>	<i>1</i>
	<i>N</i>	<i>"</i>			<i>Stone</i>	<i>hit</i>	<i>N 61 N</i>	<i>34 1/2</i>
					<i>do</i>	<i>"</i>	<i>N 78 N</i>	<i>38</i>
	<i>X</i>				<i>Beech</i>	<i>18</i>	<i>N 57 E</i>	<i>24</i>
					<i>Ash</i>	<i>30</i>	<i>N 3 E</i>	<i>24 3/4</i>
	<i>Y</i>	<i>Y, 33.</i>			<i>Beech</i>	<i>15</i>	<i>N 43 N</i>	<i>33</i>
					<i>Poplar</i>	<i>48</i>	<i>N 26 1/2 N</i>	<i>46 1/2</i>
	<i>Z</i>				<i>do</i>	<i>40</i>	<i>N</i>	<i>59 1/2</i>
					<i>Beech</i>	<i>18</i>	<i>N 42 1/2 E</i>	<i>77</i>
	<i>H</i>	<i>Stone</i>			<i>Sugar</i>	<i>13</i>	<i>N 20 N</i>	<i>30</i>
					<i>Beech</i>	<i>24</i>	<i>N 26 1/2 E</i>	<i>31</i>
					<i>Ash</i>	<i>36</i>	<i>N 3 1/2 E</i>	<i>60</i>
<i>249 Chas A</i>	<i>O</i>				<i>Walnut</i>	<i>20</i>	<i>N 23 1/2 N</i>	<i>33 1/2</i>
					<i>Beech</i>	<i>15</i>	<i>N 12 1/2 E</i>	<i>60</i>
<i>947 Chas A</i>					<i>Oak</i>	<i>24</i>	<i>N 47 N</i>	<i>172 1/2</i>

*Apr 1833, by Jargin.*

*of*  
*of same*

## Record of Surveys in Shelby County, Indiana.

Section 33

Township 12

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
249 Chus ch 947 " ct	of P " same	Stone Boulder			H-Oak Pin Oak	30 36	S 71 N N 11 1/2 E	82 1/2 17 1/2
					Richard Cornis Surveyor			
March 23rd 1892, made survey of 60 acre tract, for Fagel. Planted stones as follows.								
16.84 Chas. S. of	○	L. stone.						
16.84 " S. and 25.62 1/2 Chs E. of	"	" "						
23.87 1/2 " West	⊥	" "						
58 links East	○	" "	60.					
F. S. Firley Surveyor.								
Oct 5 1925 witness for A								
Geo. E. Oltman sur.								
		Stones					SW NW	50 50

## REMARKS.

Corners by John W. Whitlock - Search for stone was made at all corners  
If stone wasn't found - either - Monument found before digging & was reset  
or - Monument was set from best evidence

This should be MARKED.

St. Paul, Ind. Sept 24<sup>th</sup> 1896. (Var 2<sup>x</sup>)

Survey for M. J. Phillips. Section 4. - 11. - 8. East 7.03 chains for Beginning point. Then North 2.50 chains. North 86<sup>x</sup> West 4.64 chains to a fence on East line of a Private Road. Thence South 45<sup>x</sup> East with line of Road. 4.13 $\frac{1}{2}$  chains to South line of quarter Section.

Thence East 143 chains to the place of beginning, containing  $\frac{85}{100}$  Acres  
A Lime Stone corner set at South East corner, North East corner and North West corner of said tract.

T-12-R-8E

In the construction of the concrete Bridge at the section corners of sections 16-17 & 20-21 it was necessary to remove the original corner and by making the proper witnesses I removed the stone after the bridge and grade was completed and by referring to the said witnesses I set a limestone rock on the grade, with a + on the south parapet of the bridge for a witness S 11 $\frac{1}{2}$  li. and the ~~the~~ W. end of the N. Parapet is 23 li from said stone, May 15-1918. Geo. E. Oldman Survey