

188
189

FIELD NOTES---EXPLANATION OF.

A	a	B	b	C	c	D	d	E	e	F	f	G
6	6	5	6	4	6	3	6	2	6	1	6	5
Y	6	5	4	3	2	1	1	2	1	H	1	8
X	7	5	8	5	9	5	10	5	11	5	12	h
X	6	5	4	3	2	1	1	2	1	1	1	1
W	18	1	17	1	16	1	15	1	14	1	13	1
W	6	5	4	3	2	1	1	2	1	1	1	1
V	19	3	20	3	21	3	22	3	23	3	24	k
V	6	5	4	3	2	1	1	2	1	1	1	1
U	30	2	29	2	28	2	27	2	26	2	25	l
U	6	5	4	3	2	1	1	2	1	1	1	1
t	31	1	32	1	33	1	34	1	35	1	36	m
T	s	S	r	R	q	Q	p	P	o	O	n	N

Township 13 North, Range 3 East. of 2nd Principal Meridian

110
 95
 30
 19
 30
 107
 150



Field Notes of Shelby County, Indiana.

1

Township *13* North, Range *3* East. of *2nd Principal Merid*

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>E</i>	Beech	12	N 20 W	18	<i>L</i>	Kickory	20	N 81 E	13
	Ash	24	S 25 E	20		Ash	7	S 70 W	15
<i>E'</i>					<i>L'</i>	Kickory	29	S 80 N	7
<i>F</i>	Ash		Post			Beech	12	S 88 E	—
					<i>M</i>	W. Beech	7	S 30 E	11
<i>F'</i>						Ash	20	N 17 W	15
					<i>M'</i>	Elm	6	N 29 E	20
<i>G</i>	Beech	9	S 6 1/2 W	30		In a brushy field			
	Elm	6	N 36 E	17	<i>N</i>	Kickory	12	S 29 W	32
<i>G'</i>	Beech	21	N 30 W	23		Beech	10	N 30 E	31
	so	18	S 43 E	36	<i>N'</i>	so	27	S 43 W	3
<i>H</i>	so	9	N 43 W	10		so	9	N 79 E	13
	so	36	N 45 E	30	<i>O</i>	W. Beech	6	S E	4
<i>H'</i>	so	24	N 28 W	7		Imp Ash	24	N W	12
	Kickory	6	S 41 E	11	<i>O'</i>	Beech	24	S 67 E	21
<i>I</i>	Imp Ash	12	N 83 W	25		so	21	S 21 E	16
	so	10	N 56 E	23	<i>P</i>	so	24	N 61 W	19
<i>I'</i>	Elm	9	N 24 E	26		so	10	S 83 E	27
	Beech	10	S 33 W	16	<i>P'</i>				
<i>K</i>	so	20	N 52 E	23					
	so	12	S 55 W	14					
<i>K'</i>	so	9	N 6 E	8					
	so	12	S 48 W	19					

Field Notes of Shelby County, Indiana.

Township

13

North, Range

3

East. of 2nd P.M. Merid

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
25.26.35.36.	Sugar	20	N 88 E	4	M to U				
	Beech	3	N 50 N	37	1	Beech	6	S 80 E	25
23.24.25.26.	H-Oak	18	N 59 N	6	"	So	24	S 64 N	22
	Elm	6	S 32 E	21	2	So	6	S 9 E	6
13.14.23.24	Wackberry	20	N 86 N	11 ^x	"	So	12	N 17 E	36
	Wickory	14	S 80 E	30	L to V				
1.2.11.12	Beech	15	S 14 N	6	1	H-Oak	4	N 62 N	7
	So	12	N 40 E	9	"	Ash	6	S 61 E	6
26.27.34.35	So	10	S 30 N	10	2	Sycamore	4	N 24 E	11
	So	18	N 32 E	20	"	Wackberry	12	S 80 E	21
22.23.26.27.	Buckeye	3	S 36 N	13	K to W				
	Ash	10	S 77 E	3	1	Maple	12	N 45 N	19
14.15.22.23.	H-Oak	24	S 75 E	7	"	So	6	S 78 E	16
	Ash	4	N 76 N	17	2	Beech	16	S 60 E	16
10.11.14.15	So	3	S 9 N	3		Papaw	4	N 47 N	7
	So	15	N 42 E	31	I to X				
2.3.10.11	Wickory	11	N 42 E	19	1	Buckeye	14	N 34 E	42
	Ash	4	S 89 N	26	"	So	10	S 64 N	18
					2	Beech	12	S 64 E	10
					"	Ash	10	S 86 N	15

Field Notes of Shelby County, Indiana.

Township *13* North, Range *3rd* East. *of 2nd Prim Merid*

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>H to Y</i>						<i>P to E.</i>				
1	Beech	6	N 15° W	15		1	Beech	14	S 52° W	19
"	do	24	S 31° E	22		"	Elm	17	N 33° E	26
2	Hickory	14	N 30° E	18		2	Buckeye	12	N 81° W	36
"	Ash	20	S 9° W	6		"	Thorn	6	N 32° E	31
<i>O to F</i>						3	Beech	12	S 31° E	13
1	Ash	5	N 81° E	10		"	Sugar	14	N 2° W	26
"	do	18	S 24° W	13		4	Beech	17	S 71° W	9
2	Beech	8	N 37° W	28		"	do	12	S 64° E	9
"	do	20	N 46° W	14						
3	do	30	S 25° E	19		5	Maple	12	S 76° W	7
"	Elm	7	N 11° W	19		"	do	24	S 45° E	33
4	Beech	6	S 45° W	11		6	Beech	4	N 70° W	5
"	do	8	N 38° E	14		"	do	5	N 33° E	11
5	do	5	S 29° W	26						
"	do	16	N 89° E	11						
6	do	3	S 21° E	10						
"	do	10	N 61° W	21						

Record of Surveys in Shelby County, Indiana.

Section / Township / *B* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nickols - Sumner</i>	V	Stone			Beech		S 1 1/2 N	—
	W	"			Beech	13	N 20 1/2 N	26
	N	"			Cherry	3	S 33 E	24
	A	"			Maple	28	N 14 E	24
	D	"			Elm	40	N 3 1/4 N	32
	C	"			Beech	12	S 6 1/4 N	24
<i>Rock - Sumner</i> <i>Apr 13th 1866</i>	D	"			Ash	4	N 29 N	11 1/2
	C	"			Sycamore	5	S 36 N	39
	D	Boulder			Walnut	14	S 31 1/2 E	98
	Z	"			Beech	10	S 60 E	32 1/2
	E	"			Walnut	20	S 60 1/2 N	30
	Y	"			N-Elm	9	S 40 N	44
<i>Keop - Sumner</i> <i>Sept 30th 1867</i>	O	1 " + 2			No Nit		N. Side	Ash.
	Y	"			B-Ash	15	N 36 E	162
	O	"			Sycamore	22	N 24 1/2 E	95 1/2
	I	"			No Nit			
	C	"			Beech	18	N 67 1/2 E	9
	N	"			do	2	S 33 1/2 N	14 1/2
<i>H. H. Miller - Sumner</i> <i>C to A = 26.58 chains</i> <i>6.53 Ch South of</i>	I	Stone			do	12	N 30 N	23
	C	"			do	18	S 43 E	36
	N	"			do	20	N 35 E	12 1/4
	N	"			do	20	N 35 E	12 1/4
<i>2.66 Ch E & 16 lks North of</i> <i>Tree used.</i>	N				Beech tree on East Bank of Sugar Creek			

Record of Surveys in Shelby County, Indiana.

Section 7

Township 13

North, Range 5

East.

Date, Intermediate Corners, &c., &c.

Corners.

Stone, Mark, &c.

Acres.

Hund.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

A to M = 20.27 Ch.

M to L = 20.36 "

L to A = 27.72 "

Survey in Partition of Holton Estate,

G. H. Webster,

Surveyor, S. C.

Record of Surveys in Shelby County, Indiana.

Section *11* Township *18* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Apr 18th 1866</i> <i>Jno. Hoops - Surveyor</i> <i>Oct 12th 1867</i>	S	<i>Boulder</i>			<i>W-ash</i>	<i>20</i>	<i>S 65° N</i>	<i>9</i>
					<i>do</i>	<i>12</i>	<i>or 6 E</i>	<i>24</i>
		T	<i>"</i>		<i>Ch Nut</i>			
		C	<i>"</i>		<i>Stone</i>		<i>N 32 E</i>	<i>18</i>
					<i>W-Oak</i>	<i>36</i>	<i>S 60 N</i>	<i>24</i>
		I	<i>"</i>		<i>W-ash</i>		<i>S 38 N</i>	<i>33</i>
					<i>Stone</i>		<i>or N</i>	<i>12</i>
		M	<i>"</i>		<i>Beech</i>	<i>15</i>	<i>or 26 N</i>	<i>72</i>
		N	<i>"</i>		<i>Hickory</i>	<i>18</i>	<i>S 43 N</i>	<i>6</i>
					<i>Oak</i>	<i>3</i>	<i>N 29 E</i>	<i>21</i>
	O	<i>"</i>		<i>do</i>	<i>4</i>	<i>or 64 N</i>	<i>31</i>	
				<i>do</i>	<i>20</i>	<i>or 36 E</i>	<i>40</i>	
	L	<i>"</i>		<i>Stone</i>		<i>or 79 N</i>	<i>104</i>	
	P	<i>"</i>		<i>Ash</i>	<i>6</i>	<i>or 62 N</i>	<i>13</i>	
				<i>do</i>	<i>6</i>	<i>S 60 E</i>	<i>16</i>	
	Q	<i>"</i>		<i>Maple</i>	<i>24</i>	<i>S 64 E</i>	<i>21</i>	
				<i>Red-Oak</i>	<i>12</i>	<i>or 32 E</i>	<i>32</i>	
	R	<i>"</i>		<i>Oak</i>	<i>4</i>	<i>or 33 E</i>	<i>18</i>	
				<i>Ash</i>	<i>3</i>	<i>S 71 N</i>	<i>7</i>	
<i>W. H. Miller - Surveyor</i> <i>Apr 21st 1883</i>	D	<i>"</i>		<i>Stone</i>		<i>S 11 E</i>	<i>32 1/4</i>	
				<i>do</i>		<i>N 8 1/4 E</i>	<i>43 1/2</i>	
	E	<i>"</i>		<i>"</i>		<i>N 20 1/2 E</i>	<i>41</i>	
				<i>"</i>		<i>N 48 1/4 W</i>	<i>47</i>	

Section *11* Township *13* North, Range *5* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	* <i>F</i>	<i>Stone</i>			<i>Hickory</i>	<i>11</i>	<i>S 70 1/2 E</i>	<i>63 1/2</i>
					<i>Beech</i>	<i>12</i>	<i>S 9 W</i>	<i>29 1/2</i>
	* <i>G</i>	"			<i>R. Oak</i>	<i>20</i>	<i>N 7 W</i>	<i>28 1/2</i>
					<i>Stone</i>		<i>N 69 E</i>	<i>54</i>
	<i>H</i>	"			<i>Ash</i>	<i>22</i>	<i>S 60 W</i>	<i>4</i>
					<i>S. Ash</i>	<i>10</i>	<i>N 89 E</i>	<i>14 3/4</i>
	<i>I</i>	"			<i>old Stone</i>		<i>N 88 3/4 E</i>	<i>30 1/4</i>
					<i>Stone</i>		<i>N 57 1/2 W</i>	<i>16 1/2</i>
	<i>L</i>	"			<i>walnut</i>	<i>5</i>	<i>S 49 W</i>	<i>135</i>
	<i>M</i>	"			<i>No Wit-</i>			
	<i>N</i>	"			<i>old Stone</i>		<i>S 12 E</i>	<i>20 1/2</i>
					<i>Hickory</i>	<i>18</i>	<i>South</i>	<i>25</i>
	* <i>O</i>	"			<i>R. Oak stg</i>	<i>24</i>	<i>N 22 E</i>	<i>14 1/4</i>
					<i>Chm</i>	<i>6</i>	<i>N 89 1/4 E</i>	<i>52 3/4</i>
	* <i>P</i>	"			<i>Oak</i>	<i>6</i>	<i>N 62 1/2 E</i>	<i>24</i>
					<i>S. Ash</i>	<i>11</i>	<i>N 7 W</i>	<i>27</i>
	* <i>Q</i>	"			<i>Oak stump</i>	<i>36</i>	<i>N 76 W</i>	<i>23 1/2</i>
					<i>R. Oak</i>	<i>6</i>	<i>S 71 1/2 E</i>	<i>49 1/2</i>
	* <i>R</i>	"			<i>Stone</i>		<i>N 73 W</i>	<i>47</i>
					<i>Hickory</i>	<i>16</i>	<i>N 58 E</i>	<i>94 1/2</i>
	<i>S</i>	"			<i>S. Ash</i>	<i>10</i>	<i>N 41 W</i>	<i>38 1/2</i>
					<i>Stone</i>		<i>N 87 W</i>	<i>21 1/2</i>
	<i>T</i>				<i>No wit-</i>			

* see remarks on page 118

Record of Surveys in Shelby County, Indiana.

Section 11 Township 13 North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres. * Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p style="text-align: center;">* $\times \frac{1}{2}$</p> <p style="text-align: center;">in county ditch</p> <p style="text-align: center;">Geo. S. Murphy S.S.C. $\frac{1}{2}$</p>	G-O	Stone		R. Oak	12	S 15 $\frac{1}{2}$ E	18 $\frac{1}{4}$
	Y	"		" "	18	S 78 $\frac{1}{2}$ E	5
	Z	"		S. Ash stump	18	S 41 $\frac{3}{4}$ W	49 $\frac{1}{2}$
	I-M	"		" "	10	N 32 $\frac{1}{4}$ W	36 $\frac{3}{4}$
	I-M	"		E. Elm Oak Stone	19 36	S 33 E S 12 $\frac{1}{2}$ W S 74 $\frac{1}{2}$ E	90 $\frac{1}{2}$ 94 35
<p style="text-align: center;">Joint Survey</p> <p style="text-align: center;">By W. R. Morris, of Shelby Co. and W. J. Hougham of Johnson Co.</p>	IE	Boulder		Boulder		S 13 $\frac{1}{2}$ W	37
	IF	Boulder		" "		N 25 E	21
	IP	Boulder		Hickory	20	N 64 E	28
	Q	Boulder		" "	16	S 11 W	32
<p style="text-align: center;">IP located by stumps of Miller's witness, Ash 6 N 62 W 13</p> <p style="text-align: center;">Q a Boulder set in bank of county ditch 8 links West of the corner</p>	Q	Boulder	Miller's Witnesses	Oak	10	N 56 W	32
	ID	Boulder		Gray Ash	12	N 8 W	64
	G	Boulder		Maple	24	S 64 E	21
	G	Boulder		Red Oak	12	N 52 E	32
	G	Boulder		Boulder		S 4 E	25 $\frac{1}{2}$
	G	Boulder		" "		N 9 W	16
<p style="text-align: center;">NB. - The S 13 $\frac{1}{2}$ W 37 links witness stone, at IE, is set where the roots of an old witness were found, taken by John S. Hougham, Surveyor Johnson County 1850.</p>	G	Boulder		3 Burr Oak Stumps	36	South	39
	G	Boulder		" " "	36	S 56 W	35
	$\frac{1}{2}$ G O	Boulder		Red Oak	12	S 47 $\frac{1}{2}$ W	29
				" "	18	S 82 $\frac{1}{2}$ W	19 $\frac{1}{2}$

Record of Surveys in Shelby County, Indiana.

Section 11 Township 13 North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	O	Boulder			Burr Oak	15	N 23 E	12
					Elm	6	S 85 E	31
	IR	Boulder			Boulder		N 74 ³ / ₄ W	56
					Hickory	16	N 48 E	85
6.17 Chains East of	IV				Burr Oak Stump	40	East	15
					" " "	26	S 82 ¹ / ₂ W	19 ¹ / ₂
6.21 Chains East of	IV	Boulder			No Witnesses			
Chain } J. C. Smith. Barriers } T. H. McClain, Flagman - Frank Powers. October 22 nd , 23 rd , + 24 th 1883. By Wm R. Norris, Deputy C. S. Shelby County, Indiana and Wilson J. Hougham C. S. Johnson County, Indiana, on the West line of Section 11, and the North lines of Sections 10 and 11. - 10 being in Johnson, and 11 in Shelby Co. Ind. Bail Hougham assisted 2 days, to-wit: Oct. 22 nd and 23 rd 1883. Assess. - On this survey. - John Magee, John Thomas Powers and others.	Survey made Oct. 22 nd , 23 rd , and 24 th 1883. By Wm R. Norris, Deputy County Surveyor, Shelby County, and Wilson J. Hougham, Surveyor, Johnson County, Ind.							

Record of Surveys in Shelby County, Indiana.

29

Section **11** Township **13** North, Range **5** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Land.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Relocated with W.T. Hougham, Surveyor Johnson Co. From Johnson Co notes 6.17 $\frac{1}{3}$ chains East of	F				Hicory	22	S 43 W	31
Relocated D	F				"	15	N 34 E	23
Relocated	D				No witness			
Relocated	G				No witness			
Oct. 15, 1886					Red Oak	24	N 60 W	46
					Boak Stump	36	S 9 W	40
W. H. Isley = Surveyor								

Record of Surveys in Shelby County, Indiana.

Section *12* Township *13* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>72 1/4 R. E.</i>	<i>a</i>	<i>D</i>	<i>Stone</i>		<i>Cherry</i>	<i>14</i>	<i>S 76 1/2 W</i>	<i>65</i>
<i>3 1/2 R. N</i>	<i>a</i>	<i>Same</i>	<i>"</i>		<i>Beech</i>	<i>4</i>	<i>S 61 1/2 E</i>	<i>18</i>
		<i>L</i>	<i>"</i>		<i>Walnut</i>	<i>7</i>	<i>N 30 1/2 E</i>	<i>75</i>
		<i>N</i>	<i>"</i>		<i>Beech</i>	<i>9</i>	<i>S 33 1/2 E</i>	<i>13 1/2</i>
					<i>Buckeye</i>	<i>9</i>	<i>S 47 1/2 W</i>	<i>33 1/2</i>
					<i>Thorn</i>	<i>2</i>	<i>S 2 1/2 W</i>	<i>3</i>
					<i>Ginn</i>	<i>10</i>	<i>N 87 1/2 W</i>	<i>17 1/2</i>
<i>Sargin - Surveyor</i>		<i>Q. R</i>	<i>"</i>		<i>No Nit</i>			
<i>Sept 8th 1863</i>								
<i>12 1/2 R E</i>	<i>a</i>	<i>Z</i>	<i>Boulder</i>		<i>No Nit</i>			
<i>B. Links E</i>	<i>a</i>	<i>W</i>	<i>" 41</i>					
<i>Norris - Surveyor</i>		<i>D</i>	<i>L. Stone</i>		<i>Strip. Beech</i>	<i>16</i>	<i>N 89 E</i>	<i>11</i>
<i>Apr 18th 1866</i>		<i>Same</i>	<i>Boulder</i>		<i>so</i>	<i>6</i>	<i>E</i>	<i>22</i>
<i>Keup - Surveyor</i>					<i>so</i>	<i>4</i>	<i>S 40</i>	<i>20</i>
<i>May 27th 1867</i>		<i>D</i>	<i>"</i>		<i>Stone</i>		<i>N 89 W</i>	<i>104</i>
					<i>Miller & Surveyor</i>			
					<i>Assisted by Norris's Exd</i>			
<i>31.25 Links E of</i>		<i>Z</i>	<i>stone</i>		<i>Hickory</i>	<i>16</i>	<i>N</i>	<i>30</i>
<i>125 rods East of</i>		<i>Z</i>	<i>Boulder marked</i>	<i>125</i>			<i>No Witnesses.</i>	
<i>125 rods East of</i>		<i>P</i>	<i>Big Boulder</i>	<i>" "</i>	<i>125</i>	<i>Ash</i>	<i>4 N 84 E</i>	<i>38 1/2</i>
<i>Chain barriers - Simeon box - Hiram box - Flagman - Elisha box - Axman - Milton Francis.</i>								
<i>Oct, 24th and 25th 1887.</i>								
					<i>W. R. Norris, Deputy.</i>			

Record of Surveys in Shelby County, Indiana.

Section 12

Township 13

North, Range 5

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>Sept 1875. Corners omitted from Record heretofore. See Sec. 13, Page 42.</p>	<p>C R</p>	<p>Stone " <u>Survey, 1891.</u></p>			<p>Oak Stone do</p>	<p>30</p>	<p>N 70 1/2 W West East</p>	<p>82. 20 20</p>
					<p>C. F. Webster S. S. Co.</p>			

Record of Surveys in Shelby County, Indiana.

Section *13* Township *13* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Rock-Surveyor</i> <i>May 1st 1861</i> <i>#7, R. Ct</i></p> <p><i>119. R. N. above stop</i></p> <p><i>36 2/3 R West of same</i></p> <p><i>Found Right</i></p> <p><i>Same,</i> <i>Same</i></p>	W	<i>stone</i>			<i>elm</i>	<i>60</i>	<i>N 63 1/2 E</i>	<i>96</i>
	B	"			<i>hackberry</i>	<i>7</i>	<i>S 21 1/2 E</i>	<i>41</i>
	L	"			<i>Buckeye</i>	<i>7</i>	<i>S 26 W</i>	<i>42</i>
	M	"			<i>Oak</i>	<i>36</i>	<i>N 17 W</i>	<i>98 1/2</i>
	A	"			<i>Hickory</i>	<i>14</i>	<i>S 21 1/2 W</i>	<i>47 1/2</i>
	V	"			<i>No Nit</i>			
	Q	"			<i>Beech</i>	<i>14</i>	<i>S 30 W</i>	<i>36 1/2</i>
	N	"			<i>do</i>	<i>11</i>	<i>E</i>	<i>13</i>
	O	"			<i>Sugar</i>	<i>27</i>	<i>N 18 1/2 W</i>	<i>24</i>
	P	"			<i>Maple</i>	<i>5</i>	<i>S 76 W</i>	<i>4</i>
	C	"			<i>Ash</i>	<i>6</i>	<i>S 67 1/2 E</i>	<i>41</i>
	D	"			<i>No Nit</i>			
	E	"			<i>Beech</i>	<i>24</i>	<i>S 41 W</i>	<i>29 1/2</i>
	F	"			<i>do</i>	<i>22</i>	<i>N 7 W</i>	<i>36</i>
	G	"			<i>elm</i>	<i>13</i>	<i>N 3 1/2 W</i>	<i>45</i>
H	"			<i>Hickory</i>	<i>8</i>	<i>S 7 1/2 W</i>	<i>27</i>	
I	"			<i>elm</i>	<i>34</i>	<i>N 79 1/2 W</i>	<i>68 1/2</i>	
J	"			<i>Hickory</i>	<i>16</i>	<i>S 42 1/2 W</i>	<i>106 1/4</i>	
K	"			<i>Buckeye</i>	<i>11</i>	<i>N 73 E</i>	<i>8</i>	
L	"			<i>Beech</i>	<i>14</i>	<i>S 83 W</i>	<i>38</i>	
M	"			<i>Buckeye</i>	<i>10</i>	<i>S 4 E</i>	<i>30</i>	
N	"			<i>Beech</i>	<i>9</i>	<i>S 21 1/2 W</i>	<i>34</i>	
O	"			<i>do</i>	<i>7</i>	<i>N 15 1/2 W</i>	<i>39 1/2</i>	

Record of Surveys in Shelby County, Indiana.

Section *1 B* Township *1 B* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>May 1st 1861</i>	<i>G</i> <i>H</i>	<i>stone</i> "			<i>Beech</i>	<i>11</i>	<i>S 64 E</i>	<i>98</i>
					<i>Ash.</i>	<i>20</i>	<i>N 38 W</i>	<i>8</i>
					<i>Elm.</i>	<i>8</i>	<i>S 83 E</i>	<i>2 1/2</i>
	<i>X</i>	"			<i>F. notes</i>			
<i>1/2 of</i>	<i>D-G</i>	"			<i>Maple</i>	<i>10</i>	<i>S 65 E</i>	<i>38</i>
					<i>Ash</i>	<i>10</i>	<i>N 30 E</i>	<i>65</i>
<i>1/2 of</i>	<i>N-H</i>				<i>Linn</i>	<i>27</i>	<i>S 88 1/2 W</i>	<i>22</i>
<i>Morris - Sumner</i>					<i>N-Beech</i>	<i>8</i>	<i>S 77 E</i>	<i>16 1/2</i>
<i>2 chains west of a stone</i> <i>which is 87 R N + 119 west of</i>	<i>L</i>				<i>Elm</i>	<i>28</i>	<i>N 60 W</i>	<i>98</i>
					<i># Locust</i>	<i>16</i>	<i>N 71 1/2 W</i>	<i>51</i>
<i>Sept 1875, C. H. Heister, Surveyor</i>	<i>C</i> <i>R</i>	<i>Stone</i> <i>stone mkr</i>			<i>Oak</i>	<i>30</i>	<i>N 70 1/2 W</i>	<i>82</i>
<i>Dec 1 + 2 1890 Johnson surveyor</i>					<i>stone</i>		<i>W</i>	<i>20</i>
					"		<i>E</i>	<i>20</i>

Record of Surveys in Shelby County, Indiana.

Section 14 Township 13 North, Range 3 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Rand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Apr 1863 Norris - Sumner	E	Stone			W-ash	10	S 15° E	27
Apr 16 th 1866	B	R. Boulder ^{1 1/2}			N-elm	30	N 28 W	17
	C	" C.			No Nit			
	D	" D.						
	F	L " F.			Beech	16	S 10 1/2 E	32
					W-ash	4	N 32 1/2 W	20 1/4
	O	"			N-Oak	30	N 33 1/2 E	35 1/2
	N	"			No Nit			
	G	"			W-ash	10	N 33 1/2 W	9 3/4
					N-elm	5	N 70 E	9 1/8
Keays - Sumner	H	"			W-ash	5	S 9 W	3
March 19 th 20 th 1883	R	Stone			W. Oak	34	S 61 1/2 E	32 1/4
Stone about 2 links S W of = a beech tree bearing on the corner	Y	Beech Tree			Stone	L	N 19 W	99
	Q	Stake <small>in country ditch</small>			S. Ash	12	S 81 1/2 W	5 1/2
	Z	Stake			S. Ash	10	S 42 W	38
Geo. S. Murphy S. S. C					Hickory	14	S 7 1/2 W	52
	W				elm	36	N 52 1/2 W	50
March 30 1885. Friday S. S. C					No witness available			

Section 14

Township 13

North, Range 5

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
November 18 th 1890 J. Bugan Surveyor	M	Stone			Maple, Beech	12 15	N 56 E N 86 W	69 50
8 Rods west of	RT	stone mkr			stone		East	30
	T	"			corner stone T		East 8 Rods	
9 th chain East of	W	" Perpetuated			stone		South	17
J. Bugan Dec 2 nd 1890	W	stone mkr 15			"		East	18
	V	stone			Walnut	15	West	24

Record of Surveys in Shelby County, Indiana.

Section **23** Township **13** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Mar 21 st 1857 - See R.R.s. Apr 23 rd 1868 4 5/8 chains N- West of above corner on the Bank of Sugar- creek -	X W of same	Stone Stake Stone			Fr-chotes A Nit Elm Beech Hoackberry so	12 10 8 8	S 8 E N 16 W E S	34 31 76 3
See V sec 13	A	Stone Stone found wrong			N. H. Miller. Surveyor 543 S 80 E 30 7/8 ch.		S 30 E	52
11 ⁰³ / ₁₀₀ chains West and ^{1 38} / ₁₀₀ chains South of	A	Stone			Sycamore Honey Locust Swamp ash	24 14 18	S 75 E S 83 E N 48 1/2 W	27 26 1/2 35
11 ⁰³ / ₁₀₀ chains West of 9 ³⁸ / ₁₀₀ " South of Lehas. F. Webster S. S. Co. Oct 17/1882, J. Cogan, Deputy. Salt, Cogan & Co.	A " "	Stone " "			Sycamore maple	14 10	N 29 W N 81 E	12 79
11.03 chains West of Chain Carriers. - Eddie Norris and John W. German. Nov. 30 th 1883. - By Wm B. Norris, Deputy County Surveyor.	A	Boulders			Swamp Ash 7 links North of	18	N 50 W Sugar's corner.	31

Record of Surveys in Shelby County, Indiana.

Section 23

Township 13

North, Range 3

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
April 3rd 1896. Survey for Samuel Cox and Wm McConnell.	B	Stone	Set by Finley.	found	at End of Road.			
10.00 Chns South of	3.11 Chns	West. Stone	" "	" "	found at Center of Road running South.			
And in the Road Set a		Lime Stone	4' x 6' x 20" Stone		S 71 3/4° W 23 1/8			
43 3/4 Chms West of B	Large	" "	Block Lime Stone		S 86° E 36 1/2			
10.00 Chms South of the last	Corner.	Stake for Post.	50 6x6x20		East 25			
I ran the North line of the	section on West	3	Bowlder (paint up)	North	25			
to the West line, and find	the Corner	to be in the middle	of the County ditch,	fifteen links	S 60° E of Center			
of Large Elm Stumps in	West Bank	of ditch,	Murphy's	Witnesses	are gone, and there			
is nothing here to mark	the Corner.	But I determined	the above as correct	from the line	and the measurements			
made, I found Stone	and Beech	Stumps for	Corner	Y.	I had part of the			
stumps cut away on	the East side	and set the	Stone on the line	and 2 links	East of the Corner,			
the Stumps being on	the Corner	as surveyed	by Murphy	and I believe	it is correct, and it			
is 40.66 Chms West of	B.	And 2.69 1/2 Chms	East of Lime Stone	Set at	43 3/4 Chms N of B,			
and it is 20.30 Chms	West from Y,	to the middle	of ditch,	Variation of	needle N 48° 30' E + N 59°			

Charles F. Webster.

Surveyor S. C.

Section 23 Township 13 North, Range 5 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
On June 3, 1907. I located 2.31 chains 43.36 chains West of W. H. Isley. -----	E	in middle of a County Ditch			Bowker ^{mark} +		West	20
	B				Stone Anchor Post		East S. 86 E. South	18 36 1/2 2 1/4

Record of Surveys in Shelby County, Indiana.

Section **24** Township **13** North, Range **3** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Rock - Surveyor Survey for Howard Lee and J. McConnell, Sept 1876, 3 Rods West of 1/2 of	Y D R R-S	Stone Stone Stone Boulder			Sycamore Maple Cotton-wood Walnut Stone	2	N 31 E West North West N 49 E N 89 1/4 W	40 5 5 1/2 12 1/2 30
to J. Webster, Surveyor, April 24 th 1884 4.50 chs west of 4.50 chs W + 4.07 chs N of Geo. S. Murphy & Co.	L " "	Stone " "			So Beech " No Wit	30 24 16	N 6 1/4 W S 32 W S 62 1/2 W	35 97 107 1/2
1 9.86 ch. West of N: thence West 30 links; thence N 2 E 57 links		Boulder						Set in middle of the public road.
2 Thence West of the above corner 25.88 chains		Boulder						
3 Thence South 16.57 chains		Limestone						Written notice given to all parties interested.
4 Thence East 3 rods; thence South 16 rods		Limestone						
5 Thence East 6 rods to middle line E 1/2 S W 1/4		Limestone						
6 13 rods East of E 1/2		Limestone						
<p>Nov. 28th - 29th + 30th 1887. W. R. Norris, Deputy February 8th 1892. Made Survey for line of Johnston St in Boggs town. Found a loose post at S. E. cor. lot No. 11. found which I made Survey, and created corner the North East corner of lot No. 10. planted a limestone</p>								

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.

Corners.

Stone, Mark, &c.

Acres.

Hnd.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

witnessed by a fruit on the north rail of G. Home M. R. R.,
 S. 40° E. 64 links. also a stone at the North West corner of lot No 2,
 17 feet from the North West corner of Church building located on
 said lot. All persons interested were notified in Wightman and
 by having notice served by ^{special} constable, John Arnold, of Hugonville
 Township, Shelby County, Indiana, which was done on the
 26 day of January 1892, an return thereof made to me on the
 8th day of February 1892, which is now on file in my office by
 copy thereof.
 Thomas Stanley, Surveyor, Shelby County

By agreement between parties, Len Burnside & Cecil L. Ry. Co.
 I set a 4 inch pipe filled with cement and a bolt to mark the corners,
 at the SE corner of lot 10 and SW corner of lot 8, Johnsons Addition to
 Boggs town. Said pipes were set on north & south lot lines and
 38 feet from center of track measured perpendicularly. Mr. Burnside
 & Mr. Brignall, Big 4 Engines were present. Survey made & stones set
 May 27, 1929. Ralph Cochran Co. Surveyor.

Record of Surveys in Shelby County, Indiana.

81

Section *26*

Township *13*

North, Range *3*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Innd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Apr 1863</i>	D	Stone			White Oak	24	8 8 N	58 1/2
	P	"			Pin-Oak	26	Ch 54 1/2 E	36
	X	Boulder			B- Walnut	10	8 64 E	65
	Y	"			So	12	Ch 89 E	50
	W	"			Beech	6	8 9 E	6
	V	"			So	12	Ch 17 E	36
	Z	"			So	18	8 2 1/2 N	64 1/2
	M	"			So	12	Ch E	36
	1/2 of X-Y	"			So	14	8 60 E	44 1/2
	L	"			So	8	Ch 66 E	41 1/2
	N	"			34-chates			
	O	"			No Nit			
	O-N	"						

Survey by Sumner

John W. Whitlock 7/12/79 M Iron Pin (Sat) See Tie File See Remarks P. 114

Record of Surveys in Shelby County, Indiana.

Section *33* Township *13* North, Range *3* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Dian.	Courses.	Dist.
<p><i>Apr 29th 1867</i></p> <p><i>1/2 of</i></p> <p><i>H. H. Miller - Survey 1/2 of</i> <i>10 Links N of</i> <i>620 Links S of Same</i> <i>620 Links S of Same</i> <i>2092 Links of</i> <i>Feb 25th 1811 Sugar S's & C</i></p>	<i>M</i>	<i>stone</i>			<i>B-ash</i>	<i>14</i>	<i>S 23 E</i>	<i>3</i>
	<i>N</i>	<i>"</i>			<i>So</i>	<i>10</i>	<i>Cr 10 W</i>	<i>29</i>
	<i>O</i>	<i>"</i>			<i>Beech</i>	<i>10</i>	<i>Cr 60 E</i>	<i>14</i>
	<i>V</i>	<i>"</i>			<i>Sugar</i>	<i>6</i>	<i>Cr 46 W</i>	<i>17</i>
	<i>X</i>	<i>"</i>			<i>Beech</i>	<i>24</i>	<i>S 34 E</i>	<i>9</i>
	<i>Y</i>	<i>"</i>			<i>So</i>	<i>20</i>	<i>Cr 60 W</i>	<i>26</i>
	<i>Z</i>	<i>"</i>			<i>Cr Nit</i>			
	<i>1</i>	<i>"</i>			<i>"</i>			
	<i>2</i>	<i>"</i>			<i>"</i>			
	<i>3</i>	<i>"</i>			<i>"</i>			
	<i>4</i>	<i>"</i>			<i>"</i>			
	<i>5</i>	<i>"</i>			<i>"</i>			
	<i>6</i>	<i>"</i>			<i>"</i>			
	<i>7</i>	<i>"</i>			<i>"</i>			
	<i>8</i>	<i>"</i>			<i>"</i>			
<i>9</i>	<i>"</i>			<i>"</i>				
<i>10</i>	<i>"</i>			<i>"</i>				
<i>11</i>	<i>"</i>			<i>"</i>				
<i>12</i>	<i>"</i>			<i>"</i>				
<i>13</i>	<i>"</i>			<i>"</i>				
<i>14</i>	<i>"</i>			<i>"</i>				
<i>15</i>	<i>"</i>			<i>"</i>				
<i>16</i>	<i>"</i>			<i>"</i>				
<i>17</i>	<i>"</i>			<i>"</i>				
<i>18</i>	<i>"</i>			<i>"</i>				
<i>19</i>	<i>"</i>			<i>"</i>				
<i>20</i>	<i>"</i>			<i>"</i>				
<i>21</i>	<i>"</i>			<i>"</i>				
<i>22</i>	<i>"</i>			<i>"</i>				
<i>23</i>	<i>"</i>			<i>"</i>				
<i>24</i>	<i>"</i>			<i>"</i>				
<i>25</i>	<i>"</i>			<i>"</i>				
<i>26</i>	<i>"</i>			<i>"</i>				
<i>27</i>	<i>"</i>			<i>"</i>				
<i>28</i>	<i>"</i>			<i>"</i>				
<i>29</i>	<i>"</i>			<i>"</i>				
<i>30</i>	<i>"</i>			<i>"</i>				
<i>31</i>	<i>"</i>			<i>"</i>				
<i>32</i>	<i>"</i>			<i>"</i>				
<i>33</i>	<i>"</i>			<i>"</i>				
<i>34</i>	<i>"</i>			<i>"</i>				
<i>35</i>	<i>"</i>			<i>"</i>				
<i>36</i>	<i>"</i>			<i>"</i>				
<i>37</i>	<i>"</i>			<i>"</i>				
<i>38</i>	<i>"</i>			<i>"</i>				
<i>39</i>	<i>"</i>			<i>"</i>				
<i>40</i>	<i>"</i>			<i>"</i>				
<i>41</i>	<i>"</i>			<i>"</i>				
<i>42</i>	<i>"</i>			<i>"</i>				
<i>43</i>	<i>"</i>			<i>"</i>				
<i>44</i>	<i>"</i>			<i>"</i>				
<i>45</i>	<i>"</i>			<i>"</i>				
<i>46</i>	<i>"</i>			<i>"</i>				
<i>47</i>	<i>"</i>			<i>"</i>				
<i>48</i>	<i>"</i>			<i>"</i>				
<i>49</i>	<i>"</i>			<i>"</i>				
<i>50</i>	<i>"</i>			<i>"</i>				
<i>51</i>	<i>"</i>			<i>"</i>				
<i>52</i>	<i>"</i>			<i>"</i>				
<i>53</i>	<i>"</i>			<i>"</i>				
<i>54</i>	<i>"</i>			<i>"</i>				
<i>55</i>	<i>"</i>			<i>"</i>				
<i>56</i>	<i>"</i>			<i>"</i>				
<i>57</i>	<i>"</i>			<i>"</i>				
<i>58</i>	<i>"</i>			<i>"</i>				
<i>59</i>	<i>"</i>			<i>"</i>				
<i>60</i>	<i>"</i>			<i>"</i>				
<i>61</i>	<i>"</i>			<i>"</i>				
<i>62</i>	<i>"</i>			<i>"</i>				
<i>63</i>	<i>"</i>			<i>"</i>				
<i>64</i>	<i>"</i>			<i>"</i>				
<i>65</i>	<i>"</i>			<i>"</i>				
<i>66</i>	<i>"</i>			<i>"</i>				
<i>67</i>	<i>"</i>			<i>"</i>				
<i>68</i>	<i>"</i>			<i>"</i>				
<i>69</i>	<i>"</i>			<i>"</i>				
<i>70</i>	<i>"</i>			<i>"</i>				
<i>71</i>	<i>"</i>			<i>"</i>				
<i>72</i>	<i>"</i>			<i>"</i>				
<i>73</i>	<i>"</i>			<i>"</i>				
<i>74</i>	<i>"</i>			<i>"</i>				
<i>75</i>	<i>"</i>			<i>"</i>				
<i>76</i>	<i>"</i>			<i>"</i>				
<i>77</i>	<i>"</i>			<i>"</i>				
<i>78</i>	<i>"</i>			<i>"</i>				
<i>79</i>	<i>"</i>			<i>"</i>				
<i>80</i>	<i>"</i>			<i>"</i>				
<i>81</i>	<i>"</i>			<i>"</i>				
<i>82</i>	<i>"</i>			<i>"</i>				
<i>83</i>	<i>"</i>			<i>"</i>				
<i>84</i>	<i>"</i>			<i>"</i>				
<i>85</i>	<i>"</i>			<i>"</i>				
<i>86</i>	<i>"</i>			<i>"</i>				
<i>87</i>	<i>"</i>			<i>"</i>				
<i>88</i>	<i>"</i>			<i>"</i>				
<i>89</i>	<i>"</i>			<i>"</i>				
<i>90</i>	<i>"</i>			<i>"</i>				
<i>91</i>	<i>"</i>			<i>"</i>				
<i>92</i>	<i>"</i>			<i>"</i>				
<i>93</i>	<i>"</i>			<i>"</i>				
<i>94</i>	<i>"</i>			<i>"</i>				
<i>95</i>	<i>"</i>			<i>"</i>				
<i>96</i>	<i>"</i>			<i>"</i>				
<i>97</i>	<i>"</i>			<i>"</i>				
<i>98</i>	<i>"</i>			<i>"</i>				
<i>99</i>	<i>"</i>			<i>"</i>				
<i>100</i>	<i>"</i>			<i>"</i>				

W oak 26 S 73 W 44 1/2
Beech 18 S 31 W 12 1/2
S ash 18 N 28 W 10 1/2
O oak 31 S 61 W 43
Boulder N 12

mark 134
Stone

REMARKS.

Corners D, E, F, G, O, P, Q, R, and $\frac{1}{2}$ G O, of Section 11, T 13 N, R 5 E, Recorded on pages 25, 26 and 27, set April 1883, according to Instructions from the General Land Office, issued May 3rd 1881, were afterwards reset according to subsequent Instructions from said Office issued March 13th 1883, and the same recorded on pages 27 and 28.