

Field Notes of Shelby County, Indiana.

Township *13* North, Range *6* East. *East.*

Month.	Day.	NAME OF OWNERS.	Description of Lands.	Section.	Town's p.	Range.	Acres.	Hand'ths	Posts.	Bearing Trees.	Diameter	Course.	Distance.
			<i>C</i>	<i>1</i>	<i>13</i>	<i>6</i>				<i>Stone Beech</i>	<i>16</i>	<i>N 35° E</i>	<i>35</i>
										<i>do</i>	<i>36</i>	<i>S 12° W</i>	<i>5</i>
			<i>M</i>	<i>1</i>	<i>13</i>	<i>6</i>			<i>"</i>	<i>do</i>	<i>14</i>	<i>N 38° W</i>	<i>14</i>
										<i>do</i>	<i>24</i>	<i>N 51° E</i>	<i>8 1/2</i>
			<i>N</i>	<i>1</i>	<i>13</i>	<i>6</i>			<i>"</i>	<i>do</i>	<i>13</i>	<i>N 5° W</i>	<i>29</i>
										<i>do</i>	<i>6</i>	<i>N 74° E</i>	<i>13</i>
			<i>W</i>	<i>1</i>	<i>13</i>	<i>6</i>			<i>"</i>	<i>Elm</i>	<i>4</i>	<i>N 15° W</i>	<i>7</i>
										<i>do</i>	<i>9</i>	<i>N 45° W</i>	<i>22</i>
<i>June</i>	<i>28th</i>	<i>A.P. Cole</i>	<i>N</i>	<i>1</i>	<i>13</i>	<i>6</i>			<i>Former Surveyor</i>	<i>Line-stone Beech</i>	<i>18</i>	<i>N 5° W</i>	<i>29</i>
										<i>do</i>	<i>6</i>	<i>N 74° E</i>	<i>13</i>
		<i>Witness taken by P</i>		<i>1</i>	<i>13</i>	<i>6</i>			<i>"</i>	<i>Buckeye</i>	<i>18</i>	<i>N 20° W</i>	<i>67</i>
		<i>guess, without compass.</i>								<i>Ash</i>	<i>10</i>	<i>N 35° E</i>	<i>69</i>
										<i>John Strap Surveyor</i>			

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

A. B. C. No 2 13 6

Stone at Corners
No Nit Guano

Z B 13 6

Stone Beech 5 2 54 E 44
So 6 4 59 E 73

N B 13 6

" Walnut 5 2 70 E 19
H So 10 2 25 H 25 1/2

M B 13 6

" Beech 20 4 59 E 30
So 24 2 89 H 13

P B 13 6

" So 24 4 25 H 22
So 12 2 63 H 15

Rock Summary

Apr 25th 1865.

49 R 4 Q A of X B 13 6

Boulder Bit Walnut 18 2 82 E 112

49 R 4 Q A of B 5 R 2 Q 15 of W B 13 6

Stone Med cherry 5 4 76 H 77 1/2

35 R 2 Q H of M B 13 6

" No Nit available

See Old Book End Page

No Kerap Summary

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East.

Jan 10th 1868.

2,480 acres of M

4 13 4

W. M. Elliott Surveyor
Boundaries for the given

L

4 13 4

" Rocks witnesses

2,480 acres of B

4 13 4

" No witnesses taken

See Q. 15, B. 14.

W. H. Muller Surveyor

D

5 13 4

Stone & Ash 12 N 70° E 17

Beech 12 N 70° W 30

O

5 13 4

" Ash 4 N 10° E 13

" Hickory 15 S E 16

Rush & Reelms L

5 13 4

" Sycamore 6 N 56° W 28

Oak 72 N 59° W 52

M

5 13 4

" Hickory 12 N 35° E 28

Oak 3 N 55° W 13

V. X.

5 13 4

Boundaries for Beans, etc.

Field Notes of Shelby County, Indiana.

	Township / 3	North, Range	6	East. East:	
Apr 25 th 1862.	W	5 13 4		Stone Ash	30 S 34 N 59
				So	18 S 52 N 47
	T	5 13 4		" Beech	12 S 56 E 18
				So	16 S 59 N 22
	N	5 13 4		" Ash	5 S 51 E 9
				Beech	10 S 51 E 17
	<u>Michael Sun</u>	S	5 13 4		" So
				So	14 S 4 E 25
	Q	5 13 4		" So	9 S 11 N 14
				So	12 S 64 E 32 1/2
	Z	5 13 4		" So	16 S 28 E 39
				So	24 S 48 N 56

J. M. Elliott Surveyor

Mar 20 th 1862.	E	5 13 4		Large Boulders, Beech	24 S 57 N 54 1/2
	P	5 13 4		" Pine-Straw	30 S 46 N 41
	Q	5 13 4		" Hickory	4 S 51 E 32
				" " Ash-Grass	

Richard Torviss Surveyor

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	C	6 13 6	Stone	Ash	14 N E 14
				Beech	24 N 70 W 36
	N	6 13 6	"	do	10 S 14 8
				do	12 S 80 E 21
	O	6 13 6	"	do	30 N 80 W 23
				do	20 N 25 E 12
	Y	6 13 6	"	do	16 E 8
			Potter Surveyor -		
May 31 st 1853. Atlas 142	N	6 13 6	Stone	Beech	10 N 46 W 35
				do	14 N 71 E 33
	M	6 13 6	"	Ash	8 N ^{or 25} 86 E 3
				Beech	14 N 42 W 25
	O	6 13 6	"	S Wood	4 N 45 W 10
				Beech	14 N 50 E 29
			Wm. Gargie Surveyor -		

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

Mar	19 th 1867.	S	4	13	6	Boulder Oak	25	S	36
		T	6	13	6	" Beech	22	N 41	W 19
						do	15	S 21	E 16
May	31 st 1853. - Antis 14 th	N	6	13	6	" do	10	S 46	W 35
	Jarvis	M	6	13	6	" do	14	S 71	E 33
						" Ash	8	N 50	E 30
						" Beech	14	S 42	W 25
		D	6	13	6	" No Mt - available			
		O	6	13	6	Flinty " Perpetuated,			
						H. H. Miller Surveyor			
May	7 th 1853 -	H.C.B.P	7	13	6	Stones	No Mt - given		
	See Page 13. O.B. of	M.O.	7	13	6	" do	do		
	Jarvis Antis 19.	N	7	13	6	Stone Beech	15	N 40	E 5
Mar						"	W 48	S 18	E 19
		D	7	13	6	" Beech	18	S 40	E 20
						do	20	N 16	W 38

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	M	7 13 6	"	Ash	4	N 25 W 2
				Beech	6	S 22 E 14
	I	7 13 6	"	So	5	1
				So	12	N 16 W 14
	L. F.	7 13 6	"	So		
	B	7 13 6	"	So	18	S 45 E 20
				Geo Jargui Surveyor		
Resurveyed from Field Note No.	L	7 13 6	Grey Stone	Beech	8	S 22 E 15 1/2
				Hickory	8	N 69 W 22 1/2
	M	7 13 6	Large Boulders	Ash	4	N 25 W 2
				So	6	S 22 E 14
22 2/3 R. E. of	above	7 13 6	"	Beech	20	N 85 W 7
4 5/2 R. S. of	same	7 13 6	"	So	24	S 48 E 17
			"	So	30	S 87 E 13
			"	So	10	N 13 E 48
same N 22 2/3 R. E. of	same	7 13 6	"	Hickory	Stump	7
				Richd Morris Surveyor		

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

Nov	24 th 1866.	G	7 13 6	Flinty Boulder. No Nit - Given
		F	7 13 6	" No Nit - H. H. Meller Surveyor
=====				
Oct	21 st 1865	R. V	8 13 6	Stones No Nit Given
	Mar 1863, 19 th	O	8 13 6	Stone Beech No Nit Given John Fergin Surveyor
	39 ^{1/2} R. No	X	8 13 6	Large Boulder B. Walnut 15 x 62 1/2 x 24
	same	N	8 13 6	" No Nit Given John Hoops Surveyor
Jan	21 st 1866.	V. X. Z.	8 13 6	Stones No Nit Given Perpetuated Old Bearing 1/2
		E	8 13 6	" No Perpetuated
		A	8 13 6	" Elliott Surveyor
		C	8 13 6	" Relocated No Nit

Township / S North, Range 6 East. East:

D. B	P 13 6	"	No Nit Guine
P L	P 13 6	"	Old Bearings, No Nit Guine
N	P 13 6	"	Sugar 12 ct 68 E 43 Beech 16 ct 47 1/2 40
M	P 13 6	"	So 12 ct 4 1/2 N 11 1/2 So 20 ct 1 E 32
W	P 13 6	"	No Nit Guine
H	P 13 6	"	So So Ed Michels Survey

	N	9 13 6	Limestone Beech	12 ct 54 E 38
	X	9 13 6	" "	Mudstone 16 ct 72 E 110
	Y	9 13 6	Boulder Beech	20 ct 5 1/2 90
108 1/2 R. ct. of	V 10 W 1/2	9 13 6	So	20 ct 45 1/2 120
61 1/2 R ct	of X	9 13 6	Limestone	Wainut 18 ct 50 E 184
same	of Y	9 13 6	" "	No Nit
	L	9 13 6	Boulder Butt Oak	30 ct 85 E 85
1/2 of	L 10 M	9 13 6	" Stone Beech	18 ct 61 W 76
See Sect 15 x	V	9 13 6	See Sect 13. 17 1/2	

No Nit Guine Survey

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

		B	9 13 6	Stone Sugar.	30 x 40 W 18
				Beech	8 x 35 E 17
		M	9 13 6	"	36 x 80 E 9
				"	5 x 81 W 7
		O	9 13 6	"	14 x 70 E 22
				"	20 x 50 W 15
Apr 22 nd 1832				Former Surveyor	
	Ne. Jenkins to Mrs	S.E. of	9 13 6		
		V	9 13 6	Boulder Original Miners	
	Middle of Line to	W	9 13 6	"	No. 11
		L	9 13 6	"	Oak 24 x 77 E 99
				"	Elm 8 x 31 E 94
	M Middle Line of	M to N	9 13 6	Stone No. 11.	
	§ 16 1/2 Rods North of	W	9 13 6	Boulder No. 11. This is the	
	<u>S.E. Cor of the Town of Fairland.</u>			which I laid out this day. var 5° 45'	
				J. M. Elliott Surveyor	
Oct 17 th 1861, Mar 24 th 1853		R.V.	9 13 6	Stones No. 11 - Grain	

	Township	3	North, Range	6	East. East:	
	Antes P. 12.	O #	9 13 4		"	Beech 16 ct 33' E 11
		N	9 13 4			pro Darguin Sumner Stone Beech 7 184 E 5
		X	9 13 4			So 11 ct 14 3
	N. N. of 1/2 of	W to X	9 13 4			Stone 1/2 End of Adels Lane
	20 R. of above cor		9 13 4			Stone
	Fairland					J. Morris Sumner
	22 1/2 R. of 1/2 of 17 R. 6. E of W		9 13 4			lime-stone marked 17 = 6. No Nit
	15 62	6 R. S. of above cor	9 13 4			" " so 6 =
						J. Morris Sumner
	107	24 1/2 R. of	9 13 4			Painted Stone marked x 20. No Nit
	1865	6 1/2 R. of	9 13 4			Flat lime stone so X 6 1/2. so
		6 R 92 of	9 13 4			Long " so No Nit
		same of	9 13 4			flat " so so
		P. R. N. of Center 1/2 of	9 13 4			lime stone marked 4 to 18 27 4 East of stone set by Morris.
		N. N. Cor of Fairland 1/2 of	9 13 4			Painted lime stone No Nit
		1/2 of	9 13 4			lime stone. Center of Franklin
		6 1/2 R. of	9 13 4			" in " "
		of above				so it is not shown

Township 13 North Range 6 East of 2nd Principal Meridian

	31		32		33		34		35		36		
A	40.45 36.68	a	B	b	C	c	D	d	E	e	F	f	G
Y	A93.84 A104.92	6	A94.21 A105.27	5	A95.79 A106.83	6	A96.48 A107.52	6	A101.20 A102.84	6	A103.97 A105.61	6	A105.31 A106.95
Y	86.41 A115.97	6	81.75	5	80.40	4	80.18	3	80.18	2	80.95	1	81.54
X	Sec 7		Sec 8		Sec 9		Sec 10		Sec 11		Sec 12		h
X	A148.66												
X	27.45 A152.68		80.50	5	80.30	4	81.32	3	81.16	2	81.16	1	80.50
W	Sec 18		Sec 19		Sec 20		Sec 21		Sec 22		Sec 23		Sec 24
W	A151.24												
W	29.75 A152.54		80.40	5	80.90	4	80.85	3	81.15	2	81.15	1	80.55
V	Sec 19		Sec 20		Sec 21		Sec 22		Sec 23		Sec 24		Sec 25
V	A154.42												
V	35.20		81.50	5	80.50	4	81.28	3	80.11	2	80.11	1	80.57
U	Sec 26		Sec 27		Sec 28		Sec 29		Sec 30		Sec 31		Sec 32
U	A157.6												
U	34.15		81.87	5	80.13	4	81.34	3	81.44	2	81.44	1	81.4
T	Sec 31		Sec 32		Sec 33		Sec 34		Sec 35		Sec 36		Sec 37
T	A162.81												
T	40.00												

36.50
36.68
36.86
37.04

Land Office Indianapolis
May 21st 1838

A true copy from the copy on file
in this Office of the said Register

Scale 7/16 inch = 1 mile

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

Oct	24 th 1865.	1/2 of	W 15 X	9 13 6	Painted Gine Stone, S.W. Cor. of Fairland
			6 1/2 R. S. of Center of above	9 13 6	Young " on N. Side of some S. side of Main St.

Mar 27th 1852.

	Jenkins Albuckton	S 1/2 S W 8 E 9	10 13 6	
	M		10 13 6	Boulder Oak 10 54 17
				do 20 36 52
	W		10 13 6	" Buckeye 10 63 25
				Beech 8 72 24
	Y		10 13 6	" Ash 34 48 14
				do 36 53 16
	60. R. S.	of M	10 13 6	Maple 12 49 44
				elm 14 58
	100. R. S.	of above	10 13 6	Beech 36 75 21
				do 5 37 3

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

60. R. S.	of	L	10	13	6		To	12	N 44 E	18	
							To	16	N 14 E	22	
100. R. S.	of	above	10	13	6		To	6	N 23 W		
		O	10	13	6		Boulders to Pitt Green				
							J. M. Elliott Surveyor				
Nov 29 1837	x	Middle of Line	10	13	6		Beech	8	N 82 W	10	
		P. F. C.	10	13	6		Stone	10	N 47 E	18	
		D.	10	13	6		"	Walnut	6	N 4 E	30
		Middle of Line					Jno Sargis Surveyor				
	x	x x x above,									
June 30 1861.	1/2 of	L to K	10	13	6		Beech	15	N 82 E	69	
							To	12	N 74 E	41	
	1/2 of	G to O	10	13	6		Sugar	14	N 73 W	46	
							Beech	6	N 47 W	14 1/2	
							H. K. Miller Surveyor				

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	M	11 13 6	Stone Beech	19 ct 72 E 13
			Swamp Ash	16 ct. 84 E 31
	I	11 13 6	do	17 ct E 10
			Beech	10 2 70 N 28
			Former Surveyor	
Jonas fathers	N. W. q. 8 ct. N. of			
	ct. E. q.	11 13 6	divided ct. W. q. ct. 25	
	B	11 13 6	Stone Ash	14 ct 44 N 19
			do	10 2 71 N 26
	H	11 13 6	" do	9 ct 64 E 20
			do	11 2 64 N 25
	N	11 13 6	" Beech	10 ct 15 N 36
			Oak	40 ct 61 E 28
	O	11 13 6	" Sycamore	8 ct 37 E 22
			Hickory	14 2 10 E 50
	Z	11 13 6	Boulder Oak	34 ct 10 E 41
	Y to O	11 13 6	" Sugar	14 2 70 E 6
			Beech	16 2 23 N 25

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

		Z. W. P	11	13	6	"	B. Alder	10	46 1/2 E	26
							Hickory	14	44 E	17
							Elliott Probably			
June 25 th 1861.		M	11	13	6		Stone	9	44 E	17
							Old Nit			
	Division Line bet.	V	11	13	6	Large Stone	Stone	4	5 1/2	11 1/2
	Carter & Rinney						B Walnut	13	42 3/4	5 3/4
	S. R. & L. et	L	11	13	6	Stone	Stone	8	5 1/2	25
	same	M					do			25
			11	13	6	"	Beech	13	43 3/4 E	7
							Sugar	8	45 1/2	14
May 29 th 1862.		N	11	13	6	Boulder	Elliott's Nit			
		O	11	13	6	"	do	do		
		P	11	13	6	"	by Measurement			
		D	11	13	6	"	do			
							J. W. W. Surveyor			

PLAT AND REMARKS.

Surveyed for Hendricks. Heice & others.

The Town of Brandywine. The West Line of said Town
 Ten Rods 36 ft East of a Stone Corner to G. Brinson
 Michigan Road 99 ft - The outside Streets 22 ft - Cross Streets
 33 ft - & Alleys 6 ft wide - Washington St bears S. 53° E.

Mar 27th 1852

J. M. Elliott Surveyor

Mar 27th 1852 -

Surveyed for Mr Jonas. The North part of
 N-1/2 S-1/2 90 - commencing at the North-west Corner,
 thence East 20.25 Chs to N.E. cor - Thence South 31.50 Chs to
 mid of Road - 3rd St 47 ft. 12.64 Chs to Plat of town - 4th
 St. 43. E. 5.25 Chs. - 5th St. 47 ft. 18.48 Chs - 6th St. 43. E. - 2 Chs 7th
 St. 47 ft. - 2.39 Chs to 8th St. 43. N. 18.00 Chs 9th North. 8.70 Chs -

44.70 acres

J. M. Elliott Surveyor

		Township / 3	North, Range	6	East. East:					
Sept	10th	McKean's Station II	12	13	6	Stone	Sugar	12	N 56 E	29
1831							Beech	6	N 43 W	27
		K	12	13	6	"	so	10	N 45 W	26
							so	5	N 34 E	24
		M	12	13	6		so	16	N 34 W	25
							so	18	N 41 E	14
		S	12	13	6	"	so	22	N 12 W	15
							so	14	N 50 W	19
		T	12	13	6	"	so	9	N 9 W	33
							so	20	N 62 E	43
		V	12	13	6	"	H-Ash	24	N 88 E	7
							Ash	18	N 14 W	39
		W	12	13	6	"	Beech	14	N 53 W	16
							Ash	30	N	42
						J. M. Elliott Surveyor				
		N	12	13	6	Stone	Beech	12	N 33 W	27 1/2
							so	22	N 49 W	36
		C	12	13	6	"	No Nit Spruce			
		166 R N to C	12	13	6	"	so	so		
		331 Rocks from L to P	12	13	6	The Section continues East 1/2 Ricks				

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East.

331 Rods from L to P 12 13 6 The Section crosses E. H. 11 Rods
variation 5'-41'
Mr. Rock Surveyor

June 23rd 1866.

D

12 13 6

Lime-stone to Put-Quin

E

12 13 6

" " Beech, Stunt-seed

John Keop Surveyor

N

13 13 6

Stone Beech 10 S 18 N 30

B. Gum 3 S 15 E 17

Nickols Surveyor

W

13 13 6

Stone Hickory 4 S 73 N 20

S-ash 30 S 80 N 35

U

13 13 6

" Beech 18 S 15 E 12

do 24 E 33

T

13 13 6

" do 24 S 65 N 7

do 18 S 35 E 38

Garvin Surveyor

Field Notes of Shelby County, Indiana.

Township / 3

North, Range 6

East. East:

Sept	1853 - <u>Notes 18.</u>	N	13	13	6	Stones No Nit - Green		
		H	13	13	6	" = Beech 6 Oct 30 11 14		
		F	13	13	6	" 3 (So 13 18 76 11 17		
Sept	18 th 1861.	L	13	13	6	Jarquin Sumeyor -		
						stone sugar 14 Oct 11 11 11 32 1/2		
						Beech 10 17 3 1/2 11 15		
								So 12 Oct 3 1/2 11 44
								" So 20 1/2 2 1/2 11 21
								So 10 1/2 5 1/2 11 33
								Sugar 10 1/2 4 2 1/2 11 41
								" Beech 20 Oct 8 11 10 4 1/2
								" Jarquin Nit. { ^{Spec.} Under <u>Cudrest</u>
								" Beech, & see <u>field notes</u>
May	9 th 1864.	Q	13	13	6	" No Nit - Green		
		B	13	13	6	" Beech 16 1/2 6 3 1/2 11 16		
							Ash 30 1/2 42	

R. Tompkins & Tompkins Surveyors.

Field Notes of Shelby County, Indiana.

	Township / 3	North, Range	6	East. East:	
Jan	20 th 1869.	N	13 13 6	6	Time-Stone No Nit available
		S	13 13 6	" "	Hickory 18 of 14 11 25 Beech 15 of 29 11 40
					W. H. Miller Surveyor

		D	14 13 6		Beech 8 of 3 E 30 Do 14 of 45 E 42
		R	14 13 6		Do 12 of 51 N 13 H. Bean 4 of 20 N 17
		O	14 13 6		Walnut 20 of 81 E 13 Ash 4 of 30 N 9
		Y	14 13 6		Mulberry 6 of 88 N 17 Beech 20 of 88 E 13
		Z	14 13 6		Stone No Nit Given
		Q	14 13 6		Sugar 18 of 50 N 1 Do 16 of 52 E 14
					Wm. Gargie Surveyor

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

N	15 13 4	Cherry	16	272	11	26
		Brown	11	11		18 1/2
U	15 13 4	So	5	270	E	2
		So	8	100	11	6
<i>Nick Ross Surveyor</i>						
N	15 13 4	B. Walnut	24	250	11	35
		So	6	41	11	51
M to I	15 13 4 40	Beech	18	235	E	34
		H. Walnut	2	153	E	13
N to H	15 13 4 "	H. Bean	4	20	E	5
		Beech	18	110	E	9
X	15 13 6	So	10	257	E	54
		Elm	24	76	E	41
W	15 13 4	Beech	14	160	11	80
		Ash	11	26	11	119

Oct End 1834.

pro Farquhar Surveyor

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

Aug 4 th 1868.	L	15 13 6	Line-Stone	Cinqual Nit		
				Walnut	44	250 E 7
	M	15 13 6	" "	B. Alder	12	212 H 42
				Elm	12	261 H 71
	N	15 13 6	Ganges	" Ash	18	270 E 110
				H. K. Miller Surveyor		

	L	16 13 6	Banded Beech		11	26 1/2 E 25
	U	16 13 6	"		5	23 E 25
				Ash	3	256 E 45
	N	16 13 6	"	Beech	22	274 H 75
				Hackberry	10	214 H 37
	S	16 13 6	"	Hickory	12	245 H 30
				Ash	31	221 H 37 1/2
Set out Antebanked	M	16 13 6	"	Rock		Surveyor

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

May 4 th 1863.	O	15 13 4	Large Limestone Water Elm	20 ft 17 ft 70
			old (Ash	20 ft 17 ft 8
			W. Beech	5 ft 50 ft 6
	G	15 13 4	Lime-stone Water Elm	20 ft 31 ft 70
			So	24 ft 32 ft 70
	F	15 13 4	"	So W. Green
Sept 24 th 1863	E	15 13 4	Wenge "	Willow 6 ft 35 ft 80
			So	6 ft 67 ft 108
			Both W. stand in Grand pit	
	C	15 13 4	"	Ash 10 ft 20 ft 17
			Stump with <u>W. Elm</u> reman ^{ing}	
			Beech	15 ft 61 ft 101
			W. Elm	12 ft 23 ft 125
			Schroeder's Surveyor	
June 3 rd 1867.	F	15 13 4	Lime-stone Walnut	Stump 45 ft 18 ft 24
	E	15 13 4		Willow 6 ft 35 ft 76
			H. H. Miller's Surveyor	

See Field notes.
This corner stands on E side
of Swamp-creek.

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

Mar	1853	D. O. P.	16	13	6	Stones	To Nit	Green
"	4	1854, notes 28 pgs	Q. Z.	16	13	6	Boulder,	To To
"	24	1855.	T	16	13	6	At Reach	3 1/2 10 1/2 13 To 1855 19
May	5 th	1863	II	16	13	6	Limestone	To Nit Green
		40, R. S.	N	16	13	6	Sandst Boulder,	To To
								Gickert's Surveyor
			O	17	13	6	Sugar	8 1/2 15 E 23
			Y	17	13	6	Buckeye	3 1/2 47 E 11
							Clam	30 1/2 76 E 17
							Beech	12 1/2 58 1/2 23
			N	17	13	6	Poplar	11 1/2 45 E 7

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	II	17 13 6		Beech	34 S 33 N 25
				So	32 N 26 E 30
	M	18 13 6		So	12 S 65 E 22
				Sugar	30 N 25 N 14
	N	18 13 6		N Beech	8 N 35 N 8
				So	5 S 1
	U	18 13 6		Elm	2 S 77 E 7
				Gr Ash	3 N 35 N 4
	W	18 13 6		R Oak	72 N 25 E 14
				N Beech	24 N 75 N 20
	Y	18 13 6	Stone	Hickory	15 N 54 N 75
				Beech	15 S 29 E 30
	X	18 13 6	"	So	8 N 15 N 54
				Poplar	6 S 14 N 37

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

		Township	North, Range	East.	East:
		W	18 13 6	Stone	Poplar 30 Oct 20 11 55
					Beech 15 Oct 39 11 53
		O. N.	18 13 6	"	No Nit - Green
		L	18 13 6		Ash 14 Oct 12 E 37
					Haw 4 Oct 87 E 69
		M. U. V.	18 13 6	Stones	No Nit - Green
		T	18 13 6	"	Beech 9 Oct 79 11 32
					So 15 Oct 45 E 59
					Former Surveyor
July 24	the 1858 -	L. D. O. N.	18 13 6	Stones	No Nit - Green
	Notes p 49				Geo. Fargie Surveyor
Apr - 28 th	1859	A	18 13 6	Stone	No Nit - Green
		L	18 13 6	"	Ash 14 Oct 12 E 37
					Haw 4 Oct 87 E 69
		V. X W	18 13 6	"	No Nit - Green
					Respectuately
		Y. N. O.	18 13 6	"	No Nit - Green
		M. U. T.	18 13 6	"	So So
					Ed Munchel Surveyor

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

Mar 30th 1860	A	19 13 6	Stone	Perpetuated No Mit
	B	19 13 6	"	No Mit - Given
	C	19 13 6	"	Relocated, No Mit
	D	19 13 6	"	No Mit
	P	19 13 6	"	Relocated No Mit
	L	19 13 6	"	Perpetuated by Rock Run
	V	19 13 6	"	Relocated No Mit
	W	19 13 6	"	No Mit - Given
	X, Z.	19 13 6	"	Relocated No Mit
	Y, N, M	19 13 6	"	No Mit - Given
	O	19 13 6	"	So So
44.32 R. N.	of M	19 13 6	"	So So
67. R. S.	of same	19 13 6	"	So So
67 R. S. & 44.62 R. N.	of same	19 13 6	"	So So
44.62 R. N. & 29.88 S.	of same	19 13 6	"	So So
44.48 R. N.	of B	19 13 6	"	So So
30. R. S.	of O	19 13 6	"	So Ed, N. Michel Sum

Field Notes of Shelby County, Indiana.

Township / *3* North, Range *6* East. *East:*

	O	20 13 6			Beech	12 2 20 E 14 1
					Ash	18 2 60 11-18
					<i>Kickals Surveyor</i>	
	N. M	20 13 6			<i>Stony Fork River</i>	
	M 10 II	20 13 4 24			Beech	14 4 61 E 25
					So	10 2 69 E 13
	T	20 13 6			So	18 2 86 11 17
					So	12 1 40 E 20
					<i>Geo. J. Gargan Surveyor P. 280</i>	

Sept 26 th 1847. - Mrs Gibson	N.	21 13 6			Beech	22 2 36 11 50
					So	20 2 5 1/2 11 34
	Z	21 13 6			Ash	22 2 10 E 8
					Beech	12 4 4 E 16
	P	21 13 6			So	20 4 8 3 E 28
					So	20 4 10 E 27

Field Notes of Shelby County, Indiana.

		Township / 3	North, Range	6	East. East:					
Aug 1857.	Whiley Ray, ^{others} Teach	A	22	13	6	Stone	Beech	16 279 N 13		
		B	22	13	6	"	So	10 2634 73		
		C						So	14 240 2 E 55	
					22	13	6	Boulder	Elm	22 274 E 42
								Beech	8 259 2 E 54	
		D	22	13	6	"	Oak		20 2534 E 42	
								So	16 272 N 108	
		E	22	13	6	Sum	Maple		18 27 E 53	
								Beech	9 26 E 50	
		I	22	13	6	"	Oak		30 25 E 74	
								Beech	10 255 2 E 101	
		K	22	13	6	"	So		12 279 E 8 1/2	
								So	15 217 N 14	
		M	22	13	6	"	So		14 259 E 32 1/2	
		N	22	13	6	Fire-stone	Perpetuated	do not		
O	22	13	6	"	"	Beech	14 257 N 21			
						perpetuated	14 258 N 17			
V	22	13	6	"	Beech		20 226 N 44			
						So	12 214 N 60			

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

		W	22 13 4	"		So	8 S 52 E 20		
						So	20 S 15 W 60		
		X	22 13 4	"	"	So	18 S 46 W 22		
							Sycamore 60 S 9 E 67		
		P. Z.	22 13 4	"	"		Perpetuated		
							To Mr. Guier		
							J. M. Elliott Survey		
Oct	25 th 1863.	B	22 13 4			Line-stone	Beech 18 S 66 W 76 1/2		
							So 24 S 33 W 99 1/2		
		C	22 13 4			Large Boulder	Elliotts Nit		
		I	22 13 4			Long Pine-stone	New measurement		
		K	22 13 4			" "	Beech 18 S 11 W 3		
							So 20 S 22 W 21		
		<u>Original Nit found</u>	L	22 13 4	"	"	So 16 S 5 1/2 E 28 1/2		
							White Oak 30 S 34 W 46		
		M	22 13 4			Long Sand-stone	To Mr. Guier		
							Boulder		
		<u>Both of Elliotts Nit found also old stake</u>	V	22 13 4	"	Line-stone	Beech 20 S 58 1/2 W 68		
							So 24 S 58 W 56		

Field Notes of Shelby County, Indiana.

Township / *3* North, Range *6* East. East:

Oct	<u>29th 1863.</u>		W	22	13	4	Line Stone	Ash	30 227 N 46
			O	22	13	6	"	"	Elliot's Nit. both found
									so so
									White Elm 30 218 2 E 20
	86 ¹ / ₂ N. S.	of	C	22	13	4	"	"	No Nit. Green
	same	of	D	22	13	4	"	"	so so
J. Morris's Survey									

			B	23	13	6	Stone	Yew	15 270 E 11
									W. Wood 4 235 N 25
			W	23	13	6	"	Beech	24 N 5 E 36
									N Oak 6 N 50 E 38
			I	23	13	6	"	N Oak	44 235 N 23
									Beech 8 N 65 E 35
			N	23	13	6		N Oak	24 N 55 E 15
									Beech 4 235 E 17

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

See	7 th 1865. - Oct 31 st 1863	O	23	13	6	Quin-Stone	Elliot's Witnesses
See	7 th 1865.	N	23	13	6	" "	Sargius Witnesses H. Oak 24 N 55 E 15 Beech 4 N 25 E 17
		B	23	13	6	" "	No H. Oak
		H	23	13	6	" "	" "
	4.95 Chas E of	B	23	13	6	" "	" "
Aug	10 th 1866.	M.W.V.	23	13	6	"	Mrs. Keop Surveyor

See	29 th 1830.						
	Mrs Bayd & Rule	B	24	13	6		ASH 6 N 19 E 28 Hickory 8 N 28 W 21
		D	24	13	6		Beech 24 N 18 W 29 " 20 N 12 E 55
		L	24	13	6		" 20 N 7 W 40 " 12 N 52 W 21
		M	24	13	6		" 8 N 33 W 18 " 11 N 25 W 12

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	O	24 13 6	Beech	10 2 45 4	2
			So	24 2 23 6	9
1853. Notes 21.	L, U,	24 13 6	John Elliott Survey at		
	N	24 13 6	Stone to Riv. Spring		
	II	24 13 6	Gum	14 2 17 E	14
			Beech	20 2 11	20
			Sugar	14 2 17 E	14
	L	24 13 6	Stone Ash	3 2 70 E	7
			elm	4 2 81 E	15
			John Gargier Survey		

	M	25 13 6	Beech	20 2 70 4	20
			So	24 2 30 E	24
	N	25 13 6	So	14 E	11
			So	14 2 11	17
	O	25 13 6	So	14 2 8 E	27
			So	14 2 65 4	21

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	W	25 13 6			Beech	9 N 30 E 24
					do	20 N 23
					<i>Nickals Survey</i>	
⑥	N	25 13 6			Beech	15 S 30 E 45 1/2
					do	13 S 87 W 12
	A	25 13 6			do	13 S 1 N 17 1/2
					do	11 S 82 1/2 W 15
	C	25 13 6			do	3 S 62 E 6 1/2
	L	25 13 6			Gum	6 S 85 E 7
					Beech	12 S 39 W 24
					<i>Rock Survey</i>	
⑥	Y	25 13 6			Beech	8 S 70 W 21
					B-Car	60 S 33 W 21
	Y	25 13 6			Beech	5 S 70 W 21
					B-Car	60 S 33 W 21
					<i>Nickals Survey</i>	

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	Y	26	13	6	Wickory	12	N 84 W	12
					Elm	36	N 53 E	19
	N	26	13	6	S Ash	12	N 84 E	5
					So	4	N 6 W	11
	O	26	13	6	Beech	36	N 60 W	4
					So	8	S 85 W	14
	R	26	13	6	B-Oak	8	S 65 E	11
					Elm	12	N 30 E	18
	Q	26	13	6	Ash	3	N 84 W	7
					W-Bean	3	S 24 W	18
Mar 31 st 1833.	M	26	13	6	Ash	24	N 78 E	37
	T	26	13	6	Beech	4	N 51 E	53
	S	26	13	6	So	4	S 17 W	21
					So	4	S 42 E	24
	W	26	13	6	Stone to Nit-Ginor Mrs Fargis Surveyor			

Field Notes of Shelby County, Indiana.

		Township / 3	North, Range	6	East. East:	1	
Aug	18 th 1857.	F	26	13	4	Walnut	16 1/2 53 1/2 53 1/2
						Cherry	10 1/2 14 1/2 60
		G	26	13	4	Boulders	No Nit-Green
		M	26	13	4	Ash	30 1/2 75 1/2 33
		N	26	13	4	Oak	34 1/2 41 1/2 33
			26	13	4	S-Ash	10 1/2 76 1/2 11
						Ash	2 1/2 7 1/2 2
		O	26	13	4	Beech	9 1/2 23 1/2 32
						So	7 1/2 8 1/2 35
		R	26	13	4	Elm	14 1/2 61 1/2 15
						S-Ash	30 1/2 35 1/2 13 1/2
		S	26	13	4	Beech	3 1/2 10
				So	4 1/2 7 1/2 23		
T	26	13	4	Walnut	12 1/2 23 1/2 66		
				Beech	3 1/2 63 1/2 53 1/2		
Y	26	13	4		No Nit-Green.		
						J. M. Calliott Surveyor	
Jan	18 th 1869.	C	26	13	6	Line-Stone	Calliotts Nit
		D	26	13	6	"	No Nit available

Field Notes of Shelby County, Indiana.

Township / *3* North, Range *6* East. *East:*

F	24	13	4	"	"	Calliots Nit
M	24	13	4	"	"	No
N	24	13	4	"	"	B Oak 60 S & 9
L	24	13	4	"	"	No Nit Available

W. H. Miller Surveyor

<i>W. Campbell & others</i>	A-E	27	13	4		
	L	27	13	4		Walnut 30 S 9 E 41 1/2
	M	27	13	4		Beech 20 S 42 E 15 1/2
						Walnut 12 S 34 N 29
	N	27	13	4	Lime Stone	Hickory 16 S 33 N 42
20 R. S.	of	P	27	13	4	H. Beech 5 S 28 N 12
160 R & E	of	above	27	13	4	Beech 9 S 11 N 32
			27	13	4	Sugar 5 S 54 E 10
						Walnut 60 S 66 N 15

J. M. Elliott Surveyor

Field Notes of Shelby County, Indiana.

		Township / 3	North, Range	6	East. East:
Aug	18 th 1857.	X	27	13	6 Stone Hickory 6 276 E 64 do 8 477 E 49
		Y	27	13	6 No Nit-Guier
		Z	27	13	6 Limestone do do
					J. M. Elliott, Surveyor
Apr	13 th See Old Book p. 27.	IP	27	13	6 Stone Walnut 26 150 H 17
1861.					See field notes
Sept	10 th 1863.				Marked P. & T. - on elbow of 92 H
	B R S of N		27	13	6 Boulder, No Nit-Guier
	S R E of same		27	13	6 " These four Boulders
	B. R. A. of same		27	13	6 " are large and marked
	S R. E. of same		27	13	6 " with a cross on top and
					<u>set to designate school-house</u>

Aug	21 st 1852,	L. M. II.	28	13	6 Boulders, No Nit-Guier.
	Geo Francis & others	D	28	13	6 Beech 16 281 H 33
					do 8 46 E 38
		G	28	13	6 Boulder Sugar 9 235 E 17

Field Notes of Shelby County, Indiana.

		Township / 3	North, Range	6	East. East:	
		O	29 13 6		Beech	18 N 40 W 15
					Elm	32 E 18
		N	29 13 6		Beech	18 N E 3
					Ash	22 N 20 W 15
		M	29 13 6		So	20 N W 1
					N Beech	N 25 E 5
		B	29 13 6		Beech	10 N 20 W 22
					So	12 N 12 E 17
		D	29 13 6		So	20 N 36 W 6 1/2
					Elm	18 N 2 W 43
		Y	29 13 6		Beech	8 E 2 1/2
					Sugar	20 N E 11 1/2
					<i>Kickols Surveyor</i>	
Mar-21	(Commissioners of)	N 1/2 of A W 1/4	29 13 6		Divided by a Line 31.2 R. of S. End.	
1850	(Merriman's Est.)	C	29 13 6		Beech	6 N 40 E 45
					So	8 N 37 W 51
		D	29 13 6		So	12 N 18 E 12
					So	5 N 35 W 25
		P	29 13 6		So	14 N 43 W 59
					So	15 N 12 W 96

Township / 3 North, Range 6 East. East:

Township / 3	North, Range	6	East. East:
M	30 13 6		Sugar 20 45 E 48 So 13 46 1/2 W 46
N	30 13 6		Ash 18 20 E 29 Beech 16 215 W 33
O	30 13 6		So 18 45 W 9 So 17 255 W 18
L ₁	30 13 6		Kickals Surveyor Stone Stone 25 7/2 E 13 So 45 1/2 W 13
			M
N	30 13 6		" So 12 224 1/2 W 47 So 231 E 64
O	30 13 6		" So 12 279 W 8 So 10 455 W 22
P	30 13 6		" Ash 24 438 W 26 Kickony 14 424 E 35
V	30 13 6		" Stone 26 5 1/2 E 25 So 28 15
W	30 13 6		" Beech 8 264 E 4 So 15 26 1/2 W 15

April 25th 1860

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

X	30 13 6	"	Sugar 24 234 E 69
			Beech 10 288 E 72
Y	30 13 6		Ash 8 240 E 26
Z	30 13 6	"	Respect to Pitt-Rivers Ed. Mitchell Surveyor

B	31 13 6		Elm 16 220 E 14
			Beech 8 260 N 19
D	31 13 6		so 12 250 N 24
			Ash 9 225 N 20
M	31 13 6		H Oak 22 21 10
			Elm 10 230 E 20
N	31 13 6		H Oak 10 28 E 18
			Elm 10 215 N 25
O	31 13 6		Decid 5 210 E 7
			H Oak 8 258 N 19

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

		P	31	13	6		R Oak	5	240	E	13
							Hickory	4	267	E	13
		W	31	13	6		Walnut	4	285	E	18
							Beech	18	255	W	9 1/2
		X	31	13	6		Mulberry	6	260	W	12
							so	4	210	W	16
		Y	31	13	6		Hickory	10	285	E	16
							Beech	10	255	E	10
							Kickapoo Sumner				
							Beech	18	237	W	22 1/2 R
							Mr. Rack Sumner				
							Beech	18	275	W	61
							so	18	287	W	53
							R Oak	30	25	E	10
							elm	12	245	E	20
							Boulder				
		N	31	13	6						
		R	31	13	6		Ash	15	230	W	16
							Hickory	9	288	W	10

At 5² 291 W 77% R from
see Rocks notes page 81.

Sept 23 1834.

Field Notes of Shelby County, Indiana.

Township / *3* North, Range *6* East. *East.*

	N	32 13 6.	Beech	9	28	N	30
			Elm	4	74	N	9
	X	32 13 6	Sugar	14	43	E	29
			So	25	32	N	47
<i>N 5° 29' N. 77.8 W. from</i>	P	32 13 6	Beech	18	37	N	22
			<i>Rock Surveyor</i>				
<i>Aug 2nd 1835</i>	O	32 13 6	Stone	12	65	E	20
	Y	32 13 6	"				
			<i>Geo. Fargin Surveyor</i>				
<i>Mar 11th 1861</i>	M	32 13 6	Stone	22	72	N	24
<i>12th</i>			Hackony	17	59	N	34
	L to P	32 13 6	"	14	74	E	10
			<i>See field notes.</i>				
			<i>Town's Surveyor</i>				

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East.

Q. R. N.	L	33 13 4	Stone	B. Alder	15 ft 4 1/2 E 9
	N	33 13 4	"	Beech	10 ft 3 1/2 E 8
				So	11 ft 6 1/2 E 14
	X	33 13 4	"	So	15 ft 3 1/2 E 7 1/2
	V	33 13 4	"	So	15 ft 2 1/2 E 35
Nov 2nd 1866.				No Nit - Green	
	C	33 13 4	Boulder	No Nit - Green	
	D	33 13 4	Rough	No Nit - Green	
	O	33 13 4	Long	So	So
				R. Jossiss Surveyor	

Field Notes of Shelby County, Indiana.

Township / \int North, Range 6 East. East.

Date	Location	Section	Range	North	East	Notes
Sept <u>1857.</u>	3 rd Mrs Byers	E ^{1/2} S. W ^{1/4}	34	13	4	Except 10. Rods app of S. Corn
		N	34	13	4	Beech 16 x 27 E 39
		O	34	13	6	so 12 x 40 E 34
		10. R. N. of X	34	13	4	Walnut 5 x 89 E 90
		10. R. N. of Y	34	13	4	so 54 x 33 E 75
					Beech 14 x 14 E 38	
					so 9 x 32 N 14	
J. M. Elliott Surveyor						
Oct <u>1857.</u>	Mr. Kezenbeck	N. W ^{1/4} of N. W ^{1/4}	34	13	6	var of N 50° 50' E 14 50
		F	34	13	6	elm 12 x 52 1/2 E 98
		G	34	13	6	hackberry 18 x 24 E 122
						Beech 36 x 2 N 21
					so 13 x 83 E 31	
J. M. Elliott Surveyor						
Aug 3 rd 1853 Feb 19 th 1856		L.	34	13	6	Stone Beech 18 x 43 N 22
		P.	34	13	6	" No. Locust 12 x 3 E 91

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

	Corner is 4 R. N. of Stake	F	34	13	6	H. Beech	R. Beech.	4	238	E	25		
							So	8	232	E	32		
	1/2 of	A to B	34	13	6	Stone	No Nit	Given					
	1/2 of	L to M	34	13	6	"	So	So					
		V. B. M	34	13	6	"	No Nit	Given					
	See State's Pgs. 34, 278	P. C. N.	34	13	6	"	So	So					
							Pro. J. J. Simeyot						
Mar	30	White Road.	N	34	13	6	Large Boulder	Hulbert	24	41	E	77 1/2	
1863	31		X	34	13	6	Line-stone	No Nit	available				
			O	34	13	6	"	"	B. Walnut	28	E	114	
		24 R. S. of	N	34	13	6	Long Boulder	No Nit	Given				
		1/2 of	A to B	34	13	6	" flat "	Beech	12	28	4	53 1/2	
								So	20	25	0	55	
		1/2 of	L to M	34	13	6	Line-stone	So	20	21	5	64 1/2	
								H. Elm	20	22	1	72	
		24 R. S. of 1/2 of same		34	13	6	"	"	Beech	24	2	E	28
									H. Oak	24	1	6	69
									H. R. Farris's Simeyot				

Field Notes of Shelby County, Indiana.

Township / 3 North, Range 6 East. East:

B	35 13 4	Hickory 10 ct	4
		Beech 12 2 20 ft	34
D	35 13 4	Elm 20 2 70 ft	25
		Hickory 10 ct	12
M	35 13 4	B. Walnut 2 ct	27
		R Oak 5 2 67 ft	13
O	35 13 4	Beech 22 ct 35 ft	15
		So 18 2	12
W	35 13 4	So 14 2 80 E	17
		So 21 ct 40 E	16
		Kickals Surveyor	
same	35 13 4	Buckeye 14 2 52 E	12
		Elm 30 ct 110 ft	28
T	35 13 4	Beech 14 2 81 ft	14
		So 9 2 61 E	8
		(40) Link Chain = 2 Rods	
		Rock, Surveyor	

