

Field Notes of Shelby County, Indiana.

1

Township *13* North, Range *8* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
A.	Asp	15	N 2 E	25	Q.	Beech	10	N 28 E	32
A'	W. Oak	12	S 2 W	22	Q'	so	8	S 33 E	20
B.	Beech	14	S 21 W	23	Q'	Ash	7	N 81 E	11
B'	so	12	N 31 E	15	R.	Beech	8	S 52 W	10
C.	Beech	14	S 47 W	18	R.	Walnut	10	S 85 W	20
C'	elm	24	N 43 E	27	R'	elm	14	N 43 E	22
D.	Beech	10	S 65 W	8	R'	so	8	S 82 W	6
D'	so	18	N 10 W	17	S.	Beech	10	N 33 W	20
					S'	so	7	S 18 E	3
					S'	Ash	12	S 80 W	14
					T.	Beech	10	N 72 E	13
					T.	Sugar	6	N 17 E	11
					T'	Beech	9	S 11 W	27
					U.	Beech	24	N 32 E	8
					U'	W. Oak	14	S 84 W	25
					V.	Beech	10	N	17
					V'	Poplar	20	S 6 E	25

Field Notes of Shelby County, Indiana.

Township 15 North, Range 7 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
W.	Elm	10	S 6 N	3	27.28.33.34	Beech	10	N 30 N	35
W'	Hickory	18	N 2 E	20	21.22.27.28	so	12	N 66 E	6
X.	Ash	24	S 10 N	15	15.16.21.22	Sugar	10	S 45 N	2
X'	Beech	12	N 9 E	30		Beech	4	N 45 E	10
Y.	Sycamore	4	S 15 N	7	9.10.15.16	N Oak	24	N 26 E	9
	Beech	24	N 41 E	14		Sugar	14	S 88 N	13
					3.4.9.10	Beech	10	N 46 N	8
						Sugar	7	S 42 E	18
					28.29.32.33	Beech	10	S 88 E	22
						so	24	N 72 N	25
						Hickory	20	N 31 N	6
						Ironwood	10	S 24 E	16
					20.21.28.29	Linn	14	N 87 N	19
						Beech	12	S 65 E	15
					16.17.20.21	Ash	14	S 85 N	28
						N Walnut	30	S 62 E	31
					8.9.16.17	Beech	12	N 4 E	17
						so	14	S 24 N	21
					4.5.8.9	so	32	N 46 N	22
						so	14	S 30 E	25
					29.30.31.32	so	6	N 84 E	28
						so	10	S 55 N	12

Field Notes of Shelby County, Indiana.

Township *18* North, Range *P* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>19.20.29.30</i>	<i>Beech</i>	<i>12</i>	<i>S 18 E</i>	<i>16</i>		<i>K to W</i>	<i>Beech</i>	<i>14</i>	<i>S 36 N</i>	<i>11</i>
	<i>Ash</i>	<i>12</i>	<i>N 30 W</i>	<i>25</i>		<i>4</i>	<i>do</i>	<i>20</i>	<i>N 41 E</i>	<i>45</i>
<i>17.18.19.20</i>	<i>Calm</i>	<i>24</i>	<i>N 24 W</i>	<i>21</i>		<i>5</i>	<i>do</i>	<i>14</i>	<i>N 38 W</i>	<i>9</i>
	<i>N Walnut</i>	<i>12</i>	<i>S</i>	<i>21</i>		<i>"</i>	<i>do</i>	<i>5</i>	<i>S 9 E</i>	<i>6</i>
<i>7.8.17.18</i>	<i>Beech</i>	<i>14</i>	<i>S 87 E</i>	<i>16</i>		<i>6</i>	<i>do</i>	<i>7</i>	<i>N 21 W</i>	<i>15</i>
	<i>do</i>	<i>14</i>	<i>N 8 W</i>	<i>25</i>		<i>5</i>	<i>do</i>	<i>5</i>	<i>S 7 W</i>	<i>20</i>
<i>5.6.7.8</i>	<i>do</i>	<i>12</i>	<i>N 20 W</i>	<i>18</i>		<i>I to X</i>				
	<i>do</i>	<i>26</i>	<i>S 86 E</i>	<i>10</i>		<i>4</i>	<i>Sugar</i>	<i>10</i>	<i>S 85 E</i>	<i>6</i>
<i>M to U</i>						<i>"</i>	<i>do</i>	<i>10</i>	<i>N 33 W</i>	<i>15</i>
<i>4</i>	<i>Sugar</i>	<i>20</i>	<i>S 50 W</i>	<i>20</i>		<i>5</i>	<i>Walnut</i>	<i>12</i>	<i>S 76 W</i>	<i>10</i>
<i>"</i>	<i>Beech</i>	<i>9</i>	<i>N 79 E</i>	<i>17</i>		<i>"</i>	<i>Beech</i>	<i>14</i>	<i>N 89 E</i>	<i>22</i>
<i>5</i>	<i>N Oak</i>	<i>24</i>	<i>S 36 E</i>	<i>8</i>		<i>6</i>	<i>do</i>	<i>12</i>	<i>N 11 W</i>	<i>13</i>
<i>"</i>	<i>Beech</i>	<i>2</i>	<i>N 76 E</i>	<i>17</i>		<i>10</i>	<i>do</i>	<i>10</i>	<i>S 1 W</i>	<i>11</i>
<i>6</i>	<i>do</i>	<i>30</i>	<i>N 27 E</i>	<i>23</i>		<i>H to Y</i>				
<i>7</i>	<i>do</i>	<i>10</i>	<i>S 24 E</i>	<i>11</i>		<i>4</i>	<i>Hackberry</i>	<i>3</i>	<i>S 28 W</i>	<i>6</i>
<i>L to V</i>	<i>do</i>	<i>12</i>	<i>S 6 W</i>	<i>30</i>		<i>"</i>	<i>Buckeye</i>	<i>5</i>	<i>N 6 W</i>	<i>25</i>
<i>4</i>	<i>Ash</i>	<i>10</i>	<i>N 52 E</i>	<i>25</i>		<i>5</i>	<i>Sugar</i>	<i>24</i>	<i>N 3 W</i>	<i>23</i>
<i>5</i>	<i>Beech</i>	<i>10</i>	<i>N 5 E</i>	<i>23</i>		<i>"</i>	<i>Beech</i>	<i>12</i>	<i>S 22 W</i>	<i>30</i>
<i>"</i>	<i>do</i>	<i>18</i>	<i>S 40 E</i>	<i>22</i>		<i>6</i>	<i>Calm</i>	<i>14</i>	<i>N 73 W</i>	<i>14</i>
<i>6</i>	<i>do</i>	<i>5</i>	<i>N 70 W</i>	<i>11</i>		<i>"</i>	<i>Beech</i>	<i>20</i>	<i>S 70 E</i>	<i>33</i>
<i>"</i>	<i>do</i>	<i>18</i>	<i>S 59 E</i>	<i>18</i>						

Field Notes of Shelby County, Indiana.

Township *18* North, Range *P* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
Q to D	Beech	12	N 35 E	9	Same - 6	Ash	3	N 9 E	2
"	so	5	N 88 W	17	"	Hickory	14	S 37 W	20
2	Buckeye	7	N 11 E	10	S. to B				
"	Sugar	6	S 42 E	4	1	Hickory	12	N 30 E	16
3	Elm	26	N 15 E	12	"	Brownwood	4	S 65 W	3
"	Ash	6	S 25 W	12	2	Beech	9	S 88 W	7
4	Beech	12	N 86 E	2	"	Logwood	3	S 24 E	8
"	so	12	S 84 W	12	3	B Alder	10	N 50 E	6
5	so	14	S 80 W	19	"	Beech	12	N 46 W	26
"	so	8	S 71 E	18	4	so	12	N 75 E	24
6	so	30	S 80 W	13	"	so	8	N 67 W	19
	so	12	N 58 E	36	5	Sugar	12	N 25 W	27
R to C					"	Ash	8	S 28 E	5
1	Ash	36	N 5 W	35	6	Sugar	8	S 74 W	-
"	so	13	S 7 W	23	"	Beech	20	N 31 E	31
2	Beech	6	N 38 W	21					
"	so	12	S 32 W	24					
3	so	24	N 34 E	7					
"	so	10	S 80 W	24					
4	so	8	N 28 W	16					
"	so	14	S 39 E	9					
5	Walnut	10	N 14 E	12					
"	so	7	S 42 W	12					

Field Notes of Shelby County, Indiana.

Township

North, Range

East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
	4	9							
	5	16							
	6	27							
	7	21							
	8	33							
	9	40							
	16	45'							
	17	53							
	18	61							
	19	67							
	20	73							
	21	79							
	28	84							
	29	89							
	30	94							
	31	99							
	32	105							
	33	111							

Record of Surveys in Shelby County, Indiana.

Section **4** Township **13** North, Range **8** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Nov 3 rd 1863 -	DB.O	Stones			No Wit Given			
Apr 27 th 1857.	N.M. X	" "			" Stone		Wit at 14 W	88
On Oct. 15. 1902 I set the following		Stones			Spno Jargin Surveyor			
9 ³⁰ chains north of	E	Boulder +			Longe Boulder for 7 33-14-8		West	172
" " " "	D	" "			Stone		S. 84 W	21 ² / ₃
" " " "	O	" "			"		S. 2° E	100
" " " "	O	" "			No Wit. available.			
" " " "	P	Stone "			Stone		East	25
					W. N. Isley - S. S. C.			

Record of Surveys in Shelby County, Indiana.

Section *3rd* Township *13* North, Range *7th* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Land.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	N				Black	12	S	9
	B				Ash	6	N 21 E	10
	M				Sugar	14	N 80 W	2 1/2
					Ash	8	East	20
					So	6	N 68 W	12
					So	6	West	28
	C	Boulder			Wm Rock Burneyor			
					Hickory	8	S 13 E	34
	D				Ash	36	S 50 W	34
					No Wit Given			
	L	Stone			Richard Corniss Burneyor			
Made Survey to Cornet 1846 C. F. Webster, Surveyor	M	Boulder			Set by Dugan, I found it right.			
	W	Sand Stone			Boulder		N 3 1/2 E	23
					Sand Stone		N 14 E	26
See Dugan's Survey at Stone May 23 rd and 27 th 1848	X to W	Stone			Ash	12	S 25 E	70
in the Gunning Partition 3.25 chains west of	W	"			Beech	16	S 5 1/2 W	58
					C. Wood	5	S 9 3/4 E	73 1/4
					Hickory	12	S 4 6 1/2 W	89
1/2 from 3.25 chains west of 1/2 from	M to N				No Wit			
	M	"			"			
	B to C				"			

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>South of 10 10. 71 chs North 5. 43 1/2 chs of Geo S. Murphy S.S.C</p>	<p>Stone O</p>	<p>Stone "</p>			<p>No wil- Oak Beech</p>	<p>10 16</p>	<p>S 85 E 64 S 82 3/4 W 55 1/2</p>	

Record of Surveys in Shelby County, Indiana.

Section 6 Township 13 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.	
<p><i>Aug 10th 1834</i></p> <p><i>See Original Survey old 13</i></p> <p><i>May 24th 1883 set in the Gunning Partition</i></p> <p><i>West - 2.48 Chs + South 10.54</i></p> <p><i>" " " " 19.95 "</i></p> <p><i>Geo. S. Murphy S.S.C</i></p>	<p>D</p> <p>N</p> <p>M.B.</p>	<p><i>Stones</i></p> <p><i>Stone</i></p> <p><i>"</i></p>			<p><i>Hickory</i></p> <p><i>Beech</i></p> <p><i>H-Beech</i></p> <p><i>S-Hod</i></p> <p><i>No Nit</i></p> <p><i>Geo Jargin Surveyor</i></p> <p><i>No Wit-</i></p> <p><i>" "</i></p>	<p><i>4 2 5</i></p> <p><i>15 2 4 5</i></p> <p><i>3 2 4 0</i></p> <p><i>6 2 7</i></p>	<p><i>N</i></p> <p><i>E</i></p> <p><i>N</i></p> <p><i>E</i></p>	<p><i>25</i></p> <p><i>57</i></p> <p><i>22</i></p> <p><i>32</i></p>	

Record of Surveys in Shelby County, Indiana.

Section *7*

Township *10*

North, Range *8*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Oct 20th 1847</i>	<i>M</i>				<i>Sugar</i>	<i>6</i>	<i>S 89 1/2 E</i>	<i>34</i>
	<i>O</i>				<i>H-Beech</i>	<i>4</i>	<i>N 70 W</i>	<i>34</i>
					<i>Cherry</i>	<i>12</i>	<i>S 30 E</i>	<i>31</i>
					<i>elm</i>	<i>3</i>	<i>S 6 W</i>	<i>38</i>
<i>Aug 14th 1870. Sugar,</i>	<i>T</i>				<i>Rock, Sumner</i>			
	<i>R</i>				<i>Stone</i>		<i>N 60 E</i>	<i>43</i>
					<i>do</i>		<i>N 7 W</i>	<i>39</i>

Section 8 Township 13 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
South 18.55 chs of	D	Stake			under cut prest			
West 6.89 " "	C	Stone			Sugar	8	S 16 1/4 E	37
South 18.54 " "					Beech	18	E 35 1/2 W	31 1/2
South 18.54 " "	C	"			No Wit-			
North 11.68 " "	N	"			" "			
South 18.54 + West 6.54 of	C	"			" "			
Geo. S. Murphy S.S.C								
Aug. 11-1898.	P	Boulder	Gov Wit		Walnut	10	N 14 E	12
Var. 4'		New Witness	Stump		Ash	15	S 6 1/2 W	42 1/2
2.00 ch East of	P	Stake			Stone		N 2 3/4 W	1.60
3 1/2 Rods N 2 3/4 West		Stone for A. H. cor of						
		Edwards Land.						

C.F. Webster S.S.C.

Record of Surveys in Shelby County, Indiana.

Section *9*

Township *13*

North, Range *P*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	C				Beech	50	N 8 1/2 W	38
					do	11	N 20 W	36 1/2
	H				do	16	North	
					do	12	S 14 1/2 W	23
	D				elm	10	N 58 1/2 E	16
	O				Sugar	20	S 69 1/2 E	23
					Beech	25	N 33 W	14
					do	4	N 17 1/2 E	28
	G				Sycamore	25	N 9 W	12
	E				oak	7	N 86 E	22
	P				Beech		N 76 E	26
<p><i>Apr 2nd 1830-</i> <i>200 Chains East of</i> <i>N 3° 40' W to N E Cor</i></p> <p><i>Aug 8th 1834.</i></p>					Rock - Surveyor			
					Sycamore	24	S 86 W	12 1/2
					do	9	N 22 W	22 1/2
	W.B.X	Stones			J. A. Calliatt Surveyor			
	Y	"			do Nit Quier			
					Beech	8	N 14 W	34
					do	30	N 62 W	32
	N	"			H-oak	60	S 64 E	10
					Sugar	6	S 78 E	23
	M	"			Mulberry	10	S 81 W	42
					ash	12	N 32 W	33
	S	"			Beech	8	N 10 E	21
					do	4	N 30 W	27

Section 9 Township 13 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	R	Stone			Hickory	8	N 41 E	6
	$\frac{1}{16}$ of N-C				Sugar	4	S 6 E	16
	$\frac{1}{16}$ of M-B	"	4.5		No Mark			
		"			"			
					for Jargin's Surveyor			

Record of Surveys in Shelby County, Indiana.

Section 16 Township 13 North, Range P East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Rand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Error— This is in Section 17. — There is no Record up to date— in this Section— 16 — Error. Find it on 52 Page <i>Geo Jargie Surveyor</i>	F.	Stone			Beech	20	S 64 N	17
					Sugar	12	North	24
	H.	"			Ash	12	S 32 N	13
	G.	"			So	14	N 36 N	43
<hr/>								
Set 10 links West of true corner D	D	Sand Stone			Buckeye	5	S 2 N	20
					Buch	18	N 62 N	11
				old Mt	So		N 14 E	32
1/2 of O to D	O to D	Sand Stone			Stone		North	26
					So		West	40.
March 1876. C. F. Webster, Surveyor, March 16, 1895—	S	Stone	M. S.		Stone		South	30
	R.	Stone	M. R. 16.		Stone		North	13
20 Rods West of R.		Stone	M. 60		Stone		East	24
Being 60 Rods N of S.— This may be 60 Rods E. of Q. or 100 Rods N of S.	O	Stone			Stone		West	32
					So		East	32
20 Rods West of	O.	Stone	M. 20.		So		West	32
					So.		East	32
	N.	Stone	M. A.		Stone		West	18 1/2
							East	18 1/2
I have found this Record in old book, no date to same, and no Surveyors name, <i>Chas. F. Webster Surveyor &c.</i>								

Record of Surveys in Shelby County, Indiana.

51

Section

Township

18

North, Range

8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
N End of E & N Line E 1/2	S. N. gr.				S Wood	4	N	13
E-End Same	"				Sugar	9	N 60 E	36
					Beech	24	N	34
					do	5	N 30 E	39
N End of N & S Line	"				Ash	30	N 30 E	
					Poplar	36	S	36
WEST End of North Line	"				do	48	S 30 N	12
					Beech	20	S 45 E	37
Oct 11 th 1847					Kickals Surveyor			
	B.				Beech	13	S 12 N	3 1/2
					do	15	S 36 1/2 E	3 8 3/4
	C.	stone			No Nit			
	L.	"			Ash	14	N 47 N	25
Error					Rock Surveyor			

Section 17 Township 13 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Aeres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	F				Beech	20	S 64 N	17
					Sugar	12	North	24
	E G.	stone "			Ash	12	S 82 N	13
					do	14	N 36 N	43
				Sp	Jargin		Surveyor	
	A	Stake			Beech	18	S 24 N	31
					Stone		S 39 E	20
	1/2 of I to A	Stone			do		S 71 1/2 N	22
March 26 th 1875.					Beech		N N	4 1/2
C. F. Webster Surveyor					Oak		S E	6 1/2
16 1/2 chains South of	N	Stake	33 1/3		Butternut	15	East	38
This Survey was made to correct a corner set by					^{+ 1/2 in. W.} Boulder		East	33 1/2
Sugar, C. F. Webster Surveyor, by agreement between								
John Walbrink and Keiram Sewitt 1875.								
Survey for T. A. Cotton and	N	Stake						
J. A. Raymond. 20. ch South of		Boulder						
26.75 ch E of above corner								
S 18 3/4 E of above corner		Boulder in Pike						

C. F. Webster, S. S. C.

Record of Surveys in Shelby County, Indiana.

53

Section 17 Township 13 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Incl.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	D	Mark +			stone		S. 61 E.	28
9.75 ^{chains} South of	D	" "			No Witness			
.21 Ch. South & 14 Ch. East of	D	" "			Black Locust	6	N. 60½ E	50
9.75 Ch. South & 14 Ch " "	D	" "			No. Witness			
Above 4 Stones Established Nov. 2, 1916. S. P. Harris. S. S. Co.								

Record of Surveys in Shelby County, Indiana.

57

Section *67* Page Township *13* North, Range *P* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Humd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>46 R & E</i>	<i>7</i>	<i>C.</i>			<i>Walton</i>	<i>2</i>	<i>N 47 N</i>	<i>8 1/8</i>
					<i>do</i>	<i>5</i>	<i>N 24 1/2 E</i>	<i>10</i>
					<i>do</i>	<i>10</i>	<i>N 80 E</i>	<i>16</i>
					<i>Elm</i>	<i>9</i>	<i>N 70 N</i>	<i>4 7/2</i>
					<i>Beech</i>	<i>10</i>	<i>N 64 1/2 N</i>	<i>7 1/4</i>
					<i>do</i>	<i>14</i>	<i>N 7 1/2 N</i>	<i>6 6</i>
					<i>Buckeye</i>	<i>12</i>	<i>N 85 1/2 E</i>	<i>3 1/4</i>
					<i>Sugar</i>	<i>7</i>	<i>N 22 E</i>	<i>3 3/4</i>
					<i>Beech</i>	<i>12</i>	<i>N 7 N</i>	<i>20</i>
					<i>do</i>	<i>10</i>	<i>N 43 1/2 E</i>	<i>7 1/2</i>
					<i>Elm</i>	<i>11</i>	<i>N 48 1/2 E</i>	<i>5</i>
					<i>Ash</i>	<i>10</i>	<i>N 69 N</i>	<i>13</i>
					<i>Hard</i>	<i>5</i>	<i>N 73 1/2 N</i>	<i>12</i>
					<i>Sugar</i>	<i>11</i>	<i>N 73 1/2 E</i>	<i>36</i>
					<i>Beech</i>	<i>16</i>	<i>N 31 1/2 E</i>	<i>7 1/2</i>
					<i>do</i>	<i>16</i>	<i>N 3 1/2 E</i>	<i>17 1/2</i>
					<i>do</i>	<i>12</i>	<i>N 46 E</i>	<i>3</i>
					<i>do</i>	<i>12</i>	<i>N 51 1/2 N</i>	<i>6 1/4</i>
<i>do</i>	<i>8</i>	<i>N 80 1/2 E</i>	<i>30</i>					
<i>do</i>	<i>7</i>	<i>N 83 1/2 N</i>	<i>20</i>					
<i>do</i>	<i>14</i>	<i>N 20 1/2 N</i>	<i>28</i>					
<i>Hard</i>	<i>4</i>	<i>N 14 1/2 E</i>	<i>20</i>					
<i>do</i>	<i>8</i>	<i>N 39 1/2 N</i>	<i>30</i>					

*See sec 19
Page 67*

*off of North End 3/8 of C-N
D-O
Error ———
This is on Page 67. Sec 19*

Section *17* Township *15* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>off of the North side</i>	<i>O.</i> <i>N-X</i> <i>P-Z</i>				<i>Beech</i> <i>So</i> <i>So</i> <i>N. So</i> <i>So</i> <i>ssh</i>	<i>18</i> <i>10</i> <i>22</i> <i>14</i> <i></i> <i></i>	<i>S 8 1/2 N</i> <i>N 4 3/4 E</i> <i>S 5 8/8 N</i> <i>N 20 N</i> <i>N 85 E</i> <i>S 3 1/2 N</i>	<i>15</i> <i>10</i> <i>22</i> <i>5</i> <i>43</i> <i>33</i>
					<i>Rock Runway</i>			

Record of Surveys in Shelby County, Indiana.

Section

Township

13

North, Range

8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Off of the North End</i></p>	C - H				Beech	18	ct 5 N	27 1/2
	I				do	12	East	20
	M				Hickory	20	East	9
	N				Sugar	20	ct N	10
	W				Hickory	10	ct 70 E	27
	Y				Sugar	12	ct 20 E	21
					H. Oak	40	ct 30 N	27
					W. Ash	22	West	8
				elm	8	S 55 E	24	
<p><i>Off of N End N 1/2 of E 1/2 of ct. N. gr.</i> <i>" ct E corner N 1/2 of ct. N. gr.</i></p>			15					
			15					
					<i>Chickatoe Surveyor</i>			

Record of Surveys in Shelby County, Indiana.

Section *19* Township *13* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Haud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>46. N. E.</i>	<i>of</i> C. T. M. A. C. E. D. X. S. P.				<i>Hickory</i>	<i>2</i>	<i>N 47 W</i>	<i>8+</i>
		<i>So</i>	<i>3</i>	<i>N 24 1/2 E</i>	<i>10</i>			
		<i>So</i>	<i>10</i>	<i>N 80 E</i>	<i>16</i>			
		<i>elm</i>	<i>9</i>	<i>N 70 W</i>	<i>4 7/2</i>			
		<i>Beech</i>	<i>10</i>	<i>N 64 1/2 W</i>	<i>7 1/2</i>			
		<i>So</i>	<i>16</i>	<i>N 7 1/2 W</i>	<i>6 1/2</i>			
		<i>Buckeye</i>	<i>12</i>	<i>N 83 1/2 E</i>	<i>3 1/2</i>			
		<i>Sugar</i>	<i>7</i>	<i>N 22 E</i>	<i>3 1/2</i>			
		<i>Beech</i>	<i>12</i>	<i>N 7 W</i>	<i>20</i>			
		<i>So</i>	<i>10</i>	<i>N 43 1/2 E</i>	<i>7 1/2</i>			
		<i>elm</i>	<i>11</i>	<i>N 48 1/2 E</i>	<i>5</i>			
		<i>Ash</i>	<i>10</i>	<i>N 69 W</i>	<i>13</i>			
		<i>Hard</i>	<i>5</i>	<i>N 73 1/2 W</i>	<i>12</i>			
		<i>Sugar</i>	<i>11</i>	<i>N 75 1/2 E</i>	<i>36</i>			
		<i>Beech</i>	<i>16</i>	<i>N 5 1/2 E</i>	<i>7 1/2</i>			
		<i>So</i>	<i>16</i>	<i>N 3 1/2 E</i>	<i>17 1/2</i>			
		<i>So</i>	<i>12</i>	<i>N 46 E</i>	<i>5</i>			
		<i>So</i>	<i>12</i>	<i>N 31 1/2 W</i>	<i>6 1/4</i>			
<i>So</i>	<i>8</i>	<i>N 80 1/2 E</i>	<i>30</i>					
<i>off of north end 2/8 of</i>	C-N D-O				<i>So</i>	<i>7</i>	<i>N 83 1/2 W</i>	<i>20</i>
					<i>So</i>	<i>14</i>	<i>N 20 1/2 W</i>	<i>28</i>
					<i>Hard</i>	<i>4</i>	<i>N 14 1/2 E</i>	<i>20</i>
					<i>So</i>	<i>8</i>	<i>N 39 1/2 W</i>	<i>30</i>

Section *19* Township *13* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Aeres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Left of North side</i>	O				Beech	18	<i>S 3/2 N</i>	15
					do	10	<i>N 4 3/2 E</i>	10
	N-X				do	22	<i>S 3 8/2 N</i>	22
					<i>N</i> do	14	<i>N 20 N</i>	5
	P-Z				Beech		<i>N 83 E</i>	45
				Ash		<i>S 3 7/2 N</i>	35	
<i>12.11, chains East of</i>	P	<i>stone</i>			<i>Rock, Superior</i>			
					Ash	20	<i>N 48 W</i>	38
<i>12.11 chains East of</i>	Z	<i>Iron rod 3/4 in dia.</i>			Beech	16	<i>N 42 E</i>	38
		<i>various stones 4 1/2 in.</i>			Stone		<i>N 37 W</i>	5 1/2
	Z	<i>stone</i>			Stone		<i>N 19 E</i>	48.
<i>12.11 Chas E. and 33.13 Chas North of</i> <i>See remarks page 118.</i> <i>March 7th 1888.</i> <i>Finey, Co. Sur.</i>					<i>lickory</i>	12	<i>NW</i>	5 1/2.

Record of Surveys in Shelby County, Indiana.

Section 29 Township 13 North, Range 7 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	X				B-Oak	24	S 15° E	23'
	N				Hickory	15	S 15° E	6
	L				So	15	S 15° E	6
off of the North side	N-X		20		Beech	15	East	12
Same	C-V		"		Walnut	30	S 60° E	8
Same East side	N-P		10		Hickory	18	S	4 1/2
Same	X-Z		"		Beech	18	S	9
off of the East side	Same		30		Poplar	24	North	10
Same	N-P		"		S-Ash	9	N 45° E	22
off of the West side	C-A	Stone	30		Poplar	48	S 50° W	16
Same	N-L	"	"		So			
					Kasandricks Surveyor. Perhaps			

Record of Surveys in Shelby County, Indiana.

73

Section *20* Township *13* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Innd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>off of the North End</i>	<i>C-H</i>		<i>20</i>		<i>Beech</i>	<i>18</i>	<i>N 5° N</i>	<i>27 1/2</i>
	<i>I</i>				<i>do</i>	<i>12</i>	<i>East</i>	<i>20</i>
	<i>M</i>				<i>Sugar</i>	<i>40</i>	<i>N 70° N</i>	<i>27</i>
	<i>N</i>				<i>Thickony</i>	<i>20</i>	<i>East</i>	<i>9</i>
	<i>W</i>				<i>do</i>	<i>10</i>	<i>N 70° E</i>	<i>27</i>
	<i>Y</i>				<i>Sugar</i>	<i>12</i>	<i>N 20° E</i>	<i>21</i>
					<i>N Oak</i>	<i>40</i>	<i>N 30° N</i>	<i>27</i>
					<i>S-cash</i>	<i>22</i>	<i>West</i>	<i>8</i>
					<i>Calur</i>	<i>8</i>	<i>S 30° E</i>	<i>24</i>
<i>off of the North End 1/2 of Ch</i>	<i>A, N, 91.</i>		<i>15</i>					
<i>Same N corner W</i>	<i>N 91</i>		<i>15</i>		<i>Chickels & Simey</i>			
<i>See old books for other corners established by Sugar, 1871 & 3.</i>								
<i>MARCH 16, 1895, ON EXAMINATION OF RECORDS OF SURVEYS IN THIS SECTION</i>								
<i>I find that Mr. J. Sugar S.S.Co. 1871.-3- Recorded the following in old books,</i>								
<i>40 Rods West of A.</i>		<i>Stone marked</i>			<i>Stone</i>		<i>S 68° E</i>	<i>37</i>
<i>52 Rods East of P.</i>		<i>Stone m. 52.</i>			<i>Beech</i>	<i>20</i>	<i>N 54° E</i>	<i>35</i>
<i>92 Rods North of this 52 R. cor.</i>		<i>Stone</i>			<i>Stone</i>		<i>East</i>	<i>20</i>
<i>92 Rods North of Q.</i>		<i>Stone m. 92. =</i>			<i>(B-Oak stump</i>		<i>N 67° E</i>	<i>89</i>
	<i>Q.)</i>	<i>Stone m. Q.</i>			<i>Stone</i>		<i>N 85° E</i>	<i>17</i>
	<i>"</i>				<i>Stone</i>		<i>East</i>	<i>25</i>
	<i>X.</i>	<i>Stone m. X. 20.</i>			<i>R-Oak</i>	<i>36</i>	<i>N 13° N</i>	<i>108</i>
	<i>Y.</i>	<i>Stone m. Y. 20.</i>			<i>Stone</i>		<i>N 10° N</i>	<i>30</i>
<i>40 Rods West & 50 Rods South of N.</i>	<i>N.</i>	<i>Stone m. 40.</i>			<i>Stone</i>		<i>West</i>	<i>46</i>

over

Record of Surveys in Shelby County, Indiana.

Section *35* Township *13* North, Range *8* East.

Written here by mistake

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
--------------------------------------	----------	------------------	--------	-------	----------------------	-------	----------	-------

Oct 17 th 1847.	N				Oak	10	N 70 E	22
----------------------------	---	--	--	--	-----	----	--------	----

	S				Hackony	30	S 21 1/2 E	18
--	---	--	--	--	---------	----	------------	----

Phares	S. N. Cor.		30		S-ash	11	N 65 1/2 E	37
--------	------------	--	----	--	-------	----	------------	----

Same	S. E. "		"		Sugar	16	South	"
------	---------	--	---	--	-------	----	-------	---

					Rock, Sumeyor		S 33 N	5
--	--	--	--	--	---------------	--	--------	---

	X				Beech	13	N 26 E	73 1/2
--	---	--	--	--	-------	----	--------	--------

	U				H-Oak	36	N 34 E	33
--	---	--	--	--	-------	----	--------	----

	L				Beech	14	S 83 N	39
--	---	--	--	--	-------	----	--------	----

	Same				H	7	N 89 1/2 N	34
--	------	--	--	--	---	---	------------	----

					H-DO	3	N 84 E	20
--	--	--	--	--	------	---	--------	----

Mar 20 th 1868-	H	Boulder			Rock, Sumeyor		Poplar.	Original Hit
----------------------------	---	---------	--	--	---------------	--	---------	--------------

					H. H. Miller		Sumeyor	
--	--	--	--	--	--------------	--	---------	--

Record of Surveys in Shelby County, Indiana.

79

Section *21* Township *13* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Dec 31st 1874.</i> <i>C. F. Webster. Surveyor.</i> <i>See old books for other corners by Dugan in 1871. not recorded in this.</i></p>	M	<i>Large Boulder</i>			<i>Stone</i>		<i>S 41 3/4 E</i>	<i>3 1/2</i>
							<i>S 62 W</i>	<i>32 1/4</i>
<p><i>April 21st 1871.</i> <i>J. Dugan. S.S.C.</i></p>	D	<i>Stone</i>			<i>do W 19 1/2</i>		<i>do E 19 1/2</i>	
<p><i>Dec. 31st 1874.</i> <i>26.00 ch South of</i></p>	C	<i>Stone</i>			<i>Stone</i>		<i>ch 12 W</i>	<i>16</i>
	D	<i>Stone</i>					<i>North</i>	<i>20</i>
	M	<i>Long Boulder</i>			<i>Stone</i>		<i>S 41 3/4 E</i>	<i>31 1/2</i>
					<i>Stone</i>		<i>S 62 W</i>	<i>32 1/4</i>
					<i>C. F. Webster, S.S.C.</i>			

Record of Surveys in Shelby County, Indiana.

Section

Township

13

North, Range

D

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Land.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 5 th 1836-	N	Stone			Beech	12	Ch 62 E	24
See old Book.	MBT	Stones			So	16	Ch 24 N	16
	HIP	"			"			
	OXY	"			"			
					for Jarquin Sumner			

Record of Surveys in Shelby County, Indiana.

Section *28* Township *13* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>November 1874</i>	<i>B</i>	<i>Stone</i>			<i>Stone</i>		<i>N 7 1/2 E</i>	<i>20</i>
					<i>do</i>		<i>N 82 1/2 W</i>	<i>40</i>
<i>20 1/2 Rods West of</i>	<i>C</i>	<i>Stone</i>			<i>do</i>		<i>S 43 E</i>	<i>32 1/2</i>
					<i>do</i>		<i>S 9 W</i>	<i>25 1/4</i>
<i>20 1/2 Rods West of</i>	<i>X</i>	<i>Stone</i>			<i>do</i>		<i>S 28 1/2 W</i>	<i>30</i>
					<i>do</i>		<i>N 41 3/4 E</i>	<i>37 1/2</i>
<i>33' Chas South and 20 1/2 Rods West of</i>	<i>C</i>	<i>Sand Boulder</i>			<i>Small Boulder</i>		<i>N 1/2 W</i>	<i>23 1/4</i>
<i>33' Chas South of</i>	<i>E</i> x	<i>Large "</i>			<i>Long Sand Stone</i>		<i>S 89 1/2 W</i>	<i>26 1/2</i>
					<i>do</i>		<i>N 86 E</i>	<i>31 3/4</i>
					<i>do</i>		<i>N 44 W</i>	<i>37 1/4</i>
<i>15 1/2 Chas South of 20 1/2 Rods West of</i>	<i>C</i>	<i>Stake</i>			<i>Stone</i>		<i>S 18 E</i>	<i>34 1/2</i>
<i>15 1/2 Chas South of</i>	<i>B</i> x	<i>Large Boulder</i>					<i>N 18 1/2 E</i>	<i>31</i>
					<i>Keickory</i>	<i>15</i>	<i>N 41 1/2 W</i>	<i>25 3/4</i>
					<i>do</i>	<i>17</i>	<i>S 33 E</i>	<i>22</i>
<i>Chas. F. Webster Surveyor,</i>								
<i>April 4th 1896, perpetuated V, by making witnesses of</i>								
<i>Large Stone Posts. The old witness trees taken by Winchell being now</i>								
<i>in the road and will be cut down. See Record of the Same in Sec. 33.</i>								
<i>The measurements were furnished me by Henry Weingarth and are</i>								
<i>reliable and correct, as I believe, and in accordance with my</i>								
<i>instructions.</i>								
<i>Chas. F. Webster</i>								
<i>Surveyor S. C.</i>								

Record of Surveys in Shelby County, Indiana.

85

Section

Township

North, Range

East.

3611	Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inhd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<p>FOUND Stone 20 1/5 rods West of "C" JULY 1984 Stone 11" Below PMT, SET RR SPIKE 6" N & S FLUSH w/ Stone AND RR SPIKE SET ON SURFACE ABOVE Stone, USED to RE-SET "C" PK NAILS SET IN PMT 4.00' N & W.</p>		(ORIGINAL WITNESS) (NOT FOUND)			<p>NW COR 6" UP LIMESTONE POST PK NAIL 7" UP N. SIDE REMC PWP# 22287 WOOD END POST PK NAIL 7" UP E. SIDE</p>		<p>SOUTH SE SW</p>	<p>20.60' 15.61' 23.14'</p>
						L. May Deputy Surveyor			

Record of Surveys in Shelby County, Indiana.

89

Section *29* Township *13* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	X				B-Oak	24	S 15° E	25
	N				Hickory	15	S 15° E	6
	L				Beech	15	East	12
off of the North side	N-X		20		Walnut	30	S 60° E	8
Same	C-V		"		Hickory	18	South	4 1/2
Same East side	N-P		10		Beech	18	South	9
Same	X-Z		"		Poplar	24	ct	10
Same	Same		30		Hickory	9	ct 45° E	22
Same	N-P		"		Poplar	48	S 50° W	16
off of the West side	C-A	Stone	30		No Wit			
Same	N-L	"	"					
					Former Surveyor			
May. 15 th / 1896.	P	Boulder						
8.62 ch S of	L	Do						
5.00 ch S of	L							
13.62 ch S of	L							
13.95 ch West of	L	Sand Stone	8X8X32		Beech	18	North	10
8.62 ch ct of last described cor		Long Sand Stone	8X12X3		No Wit			
This last described corner			+ on top					
is 5.00 ch. S & 13.95 ch West of	L							

C. F. Webster, S. S. C.

Record of Surveys in Shelby County, Indiana.

Section 30

Township 13

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Apr 17 th 1847	N				Oak	10	ct 70° E	22
	S				Hickory	3	ct 21½° E	18
Phares	S. N. Cor.		30		S-Cash	11	ct 45½° E	37
					Sugar	14		
							ct 33° N	5
Same	S. E.		"		Elm	15	ct 10° N	12
					Mr. Rock Sumner			
	X				Beech	15	ct 24° E	35½
	U				H-Oak	36	ct 34° E	35
					Beech	14	ct 88° N	34 = 4
	L				do	7	ct 89½° N	34
					H- do	5	ct 84° E	20
					Rock, Sumner			
	E	Boulder			Poplar		Original Mt	
					H. K. Miller		Sumner	

Record of Surveys in Shelby County, Indiana.

Section *31* Township *13* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Fund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Oct 3rd 1836-</i>	<i>N</i>	<i>Stone</i>			<i>Beech</i>	<i>12</i>	<i>ct 62 E</i>	<i>24</i>
	<i>M. B.</i>	<i>" 2</i>			<i>do</i>	<i>16</i>	<i>ct 24 N</i>	<i>16</i>
	<i>T. H.</i>	<i>"</i>			<i>do</i>			
	<i>P. O.</i>	<i>"</i>			<i>"</i>			
	<i>X. Y.</i>	<i>"</i>			<i>"</i>			
					<i>Jno Sargin Surveyor</i>			

Record of Surveys in Shelby County, Indiana.

Section 32

Township 13

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Eand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>off of the West side July 31st 1836 -</p>	<p>M gr U.T.C. K II</p>	<p>Stone Stones Stone</p>	<p>30</p>		<p>S 58° E E 14° N</p>	<p>18 24</p>	<p>38 14</p>	<p>6 14</p>
					<p>Jno Jarqui Surveyor</p>			

Record of Surveys in Shelby County, Indiana.

Section *33* Township *13* North, Range *11* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Incl.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Oct 25th / 1859</i> <i>April 4th 1896. Perpetuated</i> <i>See Page, 112.</i> <i>Co. F. Webster, S. S. Co.</i></p>	<i>A</i>	<i>Stone</i>			<i>Walnut</i>	<i>10</i>	<i>N 7 W</i>	<i>37 1/2</i>
		<i>Stone A</i>			<i>So</i>	<i>1</i>	<i>S 22 W</i>	<i>45</i>
		<i>B</i>	<i>"</i>		<i>Stone</i>	<i>Nit</i>	<i>N 45 E</i>	<i>40</i>
			<i>"</i>		<i>So</i>	<i>"</i>	<i>S 43 W</i>	<i>40</i>
		<i>M</i>	<i>"</i>		<i>No Nit</i>			
		<i>L</i>	<i>"</i>		<i>Stone</i>	<i>"</i>	<i>S 50 W</i>	<i>30</i>
			<i>"</i>		<i>So</i>	<i>"</i>	<i>North</i>	<i>15</i>
	<i>1/2 of</i>	<i>A-B</i>	<i>"</i>		<i>So</i>	<i>"</i>	<i>So</i>	<i>15</i>
	<i>1/2 of</i>	<i>M-L</i>	<i>"</i>		<i>So</i>	<i>"</i>	<i>South</i>	<i>15</i>
			<i>"</i>		<i>So</i>	<i>"</i>	<i>North</i>	<i>15</i>
		<i>"</i>		<i>So</i>	<i>"</i>	<i>South</i>	<i>15</i>	
	<i>P</i>	<i>"</i>		<i>So</i>	<i>"</i>	<i>S 61 E</i>	<i>8 1/2</i>	
	<i>R</i>	<i>"</i>		<i>B-cash</i>	<i>6</i>	<i>N 5 W</i>	<i>73</i>	
		<i>"</i>		<i>Beech</i>	<i>7</i>	<i>S 84 E</i>	<i>47 1/2</i>	
	<i>Q</i>	<i>"</i>		<i>Stone</i>	<i>Nit</i>	<i>West</i>	<i>15</i>	
<i>Oct 12th 1860 -</i>	<i>E-Z</i>	<i>Stones</i>			<i>Ed. Munchel Surveyor</i>			
	<i>C-N</i>	<i>"</i>			<i>Jergin, Surveyor</i>			
	<i>O</i>	<i>"</i>			<i>Hackberry 20 S 23 W 27 1/2</i>			
<i>1/2 of</i>	<i>O-P</i>	<i>L-Boulder</i>			<i>No Nit</i>			
<i>1/2 of</i>	<i>Q-R</i>	<i>So</i>			<i>Painted at Top. "</i>			
					<i>Richard Cross Surveyor</i>			

Section 33

Township 13

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Land.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
1/2 R to Y.		Stone			B-Walnut 12		N 34 W	40
Chm Carvers - Heahel & Van Wood.					50		S 47 1/2 W	40 1/2
Flagman Geo. Berry								
Feb'y 2nd 1872,								
Jerry Sugan S.S.C. And not Recorded in this book by Sugan.								
Lehas. F. Webster S.S.C. March 18, 1893,								
April 4 th 1896. Perpetuated Winchells Corner A, by setting Stone fence posts and taking the same for witnesses to the corner, the Walnut witness trees being now in the road. Measurements taken by Henry Heingorth.								
Perpetuated for Henry Heingorth.		A. Lime Stone Post marked on side			N ^{about} 45 W			33 1/2
		50			50		S 60 W	24 1/2
					Lehas. F. Webster			
					Surveyor S.C.			