

Field Notes of Shelby County, Indiana.

Township $\frac{1}{4}$ North, Range $\frac{6}{6}$ East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
A.	Beech	12	N 11 E	12		G.	Ash	13	S 8 E	18
A'	do	20	S 35 N	22		G'	do	12	S 77 N	26
B.	Beech	8	N	6		H.	Beech	12	N 71 E	32
B'	do	10	N 85 E	20		H'	do	10	N 82 N	18
C.	Beech	7	N 60 E	23		I.	do	12	S 47 E	33
C'	Ironwood	3	S 50 N	16		I'	Ash	18	N 83 N	16
D.	Hickory	14	S 45 E	10		J.	Beech	9	S 21 E	5
D'	Beech	7	S 10 N	25		J'	do	13	N 45 N	15
E.	Oak	30	N	3		K.	do	14	S 64 N	11
E'	Ash	7	S 20 E	15		K'	do	22	N 49 E	28
F.	Sugar	8	N 60 N	18		L.	Oak	30	S 6 E	20
F'	Beech	10	S 65 E	13		L'	do	30	N 28 E	17
						M.	Beech	12	S 6 E	40
						M'	Hickory	14	N 6 E	23
						N.	Beech	10	S 61 N	8
						N'	—	6	N 19 E	16
						O.	Hickory	13	S 27 N	21
						O'	Elm	16	N 50 E	4
						P.	Beech	9	N 44 N	6
						P'	Poplar	40	S 21 N	11
						Q.	Beech	12	N 40 N	34
						Q'	Ash	13	N 2 E	19
						R.	Linu	18	S 58 E	10
						R'	Oak	12	N 23 N	8

Field Notes of Shelby County, Indiana.

Township 14 North, Range 6 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
N.	Beech	9	S 25° E	7	S'	Beech	14	S 70° E	13
	do	27	N 45° W	12		Bronwood	6	N 49° W	21
N'	do	9	S 63° E	6	T.	Beech	9	S 64° W	30
	Cherry	21	N 61° W	9		Elm	6	N 36° E	17
O.	Beech	14	N 42° E	14	T'	Beech	10	N	20
	do	10	S 58½° W	34		do	8	S	25
O'	Ash	30	S 68° W	14	U.	Beech	10	N	20
	N Beech	6	N 52° E	18		do	8	S	25
P.	Beech	10	N 63° E	28	U'				
	Elm	15	S 33° W	10	V.	Beech	14	N	6
P'	Beech	6	N 47½° W	6		do	5	S 60° E	25
	do	18	S 33° E	8	V'				
Q.	do	10	N 3° E	24	W.	Beech	7	S 30° W	5
	do	15	S 11° E	23		do	11	N E	25
Q'	do	7	N 33° W	25	W'				
	do	27	S 33° E	9	X.	Ash	2	S	10
R	do	12	N 58° E	18		Poplar	4	N 80° E	9
	do	15	S 11° E	15	X'				
R'	do	13	S 39° E	7	Y.	Beech	6	S	5
	do	13	S 39° E	7		Ash	8	N 20° E	35
S.	do Oak	40	N 38° W	26	Y'				
	Beech	9	N 64° E	22					
	do	15	S 66° W	20					

Field Notes of Shelby County, Indiana.

Township 14 North, Range 6 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
25.26.33.34	Sugar	7	E	12	21.22.27.28	Beech	6	S 65° E	8
	So	3	N 80° W	10		So	18	S 30° W	18
26.27.25.26	Beech	14	N 40° W	26	15.16.21.22	Beech	24	E	10
	So	15	E	20		So	12	W	25
13.14.23.24	Hickory	6	W	4	9.10.15.16	So	7	S 30° E	20
	Beech	9	S 40° E	25		So	9	N 45° W	22
11.12.13.14	So	7	N 30° E	13	3.4.9.10	So	9	N 60° E	11
	Hickory	6	N 75° W	30		Maple	24	S 80° W	25
1.2.11.12	Beech	15	S 60° E	25	28.29.32.33	Ash	22	S 45° W	12
	So	11	N 70° W	12		So	12	S 60° E	15
26.27.34.35	So	9	S 80° E	15	20.21.28.29	Beech	9	S 40° E	10
	Ash	3	W	9		So	3	S 45° W	13
22.23.26.27	Beech	7	S 80° E	11	16.17.20.21	So	10	N 45° W	12
	So	10	S 10° W	15		So	9	S 45° E	10
14.15.22.23	So	18	S	40	8.9.16.17	So	20	N 45° W	12
	So	10	N 45° E	12		So	12	S 45° E	20
10.11.14.15	Ash	11	S 45° W	3	4.5.8.9	So	15	N 30° E	11
	Beech	8	S 75° E	16		Poplar	22	W	10
2.3.10.11	Hickory	24	W	8	29.30.31.32	Oak	60	W	20
	Oak	22	S	25		Beech	7	S 50° E	10
27.28.33.34	Beech	18	S 20° E	10	19.20.29.30	So	8	S E	13
	So		N	15		So	9	W	22

Field Notes of Shelby County, Indiana.

Township 14 North, Range 6 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
17.18.19.20.	Beech	6	S N	23	2	Beech	7	N 80 E	8
	Ash	8	S 80 E	20	"	So	11	S 30 N	30
7.8.17.18	Oak	40	S E	3	3.	So	16	S 44 E	13
	Ash	5	N 30 N	30	"	So	12	N	20
3.6.7.8	Beech	7	N 30 N	30	4	So	5	S 10 N	12
	So	3	N E	16	"	Ironwood	3	N 60 E	7
M to U					5	Elm	24	N	12
1	Beech	18	N 85 N	25	"	Beech	8	S E	13
"	So	5	N 80 E	22	6	Elm	2	N 20 N	2
2	Oak	5	N 15 N	12		Walnut	2	S	8
"	Ash	5	S 45 N	25	K to W				
3	Beech	18	N 30 N	13	1	Beech	9	S	20
"	Ash	24	S 45 E	9	"	So	22	N	30
4	Beech	12	S 60 E	30	2	So	16	N 45 E	13
"	So	14	S 55 E	35	"	So	9	N	12
5	So	12	S E	9	3	So	12	N 45 E	11
"	Ash	10	N 20 N	30	"	Logwood	12	S	10
6	Beech	9	S 30 E	12	4	Beech	20	N 30 E	8
	Ash	24	N	14	"	Ironwood	3	S 35 N	5
L to V					5	Beech	24	N 15 N	9
1	Beech	16	N	30	"	So	10	S 75 E	15
"	So	6	S 80 N	18	6	So	12	S 20 E	8
					"	So	6	N 30 N	22

Field Notes of Shelby County, Indiana.

Township $\frac{1}{4}$ North, Range $\frac{6}{4}$ East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.		Corners.	Bearing Trees.	Diam.	Courses.	Dist.
II 10 X	Elm	18	N 15° E	15		6	Beech	6	N 40° W	7
1	Ash	7	S 20° E	20			so	7	S 20° E	6
2	Beech	13	S 40° E	30	O 10 H					
"	so	24	N 60° E	14	1	Beech	18	N 60° E	30	
3	so	6	N	20	"	so	6	S 55° W	30	
"	so	4	S 80° E	8	2	so	20	N 10° E	13	
4	Elm	24	E	12	"	so	9	S 15° W	18	
"	Hickory	9	N 30° W	14	3	so	4	E	3	
5	Beech	11	S 80° W	13	"	Oak	10	N 45° W	8	
"	so	10	N	13	4	Beech	6	S	4	
6	Buckeye	9	W	12	"	so	7	N 15° E	32	
	Oak	24	N 40° E	30	5	so	10	E	4	
H 10 Y					"	so	8	W	20	
1	Beech	6	S	7	6	Oak	36	N 45° W	13	
"	Elm	22	N 20° W	20		Beech	20	S	14	
2	Ash	45	N 45° W	2	P 10 H					
"	so	8	S 45° E	6	1	Ash	30	N	20	
3	Beech	24	N 45° E	15	"	Paplar	4	W	10	
"	so	8	S 30° E	25	2	so	36	S	6	
4	so	12	N	25	"	Beech	7	N 45° W	25	
"	so	6	S 45° E	6	3	so	24	W	15	
5	Elm	14	N	30	"	so	11	E	50	
"	Beech	16	S 10° W	25						

Field Notes of Shelby County, Indiana.

Township 14 North, Range 6 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.	
Same,	4	Beech	5	N 45 W	7	2	Hickory	16	S 45 E	20
"	"	So	7	S 40 E	6	"	Ash	24	N	18
"	5	So	30	N 45 E	17	3	Beech	4	N 20 E	10
"	"	So	7	S 30 N	25	"	So	9	N	15
"	6	Ash	30	S 30 N	35	4	Oak	14	N 40 N	14
"	"	Elm	24	S 45 E	18	"	Beech	4	S	12
Q to D	"				"	5	So	24	E	4
"	1	Beech	-	S	50	"	So	12	S 30 N	10
"	"	So	-	N	12	6	So	14	S	20
"	2	Logwood	-	S 30 N	10	"	Sugar	8	N 10 N	25
"	"	S Beech	4	N 70 E	12	S to B				
"	3	Beech	9	N	20	1	Beech	6	N E	7
"	"	So	12	E	3	"	Oak	8	N 20 N	15
"	4	So	7	S 45 N	14	2	Beech	6	S	12
"	"	So	14	N 30 E	25	"	So	20	E	7
"	5	Sugar	8	N 45 N	5	3	So	11	N	20
"	"	So	9	E	21	"	Hickory	9	N 80 E	18
"	6	Oak	36	N 30 E	16	4	Beech	12	S E	5
"	"	Ash	12	N	30	"	So	9	S 85 N	25
R to C	"				"	5	Elm	16	S E	25
"	1	Beech	6	N 33 E	10	"	Ash	12	N 20 E	22
"	"	Ash	6	S 30 N	12	6	Beech	11	S	18
					"	"	Bronwood	4	N N	8

Record of Surveys in Shelby County, Indiana.

Section 1 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.								
<i>May 21st 1858</i>	D. E. B.	stones			to Nit											
	O. D.	"			Beech	10	S 43 N	81 3/4								
<i>22 29 Chas Ct</i>	W.	"			do	6	S 34 1/2 N	89 1/2								
	<i>of Same</i>	C.	"	"	to Nit											
					Lime	12	S 24 E	14								
	N	"	"	"	"	Ash	16	N 38 N	13							
						Beech	14	N 34 E	9							
						do	10	S 31 E	40							
do						12	S 31 N	7								
<i>Apr. 24 1859</i>	M															
									<i>located</i>	N	stone			Stone	E	23 1/2
										<i>the following stones 54 r. 16 1/2 North of</i>	N	stone			Stone	W
<i>54 r. ^{16 1/2} N & 52 rds 17 1/2 E of</i>	C	stone				Stone	S.	26 1/2								
<i>52 rds 17 1/2 E of</i>																
<i>Geo. E. Otman, Surv. Shelby Co.</i>																
<i>Witness for</i>	P				{ stone		N.W.	2 r.								
<i>wit. "</i>	Z					{ stone		N.E.	2 r.							
						{ stone		S.W.	2 r.							
						{ stone		S. E.	2 r.							

Record of Surveys in Shelby County, Indiana.

Section

Township

14

North, Range

6

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 18, June, 1980	X	I. Pin			See Tie File		See Remarks	
" " "	Z	"			"		p. 228	
" Sept. 30, 1974	V	Iron Pin			"		"	
" 6/30/80	E	Iron Pin (Set)			"		"	
" 8/29/80	P	R.P. Spike Over Stone			"		"	
" 8/26/80	C	R.P. Spike Over Stone			"		"	
" 8/29/80	A	Brass Plug (Found)			"		"	

Record of Surveys in Shelby County, Indiana.

Section *2* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Haud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Rock - Surveyor</i> <i>Feb 19th 1836</i></p>	X-Z				<i>Beech</i>	<i>13</i>	<i>S 23 1/2 N</i>	<i>37 1/2</i>
	L				<i>Calm</i>	<i>25</i>	<i>N 22 1/2 E</i>	<i>26 1/2</i>
	M				<i>Beech</i>	<i>15</i>	<i>N 24 1/2 N</i>	<i>63 1/2</i>
	D				<i>do</i>	<i>15</i>	<i>S 74 1/2 E</i>	<i>54</i>
	B				<i>do</i>	<i>10</i>	<i>N 22 1/2 E</i>	<i>9</i>
	G				<i>do</i>	<i>8</i>	<i>S 70 1/2 N</i>	<i>2</i>
	N				<i>W-ash</i>	<i>4</i>	<i>N 34 E</i>	<i>7</i>
	F				<i>do</i>	<i>6</i>	<i>S 7 E</i>	<i>28</i>
	YCH				<i>Ash</i>	<i>24</i>	<i>S 32 N</i>	<i>12</i>
	P.O.D.				<i>N-Beech</i>	<i>4</i>	<i>S 81 N</i>	<i>30</i>
<p><i>Sargin - Surveyor</i></p> <p><i>witness for</i></p> <p><i>Wit. for</i></p> <p><i>Kenneth L. Downan</i></p> <p><i>"</i></p> <p><i>"</i></p>	stones				<i>Ash</i>	<i>13</i>	<i>N 60 E</i>	<i>33</i>
	L				<i>Beech</i>	<i>12</i>	<i>N 76 N</i>	<i>8</i>
	V				<i>do</i>	<i>18</i>	<i>S 56 N</i>	<i>22</i>
	P				<i>Ash</i>	<i>15</i>	<i>N 60 E</i>	<i>33</i>
	C				<i>Ch Nit</i>			
H								
	L				<i>{ Stone</i>		<i>stone</i>	<i>2 r.</i>
	V				<i>{ Stone</i>		<i>stone</i>	<i>2 r.</i>
	P				<i>I. Rod</i>			<i>2 r.</i>
	C				<i>R. R. spike</i>			<i>2 r.</i>
	H				<i>Stone</i>			<i>2 r.</i>
					<i>See Tie file</i>			<i>See Remark</i>
					<i>"</i>			<i>P. 228</i>
					<i>"</i>			

Section 2 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Kenneth L. Bowman	N	7. Rod			See tie file		See Remarks	
"	E	Stone			"		P. 228	
John W. Whitlock 12/5/79	L	Stone			"		"	
" 18, June, 1980	V	Iron Pin			"		"	
" "	X	"			"		"	
" 6/27/80	E	Stone (Found)			"		"	
" 8/25/80	P	Iron Pin (Found)			"		"	
" 6/30/80	C	Brass Plug (Found)			"		"	
" 6/30/80	A	Iron Pin (Set)			"		"	
" 8/29/80	L	R.R. Spike Over Stone			"		"	

Record of Surveys in Shelby County, Indiana.

Section *B* Township *14* North, Range *4* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>C</i>	<i>Stone</i>			<i>Ash</i>	<i>8</i>	<i>S 8° E</i>	<i>18</i>
					<i>So</i>	<i>3</i>	<i>N 70° E</i>	<i>22</i>
	<i>T</i>	<i>"</i>			<i>So</i>	<i>24</i>	<i>S 45° N</i>	<i>20</i>
					<i>So</i>	<i>8</i>	<i>N 20° N</i>	<i>29</i>
	<i>S</i>	<i>"</i>			<i>Sugar</i>	<i>10</i>	<i>N 70° N</i>	<i>14</i>
					<i>Beech</i>	<i>16</i>	<i>S 68° E</i>	<i>14</i>
	<i>M</i>	<i>"</i>			<i>S-Ash</i>	<i>8</i>	<i>N 25° E</i>	<i>4</i>
					<i>Hickory</i>	<i>30</i>	<i>N 32° N</i>	<i>21</i>
	<i>N</i>	<i>"</i>			<i>Beech</i>	<i>16</i>	<i>S 50° N</i>	<i>11</i>
					<i>So</i>	<i>12</i>	<i>N 38° E</i>	<i>14</i>
	<i>Q</i>	<i>"</i>			<i>2. Sycamors</i>	<i>18</i>	<i>N 70° N</i>	<i>20</i>
					<i>Elm</i>	<i>24</i>	<i>S 10° N</i>	<i>38</i>
<i>S. End of Co. of N. W. qrs. mit. qrs</i>		<i>"</i>	<i>30</i>		<i>As Nit</i>			
<i>Same N. E. qrs. N. W. qrs</i>	<i>B</i>	<i>"</i>			<i>"</i>			
					<i>Ash</i>	<i>8</i>	<i>S 8° E</i>	<i>18</i>
					<i>Oak</i>	<i>3</i>	<i>N 70° E</i>	<i>22</i>
<i>33.07 chains S. W. 8.61 ch of</i>	<i>Same</i>	<i>No Boulder</i>			<i>Boulder</i>	<i>8.61</i>	<i>N</i>	<i>23</i>
					<i>So</i>	<i>8.34</i>	<i>E</i>	<i>22</i>
	<i>P</i>	<i>Stone</i>			<i>Beech</i>	<i>10</i>	<i>N 30° E</i>	<i>20</i>
					<i>Oak</i>	<i>10</i>	<i>N 12° N</i>	<i>24</i>
	<i>O</i>	<i>"</i>			<i>Beech</i>	<i>10</i>	<i>N 20° N</i>	<i>48</i>
					<i>So</i>	<i>12</i>	<i>N 60° N</i>	<i>49</i>
	<i>E</i>	<i>Boulder</i>			<i>Boulder</i>	<i>8.28</i>	<i>N</i>	<i>41</i>
					<i>So</i>	<i>8.70</i>	<i>N</i>	<i>23</i>

Record of Surveys in Shelby County, Indiana.

Section *B*Township *14*North, Range *6*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>D</i>	<i>Boulder</i>			<i>Boulder</i>		<i>N 71 E</i>	<i>36</i>
					<i>So</i>		<i>S 4 1/2 N</i>	<i>28</i>
<i>16 5/4 remains E</i>	<i>of same</i>	<i>"</i>			<i>So</i>		<i>N 66 E</i>	<i>38</i>
							<i>S 10 N</i>	<i>33</i>
<i>32 00 " E</i>	<i>of same</i>	<i>Range "</i>			<i>So</i>		<i>S 74 E</i>	<i>27</i>
					<i>So</i>		<i>S 9 N</i>	<i>20</i>
	<i>A</i>	<i>" "</i>			<i>So</i>		<i>S 33 N</i>	<i>36</i>
					<i>So</i>		<i>S 38 N</i>	<i>34</i>
<i>Notiss, Surveyor</i>								
<i>John W. Whitlock 5, Oct. 79</i>	<i>P</i>	<i>Stone</i>			<i>See Tie Files</i>		<i>See Remarks</i>	
<i>" 25, Oct. 79</i>	<i>Z</i>	<i>R.R. Spike</i>			<i>"</i>		<i>P 228</i>	
<i>Kenneth L. Bowman</i>	<i>A</i>	<i>Stone</i>			<i>"</i>		<i>"</i>	
<i>John W. Whitlock 5, Oct. 79</i>	<i>V</i>	<i>Z Pin</i>			<i>"</i>		<i>"</i>	
<i>Kenneth L. Bowman</i>	<i>L</i>	<i>Iron Rod</i>			<i>"</i>		<i>"</i>	
<i>John W. Whitlock 6/27/80</i>	<i>A</i>	<i>Stone (Found)</i>			<i>"</i>		<i>"</i>	
<i>" 8/25/80</i>	<i>L</i>	<i>Iron Pin (Found)</i>			<i>"</i>		<i>"</i>	

Record of Surveys in Shelby County, Indiana.

Section **4** Township **14** North, Range **4** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Jan'y 23rd 1833	M	Stone			Beech	18	S 70 E	13
					do	10	N 70 E	20
	D	"			do	18	S 77 W	21 1/2
					do	15	N 3 W	19 1/2
28.42 chains S	of Same	L. Boulders			No Nit			
	B				Red Bud	5	S 40 1/2 W	
					Beech	20	N 84 E	21 1/2
28.17 chains S	of Same	"	1.		No Nit			
8.07 " N	of O	"	2.		"			
7.95 " N	of M	"	2.		"			
	NOT YRS.				"			
		"			"			
		"			"			
23.90 chains E. of	E	L. Boulders			Stone S. & almost East			
					47 3/8 links, said with stone			
					is prob. a corner for H. Co. line			
					crack near west bank			
					beech	20	west 72 links	
<p>17.75 chains South of above, state given in written notices given to all persons interested Survey made October 30 1889, J. Finley, S. S. County.</p>								

Record of Surveys in Shelby County, Indiana.

Section 4 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct. 20, ¹⁹⁰² Set following stone,	R	Stone ^{MARK} _{TR}			Victory tree	20	S. 30 E	2.
W. H. Isley, Surveyor S.C.								
1904 Mar. 29" 15.70 Ch. N. of	N	Boulder ^{MARK} ₊			No wit.		S. P. Harris S.S.C.	
" " " 15.70 " " "	M	" " ^{MARK} ₊			" "		by J. N. Phillips Dep	
MARCH 29 LOCATED PT AND MAY 19 SET STONE AT PT.	O	Boulder ^{MARK} ₊			Stone MARK		S.	3.00
Apr. 20. 1904. Set	O	Boulder Marked O ⁺			Stone MARK: O 4		S 5° W	16.
					Stone S.S.C.		N.	18.
					S. P. Harris, by W. H. Isley dep.			
John W. Whitlock	Z	R.R. Spike			See Tie File		See Remarks	
" 3, Oct, 79	L	Stone			"		7.228	
" 25, Oct, 79	V	R.R. Spike			"		"	
" 6/26/80	E	Iron Pin (Set)			"		"	
" 8/28/80	P	Stone (Found)			"		"	
" 8/26/80	C	Iron Pin (Set)			"		"	
" 6/27/80	A	Iron Pin (Set)			"		"	

Record of Surveys in Shelby County, Indiana.

Section 3¹ Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
June 20 th 1851 ^c	A	Stone			No Nit			
	B	"			Beech	7	S 34 E	34
	C	"			Sugar	15	N 87 W	24 1/2
	M	"			Beech	3	S 23 W	7
	N	"			So	16	S 81 E	35
	O	"			So	16	E	17
	Y	"			Oak	26	N 83 W	20
	W	"			So	10	N 24 1/2 E	10 1/2
	X	"			So	10	N 57 1/2 W	15
	Z	"			Beech	25	S 63 E	14
	AA	"			So		N 70 1/2 W	20
	BB	"			Buckeye	20	S 23 W	12
	CC	"			Calm	22	S 29 1/2 W	23
	DD	"			Beech	24	N 80 E	29
	EE	"			So	10	N 31 E	42
J. C. Elliott - Surveyor	LL	"			No Nit			
Located	XX	"			"			
Apr 14 th , 1906.	ZZ	No witness			James E. Morris, S. S. Co.			
James E. Morris, S. S. Co.	WW							
April 15 - 1909	OO	Boulder			Boulder		South	7
Set Stone					S. P. Harris S. S. Co.			

Record of Surveys in Shelby County, Indiana.

Section 5 Township 4 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Kenneth L Bowman	V	R.R. Spike			See Tie File		{ See Remarks	
John W. Whitlock	V	I. Pin			"		{ page 228	
"	Z	" (Found)			"		"	
" 6-18-1980	Z	" (Found)			"		"	
" 6/30/80	E	Iron Pin (Set)			"		"	
" 8/26/80	P	R.R. Spike over Stone			"		"	
" 4/25/80	C	Iron Pin (Set)			"		"	
" 6/26/80	A	Iron Pin (Set)			"		"	
" 8/28/80	L	Stone (Found)			"		"	

Record of Surveys in Shelby County, Indiana.

Section *6*

Township *14*

North, Range *6*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Incl.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Sargin Sumeyar</i> <i>Apr 2nd 1866</i> <i>Nov 1868</i> <i>Wearp Sumeyar</i></p> <p><i>Sep 22nd & 23rd 1884</i> <i>Tested & found right</i> <i>Corner S.H.C & Murphy S.H.C</i> <i>April 24th 1896.</i></p> <p><i>20 37 Chus N of</i> <i>(Y to O = 40 74 Chus)</i></p> <p><i>20 57 Chus S of</i> <i>(P to Z = 41 13 Chus)</i> <i>Z to Y = 17 38 1/2 Chus.</i></p>	N	stone			Sugar	6	N 78° E	6
	P	"			Beech	20	S 15° E	19
	O	"			K. Elm	14	N 45° E	14
	C	"			Key Key	12	N 30° E	37
	Y	"			Beech	12	N 25° W	11
	B	"			St	6	S 10° E	9
	M	"			S-ash	10	S 18° W	2
	C	"			Ar Nit			
	D	"			"			
	P	"			"			
	B	"			Beech	10	S 21° W	46
	C	"			H Oak	6	S 1/2 E	40
	E	"			Stone	'	N 23 3/4° E	42 1/2
	Y	"			"		S 49° W	40
	O	Boulder		Stake.				
	P	Perpetuated by			Beech	15	S 6° W	86
		Sugar			Stake,	12	S 60 1/2° W	37 1/4
					L.F. Webster			
					Surveyor, etc			

Section

6

Township

14

North, Range

6

East.

Date, Intermediate Corners, &c., &c.

var 2^d 18⁷

Corners.

Stone, Mark, &c.

Acres.

Hnd.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

Jan'y 26, 1898. Measured
lines, to wit:

C to A = 45.28 Chms.

Set Stake for Corner
Koop's Corner C is 2.06 Chms.
East of true Corner.

and Set Stakes for Road on middle line of Section
A to I^d = 75.02 1/2 Chms Set Stake on line for C.

N
C

Boulder

34.57 Chms East of Stone E^d. &

40.45 1/2 Chms West of " A.

W. F. Webster & Co.

W. P. Cully, Sec S Marion County.

John W. Whitlock

7, Aug, 78

E

R.R. Spike (Found)

See Tie File

Expln., pg. 228

"

"

P

Iron Pin (Set)

"

"

"

"

C

Iron Bar (Found)

"

"

"

"

D

R.R. Spike (Found)

"

"

"

30, Sept. 74

Z

I. Pin

"

"

"

"

X

R.R. Spike

"

"

"

18, June, 1920

Y

I. Pin (Found)

"

"

"

6/30/80

A

Iron Pin (Set)

"

"

"

8/26/80

L

R.R. Spike Over Stone

"

"

Record of Surveys in Shelby County, Indiana.

Section 7 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	P	Stone			Sugar	18	N 42 E	16
	Q	"			Calm	3	N 62 E	22
	R	"			Beech	18	S 70 E	7
					So	24	N	33
					So	14	N 30 E	31
					So	12	S 10 E	18
Mr. Jargin, Surveyor	Y Z	"			No Wit			
John Sugaw, Surveyor,	X W	11 X-7			Stone		N 57 1/2 W	36
	N	11 W+7 + 1/2 in. 7/8			Beech	18	S 27 E	35
Aug 30th 1876, L. F. Webster Surveyor,	M	+ 1/2 in. 7/8 Boulder			Boulder		S 16 1/2 E	26
March 27th 1883	T	Boulder			Beech	24	S 28 1/2 E	73
4 15-7 chrs north of	U	"			No Wit-			
4 15-7 chrs " "		"			" "			
6 1/2 " south "	L	"			" "			
1/2 " " "	M	"			" "			
Geo. S. Murphy S.S.C	V							
April 23. 1896. 7 10 Chrs N of		Large Boulder						
20 60 Chrs West of last		named corner						
Survey for John Mohr and		Long Boulder. Set in Old Channel of Creek.						
A. B. Smodgrass,		L. F. Webster						
		Surveyor &c.						

Section 8

Township 14

North, Range 6

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Survey made on the 24 th day of November 1892. See page 226.	F G	Stone Stone			No Wit No Wit			
Survey made for Trustees of Sugar Creek M. P. Church								
Set stone 5.27 1/2 chains west of set stone 5.27 1/2 chs west and	I	Boulder			No wit			
3.25 chains south of May 24-1907 S. P. Harris, S. S. C.	I	Boulder			No wit			
Oct 25 1911 set stone 20 rd. 42 i. west of	I	marked chisel + No wit						
Set stone 22 rd 13 i, North of Geo. E. Oldman Surveyor of Shelby Co.	I	marked chisel + No. wit.						
wit for	Z	stones				NE. NW.		50 li. 50 li.

Record of Surveys in Shelby County, Indiana.

53

Section *Eight* Township *Fourteen* North, Range *Six* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>June 8, 1916 I set stones as follows:</i>								
<i>5 Chains $1\frac{3}{4}$ links North of</i>	<i>Q</i>	<i>Boulder</i>			<i>Boulder</i>		<i>West</i>	<i>22</i>
	<i>R</i>	<i>Gray Boulder</i>			<i>stone</i>		<i>West</i>	<i>20</i>
<i>5 Chains $\frac{5}{8}$ link North of</i>	<i>R</i>	<i>Blue Boulder</i>			<i>stone</i>		<i>West</i>	<i>20</i>
<i>S. P. Harris - S.S.C.</i>								
<i>John W. Whitlock 26 April, 77</i>	<i>P</i>	<i>R.R. Spike (Found)</i>			<i>See Tie File</i>		<i>See Remarks</i>	
<i>"</i>	<i>C</i>	<i>I. Pin</i>			<i>"</i>		<i>P. 228</i>	
<i>" 4 Apr. 80</i>	<i>N</i>	<i>I. Pin (Set)</i>			<i>"</i>		<i>"</i>	
<i>"</i>	<i>X</i>	<i>Stone</i>			<i>"</i>		<i>"</i>	
<i>"</i>	<i>L</i>	<i>I. Pin (Set)</i>			<i>"</i>		<i>"</i>	
<i>"</i>	<i>A</i>	<i>R.R. Spike</i>			<i>"</i>		<i>"</i>	
<i>" 6/18/80</i>	<i>F</i>	<i>Iron Pin (Found)</i>			<i>"</i>		<i>"</i>	
<i>" 7/2/80</i>	<i>Z</i>	<i>R.R. Spike Over Stone</i>			<i>"</i>		<i>"</i>	
<i>" 7/2/80</i>	<i>X</i>	<i>R.R. Spike Over Stone</i>			<i>"</i>		<i>"</i>	
<i>" 8/12/80</i>	<i>V</i>	<i>Iron Pin (Set)</i>			<i>"</i>		<i>"</i>	

Record of Surveys in Shelby County, Indiana.

Section **9** Township **14** North, Range **6** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Rand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Jan'y 17 th 1853	N	Stone			Beech	18	S 45° E	38
	D	"			do	12	S 25° W	16
	B	"			elm	24	S 76° W	33
	"	"			ash	6	S 40° E	48
	"	"			do	4	S 17° W	37
	R	"			Oak	8	S 38° W	31
	O. H.	"	8		As Nit			
	M	"			elm	8	N 40° E	45
	"	"			Beech	12	N 35° E	40
	T	"			do	12	N 30° E	120
Margie Sumner Sept 6 th 1876, 10 chains North of 10 chains West of above	U	"			do	12	N	20
	"	"			do	8	N 3° W	42
	"	"			do	14	N 40° W	62
	M	^{40.18} Stone			Beech	10	N 42° W	70
	"	Stone			do		South	30
	"	Stone			Beech	10	N 54° W	26 1/2
	"	"			do	15	S 61° E	36
	"	Stone			Oak	8	N 30 1/2° W	33
	"	"			Sugar	10	S 5° W	13 1/2
	C. F. Webster, Surveyor, &c. 1/2 of E to D	E	Boulder marked			As Nit near		
	F	Blue do			"			
		April 1881.			"			
					C. F. Webster Surveyor, &c.			

Record of Surveys in Shelby County, Indiana.

59

Section 9 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Kenneth L. Bowman	E	R.R. spike			See Tie File		See Remarks	
John W. Whitlock	P	I. Pin (Set)			"		P 228	
" 23, Oct 79	A	R.R. spike			"		"	
" 14, Oct, 79	L	Axle (Found)			"		"	
" 8/12/80	Z	Iron Pin (Set)			"		"	
" 7/2/80	X	R.R. Spike Over Stone			"		"	
" 8/12/80	V	Iron Pin (Set)			"		"	

Record of Surveys in Shelby County, Indiana.

63

Section **10** Township **14** North, Range **6** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>Jan 13th 1853</p>	W	Stone			Beech	14	N	57
	B	"			Ash	8	S 31 N	91
	I	"			do	4	N 63 E	65
	F	"			do	6	N 17 N	57
	Y	"			do	10	N 23 N	93
	H	"			Oak	24	S 30 E	44
	G	"			Hickory	20	S 30 E	56 ^{1/4}
	Q	"			Beech	8	S 52 E	13
	U	"			R-Oak	36	N 37 E	13
	R	"			Beech	14	N 11 E	39
	T	"			do	14	N 62 E	34
	S	"			Calm	12	E	15
	D	"			S-Ash	18	N 31 N	22
	K	"			Beech	8	N 80 E	46
	K	"			do	12	S 35 N	69
	K	"			Sugar	16	S 30 N	43
K	"			Beech	12	S 45 N	53	
K	"			do	12	S 88 N	21	
K	"			do	18	N 33	69	
K	"			do	8	S 32 E	15	
K	"			R-Oak	36	N 37 E	13	
K	"			Ash	18	N 31 N	22	
K	"			No Nit				

Record of Surveys in Shelby County, Indiana.

Section

10

Township

14

North, Range

6

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock	14 Oct, 79	P	Arke (Found)		See Tie file		See Remarks	
"	10, Oct, 79	C	I. Pin		"		P 228	
"	1, Oct, 79	N	I. Pin (Set)		"		"	
"	25, Oct, 79	F	R.R. Spike		"		"	
"		L	Stone		"		"	
"		Z V	Iron Pin (Set)		"		"	
"	8/12/80	Z	Iron Pin (Set)		"		"	
"	7/1/80	X	R.R. Spike (Set)		"		"	

Record of Surveys in Shelby County, Indiana.

Section *11* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	D	stone			Beech	14	S 57 1/2 N	88
	R	"			Box Elder	10	S 22 1/2 N	69 1/4
	N	"			Beech	10	S 33 1/2 N	10
	X	"			so	7	S 14 1/2 E	
	C	"			so	4	S 88 1/2 E	81
	B	"			so	18	S 43 1/2 N	33
	E	"			so	16	N 36 1/2 E	37 1/2
	C-E	"			so	11	S 24 1/2 E	39
	D	"			Ash	3	N 45 N	2-
	H	"			so	6	N 69 E	13
	C-H	"			Beech	9	N 71 1/2 E	4
	D	"			so	8	N 36 N	33 1/4
	L	"			so	15	S 55 1/2 E	31
	A.	"			so	12	S 42 N	29
	V	"			so	13	S 23 1/2 N	37 1/2
	Wit	"			stone	25	N 22 1/2 E	26 1/4
	"	"			Ash	4	S 2 N	27 1/2
	"	"			so	4	N 34 E	21 1/2
	"	"			stone		S.W.	2 r.
	"	"			stone		S.E.	2 r.
	"	"			{ stone		SW	2 r.
	"	"			{ stone		S.E.	2 r.
	"	"			{ stone		S.E.	2 r.
	"	"			{ stone		SW	2 r.

Wm Rock Surveyor

Witness for

wit for

" "

Section

11

Township

14

North, Range

6

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock	P	Stone			See Tie File		See Remarks	
"	Z	I. Pin (Set)			"		P. 228	
"	2/27/79	X	P.K. Nail (Found)		"		"	
"	6/28/79	V	Stone		"		"	
"	18 June, 1980	A	I. Pin		"		"	
"	"	C	"		"		"	
"	6/19/80	N	Stone (Found)		"		"	
"	6/19/80	L	Stone (Found)		"		"	

Record of Surveys in Shelby County, Indiana.

Section 12 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Innd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Rock-Sumeyor	L	Stone			Beech	11	S 2 1/2 E	3
	H	"			Hickory	22	N 81 E	4 1/2
	N	"			Sugar	7	N 6 1/2 W	30
	O	"			Fogwood	4	N 18 E	3
	M	"			Elm	4	N 39 E	13
	H	"			Cash	4	S 82 E	6
					S-cash	14	S 47 W	23
Mrs. Sargis-Sumeyor	M	"			Hickory	12	S 71 W	16
	H	"			Cash	14	S 42 E	26
					Beech	16	S 19 W	18
					so	14	N 7 W	26
w.t. for	E.				stones		SW.	2 r.
. . .	P				stones		SE.	2 r.
. . .	Z				stones		S.E.	2 r.
							SW	2 r.
							S.E.	2 r.
							SW.	2 r.
John W. Whitlock	6/28/79	Z	Stone		See Tie file		See Remarks	
"	18, June, 1980	C	I. Pin		"		P. 228	
"	"	E	"		"		"	
"	Sept. 14, 1974	A	"		"		"	
"	6/19/80	P	Stone	(Found)	"		"	

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock	7/1/80	X	R.R. Spike Over Stone		See Tie File		See Remarks	
"	7/1/80	V	R.R. Spike Over Stone		"		P. 228	

Record of Surveys in Shelby County, Indiana.

81

Section *13* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Incl.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	H				Hickory	20	N 39° E	23
	P				Beech	16	S 38° E	39
	N				Sugar	30	N 86° W	41
	X				Beech	7	N 67° W	54
	S				do	8	N 32° W	54
	V				Hickory	3	N 17½° E	36
	W				Beech	9	N 39½° E	49
	T				do	13	N 12½° W	31
	A				do	5	S 41½° W	2½
	B				do	12	N 89½° E	14½
	L				Beech	12	N 60½° W	13
	M				Poplar	6	N 19° W	40
	"				Oak	36	N 26° W	43
	"				do	30	S 33½° E	30
	"				H. Beech	6	N 89° W	8
	"				Cash	16	N 41½° E	15
	"				Hickory	4	S 80½° E	7¾
	"				do	3½	N 38° W	10
	"				Beech	12	N 6° W	31
	"				Poplar	16	N 13½° E	36¾
	"	Boulder						
	"	"						
	"	"						

Mr Rock Sumner

About 1848

Rock Sumner
 Apr 14th 1905, ~~E~~ established
 38.6⁺ rds. south of
 Established
 38.6⁺ rds. south of

James E. Norris, Shelby Co. Surveyor.

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.

Corners.

Stone, Mark, &c.

Acres.

Hund.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

wit. for

E

stones

S.E.
S.W.

2 r.

2 r.

P

stone

S.W.

2 r.

N.E.

4 r.

E. end culv. headwall

John W. Whitlock

6/28/79

E

Stone

See Tie File

See Remarks

"

"

P

Iron Pin (Found)

"

P. 228

"

11/17/74

Z

Iron Pin (Found)

"

"

"

7/1/80

C

P.R. Spike Over Stone

"

"

"

7/1/80

A

P.R. Spike Over Stone

"

"

"

8/18/80

L

Iron Pin (Set)

"

"

Record of Surveys in Shelby County, Indiana.

87

Section *14* Township *14* North, Range *4* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Rock-Sumeyor</i> <i>Jan'y 31st 1833c</i>	B				Beech	20	N 18 1/2 E	12
					do	15	N 8 1/2 E	36
	C				Hickory	30	E	122
					do	28	S 71 N	73
	U. R	stones			do Nit			
<i>Sargin-Sumeyor</i> <i>Survey made May 13th 1837.</i> <i>and made a witness of a</i> <i>stone.</i> <i>Thomas Shirley Co. Surveyor</i>	V	"			Beech	20	N 3 N	33
	M	"			Sugar	16	S 65 E	24
	L	"			N-Hoaw	6	N 14 N	38
	S	"			do Wood	6	S 60 N	30
					Calu	4	N 32 E	31
				Beech	20	S 64 N	15	
				do	6	N 23 N	27	
<i>Wit. for</i>	A				stones		S.E.	2 r.
							S.W.	2 r.
	L				stone		SW	2 r.
							N.E.	4 r.
<i>John. W. Whitlock 27, June 79</i> <i>" " 28, June 79</i>	C				I. Pin (Set)		See Tie file	See Remarks
	A				Stone		"	P 228

E. end culv. headwall

Record of Surveys in Shelby County, Indiana.

Section

14

Township

14

North, Range

6

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 28 June 79	L I. Pin	→ (Found)			See Tie File	See	Remarks	P. 228
"	E	Iron Pin (Set)			"			
" 9/14/74	Z	Stone			"			
" 6/28/79	X	Iron Pin			"			
" 11/17/74	V	Iron Pin (Found)			"			

Record of Surveys in Shelby County, Indiana.

93

Section *13* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>At Nit</i> x	O	<i>Stone</i>			<i>Beech</i>	<i>20</i>	<i>N 38 E</i>	<i>64</i>
	C	"			<i>P-ash</i>	<i>24</i>	<i>N 12 W</i>	<i>30</i>
	M	"			<i>SO</i>	<i>24</i>	<i>N 36 E</i>	<i>44</i>
	N	"			<i>SO</i>	<i>18</i>	<i>W</i>	<i>4</i>
	X	"			<i>SO</i>	<i>16</i>	<i>N 60 E</i>	<i>11</i>
	D	"			<i>Beech</i>	<i>20</i>	<i>N 20 E</i>	<i>49</i>
	B	"			<i>SO</i>	<i>16</i>	<i>N 9 W</i>	<i>65</i>
	W	"			<i>SO</i>	<i>16</i>	<i>N 22 W</i>	<i>72</i>
	U	"			<i>SO</i>	<i>14</i>	<i>N 7 E</i>	<i>49</i>
	Z	"			<i>Elm</i>	<i>36</i>	<i>N 9 E</i>	<i>6</i>
<i>Mrs. Jargis & Hummer</i> <i>John W. Whitlock</i> <i>John W. Whitlock</i> " <i>9/13/74</i> " <i>8/14/80</i> " <i>8/12/80</i> " <i>7/1/80</i> " <i>8/14/80</i>	W	"			<i>Beech</i>	<i>24</i>	<i>N 47 E</i>	<i>101</i>
	U	"			<i>SO</i>	<i>14</i>	<i>N 33 W</i>	<i>64</i>
	Z	"			<i>SO</i>	<i>16</i>	<i>N 75 W</i>	<i>38</i>
	E	"			<i>SO</i>	<i>8</i>	<i>N 55 E</i>	<i>56</i>
	E	"			<i>SO</i>	<i>18</i>	<i>N 45 E</i>	<i>59</i>
	E	"			<i>SO</i>	<i>14</i>	<i>N 47 E</i>	<i>53</i>
	V	"			"		"	<i>P. 228</i>
	Z	"			"		"	"
	P	"			"		"	"
	C	"			"		"	"
X	"			"		"	"	

See Tie File *See Remarks*

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock	8/14/80	L	P.R. Spike Over Stone		See Tie File		See Remarks	
"	8/14/80	V	P.R. Spike Over Stone		"		P. 228	

Record of Surveys in Shelby County, Indiana.

105

Section 17 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Eund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Nov 27 th 1857	O				Ash	12	S 33 E	10
Jarvis & Co. Surv.					So	4	ct 4 E	8
Aug 1 st 1867	L M N P	Boulder "			Fr. notes Ash	18	ct 35 N	14
					B-Oak	34	ct 39 N	34
					Beech	8		6
					Fr. notes			
Miller-Sumner	B				ct Nit			
wit for	Z E	stones L L L					S. 20° E S 64 E. NW. NE.	37 li. 50 li. 50 li. 50
John W. Whitlock	C	Stone			See Tie file		See Remarks	
" 23, May 78	L	Pk. Nail (Found)			"		P. 228	
" 7/2/80	E	R.L. Spike Over Stone			"		"	
" 8/13/80	P	R.L. Spike Over Stone			"		"	
"	Z	C.L. Spike Over Stone			"		"	
" 7/2/80	C	R.L. Spike Over Stone			"		"	
" 8/13/80	X	R.L. Spike Over Stone			"		"	
" 8/12/80	A	Iron Pin (Set)			"		"	
" 8/14/80	L	R.L. Spike Over Stone			"		"	
" 8/15/80	V	Iron Pin (Set)			"		"	

Section 18 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
A Long Boulder, 30 inches in length, marked MI 18.	MI	Boulder			White Elm	36	S 45° W	43
					White Elm	20	N 51° W	7
					Witness Stone		South	20
					Witness Stone		North	13
Chain { Eddie Norris, Carriers { W. N. Russell, Flagman - James W. Amos, Axman - John Webber.	Nickols	Witness = Beech stump	12		S 45° E			24
		Surveyed March 29 th 1884.						
		By W. R. Norris, Deputy County Surveyor.						
A large red Boulder	X	Boulder			Witness Stone		North	24
					Witness Stone		S 45° W	41
A large Boulder	Z	Boulder			Witness Stone		East	15
					Witness Stone		West	2 1/2
A long slaty stone 30 inches	W	Stone			Witness Stone		North	23
					Witness Stone		South	21
Elliots Witnesses	N	Boulder			Elliots Beech	20	S 26° W	23
Roots of the other witness still remaining					White Oak	12	S 68 1/2° E	47
Chain { Eddie Norris Carriers { A. J. Smith April 17 th 1884.	Flagman - James W. Amos - Axman Axman - John Webber.	Surveyed by W. R. Norris, Deputy Co. Sur.						

Record of Surveys in Shelby County, Indiana.

113

Section 18 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Partition of S N 1/4.</i></p>								
12 ⁰⁰ Chains N of	X	Stone			Ash	15	N 7 W	23
24 ⁰⁰ " N of	"	Boulder						
28 ¹⁰ " N of	"	Stake for 1/9 Share.						
<p>X to Z is 36⁴⁰ Chains</p>								
<p>October 1895.</p>								
Kenneth L. Bowman	D	P. K. Nail			See Tie File		See Remarks	
John W. Whitlock	X	Stone			"		P. 228	
" 8/25/80	C	Iron Pin (set)			"		"	
" 7/2/80	A	R.R. Spike Over Stone			"		"	
" 8/13/80	L	R.R. Spike Over Stone			"		"	
" 8/13/80	V	R.R. Spike Over Stone			"		"	

*Chas. F. Webster
Surveyor, S.C.*

Record of Surveys in Shelby County, Indiana.

117

Section *19* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bound.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nickals, Surveyor</i>	M				<i>Ash</i>	<i>14</i>	<i>S 51 N</i>	<i>32</i>
	N				<i>Sycamore</i>	<i>24</i>	<i>Ch</i>	<i>20</i>
					<i>Beech</i>	<i>18</i>	<i>E</i>	<i>14</i>
	O				<i>Alm</i>	<i>22</i>	<i>N</i>	<i>3</i>
					<i>Hickory</i>	<i>18</i>	<i>E</i>	<i>11</i>
	Y				<i>Cherry</i>	<i>3</i>	<i>S 37 N</i>	<i>34</i>
					<i>Hickory</i>	<i>16</i>	<i>S 43 E</i>	<i>27</i>
	C				<i>Beech</i>	<i>16</i>	<i>N 76 N</i>	<i>18</i>
					<i>So</i>	<i>12</i>	<i>S 9 E</i>	<i>28</i>
	D				<i>So</i>	<i>16</i>	<i>N 24 N</i>	<i>37</i>
				<i>So</i>	<i>10</i>	<i>E</i>	<i>1</i>	
<i>Rock, Surveyor</i> <i>Dec 5th 1892.</i>	P				<i>So</i>	<i>12</i>	<i>Ch</i>	<i>8</i>
		<i>Stone</i>			<i>Stone</i>		<i>North</i>	<i>59</i>

T. S. Finley S. Atty.
By G. F. Webster Deputy.

Sept. 1823 wit. for Z S end of E cult. wing 22.7 li. NE.
S end of W cult wing 23.4 li. NW

~~*John W. Whitlock*~~

<i>Kenneth L. Bowman</i>	Z	<i>Iron Rod</i>			<i>See Tie File</i>		<i>See Remarks</i>
<i>John W. Whitlock</i>	C	<i>Stone</i>			<i>"</i>		<i>P. 228</i>
<i>"</i>	X	<i>Stone</i>			<i>"</i>		
<i>"</i>	L	<i>"</i>			<i>"</i>		
<i>"</i>	V	<i>T. P. i</i>			<i>"</i>		

Record of Surveys in Shelby County, Indiana.

Section Township North, Range East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 3/27/80	P	Iron Pin (Set)			See Tig File		See Remarks	
" 8/13/80	A	2 1/2 Spike Over Stone			"		P. 228	

Record of Surveys in Shelby County, Indiana.

123

Section 20 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Mar 8 th 1863 10 R N of 10 R N of Heap Surveyor	D	stone			Beech	16	S 20 E	10
	M	"			do	20	N 75 E	15
	W	"			do	20	S 38 N	12
April 26 th 1900 of X N O Millard F. Crawford County Surveyor	A	Stone			Witness Stone		S. 55° E	37 1/2
	B	"			No. wit.			
	C	Boulder			no. witness.			
April 8 th 1901 of K C H Millard F. Crawford S. S. C.	K	Stone Mark +			Stone		S 59 E.	26 1/2
	C	Stone Mark +			"		N 45 1/2 E.	33
	H	Oak Stake			"		South	17
					Walnut	10	N. 72 1/2 E.	14 1/2

The three above Corners perpetuated by me this Nov. 10, 1916. S. P. Harris - S. S. C.

Record of Surveys in Shelby County, Indiana.

Section 20 Township K North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Aeres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 31, Mar, 76	P	Stone			See Tie File		See Remarks	
" "	Z	Z. Pin (Found)			"		P. 228	
" "	X	P.K. Nail (Set)			"		"	
" 7, June, 76	V	Stone			"		"	
" 8/13/80	E	R.R. Spike Over Stone			"		"	
" 8/13/80	C	R.R. Spike Over Stone			"		"	
" 8/15/80	A	Iron Pin (Set)			"		"	
" 9/9/80	L	R.R. Spike Over Stone			"		"	

Record of Surveys in Shelby County, Indiana.

129

Section 21 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bound.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
--------------------------------------	----------	------------------	--------	--------	----------------------	-------	----------	-------

L

Beech 11 N 20

P

Ash 5 S 2 1/2 N 35 1/2

O

Beech 10 N 15

N

Hickory 25 S 10 1/2 E 46 1/2

M

Beech 20 S 71 E 10

V

So 9 N 4 1/2 N 3 1/2

Z

So 14 S 21 21 1/4

Rock Surveyor

So 14 N 14 E 15

D

So 20 S 43 1/2 E 16

April 26th 1900,

So 20 N 3 1/2 N 25

Stone No. Witness
Millard F. Crawford

So 20 N 3 1/4 E 15 1/2

So 9 S 51 N 31 1/4

So 10 N 63 N 23

Poplar 4 S 2 N 21 1/2

John W. Whitlock 7, June 76 Z Stone

See Tie File See Remarks

" 27, Mar 79 X I. Pin (Set)

" P. 228

" 29, Mar 79 V Boot Spike (Found)

" "

" 8/15/80 E Iron Pin (Set)

" "

" 8/14/80 C P.R. Spike Over Stone

" "

" 8/14/80 A P.R. Spike Over Stone

" "

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 9/9/80	P	P.L. Spike Over Stone			See Tie File		* See Remarks P. 228	

Record of Surveys in Shelby County, Indiana.

Section *22* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Innd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>About 1846 or so</i>	<i>B</i>	<i>Stone</i>			<i>Elm</i>	<i>6</i>	<i>S 11 1/2 N</i>	<i>33</i>
					<i>do</i>	<i>6</i>	<i>N 3 1/2 E</i>	<i>33</i>
	<i>C</i>				<i>Beech</i>	<i>10</i>	<i>S 17 N</i>	<i>40</i>
					<i>Cherry</i>	<i>8</i>	<i>S 60 1/2 E</i>	<i>38 3/4</i>
	<i>F^v</i>				<i>Sugar</i>	<i>10</i>	<i>N 77 1/2 E</i>	<i>42</i>
					<i>Beech</i>	<i>14</i>	<i>S 40 E</i>	<i>30</i>
	<i>G</i>				<i>do</i>	<i>10</i>	<i>N 31 1/2 E</i>	<i>30</i>
					<i>Ash</i>	<i>3</i>	<i>S 43 E</i>	<i>10</i>
	<i>X</i>				<i>Beech</i>	<i>9</i>	<i>N 33 N</i>	<i>6 1/2</i>
					<i>H-Wood</i>	<i>3</i>	<i>N 33 1/2 E</i>	<i>48 3/4</i>
	<i>S</i>				<i>Ash</i>	<i>2</i>	<i>S 42 E</i>	<i>13</i>
					<i>do</i>	<i>10</i>	<i>S 71 N</i>	<i>25</i>
	<i>R</i>				<i>Elm</i>	<i>12</i>	<i>N 20 N</i>	<i>28 3/4</i>
					<i>Sugar</i>	<i>13</i>	<i>N 6 1/2 E</i>	<i>29 1/4</i>
	<i>Q</i>				<i>Elm</i>	<i>5</i>	<i>N 83 1/2 E</i>	<i>37 1/2</i>
				<i>Beech</i>	<i>9</i>	<i>S 31 1/2 E</i>	<i>37 1/2</i>	
<i>L</i>				<i>do</i>	<i>24</i>	<i>N</i>	<i>15</i>	
				<i>H-Oak</i>	<i>9</i>	<i>S 34 1/2 E</i>	<i>25 1/2</i>	
<i>N</i>				<i>Beech</i>	<i>12</i>	<i>N 88 1/2 N</i>	<i>36 1/2</i>	
				<i>Ash</i>	<i>20</i>	<i>N 27 1/2 E</i>	<i>18 3/4</i>	
<i>M</i>				<i>H-Beech</i>	<i>2</i>	<i>N 6 1/2 N</i>	<i>20 1/2</i>	
<i>T</i>				<i>H-Wit</i>				
<i>U</i>				<i>Stone</i>		<i>N 63 N</i>	<i>87-</i>	

*Rock Surveyor
May 22nd 1869*

Wm Miller Surveyor

Record of Surveys in Shelby County, Indiana.

Section *22* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Wit for</i>	<i>W.</i>	<i>stones</i>					<i>S.E. S.W.</i>	<i>50 1/2 31 1/2</i>
<i>John W. Whitlock 29 March</i>	<i>Z</i>	<i>Boat Spike (Found)</i>			<i>See Tie File</i>		<i>See Remarks</i>	
<i>" 8/24/79</i>	<i>W</i>	<i>P.K. Nail (Found)</i>			<i>"</i>		<i>P. 228</i>	
<i>" 9/14/79</i>	<i>A</i>	<i>Stone</i>			<i>"</i>		<i>"</i>	
<i>" 8/14/80</i>	<i>E</i>	<i>P.R. Spike Over Stone</i>			<i>"</i>		<i>"</i>	
<i>" 8/14/80</i>	<i>C</i>	<i>P.R. Spike Over Stone</i>			<i>"</i>		<i>"</i>	

Record of Surveys in Shelby County, Indiana.

141

Section *23* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Rand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Rock, Surveyor</i></p> <p><i>June 12th 1869</i></p> <p><i>Miller, Surveyor</i></p> <p><i>October 15th 1888</i></p> <p><i>4 chains north of</i></p> <p><i>15 " " "</i></p> <p><i>" " "</i></p> <p><i>4 " " "</i></p> <p><i>15 " " "</i></p>	<i>N</i>				<i>Y-Ash</i>	<i>10</i>	<i>S 57 W</i>	<i>15</i>
	<i>O</i>				<i>Hickory</i>	<i>30</i>	<i>E</i>	<i>36</i>
	<i>Y</i>				<i>Beech</i>	<i>4</i>	<i>R E</i>	<i>14</i>
	<i>U</i>				<i>do</i>	<i>18</i>	<i>at 160 E</i>	<i>14</i>
	<i>M</i>		<i>Boulder</i>		<i>Calm</i>	<i>24</i>	<i>S 17 E</i>	<i>35</i>
	<i>M</i>		<i>do "</i>		<i>Ash</i>	<i>4</i>	<i>at 55 E</i>	<i>10</i>
	<i>M</i>		<i>do "</i>		<i>Beech</i>	<i>15</i>	<i>S 70 W</i>	<i>13</i>
	<i>L</i>		<i>do "</i>		<i>do</i>	<i>3</i>	<i>at 30 W</i>	<i>17</i>
	<i>L</i>		<i>do "</i>		<i>Y-Ash</i>	<i>4</i>	<i>at</i>	<i>10</i>
	<i>L</i>		<i>do "</i>		<i>do</i>	<i>4</i>	<i>at</i>	<i>19</i>
<p><i>Made in Partition of Copp's Est- Murphy Surveyor</i></p> <p><i>John W. Whitlock 13, Sep, 74</i></p> <p><i>" " " "</i></p> <p><i>" " " "</i></p> <p><i>" " " "</i></p> <p><i>" " " "</i></p> <p><i>" " " "</i></p> <p><i>" " " "</i></p> <p><i>" " " "</i></p> <p><i>" " " "</i></p>	<i>M</i>				<i>B. Oak</i>	<i>24</i>	<i>S 13 1/4 E</i>	<i>38</i>
	<i>F</i>		<i>Stone</i>		<i>Ash</i>	<i>8</i>	<i>S 57 W</i>	<i>36</i>
	<i>C</i>		<i>I. Pin</i>		<i>Ash</i>	<i>10</i>	<i>N 30 E</i>	<i>66</i>
	<i>A</i>		<i>I. Pin</i>		<i>S. ash</i>	<i>22</i>	<i>S 50 E</i>	<i>94 1/2</i>
	<i>L</i>		<i>"</i>		<i>Hickory</i>	<i>16</i>	<i>N 53 E</i>	<i>90</i>
	<i>L</i>		<i>"</i>		<i>"</i>	<i>18</i>	<i>West-</i>	<i>39 1/2</i>
	<i>L</i>		<i>"</i>		<i>Ash</i>	<i>12</i>	<i>S 38 E</i>	<i>93</i>
	<i>L</i>		<i>"</i>		<i>S. Ash</i>	<i>10</i>	<i>N 73 E</i>	<i>93 1/2</i>
	<i>L</i>		<i>"</i>		<i>See Tie file</i>		<i>See Remarks</i>	
	<i>L</i>		<i>"</i>		<i>"</i>		<i>P. 228</i>	
<i>L</i>		<i>"</i>		<i>"</i>		<i>"</i>		
<i>L</i>		<i>"</i>		<i>"</i>		<i>"</i>		

Record of Surveys in Shelby County, Indiana.

Section Township North, Range East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 9/9/80	V	Iron Pin	Set		See Tie File		* See Remarks	
							P. 228	

Record of Surveys in Shelby County, Indiana.

147

Section **24** Township **14** North, Range **6** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	S	stone			Hickory	30	E	49
	A	"			Beech	24	N 36 E	32
	M	"			do	14	N 57 W	17
	B	"			do	14	N 53 W	11
	W	"			elm	14	N 85 W	19
	N	"			B-oak	4	N 18 E	22
	T	"			do	56	N 27 W	33
	V	"			do	40	N 25 E	32
	W	"			ash	4	N 70 W	6
	N	"			sugar	20		32
	T	"			Beech	14	N 33 W	30
Jan 24 th 1862 -					do	22	N 11 W	23
Norris Sumner					do	12	N 33 E	19 1/2
10 6 1/2 chs of same		border			do	14	N 7 1/2 W	23 1/2
Same " N of	W	"			ash	4	N 40 E	7 3/4
Norris Sumner					Beech	18	N 49 W	7 3/4
Oct 16 th 1883 -	O	"			mulberry	12	N 12 1/2 E	2 1/2
2.75 chs east of -					ash	24	N 70 E	9 1/2
5 69 " west " =	N	"			elm	5	N 77 W	4 1/2
7 7 1/2 " east " =	"	"			Beech	14	S 32 W	26 1/2
					Hickory	14	N 60 1/2 E	24 1/2
					Beech	14	S 74 W	22 1/2

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
2, To Cho East of =	D	Stone			No wit			
5 88 " West " =	C	"			" "			
7 77 " East " =	"	"			" "			
sub in partition of Copley Est-								
John W. Whitlock 11/17/74	E	Iron Pin	(Set)		Murphy See Tie File		Dwssrgr See Remarks	
" " "	P	Iron Pin			"		P. 228	
" 3/27/80	L	Iron Pin	(Set)		"		"	
Kenneth L. Bowman	V	Iron Rod			"		"	
John W. Whitlock 3/25/80	N	Iron Pin	(Set)		"		"	
" 3/27/80	X	Iron Pin	(Set)		"		"	
" 3/28/80	A	Iron Pin	(Set)		"		"	
" 9/9/80	Z	Iron Pin	Set		"		"	

Record of Surveys in Shelby County, Indiana.

Section *23* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	M	Stone			Wickory	24	N 3° E	15
					Ash	18	S 20° W	23
	O	"			S-Ash	30	N 20° W	32
					Ash	24	E	11
<p>Stones at other corners? Hendricks Surveyor</p> <p>November 30 1887.</p> <p>"Finley" S.S.C.</p>	C	Blue boulder			No witness available			
	N.	Boulder			"	"	"	"
<p>John W. Whitlock Kenneth L. Bowman</p> <p>"</p> <p>"</p> <p>John W. Whitlock</p> <p>"</p> <p>"</p> <p>"</p>	Z	Stone			See Tie file		See Remarks	
	A	Iron Rod			"		P. 228	
	K	P.K. Nail			"		"	
7/18/74	L	Iron Pin			"		"	
3/27/80	C	Iron Pin (Set)			"		"	
3/28/80	N	P.K. Over Stone			"		"	
9/9/80	E	Iron Pin Set			"		"	

Record of Surveys in Shelby County, Indiana.

159

Section *26* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.	
<p><i>May 24th 1847^c</i></p>	<i>D</i>	<i>Stone</i>			<i>W-Ash</i>	<i>3'</i>	<i>N 31 1/2 E</i>	<i>37 1/2</i>	
	<i>B</i>				<i>So</i>	<i>10'</i>	<i>S 22 E</i>	<i>68 3/4</i>	
	<i>L</i>								
	<i>O</i>								
	<i>N</i>								
	<i>M</i>								
<p><i>Rock Surveyor</i> <i>Nov 12th 1889. var 3^o 35' E x 4'</i> <i>Perpetuated from old corner.</i> <i>Ran West 81/4 chas across Sec.</i> <i>Chas. F. Webster, Deputy, for</i> <i>Thomas Finley Surveyor S.C.</i> <i>April 1895.</i> <i>20 Rods East of</i></p>	<i>V</i>	<i>Stone 24x10x4 marked +</i>			<i>Stone wh</i>		<i>S 87 1/2 W</i>	<i>25</i>	
	<i>X</i>	<i>Stone</i>			<i>by the above stone</i>		<i>" "</i>	<i>S 87 1/2 E</i>	<i>26'</i>
	<i>O</i>	<i>Stone</i>			<i>18x12x3 Paint up,</i>	<i>Red Oak</i>	<i>24</i>	<i>S 22 1/4 E</i>	<i>28</i>
	<i>P</i>	<i>Stone</i>			<i>+ on top</i>	<i>Beech</i>	<i>18</i>	<i>N E</i>	<i>1.</i>
	<i>P</i>	<i>Stone</i>			<i>+ " "</i>	<i>Red Oak</i>	<i>10</i>	<i>West</i>	<i>33</i>
					<p><i>Chas F. Webster</i> <i>Surveyor, S.C.</i></p>				
<p><i>John W. Whitlock</i> <i>Kenneth L. Bowman</i></p>	<i>V</i>	<i>Stone</i>			<i>See Tie File</i>		<i>See Remarks</i>	<i>P. 228</i>	

Record of Surveys in Shelby County, Indiana.

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock 9/9/80	A	Iron Pin	Set		See Tie File		* See Remarks P. 228	

Record of Surveys in Shelby County, Indiana.

165

Section *27* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	.Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	<i>B</i>				<i>Mugar</i>	<i>15'</i>	<i>S 19 E</i>	<i>23</i>
					<i>Beech</i>	<i>10</i>	<i>N 31 W</i>	<i>27</i>
<i>Sargin & Sumner</i>	<i>M</i>	<i>Stone</i>			<i>No Mt</i>			
<i>Oct. 5th 1886. - Wm R. Norris, Deputy</i>	<i>Q</i>	<i>Long Boulder</i>			<i>Walnut Stump</i>	<i>24</i>	<i>N 19 E</i>	<i>65</i>
<i>John W. Whitlock</i>	<i>B</i>	<i>A.R. Nail</i>			<i>(Found)</i>		<i>See Tie File</i>	<i>See Remarks</i>
<i>"</i>	<i>F</i>	<i>Boat spike</i>			<i>(Found)</i>		<i>"</i>	<i>P. 228</i>
<i>"</i>	<i>P</i>	<i>Stone</i>					<i>"</i>	

Record of Surveys in Shelby County, Indiana.

Section *27* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>May 1869</i> <i>21st.</i></p> <p style="text-align: center;"><i>Miller-Sumner</i></p> <p><i>March 22, 1895.</i> <i>Var 1xS 3°</i></p> <p style="text-align: center;"><i>42 Rods N of</i> <i>Jno M Emsminger and</i> <i>Ben F. Tucker, Chain Carriers</i> <i>Flag man, Jno. W Rawlins</i> <i>10.54 Chas North of</i> <i>9.54 Chas S of</i></p>	<i>M</i>	<i>Stone</i>			<i>Beech</i>	<i>6</i>	<i>N 22 E</i>	<i>20</i>
	<i>N</i>	<i>"</i>	<i>"</i>		<i>so</i>	<i>15</i>	<i>S 6 7/2</i>	<i>10 1/2</i>
	<i>O</i>	<i>"</i>	<i>"</i>		<i>Elm</i>	<i>40</i>	<i>S 72 N</i>	<i>20</i>
	<i>P</i>	<i>"</i>	<i>"</i>		<i>Beech</i>	<i>10</i>	<i>N 45</i>	<i>18</i>
	<i>X</i>	<i>"</i>	<i>"</i>		<i>so</i>	<i>20</i>	<i>N 58 E</i>	<i>3</i>
	<i>Y</i>	<i>"</i>	<i>"</i>		<i>so</i>	<i>12</i>	<i>S 30 N</i>	<i>18 1/2</i>
	<i>Z</i>	<i>"</i>	<i>"</i>		<i>Wickory</i>	<i>24</i>	<i>N</i>	<i>1</i>
	<i>CC</i>	<i>"</i>	<i>"</i>		<i>Ash</i>	<i>24</i>	<i>N 28 E</i>	<i>40</i>
	<i>CD</i>	<i>"</i>	<i>"</i>		<i>No Wit</i>			
	<i>FF</i>	<i>"</i>	<i>"</i>		<i>Ash</i>	<i>6</i>	<i>S 43 N</i>	<i>67</i>
<i>GG</i>	<i>"</i>	<i>"</i>		<i>Beech</i>	<i>15</i>	<i>S 4 N</i>	<i>77 1/2</i>	
<i>FF</i>	<i>"</i>	<i>Boulder</i>	<i>W F</i>	<i>Elm</i>	<i>24</i>	<i>S 20 E</i>	<i>43</i>	
<i>GG</i>	<i>"</i>	<i>Stone</i>	<i>6x20</i>	<i>no wit.</i>				
<i>PP</i>	<i>"</i>	<i>Flint Boulder</i>	<i>W. 42</i>	<i>no wit</i>				
<i>PP</i>	<i>"</i>	<i>Boulder.</i>	<i>m 42</i>	<p><i>L. F. Webster</i> <i>Surveyor. S. C.</i></p>				
<i>GG</i>	<i>"</i>	<i>so</i>	<i>m 9.54</i>					

Record of Surveys in Shelby County, Indiana.

Section 28 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p>April 19th, 1905 Survey for Delilah Bush. Est. No. 1, 103 rds. N. of Est. No. 2, 50 rds. E. of above " " No. 3, 7 chs. 43 l. E. of " " No. 4, 16 chs. 15 l. N. of above " " No. 5, 20.28 rds. E. of No. 4</p>	<p>M " " " "</p>	<p>Boulder " " " "</p>			<p>No wit " " " "</p>			
<p>James C. Morris, S. C. Surveyor. John W. Whitbeck 18 Apr. 74 " " " " " 27, MAR, 79 " 29, MAR, 79 " 26, MAR, 79 " 7, June, 76</p>	<p>P Z C A L F</p>	<p>Stone Bolt (Found) I Pin (Set) Boot pit (Found) Stone "</p>			<p>See Tie File " " " " "</p>		<p>See Remarks P 228</p>	

Record of Surveys in Shelby County, Indiana.

179

Section 29

Township 14

North, Range 6

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
2648 1/4 ft N. of G.	P	Stone Boulders			Wit Boulders, S 76° 8'			20 3/10 ft
3972 3/8 ft. north of G.	F	Boulders.			" " S 67° 8'			12 1/2 ft.
1327 1/8 " " " "	Q	"			" " S 50° 40' E			16 3/10 "
1348 1/2 west of N. and same distance east of P.	O	"			" " West			19 1/10 "
	I	"			" White Elm. S 50° 15' 00" 11 1/10 "	12,		
	M	"		No.	"			
	H	"			"			
	G	"			Wit. East Boulder.	15 S 31 1/2 W South 9 1/10 ft		27 8/10
		Stone G. in south edge of open ditch						
	R	"		No. witness				

M. F. Crawford County Surveyor
 April 29-30, 1901.

Record of Surveys in Shelby County, Indiana.

Section 29 Township H North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock	P	I. Pin	(Found)		See Tie File		See Remarks	
" 7, June, 76	X	Rd. Nail	(Found)		"		P 228	
" "	A	Stone			"			
" 31, Mar, 76	E	I. Pin			"			
" "	V	Bolt	(Found)		"			
" "	C	D.K. Nail	(Set)		"			
" "	L	Stone			"			
" "	Z	Iron Pin	(Found)		"			

Record of Surveys in Shelby County, Indiana.

183

Section *30*

Township *14*

North, Range *6*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	B.				Beech	14	S 34 E	27
					S-Wood	9	N 26 W	11
	C				Calum	4	E	5
					Ash	2	S 48 E	12
	H				Beech	9	S 29 W	10 1/2
					do	16	N 20 W	15
	I				Calum	16	N	2 1/2
					Beech	12	S 62 E	31
	M				do	14	N 62 W	20
					do	12	N 21 E	32
	N				Hickory	8	N 57 E	39
					Walnut	1 1/2	S 5 W	25
	O				Beech	8	S 21 W	22
					do	18	N 30 E	3
	P				S-Wood	3	S 83 E	16
					Sugar	18	S 87 W	87
	W				Beech	16	S 87 E	26
					do	9	S 76 W	20
	Y				do	3	N 18 E	9
					do	11	S 69 W	9 1/2
	X, T.	stones			do Nit			
	S.				Hickory	30	W	49
					Beech	24	N 36 E	32
	E	"			do Nit			

No date given
Perhaps
Rock-Surveyor.

Pinchell-Surveyor
July 26th 1837- Jasain.

Section 30 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
December 1881. - 637 ch of C. F. Helister Surveyor, S. & L. Perpetuated, by placing a taking new witnesses Sept 26 th 1879.	M	Stake at corner,			Ash	6	S 21 N	13
	V	Grey Lime Stone on top of old stone			Hickory	15	N 39 1/2 E	13
	W				Ash	13	N E	112
	V				Oak Stump		N N	63.
20 chs north of 20 chs south of C. F. Helister S. & L.	W	Large Boulder,			no rit			
	V	Boulder			"			
Nov. 21 - 44 Set stone G. E. O. of	P	1336 ch. N + 30 li E for 0.59 Tract.						
Bowman 18, July 74	F	P. K. Nail			See Tie File		See Remarks	
" " "	P	Iron Pin (Found)			"		P. 228	
John W. Whitlock " "	Z	Z. Pin (Set)			"		"	
" " 30, Sept. 76	C	Stone			"		"	
" " "	V	I. Pin (Found)			"		"	
Kenneth L Bowman	E	Z. Rod			"		"	
John W. Whitlock 31, Mar, 76	A	I. Pin			"		"	
" " 7, June, 76	L	I. Pin			"		"	

Record of Surveys in Shelby County, Indiana.

Section 31 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nov 23rd 1851</i>	<i>A B.</i>	<i>Boulders</i>			<i>No Nit</i>			
	<i>C L.</i>	<i>"</i>						
	<i>M</i>	<i>"</i>			<i>Beech</i>	<i>12</i>	<i>28° 3' N</i>	<i>11</i>
					<i>No so</i>	<i>3</i>	<i>at 22° E</i>	<i>4 1/2</i>
<i>J. M. Elliott - Surveyor Mar 20th 1862 - see 1856</i>	<i>N</i>	<i>"</i>			<i>Beech</i>	<i>8</i>	<i>18° 7' E</i>	<i>7</i>
	<i>Y</i>	<i>Stone</i>			<i>D-wood</i>	<i>7</i>	<i>at 47° N</i>	<i>30</i>
					<i>Beech</i>	<i>20</i>	<i>18° 60' E</i>	<i>21</i>
					<i>so</i>	<i>20</i>	<i>18° 35' N</i>	<i>13</i>
<i>Found Corner of Harris</i>	<i>W</i>	<i>"</i>			<i>so</i>	<i>16</i>	<i>at 48° N</i>	<i>25</i>
	<i>V</i>	<i>Boulder</i>			<i>No Nit</i>			
	<i>U</i>	<i>Stone</i>			<i>Beech</i>	<i>20</i>	<i>at 71° E</i>	<i>6 1/2</i>
					<i>so</i>	<i>20</i>	<i>at 81° N</i>	<i>23</i>
<i>Jargin - Surveyor</i>	<i>T</i>	<i>Boulder</i>			<i>so</i>	<i>24</i>	<i>18° 61' N</i>	<i>18</i>
					<i>so</i>	<i>10</i>	<i>at 1/2° N</i>	<i>16</i>
<i>9 75 Chains W of " Same W of Nov 1st 1881.</i>	<i>U</i>	<i>Stone 51</i>						
	<i>V</i>	<i>" "</i>						
<i>C. F. Webster Surveyor, &c</i>	<i>W</i>	<i>Grave Stone</i>			<i>No Nit</i>			
	<i>Y</i>	<i>"</i>			<i>"</i>			
	<i>O</i>	<i>"</i>	<i>near RR,</i>					

190 Record of Surveys in Shelby County, Indiana.

Section **31** Township **14** North, Range **6** East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
45 rods West of 45 rods West of 14.10 Chains East of 34.16 Chains South of the above 14.10 Chains Corner and 30 N.E. of the R. R Chain } Carriers { Patrick Kavanaugh Lincoln Lazenby + Eddie Garthwait April 30 th + May 1 st 1884. - By Wm R. Morris, Deputy Co. Sur.	C	Boulder	45		marked		45 ^r	
	N	Boulder	45		"		45 ^r	
	E	Boulder	40		"		14.10	
				"		"		34.16
		Limestone						
John W. Whitlock 11, Oct, 76	P	Stone Found			See Tie File		See Remarks	
Kenneth L. Bowman	L	I. Rod			"		P. 228	
"	U	R. R. Spike			"		"	
"	V	Stone			"		"	
John W. Whitlock	E	I. Pipe			"		"	
"	A	I. Pin			"		"	

Record of Surveys in Shelby County, Indiana.

195

Section *B2*

Township *14*

North, Range *6*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bound.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Apr 11th 1830</i>	<i>H</i>				<i>N-Beech</i>	<i>3</i>	<i>N 42 1/2 E</i>	<i>10 1/2</i>
	<i>I</i>				<i>Beech</i>	<i>10</i>	<i>N 76 W</i>	<i>13</i>
	<i>M</i>				<i>W-ash</i>	<i>12</i>	<i>S 40 E</i>	<i>12</i>
<i>June 4th " Apr 27th 1833</i>	<i>T</i>				<i>W-ash</i>		<i>S 79 W</i>	<i>8</i>
	<i>O</i>				<i>Beech</i>	<i>18</i>	<i>S 16 W</i>	<i>10</i>
	<i>N</i>				<i>W-Wood</i>	<i>4</i>	<i>N 13 1/2 W</i>	<i>14</i>
<i>Sargin & Sumner</i>	<i>W</i>				<i>elm</i>	<i>10</i>	<i>N 14 W</i>	<i>12</i>
	<i>X</i>				<i>Maple</i>	<i>20</i>	<i>S 44 W</i>	<i>3</i>
	<i>Y</i>				<i>Beech</i>	<i>20</i>	<i>S 22 W</i>	<i>8</i>
<i>14 83' chains N of Same Stone</i>	<i>Z</i>				<i>do</i>	<i>16</i>	<i>N 5 E</i>	<i>16</i>
	<i>AA</i>				<i>do</i>	<i>10</i>	<i>S 37 W</i>	<i>26</i>
	<i>BB</i>				<i>Stump Poplar</i>	<i>10</i>	<i>S 74 E</i>	<i>23</i>
<i>Same N of Same Stone</i>	<i>CC</i>				<i>do</i>	<i>8</i>	<i>N 84 E</i>	<i>32</i>
	<i>DD</i>				<i>W-ash</i>	<i>20</i>	<i>S 61 E</i>	<i>18</i>
	<i>EE</i>				<i>Beech</i>	<i>14</i>	<i>N 12 1/2 W</i>	<i>18 1/2</i>
<i>Same N of Same Stone</i>	<i>FF</i>				<i>No Nit</i>			
	<i>GG</i>							
	<i>HH</i>							
<i>Sec Dec 1875</i>	<i>II</i>	<i>Lime Stone</i>			<i>by above witnesses</i>			
	<i>JJ</i>	<i>Stone</i>			<i>Beech</i>	<i>18</i>	<i>S 71 W</i>	<i>38 1/2</i>
	<i>KK</i>				<i>do</i>	<i>10</i>	<i>S 43 E</i>	<i>72</i>
<i>This Stone is lying down, Measured from South point,</i>	<i>LL</i>	<i>Stone^{+ top}</i>			<i>Stone</i>		<i>S 2 1/2 E</i>	<i>30</i>
	<i>MM</i>				<i>do</i>		<i>N 32 3/4 W</i>	<i>24</i>
	<i>NN</i>	<i>Boulder</i>			<i>Lime Stone</i>		<i>N 7 E</i>	<i>15</i>
<i>OO</i>				<i>Boulder</i>		<i>S 14 1/2 E</i>	<i>27</i>	
<i>PP</i>								
<i>QQ</i>								
<i>RR</i>								
<i>SS</i>								
<i>TT</i>								
<i>UU</i>								
<i>VV</i>								
<i>WW</i>								
<i>XX</i>								
<i>YY</i>								
<i>ZZ</i>								
<i>AAA</i>								
<i>BBB</i>								
<i>CCC</i>								
<i>DDD</i>								
<i>EEE</i>								
<i>FFF</i>								
<i>GGG</i>								
<i>HHH</i>								
<i>III</i>								
<i>JJJ</i>								
<i>KKK</i>								
<i>LLL</i>								
<i>MMM</i>								
<i>NNN</i>								
<i>OOO</i>								
<i>PPP</i>								
<i>QQQ</i>								
<i>RRR</i>								
<i>SSS</i>								
<i>TTT</i>								
<i>UUU</i>								
<i>VVV</i>								
<i>WWW</i>								
<i>XXX</i>								
<i>YYY</i>								
<i>ZZZ</i>								
<i>AAA</i>								
<i>BBB</i>								
<i>CCC</i>								
<i>DDD</i>								
<i>EEE</i>								
<i>FFF</i>								
<i>GGG</i>								
<i>HHH</i>								
<i>III</i>								
<i>JJJ</i>								
<i>KKK</i>								
<i>LLL</i>								
<i>MMM</i>								
<i>NNN</i>								
<i>OOO</i>								
<i>PPP</i>								
<i>QQQ</i>								
<i>RRR</i>								
<i>SSS</i>								
<i>TTT</i>								
<i>UUU</i>								
<i>VVV</i>								
<i>WWW</i>								
<i>XXX</i>								
<i>YYY</i>								
<i>ZZZ</i>								
<i>AAA</i>								
<i>BBB</i>								
<i>CCC</i>								
<i>DDD</i>								
<i>EEE</i>								
<i>FFF</i>								
<i>GGG</i>								
<i>HHH</i>								
<i>III</i>								
<i>JJJ</i>								
<i>KKK</i>								
<i>LLL</i>								
<i>MMM</i>								
<i>NNN</i>								
<i>OOO</i>								
<i>PPP</i>								
<i>QQQ</i>								
<i>RRR</i>								
<i>SSS</i>								
<i>TTT</i>								
<i>UUU</i>								
<i>VVV</i>								
<i>WWW</i>								
<i>XXX</i>								
<i>YYY</i>								
<i>ZZZ</i>								
<i>AAA</i>								
<i>BBB</i>								
<i>CCC</i>								
<i>DDD</i>								
<i>EEE</i>								
<i>FFF</i>								
<i>GGG</i>								
<i>HHH</i>								
<i>III</i>								
<i>JJJ</i>								
<i>KKK</i>								
<i>LLL</i>								
<i>MMM</i>								
<i>NNN</i>								
<i>OOO</i>								
<i>PPP</i>								
<i>QQQ</i>								
<i>RRR</i>								
<i>SSS</i>								
<i>TTT</i>								
<i>UUU</i>								
<i>VVV</i>								
<i>WWW</i>								
<i>XXX</i>								
<i>YYY</i>								
<i>ZZZ</i>								
<i>AAA</i>								
<i>BBB</i>								
<i>CCC</i>								
<i>DDD</i>								
<i>EEE</i>								
<i>FFF</i>								
<i>GGG</i>								
<i>HHH</i>								
<i>III</i>								
<i>JJJ</i>								
<i>KKK</i>								
<i>LLL</i>								
<i>MMM</i>								
<i>NNN</i>								
<i>OOO</i>								
<i>PPP</i>								
<i>QQQ</i>								
<i>RRR</i>								
<i>SSS</i>								
<i>TTT</i>								
<i>UUU</i>								
<i>VVV</i>								
<i>WWW</i>								
<i>XXX</i>								
<i>YYY</i>								
<i>ZZZ</i>								
<i>AAA</i>								
<i>BBB</i>								
<i>CCC</i>								
<i>DDD</i>								
<i>EEE</i>								
<i>FFF</i>								
<i>GGG</i>								
<i>HHH</i>								
<i>III</i>								
<i>JJJ</i>								
<i>KKK</i>								
<i>LLL</i>								
<i>MMM</i>								
<i>NNN</i>								
<i>OOO</i>								
<i>PPP</i>								
<i>QQQ</i>								
<i>RRR</i>								
<i>SSS</i>								
<i>TTT</i>								
<i>UUU</i>								
<i>VVV</i>								
<i>WWW</i>								
<i>XXX</i>								
<i>YYY</i>								
<i>ZZZ</i>								

196 Record of Surveys in Shelby County, Indiana.

Section 32 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Insd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
John W. Whitlock	V	P.K. Nail (Set)			See Tie File		See Remarks	
"	Z	I. Pin			"		P. 228	
Kenneth L. Bowman	P	Z. Rod			"			
"	Q	R.C. spike			"			
"	Z	Stone			"			
John W. Whitlock	C	Rd. Nail (Found)			"			
" 18, Apr. 74	A	Bolt (Found)			"			

Record of Surveys in Shelby County, Indiana.

Section *B B* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Rand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Hendricks, Surveyor</i> <i>Apr 17th 1830</i></p>	M				Beech	8	S	16
	O				do	18	N N	12
	D				do - Wood	8	S 12 E	12
	E-D				Ash	14	N 35 E	18
	D-O				Beech	18	N 35 E	19
	D				Bugur	14	N	33
	E-L				do - Wood	5	N 18 N	10
	L				Oak	6	N 39 E	14
	M				No Nit			
	B				Beech	18	N 40 E	19
<p><i>Elliott - Surveyor</i> <i>Dec 18th 1832</i></p>	I				do	18	N 28 1/2 N	66
	K				Ash	36	N 71 N	61
	W				Beech	6	N 25 N	4
	Y				do	12	N 34 N	20
	A				do	40	N 3 E	25
	B				do	16	N	36
	C				do	10	N 68 N	10
	D				do	14	S 30 E	18
	E				do	20	S 73 E	30 ²⁵
	F				No Nit			
<p><i>Sargin - Surveyor</i> <i>Jan 10th 1868</i> <i>N. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	G							
	H							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	I							
	J							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	K							
	L							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	M							
	N							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	O							
	P							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	Q							
	R							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	S							
	T							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	U							
	V							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	W							
	X							
<p><i>W. H. Miller, Surveyor</i> <i>Dec 1870</i></p>	Y							
	Z							

Boulder

Stake

Irregular Stone

Record of Surveys in Shelby County, Indiana.

Section 33 Township 14 North, Range 6 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Und.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
See 1876, 1/2 of T. C. Webster, Surveyor.	Y-O	Stake			Gr-Ash	12	N 63 1/4 W	18 1/2
	IV-M	Grave Stone			Elm	16	S 21 1/2 W	35
34 rods 5 Links north of	Y	Boulder +			stone	10	S 53 1/2 W	33
10 chains north of	W	stone +			"	6	N 20 1/2 W	14
29.75 1/2 chains East of	Y	stone +			stone	10	N 29 1/2 W	17
8.62 1/2 chains north and 40.55 1/2 chains west	W	stone +			Walnut	6	N 57 1/2 E	12
April 5 th 1905 Established stone	B	Boulder			stone	10	N.	40
24 rods. 8.78 links west of					No. Wit			
Also one 78 rods. 14 ft. S. of above					" "			
James E. Harris, S. C. Surveyor.								
John W. Whitlock 18, Apr., 74	F	Bolt	(Found)		See Tie	file	See Remarks	
" 25, Feb., 76	Z	P.K. Nail	(Set)		"		P. 228	

Record of Surveys in Shelby County, Indiana.

207

Section *34*

Township *14*

North, Range *6*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>Former Surveyor</i> <i>Sept 3rd 1830</i> <i>Gargis Surveyor</i></p>	N				<i>Beech</i>	<i>14</i>	<i>N 18° W</i>	<i>20</i>
					<i>do</i>	<i>4</i>	<i>S 18° E</i>	<i>37</i>
	O				<i>do</i>	<i>8</i>	<i>N 80° E</i>	<i>8</i>
					<i>do</i>	<i>2</i>	<i>N 10° W</i>	<i>5</i>
	Y				<i>do</i>	<i>14</i>	<i>S</i>	<i>19</i>
					<i>do</i>	<i>20</i>	<i>N 10° W</i>	<i>5</i>
	M				<i>Hickory</i>	<i>20</i>	<i>S</i>	<i>25</i>
					<i>Beech</i>	<i>6</i>	<i>N 60° W</i>	<i>16</i>
	W				<i>Hickory</i>	<i>22</i>	<i>N 26° W</i>	<i>43</i>
					<i>H-Oak</i>	<i>5</i>	<i>S 83° E</i>	<i>15</i>
					<i>No Nit</i>			
		S. H	<i>Stones</i>					
	T. II	"						

Record of Surveys in Shelby County, Indiana.

213

Section *33*

Township *14*

North, Range *4*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Aeres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	N				Sugar	10	N 40 W	61
					Beech	18	N 27 E	94
					Ash	1	N 6 W	26
<i>1/2 of</i>	N-O				Mulberry	8	N 36 E	95
					Apple	8	N 6 W	78
	P				Beech	10	N 15 W	50
					so	5	N 11 E	73
	X				so	12	N 61 W	18
	Y				Hickory	20	W	19
					Ash	6	N 28 E	14
	X-Y				Beech	10	N 21 E	10
	Z.				so	6	N 45 W	7
					so	12	N 45 E	2
	N-C		<i>20</i>		Hickory	18	N 37 W	15
					Beech	8	N 36 E	25
					so	8	N 26 E	27
	O-D		<i>11</i>		Cherry	2	N 46 E	2
					Ash	2	N 36 E	9
					so	1	N 38 E	5
					so	1	N 44 W	3
							No Wit.	
							No. wit,	

Middle of the above,
Callisto Surveyor

Survey for Ensminger & Fox

Aug 10 1917 Geo. E. Oltman, S.S.

K
H

marked + on top
F. on east side & K. on west side
marked H. on top

Section

Township

North, Range

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Kenneth L. Bowman	A	Stone			See Tie File		See Remarks P. 228	

Record of Surveys in Shelby County, Indiana.

Section *B 6* Township *14* North, Range *6* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Innd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>1/2</i> Stones at all the corners <i>Nickols - Sumner</i></p> <p><i>Mr. Rock - Sumner</i></p> <p><i>Survey April 1882.</i> <i>(var 3^d)</i></p> <p><i>Kenneth L. Bowman</i></p>	<i>A</i>				<i>Box Elder</i>	<i>16</i>	<i>N 12 W</i>	<i>44 3/4</i>
	<i>B</i>				<i>Hickory</i>	<i>5</i>	<i>S 72 1/2 W</i>	<i>3 5'</i>
	<i>L</i>				<i>N-Beech</i>	<i>6</i>	<i>N 68 1/2 E</i>	<i>7</i>
	<i>X</i>	<i>Stone</i>			<i>Beech</i>	<i>7</i>	<i>N 19 E</i>	<i>16</i>
	<i>W</i>	<i>Stone</i>			<i>do</i>	<i>30</i>	<i>N 60 1/2 E</i>	<i>30</i>
	<i>E</i>	<i>Stone</i>			<i>Box Elder</i>		<i>N 89 1/2 W</i>	<i>3 4</i>
					<i>Log-wood</i>		<i>S 45 W</i>	<i>26 1/2</i>
					<i>Beech</i>		<i>N 45 W</i>	<i>34</i>
					<i>Elm</i>	<i>15</i>	<i>N E</i>	<i>12</i>
					<i>Buckeye</i>	<i>12</i>	<i>N W</i>	<i>16</i>
					<i>G. F. Webster S. S. Co.</i>		<i>See Remarks</i>	
					<i>See file</i>		<i>P. 228</i>	

REMARKS.

(Notice of Survey.) Copy.

Mr William Amos; you are hereby notified that on the 7th day of November 1892, or as soon thereafter as practicable the County Surveyor will proceed to survey in Section 8, Township 14, North in range 6 East, and establish the corners thereof for the subdivisions of said section, to which you are an interested party and required to be present in person or by agent.

Signed Charlotte J. Burkhart.

Oct 24th 1892.

Came to hand Oct. 24th 1892; paid by reading, Oct 26th

mileage
 service
 Return

\$ 2.40
 .25
 10
 \$ 2.75

Isaac M. Sheaffer.

REMARKS.

Corners by John W. Whitlock - Search for stone was made at all corners
If stone wasn't found - either - Monument was found before digging &
was reset
or - Monument was set from best evidence.