

FIELD NOTES---EXPLANATION OF.

		87	28	275	231	231	29					
	29.60	40.00	159.76	159.72	159.88	159.64	159.32	153.56	157	155.00	156.80	159.60
	A 30.09 A 119.45 A 117.64	B 30.09 A 159.76	C 30.09 A 159.72	D 30.09 A 159.88	E 30.09 A 159.64	F 30.09 A 159.32	G 30.09 A 153.56	H 30.09 A 157	I 30.09 A 155.00	J 30.09 A 156.80	K 30.09 A 159.60	L 30.09 A 159.60
		5	5	4	3	3	2	2	1	1	1	8
2.50	29.19 A 125.99 A 124.32	80 86	80 86	80 86	80 86	80 86	80 86	80 86	80 86	80 86	80 86	80 86
		5	5	5	5	5	5	5	5	5	5	5
2.26	28.38 A 113.40 W 113.16	80 41	80 41	80 41	80 41	80 41	80 41	80 41	80 41	80 41	80 41	80 41
		5	5	4	3	3	2	2	1	1	1	1
2.00	28.27 A 112.60 W 112.27	80 40	80 40	80 40	80 40	80 40	80 40	80 40	80 40	80 40	80 40	80 40
		5	5	4	3	3	2	2	1	1	1	1
	V 113.64	20	20	20	20	20	20	20	20	20	20	20
		3	3	3	3	3	3	3	3	3	3	3
1.55	27.30 A 110.84 U 109.52	80 46	80 46	80 46	80 46	80 46	80 46	80 46	80 46	80 46	80 46	80 46
		5	5	4	3	3	2	2	1	1	1	1
	U 107.44	29	29	29	29	29	29	29	29	29	29	29
		2	2	2	2	2	2	2	2	2	2	2
1.00	27.25 A 106.37 T 26.92	81 00	80 72	80 72	80 72	80 72	80 72	80 72	80 72	80 72	80 72	80 72
		5	5	4	3	3	2	2	1	1	1	1
	T 26.92	32	32	32	32	32	32	32	32	32	32	32
		1	1	1	1	1	1	1	1	1	1	1
	S 26.92	32	32	32	32	32	32	32	32	32	32	32
		1	1	1	1	1	1	1	1	1	1	1

Township 14 North, Range 8 East.

over 70 151 East

Field Notes of Shelby County, Indiana.

Township *14* North, Range *P* East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
<i>A.</i>	<i>Wackberry</i>	<i>14</i>	<i>N 11 E</i>	<i>30</i>	<i>Q.</i>	<i>Beech</i>	<i>24</i>	<i>S 76 E</i>	<i>24</i>
<i>A'</i>	<i>Buckeye</i>	<i>13</i>	<i>S 46 E</i>	<i>24</i>		<i>so</i>	<i>20</i>	<i>S 58 N</i>	<i>37</i>
<i>B.</i>	<i>Beech</i>	<i>9</i>	<i>N 10 N</i>	<i>13</i>	<i>Q'</i>	<i>so</i>	<i>10</i>	<i>S 70 E</i>	<i>17</i>
<i>B'</i>	<i>so</i>	<i>10</i>	<i>S 80 N</i>	<i>14</i>		<i>so</i>	<i>7</i>	<i>N - N</i>	<i>2</i>
<i>C.</i>	<i>Beech</i>	<i>8</i>	<i>E</i>	<i>8</i>	<i>R,</i>	<i>so</i>	<i>13</i>	<i>N 7 E</i>	<i>18</i>
<i>C'</i>	<i>Ash</i>	<i>12</i>	<i>N</i>	<i>15</i>		<i>so</i>	<i>18</i>	<i>S 38 E</i>	<i>33</i>
<i>D.</i>	<i>Beech</i>	<i>20</i>	<i>E</i>	<i>20</i>	<i>R'</i>	<i>so</i>	<i>15</i>	<i>S 40 N</i>	<i>21</i>
<i>D'</i>	<i>so</i>	<i>10</i>	<i>N - N</i>	<i>10</i>		<i>so</i>	<i>18</i>	<i>N 31 E</i>	<i>14</i>
					<i>S.</i>	<i>Ash</i>	<i>22</i>	<i>N 75 E</i>	<i>47</i>
					<i>S'</i>	<i>so</i>	<i>34</i>	<i>S 70 N</i>	<i>23</i>
						<i>Beech</i>	<i>18</i>	<i>N</i>	<i>3</i>
					<i>T,</i>	<i>so</i>	<i>18</i>	<i>S 81 N</i>	<i>15</i>
					<i>T'</i>	<i>so</i>	<i>15</i>	<i>N 2 E</i>	<i>25</i>
						<i>N Oak</i>	<i>12</i>	<i>S 2 N</i>	<i>22</i>
					<i>U,</i>	<i>Oak</i>	<i>20</i>	<i>N</i>	<i>3</i>
					<i>U'</i>	<i>Beech</i>	<i>10</i>	<i>S 10 N</i>	<i>8</i>
					<i>V.</i>	<i>B Ash</i>	<i>30</i>	<i>S 30 E</i>	<i>12</i>
					<i>V'</i>	<i>Beech</i>	<i>7</i>	<i>N 8 E</i>	<i>20</i>

Field Notes of Shelby County, Indiana.

Township **14** North, Range **8** East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
M to U	Waltonwood	9	N	8	Same,	5' Elm	4	E	6
4	so	8	S 40 N	10	"	Hickory	14	S 10 N	26
3'	Ash	7	N 85 N	15	6'	Beech	30	S 85 N	11
"	so	6	S 40 E	10	"	so	12	N 65 E	25
6'	Sugar	14	S 35 E	12	H to Y				
1	Ash	10	N	12	4'	Ash	12	N 10 N	10
L to V					"	Beech	3'	S	12
4'	Beech	9	N 20 E	12	3'	Beech	9	N	9
"	so	20	S 16 E	22	"	so	8	S 10 E	12
3'	so	12	S 20 E	25	6'	Pepelar	10	N	7
"	so	10	N E	14	"	Beech	36	N 65 N	20
6'	so	10	N	9	Q to D				
"	Hickory	8	S E	20	1	Beech	24	S E	15
K to W					"	Sugar	10	N 60 N	13
4'	Beech	12	N	16	2	Beech	3'	E	3
"	so	24	E	8	"	Ash	4	S 85 N	8
3'	so	11	S 20 E	8	3	Ash	10	N 88 N	15
"	so	13	N 30 N	17	"	so	9	N 20 E	12
6'	Ash	5	S	9	4	Beech	10	S N	8
"	N-oak	30	N 60 N	36	"	so	7	N 60 E	10
I to X					3'	Hickory	24	S	3
4'	Beech	6	E	2	"	Beech	12	S E	8
"	Linu	12	N N	8	6'	Sugar	10	E	12
					"	so	10	N 30 N	13

Field Notes of Shelby County, Indiana.

Township 14 North, Range 8 East.

Corners.	Bearing Trees.	Diam.	Courses.	Dist.	Corners.	Bearing Trees.	Diam.	Courses.	Dist.
R to C.1	Beech	13	N	12	Same	Beech	20	N	12
"	Cherry	5	S 35 E	15	"	Sugar	9	N N	15
2	Beech	8	N 30 N	18					
"	So	6	S 20 N	10					
3	So	14	N 85 N	20					
"	So	18	N 80 N	40					
4	So	9	S 15 N	10					
"	B-Oak	30	N	20					
5	Beech	7	S	9					
"	S-Ash	5	N 30 E	20					
6	Beech	14	N 30 N	20					
"	So	9	N 25 E	15					
S to B									
1	Elm	9	N E	7					
"	Walnut	10	S 60 N	15					
2	Ash	5	N 80 E	15					
"	So	6	S 80 N	12					
3	Beech	10	S	20					
"	Sogwood	6	E	4					
4	Beech	12	N 30 N	10					
"	So	13	S 20 E	12					
5	So	20	N	12					
"	Sugar	9	N	15					

Record of Surveys in Shelby County, Indiana.

Section 4 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 10 th 1851-	D.				Ash	27	N 45° E	44
	A				Former Surveyor			
					Apple	8	S 30 1/2° E	43
					So	9	S 6° E	89
		C.	Stone		No Nit			
		L			Beech	10	N 87° E	39
Sept 11 th 1861, Kortiss Surveyor	M				Sugar	10	N 42° E	44
					Beech	16	N 9° N	45
					So	12	N 51° E	25
		N	Stone		Oak	18	N 7° N	31
					Sugar	9	S 13° N	28
		O	Stone		f. etc, Callist Surveyor			
66 3/8 Rods Contn of					Beech	22	S 83 1/2° E	30
					So	15	S 70 1/2° N	32 1/2
		S	"		Stone	Nit	N 31° E	25
					So	"	S 33° E	26 1/2
		R	"		So	"	S 46 1/2° N	13 1/2
					So	"	S 45 1/2° E	15
		Y	"		So	"	N 29° N	35 1/2
					So	"	N 31 1/2° E	36
		X	"		So	"	N 3 1/2° N	25
					So	"	S 41° N	28
	Z	"		So	"	N 51° E	27	
				So	"	S 49° E	35	

Record of Surveys in Shelby County, Indiana.

Section

4

Township

14

North, Range

8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Dec 19 th 1877 J Dugan ssc	D	Stone m D			Stone		N 37 E	39
					"		S 55 1/2 E	41

Record of Surveys in Shelby County, Indiana.

15

Section *3* Township *14* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Oct 1854 - No Half, off</i>	<i>E. Side of</i>	<i>Cop. S. Agr</i>	<i>28</i>					
<i>14 1/2 Chus East</i>	<i>of</i>	<i>Stones</i>	<i>at all the corners</i>					
<i>Same West</i>	<i>of</i>	<i>"</i>						
	N	<i>"</i>						
	S	<i>"</i>						
	B.	<i>Stone</i>			<i>Stone</i>	<i>Nit</i>	<i>at 70 E</i>	<i>27</i>
					<i>so</i>	<i>"</i>	<i>at 29 N</i>	<i>27</i>
	M	<i>"</i>			<i>Beech</i>	<i>10</i>	<i>S 70 N</i>	<i>30</i>
					<i>B-Oak</i>	<i>40</i>	<i>S 2 E</i>	<i>28</i>
	O	<i>"</i>			<i>Stone</i>	<i>Nit</i>	<i>at 68 E</i>	<i>16</i>
					<i>so</i>	<i>"</i>	<i>at 72 N</i>	<i>37</i>
	N	<i>"</i>			<i>so</i>	<i>"</i>	<i>at</i>	<i>10</i>
					<i>so</i>	<i>"</i>	<i>S 38 N</i>	<i>29</i>
	L	<i>"</i>			<i>so</i>	<i>"</i>	<i>at 43 N</i>	<i>24</i>
							<i>S 43 N</i>	<i>28</i>
	W	<i>"</i>			<i>so</i>	<i>"</i>	<i>at 30 E</i>	<i>20</i>
					<i>so</i>	<i>"</i>	<i>at 37 N</i>	<i>24</i>
	X	<i>"</i>			<i>so</i>	<i>"</i>	<i>S 43 E</i>	<i>19</i>
					<i>so</i>	<i>"</i>	<i>at 37 E</i>	<i>24</i>
	A	<i>"</i>			<i>No Nit</i>			
	L	<i>" m L + P</i>			<i>Stone</i>		<i>S 30 1/2 W</i>	<i>45</i>
	Y	<i>" Y</i>			<i>"</i>		<i>N 42 1/2 E</i>	<i>38</i>
					<i>"</i>		<i>N 44 1/2 E</i>	<i>47</i>

Geo Jergin Surveyor

Record of Surveys in Shelby County, Indiana.

Section 5 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
16 2/3 chains N of Dec 19 th + 20 th 1877 Levy Cogan SSC	Y	Stone n 16 1/2			Stone do		N S	23 32
Sept 6-1915 set stone 2 chains east of above stake 2 1/2 chains north " " 2 1/2 chains north and 2 chains East of	W W W	no wit						
S P Harris County Surveyor								
July 7, 1916 I set stones as follows:								
11 chains 27 1/2 links West of	N	Long Boulder			No witness available			
11 " 77 " S. of above		Boulder			" " "			
8 " 10 " S. of above		"			" " "			
11 chains 77 links ^{South} & 3 links West of	M	"			" " "			
S. P. Harris - County Surveyor By Deputy.								

Record of Surveys in Shelby County, Indiana.

21

Section *6*

Township *14*

North, Range *8*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>May 21st: Off of N. Side. S. W. qtr.</i>			<i>37</i>					
<i>18 3/4: N. End. of Line.</i>			<i>"</i>		<i>Beech.</i>	<i>10</i>	<i>S 84 E</i>	<i>11 3/4</i>
					<i>So</i>	<i>10</i>	<i>S 33 1/2 N</i>	<i>14 1/2</i>
<i>South End of Same</i>					<i>N-Oak</i>	<i>20</i>	<i>S 7 E</i>	<i>27</i>
					<i>So</i>	<i>20</i>	<i>S 64 N</i>	<i>40</i>
					<i>J. M. Elliott Surveyor</i>			
	P				<i>Beech</i>	<i>8</i>	<i>S 12 E</i>	<i>2 1/2</i>
	N				<i>So</i>	<i>20</i>	<i>S 76 E</i>	<i>40</i>
					<i>So</i>	<i>10</i>	<i>S 3 E</i>	<i>18</i>
					<i>So</i>	<i>6</i>	<i>N 72 W</i>	<i>13</i>
	X.B.	<i>Stones</i>			<i>No Mt</i>			
	M.I.	<i>"</i>			<i>"</i>			
					<i>Geo Barquin Surveyor</i>			
 <i>Apr 9th., 1906.</i>								
<i>I established the south line of the N. W. 1/4 of 6-14-8 and placed rock by agreement on east side of Range Line road close to fence so that it would be better preserved. I also placed stake 53 rods north of said rock close to east fence of said Range line road.</i>								
<i>James E. Morris, S.S. Co.</i>								

Record of Surveys in Shelby County, Indiana.

Section 7 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Incl.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Sept 24 th 1856	M				Beech	10	N 38 E	13
	O	Stone			do	14	S 33 E	9
					do	22	S 12 H	13
					do	14	S 80 E	23
	P.L.N	Stones			No Nit			
	Z.Y	"			"			
	R.B.	"			"			
	P	"			Stone	Nit	S 50 H	15
					do	"	N 45 H	13
					Beech	12	S 66 H	4
E. End of Line divided N ^h S, N, gr.					No Margin Surveyor			

Record of Surveys in Shelby County, Indiana.

33

Section 8 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	.Hand.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Aug 20 th 1839-	V	Stone			B-Oak	3	N 88 1/2 W	40
	X	"			S-Ash	10	S 52 E	36 1/2
	Z	"			S S Elm	4 6	N 84 W S 6 E	36 40
	Z	"			W Oak	24	N 61 1/2 E	144
	P	"			Hickory	15	N 88 E	126 1/2
	P	"			Eed Minchel Beech	12	S 77 E	65 1/2
	E	"			Sugar		N 70 1/2 E	66
	E	"			Stone	nit	N 76 W	8
	A	"			S Stone	" "	S 42 1/2 W S 74 W	10 29
	N	"			S-Ash	9	S 84 1/2 W	62 1/2
	N	"			Mulberry	4	N 3 W	75 3/4
	W	"			Beech	16	S 33 E	18
	W	"			Coffee nut	3	S 12 1/2 E	57 1/2
	T	"			S-Ash	7	S 40 1/2 W	46
	T	"			Pin Oak	1 1/2	N 87 1/2 E	29
	U	"			Beech	10	S 83 1/2 W	22
	U	"			Mulberry	8	S 22 1/2 W	69
	M	"			Poplar	7	N 31 W	82
	M	"			Linden	7	S 70 E	13
	M	"			B-Oak	4	S 87 W	64 1/2

Record of Surveys in Shelby County, Indiana.

Section *P* Township *14* North, Range *P* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bound.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>1/2</i> of	<i>M-L</i>	<i>Stone</i>			<i>Cash</i>	<i>6</i>	<i>E</i>	<i>55'</i>
					<i>Beech</i>	<i>16</i>	<i>S 29 N</i>	<i>5 1/2</i>
	<i>I</i>	<i>"</i>			<i>No Nit</i>			
	<i>K</i>	<i>"</i>			<i>"</i>			
<i>1/2</i> of	<i>K-I</i>	<i>"</i>			<i>Pin Oak</i>	<i>1</i>	<i>N 13 1/2 E</i>	<i>30 1/2</i>
					<i>B-Oak</i>	<i>1</i>	<i>S 6 1/2 N</i>	<i>27</i>
	<i>B</i>	<i>Stone</i>			<i>Stone</i>	<i>Nit</i>	<i>S 42 N</i>	<i>39</i>
					<i>Do</i>	<i>"</i>	<i>S 24 E</i>	<i>41</i>
	<i>H</i>	<i>"</i>			<i>No Nit</i>			
	<i>O</i>	<i>"</i>			<i>Beech</i>	<i>20</i>	<i>N 6 1/2 E</i>	<i>78</i>
					<i>B-Nut</i>	<i>8</i>	<i>S 74 N</i>	<i>77</i>
<i>500 Chus East</i>	<i>H</i>	<i>"</i>			<i>Hickory</i>	<i>12</i>	<i>N</i>	<i>75</i>
					<i>Nut</i>	<i>3</i>	<i>S 37 E</i>	<i>120</i>
<i>Same</i>	<i>C</i>	<i>"</i>			<i>Stone</i>	<i>Nit</i>	<i>S</i>	<i>21 1/2</i>
					<i>Do</i>	<i>"</i>	<i>N</i>	<i>20</i>
<i>May 20th 1870-</i>	<i>L</i>	<i>"</i>			<i>Cash</i>	<i>9</i>	<i>S 8 1/2 N</i>	<i>62 1/2</i>
<i>This Stone is not to be found, l. F. Webster.</i>					<i>S-Calum</i>	<i>11</i>	<i>N 85 E</i>	<i>83 3/4</i>
					<i>Eed Winchel Surveyor</i>			

Record of Surveys in Shelby County, Indiana.

Section 9 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct-28 th 1836-	N				Beech	16	S 38 E	3
					B-Oak	36	S 8 N	7
	K, H, I	Stones			No Mark Given			
					Jno Dargwin Surveyor			
May 20 th 1870-	R	Stone			Stone	16	S 6 E	30
	O	"			Stone	30	S 6 1/2 N	30
	Y	Sand Stone			Walnut	10	S 33 N	41
					Beech	12	S 21 N	31
	Y-X	"			So	13	S 31 E	33
					Stone	11	S 28 N	22 1/2
1/2 of					Hickory	18	S 30 N	10
					Linden	12	S 32 N	30
					C. F. Webster Deputy Surveyor			

Record of Surveys in Shelby County, Indiana.

Section 16 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bound.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Apr 15 th , 1832-	A C E	Boulders			No Nit			
	L P V	"						
	D				Beech	15	S 12 N	11
					So	20	S 75 N	21
	M				So	10	N 85 E	20
	N				Sugar	26	N 15 N	13 1/2
					Beech	7	N 38 N	14
					So	30	N 9 E	32
	O				Oak	36	N 40 N	23
	W				Poplar	60	S 20 E	60
J. M. Elliott Surveyor.	Z				Sycamore	6	N 40 N	39
					So	3	N 4 N	30
					Beech	14	S 41 E	24
					So	10	N 20 N	39
					Stone	Nit	N 15 E	9
May 21 st 1870-	1/2 of N-O	Boulder			So	"	S 89 N	9 1/4
	1/2 of C-D	Big Stone			Hickory	18	N 30 N	10
6 30 Chas N of	P	Stone			Linden	12	S 32 N	30
	Y	"			On Road,	No Nit.		
15 00 Chas N of	L	Boulder			Beech	10	S 2 N	11
					So	12	N 3 E	28 1/2
					So	15	S 1 N	81
					ash	10	N 73 N	6 1/4
Chas F Webster Surveyor.								

Record of Surveys in Shelby County, Indiana.

51

Section *17* Township *14* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	Y				B-Ash	27	S 5 N	10
	O	Stone			Beech		N 83 W	15
	R	"			Stone	hit	N	10
	T	"			Two Boulders	"	E	2 1/2
	U	"			Stone	"	N	22 1/2
	W	S-ash 10.			B-Oak	36	S 68.	<u>13 1/2</u>
	V	Boulder			S-ash	3	S 60 N	
	H	"			Linden	5'	S 59 N	83
	I	"			S-ash	0	S 5 E	6
	M	Stone			Rocks	hit		
	L	Stone			No hit			
	U	Long Boulder.			Beech	25	N 58 E	10
	U to V	Boulder,			do	12	S 41 N	36
	T	"			do	18	S 11 N	4
					No hit			
					N. H. Miller Surveyor			
					In center of Road,			
					Co. F. Webster Deputy Surveyor			
					Stone		S 69 W	27
					no hit			
					Pump Oak	40	N 22 E	33
					do	36	S 10 E	38 1/2
					Swamp ash	6	N 5 N	4 1/2

4 1/2 Chrs East of Same Same

May 20th 1870-
October 13th 1879.

C. F. Webster Surveyor, &c.

Section 17 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 13 th 1879. Co. of Pelister Survey, S. & Co.	1/2 N to S.	Crag Boulder			Ash Hickory	10 18	N 44 E S 46 E	1 1/2 3 5/4

Record of Surveys in Shelby County, Indiana.

Section *18* Township *14* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	B.				W-Ash	4	ct N	4
					Kiickory	16	ct 25 E	7
	M				Beech	22	ct N	40
					do	22	S 30 N	48
Off of the West Side	N-M		10		R-Oak	14	S 32 E	27
					Beech	6	S 53 N	10
Same	C-B		"		No Nit			
Same	P-O		60		Beech	14	S 15 N	17
					A-Hood	8	ct 30 N	14
					Former Surveyor			
May 13 th 1836-	V. L	Stones			No Nit			
	X				Beech	12	ct 8 E	39
					Ash	8	S 28 N	24
	N				Beech	20	S 2 N	13
					do	14	ct 52 E	10
	W				A-Hood	4	ct 71 N	13
					Beech	24	ct 68 E	22
					Mrs Jargin Surveyor			
- wit for	Z				Stones		E. W.	2076 2020

Record of Surveys in Shelby County, Indiana.

63

Section 19 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hnd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>May 18th 1830</i>	<i>V</i>	<i>Stone</i>			<i>Beech</i>	<i>18</i>	<i>ct 43° E</i>	<i>15'</i>
					<i>do</i>	<i>8</i>	<i>S 50° N</i>	<i>2 1/2'</i>
					<i>C. B. Webster Surveyor</i>			
<i>John W. Whitlock</i>	<i>N</i>	<i>P.K. Nail</i>			<i>See Tie File</i>		<i>See Remarks, pg. 120</i>	

Record of Surveys in Shelby County, Indiana.

69

Section 20

Township 14

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Oct 31 st 1836 - Sargis, Surveyor	N S	Stone "			No Nit Calm Ash		6 81 E 13 3 42 E 13	
	X				Gum Ash		4 30 E 23 12 83 N 32	
July 27 th 1864.	M T	L. Boulder Sandstone			No Nit "			
May 18 th 1870 -	Z	Stone			Korniss Surveyor Beech do		18 45 E 13 8 30 N 26 1/2	
					C. P. Webster, Surveyor			

Record of Surveys in Shelby County, Indiana.

Section 21 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Nickols, Surveyor Sept 21st 1860 - 19 97 Chus Cr of	N				Nickony	27	N 30 E	7
	V	Stone			Beech	12	S 20 W	30
					Stone	12	S	10
					so	"	Cr	10
Same of Ed. Vinches, Surveyor, Jan 16th 1862.	W	"			so	"	Cr	10
					so	"	S	10
	A	Boulder			Whitellak	24	S 43 W	39 1/2
	C	Flat "			S-Ash	12	S 73 W	8 1/2
					Beech	12	Cr	16
					so	12	Cr 58 W	30
					Blk-Nickony	36	Cr 25 E	69
	I	Large "			Sycamore	30	Cr 39 W	70
Nickols Witnesses x 12 50 Chus South of	N	L. Boulder			Beech	12	Cr 42 E	99 1/2
	A	"			N-Edm	24	Cr 77 E	144
					N-Oak	48	S 21 W	44 1/2
					Beech	18	Cr 81 W	81 1/2
Same	C	"			S-Ash	10	S 36 E	33 1/2
					N-Edm	20	Cr 73 1/2 E	87

Cross Surveyor

Record of Surveys in Shelby County, Indiana.

81

Section *28*

Township *14*

North, Range *8*

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Jan 11th 1847</i>	<i>M</i>				<i>Beech</i>	<i>12</i>	<i>S 10 1/2 E</i>	<i>10 1/2</i>
	<i>N</i>				<i>Ash</i>	<i>7</i>	<i>N 47 W</i>	<i>22 1/2</i>
	<i>O</i>				<i>Hickory</i>	<i>9</i>	<i>S 25 E</i>	<i>18</i>
	<i>C</i>				<i>elm</i>	<i>12</i>	<i>N 2 E</i>	<i>7 1/2</i>
	<i>D</i>				<i>Beech</i>	<i>15</i>	<i>E 11 1/4</i>	<i>11 1/4</i>
	<i>Z</i>				<i>Water-so</i>	<i>3</i>	<i>S 80 1/2 W</i>	<i>12 1/2</i>
	<i>Y</i>				<i>Beech</i>	<i>14</i>	<i>N 27 1/2 W</i>	<i>15</i>
	<i>A</i>				<i>Sugar</i>	<i>12</i>	<i>N 45 1/2 E</i>	<i>25</i>
	<i>B</i>				<i>H-oak</i>	<i>36</i>	<i>N 65 W</i>	<i>27 1/2</i>
	<i>L</i>				<i>Linden</i>		<i>S 35 E</i>	<i>20</i>
	<i>L</i>				<i>Oak</i>	<i>60</i>	<i>S 68 1/2 E</i>	<i>15</i>
<i>Sept. 21st 1861</i>	<i>A</i>				<i>Beech</i>		<i>N 80 1/2 E</i>	<i>65</i>
	<i>B</i>				<i>so</i>	<i>20</i>	<i>N</i>	<i>16 1/4</i>
	<i>L</i>				<i>so</i>	<i>8</i>	<i>S 85 E</i>	<i>15</i>
	<i>A</i>	<i>Stone</i>			<i>Stone</i>	<i>Nit</i>	<i>N</i>	<i>18 3/4</i>
	<i>B</i>	<i>"</i>			<i>so</i>	<i>"</i>	<i>S</i>	<i>18 3/4</i>
	<i>L</i>	<i>"</i>			<i>so</i>	<i>"</i>	<i>N</i>	<i>20</i>
	<i>L</i>	<i>"</i>			<i>so</i>	<i>"</i>	<i>S</i>	<i>20</i>

Mrs. Rock Sumner

Ed. Winchel Sumner

Record of Surveys in Shelby County, Indiana.

83

Section 28

Township 14

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Millard J. Crawford Sur, 40 rods south of E. Set stone, Aug 24, 1899.	E	Stone			No Wit,			
Set stone 10 ch. south of C. Aug. 24, 99		"			", "			
Set stone 12½ ch. south of C. Aug. 24, 99,		"			No Wit,			
Set stone 12½ ch, south of a stone 288 feet west of A. Aug. 24, 99		"			No Wit,			
Set a stone 288 feet west of A Aug. 24, 1899.		"			No Wit,			
Millard J. Crawford Surveyor,								

Record of Surveys in Shelby County, Indiana.

87

Section 29 Township 14 North, Range 8 East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Land.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	M N	Nick's ^{18'}			No Nit			
					S-Ash	5'	N 20 W	10
					do	10	S 60 W	4
	O				Beech	15	S 60 W	18
					do	9	E	19
July 26 th 1864	A, B, K	Bowling			Nickols Surveyor No Nit			
		29-29-29						
	I				N Elm	14	N 50 E	18
					N-Oak	30	S 12 E	16
	L				Beech	8	N 30 W	15
See, Field Notes.	E	Stone			Norris Surveyor Beech	18	N 45 E	15
					do	8	S 30 W	26 1/2
	F	"			But Oak	4	S 18 W	14
					Red do	18	N 79 1/2 E	23
	G	"			On Road			
	H	"			S-Ash	18	S 11 W	31
					do	12	N 35 E	28
	D	"			Beech	20	N 74 E	33 1/2
Set by measurement.	C	"			Hum	4	N 50 E	23
	O	"			On Road			
					Poplar	30	S 50 E	22

Section 29

Township 14

North, Range 8

East.

Date, Intermediate Corners, &c., &c.

Corners.

Stone, Mark, &c.

Acres.

Hund.

Bearings, Trees, &c.

Diam.

Courses.

Dist.

D
N
Y

Stone

"

"

Field

No Nib left.

2 1/2 m Road

C. F. Webster Sept 7 Surveyor

Notes

Record of Surveys in Shelby County, Indiana.

Section *50* Township *14* North, Range *7* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Innd.	Bearings, Trees, &c.	Diam.	Courses.	Dist.	
<i>May 18th 1870</i>	E.L.P. A K	<i>Stones</i> <i>Stone</i> "			<i>Found night</i> <i>Beech</i> <i>So</i> <i>Bur Oak</i> <i>Red Oak</i> <i>C. H. Webster</i>	<i>18</i> <i>to</i> <i>4</i> <i>18</i> <i>18</i> <i>Deputy Surveyor</i>	<i>N 45° E</i> <i>S 50° W</i> <i>S 18° W</i> <i>N 79° E</i> <i>Deputy Surveyor</i>	<i>15'</i> <i>26 1/2</i> <i>14</i> <i>23</i> <i>Deputy Surveyor</i>	

Record of Surveys in Shelby County, Indiana.

Section *B1* Township *14* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Inud.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
	N				Ash	4 28	E	4
	O				do	10 28	N	9
	M				Walnut	14 28	N	7
	B				Kaickoy	18 28	N 80 E	6
					Sugar	8 28	N 70 E	2
					Kaickoy	8 28	N	13
					Ash	18 28	N	18
					Poplar	36 28	N 30 N	11
<i>May 11th 1887</i>	<i>W²M</i>	<i>Stone</i>			<i>Geo. Kendrick's Surveyor</i>			
	V	"			Sugar	8 28		4
	S				Ash	8 28	N 78 N	6
<i>April 8th 1887</i>					<i>do Nit</i>			
<i>Finley Surveyor.</i>					<i>Geo. Jargie Surveyor</i>			
<i>Witness for</i>	Z				+ <i>Established from old witness field notes.</i>			
					<i>Cross on headwall</i>		NW	40 ft.
					<i>Well casing</i>	SE		50'5"

Record of Surveys in Shelby County, Indiana.

Section *B2* Township *14* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Bound.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<i>Nov 4th 1863-</i>	X	<i>Boulder</i>			<i>Beech</i>	<i>20</i>	<i>N 31° W</i>	<i>39</i>
					<i>H-Oak</i>	<i>20</i>	<i>N 22° W</i>	<i>80</i>
	Y	"			<i>Ash</i>	<i>24</i>	<i>N 31° E</i>	<i>6</i>
	N	"			<i>Pin-Oak</i>	<i>18</i>	<i>S 61° W</i>	<i>3 1/2</i>
	O.	"			<i>Sycamore</i>	<i>20</i>	<i>N 39° W</i>	<i>48</i>
					<i>do</i>	<i>20</i>	<i>N 28 1/2° E</i>	<i>46</i>
	P. V.	"			<i>No Nit</i>			
	L. Z.	"			"			
	K	"			<i>Beech</i>	<i>20</i>	<i>N 69° E</i>	<i>31</i>
					<i>Sycamore</i>	<i>20</i>	<i>N 67° W</i>	<i>42</i>
					<i>H-Oak</i>	<i>12</i>	<i>N 82° W</i>	<i>9</i>
					<i>do</i>	<i>24</i>	<i>N 8° E</i>	<i>4 1/2</i>
	A. C.	"		<i>No Nit</i>				
<i>May 18th 1870-</i>	D	<i>Stone</i>			<i>No Nit.</i>			
					<i>Corriss, Surveyor</i>			
					<i>W. H. Webster</i>			
					<i>Sept. Surveyor</i>			

Record of Surveys in Shelby County, Indiana.

Section *33* Township *14* North, Range *8* East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Hund.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
<p><i>June 8th, 1847</i> <i>30. Lick Chain</i></p>	P				<i>Sugar</i>	<i>4</i>	<i>S 48 E</i>	<i>17 1/2</i>
	O				<i>H Wood</i>	<i>3</i>	<i>S 35 1/2 N</i>	<i>29</i>
	N				<i>Beech</i>	<i>11</i>	<i>S 13 E</i>	<i>31</i>
	M				<i>do</i>	<i>22</i>	<i>S 60 1/2 N</i>	<i>40</i>
	L				<i>do</i>	<i>20</i>	<i>S 79 1/2 E</i>	<i>15</i>
	E				<i>do</i>	<i>10</i>	<i>S 10 N</i>	<i>27 1/2</i>
	B				<i>Elm</i>		<i>N 49 N</i>	<i>17</i>
	C				<i>H-Beech</i>		<i>S 37 1/2 N</i>	<i>14</i>
	H				<i>Beech</i>	<i>12</i>	<i>S 15 3/4 N</i>	<i>30</i>
	D				<i>Sugar</i>	<i>10</i>	<i>N 25 1/2 N</i>	<i>29</i>
	G				<i>H-Oak</i>	<i>12</i>	<i>N 30 N</i>	<i>9</i>
	X				<i>do</i>	<i>14</i>	<i>S 20 1/2 E</i>	<i>60</i>
					<i>Beech</i>	<i>10</i>	<i>S 20 N</i>	<i>30</i>
					<i>do</i>	<i>22</i>	<i>S 47 1/2 E</i>	<i>52 1/2</i>
					<i>H-Elm</i>		<i>S 10 N</i>	<i>41</i>
					<i>H-Oak</i>		<i>N 33 E</i>	<i>60</i>
					<i>Oak</i>	<i>14</i>	<i>N 33 1/2 N</i>	<i>30</i>
					<i>Linden</i>	<i>8</i>	<i>N 38 1/2</i>	<i>30 or 30</i>
					<i>Ash</i>	<i>5</i>	<i>S 14 1/2 N</i>	<i>41</i>
						<i>6</i>	<i>S 43 E</i>	<i>43 1/2</i>
				<i>Elm</i>	<i>7</i>	<i>S 3 1/2 E</i>	<i>26</i>	
				<i>Oak</i>	<i>13</i>	<i>N 27 N</i>	<i>6 1/2</i>	
				<i>Sugar</i>	<i>12</i>	<i>N 62 E</i>	<i>73</i>	
				<i>Beech</i>	<i>25</i>	<i>N 10 1/2 E</i>	<i>77 1/2</i>	

Wm. Rock, Surveyor

Record of Surveys in Shelby County, Indiana.

Section 33

Township 14

North, Range 8

East.

Date, Intermediate Corners, &c., &c.	Corners.	Stone, Mark, &c.	Acres.	Incl.	Bearings, Trees, &c.	Diam.	Courses.	Dist.
Sept 27 th 1837	Y	Z, W. Stones			Beech	10	S 42 N	30
					Ash	18	S 24 E	39
					No Nit			
					Jno. Sargis Surveyor			

REMARKS.

See Section 19. T. 13. R. 8.

There are stone at all the corners of a six acre tract
 bounded as follows ^{beginning} 12.11 chains E. and 33.13 chains North of T.
 runy thence E. 7.93 chains thence North 7.57 chains thence
 South, 7.5 West 7.93 chains, thence South 7.57 chains.

REMARKS.

Corners by John W. Whitlock - Search for stone was made at all corners
if stone wasn't found - Monument found before digging & was reset
or - Monument was set from best evidence