

- Vertical into Maple Lane Maple
1. 20' X 10' added Nu-corr component.
  2. 2020 Sq. ft North half of addition. (20' X 10')
  3. Fire wall extends 20' as shown on print
  4. Fire rated Roll-up 14' X 14' in middle of 20' wall extension
  5. 2000 Sq. ft. 20' X 10'
  6. Existing bldg approved 2/25/28
  7. Total Sq ft now would be 12,780
  8. Total Sq ft now would be 14,200
- EXISTING TOTAL 44,034 S.F.**

NORTH SIDE FIRE RATED AREA = 12,780 SQ. FT.  
 SOUTH SIDE FIRE RATED AREA = 14,200 SQ. FT.

No Heat-No electric-No Plumbing


Maple Lane Waste  
 13428 Spring Field Rd.  
 Grapitt, Ind. 46741  
 317-424-1111

The 11th X 19th  
 Nu-Corr Steel Bldg.  
 has been approved by State

All Section to Nu-Corr  
 Steel Bldg. 20' X 10'  
 Unimposed Required




Revised Feb. 14, 2017  
 Revised Feb. 21, 2017



ALL STEEL WILL BE GALVALUME 75% COATED WITH ALL COATINGS TO BE APPLIED TO BOTH SIDES. STEEL SHALL BE GALVALUME 75% COATED WITH ALL COATINGS TO BE APPLIED TO BOTH SIDES. STEEL SHALL BE GALVALUME 75% COATED WITH ALL COATINGS TO BE APPLIED TO BOTH SIDES.



THESE WALLS WILL BE CONSTRUCTED PER THE BUILDING ARCHITECT'S SPECIFICATIONS. THE WALLS WILL BE CONSTRUCTED PER THE BUILDING ARCHITECT'S SPECIFICATIONS. THE WALLS WILL BE CONSTRUCTED PER THE BUILDING ARCHITECT'S SPECIFICATIONS.

ALL LOADS SHOWN HAVE BEEN INCLUDED WITH THE PROPOSAL. Steel Bldg II B-52




# Maple Lane Metal

BENJAMIN GRABER & SONS  
1342B SPRINGFIELD CENTER RD.  
GRABILL, INDIANA 46741




## DETAIL TWO HOUR FIRE WALL

Steel studs to be used for this wall. 5/8" fire check then applied and mudded in. A second layer of 5/8" fire chex is applied with joints broken to the first layer. That layer is mudded. at peak the same is installed 4 ft in on each side. Bottom and top are then sealed with fire retardant caulking



- Variance List
- Fire Safety plan
  - Construction Type (R R S2)
  - Egress Path
  - Exit and Egress lights at each door (2)
  - Square ft of existing bldg (44,034)
  - New addition Square ft (13,062)
  - Show all doors
  - Fire rated roll up door (14 x 14)
  - Two hour fire wall at roof 4ft in with Fire seal Caulking



648-37, 211

Maple Lane Metals  
 13428 Springfield Center Rd  
 Franklin, IN 46743

2 1/2" x 3/8" Add component  
 by MJC/CJ/DBP

(1/4" = 1' Scale)