

FIRE CODE UPDATE COMMITTEE

Minutes for the October 9, 2024 Meeting.

Name	Present		Means of Participation
	Yes	No	
Craig Burgess			N/A
Joshua Frost	\boxtimes		In Person
Andrew Gorgol			In Person
Derek Holman	\boxtimes		In Person
James Murua			In Person
Shelly Wakefield	\boxtimes		In Person

MEETING DETAILS

Date: October 9, 2024

Time: 9:00pm

Location: Indiana Government Center South, Conference Room B

1. Call to Order

Chairman Murua called the meeting to order at 2:05pm.

2. Roll Call

A roll call was taken to determine member participation. A quorum was met. See above for details regarding attendees and means of participation.

3. Review of September Minutes

Committee **approved** minutes with the following corrections: Review *August* minutes, change next meeting date.

4. Review of Code Change Proposals and Fiscal Impact

a. **234 – 101.2 – Scope –** Buildings before 1986 only need to meet intent of new code if modified or occupancy changes. Amend July 1, 1986 to June 30, 1986. **Approved with noted amendment.**

- b. 422 323.1 -Scope Tabled from last time. Resubmitted as 470. Withdrawn.
- c. 470 323.1 Scope Approved.
- d. 423 323.2 Definitions Withdrawn.
- e. 471 323.2 Definitions Approved.
- f. **425 323.3 Management responsibilities –** Fire prevention pre-planning requirement. Delete "horses," substitute with "equine." Take out "registered." **Approved with noted amendments.**
- g. **426 323.4 Hay or straw storage –** Storage of hay and combustible bedding shall not exceed the amount for two days use for equines in assigned equestrian facility. All other hay and straw must be in a separate building or separate building outside assigned equestrian facility. Hay and straw must be loosely packed, not to exceed twenty bales per pile or seven feet in height. **Withdrawn pending rewrite.**

Committee voted to blanked change "assigned barns and livery stables" to "equestrian facilities."

- h. **431 323.5 Open flame use –** Copy from 2012 amendments. Unclear whether 'portable oil' should be included as 'open flame' should encompass all. **Approved.**
- i. 432 323.6 Smoking Approved.
- j. **427 323.7 Electrical systems and appliances** Denied. Redundant. Already covered in Chapter 6.
- k. **428 323.8 Fire protection equipment –** Withdrawn.
- I. **475 505 Premises identification –** Addressing is handled by local planning and zoning. Includes size and style of letters and numbers for any building. This code takes place when no local regulation is in place. Matching from building code. **Approved.**
- m. 413 510 Emergency responder communications enhancement systems No action taken. Pending rewrite.
- n. 278 510.1 Emergency responder communications enhancement system in new buildings No action taken. Pending rewrite.
- o. 277 510.2 Emergency responder communications enhancement system in existing buildings No action taken. Pending rewrite.
- p. 352 1103 Fire safety requirements for existing buildings No action taken. Pending rewrite.

q. 466 - 4104.2 - Open-flame cooking devices --

5. Other Committee Business

No other committee business was brought forward.

6. Next Meeting

The next meeting of the Indiana Fire Code Update Committee shall take place on **Wednesday**, **2024 at 9:00pm**. The meeting will be held in the **Indiana Government Center South** in **Conference Room**. The meeting will also be streamed live via Microsoft Teams.

Public notice and virtual/electronic meeting access details will be provided on the <u>Committee's</u> <u>Web Page</u> in advance of the meeting.

7. Closing Comments and Adjournment

Chairman Murua adjourned the meeting at 2:38pm.