ASME A17.1 Appendix L (2007 vs. 2016) - submitted by Steve Stuard (2-25-19)

| ITEM | ELEC ELEV | HYDRO ELEV | ESCA/WALK | 2007 | 2016 | COST IMI | PACT |
|--------------------------------|---------------------|--------------------|--------------------------|--------------|--------|----------|------|
| Access doors and openings | 8.7.2.7.3 | 8.7.2.7.3 | 8.7.6.1.14,8.7.6.2.14 | YES | YES | NA | |
| Access, means | 8.7.2.7.3 | 8.7.2.7.2 | | NEW, YES NEV | N, YES | NA | |
| Access switch | 8.7.2.11.4 | 8.7.3.11 | | NEW, YES NEV | W, YES | NA | |
| Access mach room/space | 8.7.2.7.2-3 | 8.7.2.7.2-3 | | NEW, YES NEV | W, YES | NA | |
| Add elevator existing hoistway | 8.7.2.1.2 | 8.7.2.1.2 | | YES | YES | NA | |
| AC current to DC | 8.7.2.27.3 | 8.7.3.31.4 | | YES | YES | NA | |
| Anti-creep leveling device | | 8.7.2.1.2 | | YES | YES | NA | |
| Ascending/overspeed/movmt | 8.7.2.20 | NEW OR TOTALLY RE | PLACED | YES | YES | NA | |
| Automatic stop valve | | 8.7.3.24 | | YES | YES | NA | |
| Automatic transfer device | 8.7.7.2 | 8.7.7.2 | | YES | YES | NA | |
| Auxiliary power lowering | | 8.7.3.31.9 | | YES | YES | NA | |
| Balustrades | IF NEW OR TOTALLY F | REPLACED 8.7 | 7.6.1.5(c), 8.7.6.2.5(c) | YES | YES | NA | |
| Beam, machinery sheave | 8.7.2.9 | 8.7.3.9 | | YES | YES | NA | |
| Brake | 8.7.2.25.1 | NEW OR TOTALLY RE | PLACED, 2.24.8.2 | YES | YES | NA | |
| Buffer | 8.7.2.23 | 8.7.3.27 NEW OR | TOTALLY REPLACED?? | NO | YES | YES | |
| Building Structure | 8.7.2.9 | 8.7.3.9 | | YES | YES | NA | |
| Bumper | 8.7.2.23 | 8.7.3.27 NEW OR | TOTALLY REPLACED?? | NO | YES | YES | |
| Cable (rope) | 8.7.2.21 | 8.7.3.25 | | YES | YES | NA | |
| Capacity | 8.7.2.16 | | | YES | YES | NA | |
| Car, decrease/increase weight | 8.7.2.15.2 | 8.7.3.21 ONLY IF I | MORE THAN 5% | YES | YES | NA | |
| Car door or gate | 8.7.2.14 | 8.7.3.13 ONLY NE | WLY ADDED | YES | YES | NA | |
| Car enclosure | 8.7.2.14,8.7.2.27.7 | 8.7.3.13 ONLY NE | WLY ADDED SEE 2.27.7 | YES/NO | YES | ??? | |
| Car frame | 8.7.2.15.1 | 8.7.3.14 | | YES | YES | NA | |
| Car leveling device | 8.7.2.27.2 | 8.7.3.31.2 NOT FOU | IND IN 2007 | NO | YES | 355 | |
| Car platform | 8.7.2.15.1 | 8.7.3.14 | | YES | YES | NA | |
| Car safties | 8.7.2.18 | 8.7.3.15 | | YES | YES | NA | |
| Check valve | | 8.7.3.24 | | YES | YES | NA | |
| Class/load change freight | 8.7.2.16.2 | 8.7.3.18 | | YES | YES | NA | |
| Clearance after reroping | 8.7.1.7 | 8.7.1.7 INCLUDE | D IN 8.6.2/8.6.3 | NO | YES | NA | |
| Clearance, bottom and top | 8.7.2.4 | 8.7.3.4 | | NO | YES | NA | ?? |
| Clearance horizontal | 8.7.2.5 | 8.7.3.5 | | NO | YES | NA | ?? |
| Combplates | | | 8.7.6.1.8,8.7.6.2.8 | NO | YES | YES ?? | |
| Construction bottom hoistway | 8.7.2.1.4 | 8.7.2.1.4 | | YES | YES | NA | |

Construction top hoistway 8.7.2.1.3 8.7.2.1.3 YES YES NA
Construction escalator/walks 8.7.6.1.5, 8.7.6.2.5 NO YES NA ??

| Contact, mechanical lock | 8.7.2.11.2 | 8.7.3.11 | | NO | YES | NA | ?? |
|-------------------------------|------------|------------|-------------------------------|------------|-----------|-----|----|
| Control, change in motion | 8.7.2.27.5 | 8.7.3.31.6 | | YES | YES | NA | |
| Control, change in operation | 8.7.2.27.6 | 8.7.3.31.7 | | YES | YES | NA | |
| Control equipment | 8.7.2.27 | 8.7.3.31 | 2007 REFERENCED ONLY 8.7.2.27 | 7.4 OPEN D | ISCUSSION | | |
| Control, smoke hot gases | 8.7.2.1.5 | 8.7.2.1.5 | 2007 H/W ENCLOSURE 8.7.2.1 | YES | YES | NA | |
| Control valve | | 8.7.3.24 | | YES | YES | NA | |
| Controller | 8.7.2.27.4 | 8.7.3.31.5 | SEE 3RD LINE ABOVE | YES | YES | NA | |
| Counterweight | 8.7.2.22 | 8.7.3.26 | | NO | YES | NA | ?? |
| Counterweight location/guard | 8.7.2.3 | 8.7.3.3 | | YES | YES | NA | |
| Counterweight rod type | 8.7.2.22.2 | | | NO | YES | ??? | |
| Counterweight safeties | 8.7.2.18 | 8.7.3.15 | | YES | YES | NA | |
| Cylinder | | 8.7.3.23.3 | | YES | YES | NA | |
| Data plate, code | 8.7.1.8 | 8.7.1.8 | | NO | NO | NA | |
| Dead weight change in car | 8.7.2.15.2 | 8.7.3.21 | | YES | YES | NA | |
| Decrease in travel | 8.7.2.17.1 | 8.7.3.22.1 | | YES | YES | NA | |
| Design | 8.7.1.5 | 8.7.1.5 | OPEN DIS | | | | |
| Direct current to AC current | 8.7.2.27.3 | 8.7.3.31.4 | | YES | YES | NA | |
| Door, Car | 8.7.2.14 | 8.7.3.13 | | YES | YES | NA | |
| Door, hoistway | 8.7.2.10.1 | 8.7.3.10 | | YES | YES | NA | |
| Door, machine room | 8.7.2.7.3 | 8.7.2.7.3 | OPEN DISCUSSION N | | | | |
| Door, power operation | 8.7.2.12 | 8.7.3.12 | OPEN DISCUSSION N | | | | |
| Doors, reopening device | 8.7.2.13 | 8.7.2.13 | OPEN DISCUSSION N | | | | |
| Doors, restricted opening | 8.7.2.11.5 | 8.7.2.11.5 | OPEN DISCUSSION N | | | | |
| Driving machine | 8.7.2.25.1 | 8.7.3.23 | | YES | YES | NA | |
| Driving Mach change location | 8.7.2.25.2 | 8.7.3.23.4 | | YES | YES | NA | |
| Duct H/W, machine room | 8.7.2.8 | 8.7.3.8 | OPEN DISCUSSION | YES | YES | ??? | |
| Dumbwaiter auto transfer | 8.7.7.2 | 8.7.7.2 | OPEN DISCUSSION | NO | YES | ?? | |
| Dm'watr without auto transfer | 8.7.7 | 8.7.7 | OPEN DISCUSSION | NO | YES | ?? | |
| Egress Escalator | | | 8.7.6.1.15 | YES | YES | NA | |
| Elec contact mach lock | 8.7.2.11.2 | 8.7.3.11 | OPEN DISCUSSION | NO | YES | NA | ?? |
| Electric Wiring | 8.7.2.8 | 8.7.3.8 | OPEN DISCUSSION | YES | YES | ?? | |
| Elect control valve | | 8.7.3.2.4 | | YES | YES | NA | |
| Emergency door | 8.7.2.10.1 | 8.7.2.10.1 | | YES | YES | NA | |
| | | | | | | | |

| Emergency operation | 8.7.2.28 | 8.7.3.31.8 | | YES | YES | NA |
|--------------------------------|----------------------|------------|----------------------------|--------|-----------|----|
| Emergency signal device | 8.7.2.28 | 8.7.3.31.8 | DISCUSS (a) | YES | YES | NA |
| Enclosure, car | 8.7.2.14, 8.7.2.27.7 | 8.7.3.13 | DISCUSS ENTIRE | YES | YES | NA |
| Enclosure, hoistway | 8.7.2.1 | 8.7.3.1 | | YES | YES | NA |
| Enclosure, mach space/room | 8.7.2.7 | 8.7.2.7 | 6.1.7, 6.2.7 | | ISCUSSION | |
| Entrance, esca/moving walk | | | 8.7.6.1.15 | OPEN D | ISCUSSION | |
| Entrance, hoistway | 8.7.2.10 | 8.7.3.10 | NOT ENTIRELY | | | |
| Entrance, horizontal slide | 8.7.2.10.2 | 8.7.2.10.2 | | YES | YES | NA |
| Entrance, swing | 8.7.2.10.4 | 8.7.2.10.4 | | YES | YES | NA |
| Entrance, vertical slide | 8.7.2.10.3 | 87.2.10.3 | 1 | YES | YES | NA |
| Entrance assembly marking | 8.7.2.10.5 | 8.7.2.10.5 | CANADA ONLY | | | |
| Equipment non-elevator | 8.7.2.8 | 8.7.2.8 | | YES | YES | NA |
| Fastening suspension ropes | 8.7.2.21 | 8.7.3.25 | WEDGE?? | YES | YES | NA |
| Final terminal stopping dev | 8.7.2.26 | 8.7.2.26 | OPEN DISCUSSION | NO | YES | ?? |
| Firefighter's service | 8.7.2.28 | 8.7.3.31.6 | | YES | YES | NA |
| Fitting, hydraulic | | 8.7.3.24 | | YES | YES | NA |
| Foundation | 8.7.2.9 | 8.7.3.8 | SEE MACHINERY | YES | YES | NA |
| Frame, car | 8.7.2.15.1 | 8.7.3.14 | | YES | YES | NA |
| Freight, change class loading | 8.7.2.16.2 | 8.7.3.18 | | YES | YES | NA |
| Freight, change to passenger | 8.7.2.16.1 | 8.7.3.17 | | YES | YES | NA |
| Freight, permit carry pass | 8.7.2.16.3 | 8.7.3.19 | | YES | YES | NA |
| Frequency, change in | 8.7.2.27.3 | 8.7.3.31.4 | | YES | YES | NA |
| Gate, car | 8.7.2.14 | 8.7.3.13 | OPEN DISCUSSION | YES | YES | NA |
| General requirements | 8.7.1 | 8.7.1 | OPEN DISCUSSION | NO | YES | NA |
| Geometry | | | 8.7.6.1.5(b), 8.7.6.2.5(b) | YES | YES | NA |
| Governor | 8.7.2.19 | 8.7.3.16 | OPEN DISCUSSION | NO | YES | ?? |
| Governor rope | 8.7.2.19 | 8.7.3.16 | OPEN DISCUSSION | NO | YES | ?? |
| Guide rail | 8.7.2.24 | 8.7.3.28 | OPEN DISCUSSION | NO | YES | ?? |
| Guide shoe, car | 8.7.2.15.1 | 8.7.3.14 | | YES | YES | NA |
| Guide shoe, counterweight | 8.7.2.22 | 8.7.3.26 | OPEN DISCUSSION | NO | YES | ?? |
| Hand elevators | | 8.7.4.3 | | YES | YES | NA |
| Handrails (esca & move walks | OPEN DISCUSS | SION | 8.7.6.1.6, 8.7.6.2.6 | NO | YES | ?? |
| Headroom in Machine room | 8.7.2.7.4 | 8.7.2.7.4 | OPEN DISCUSSION | NO | YES | ?? |
| Hoistway, addition of elevator | 8.7.2.1.2 | 8.7.2.1.2 | | YES | YES | NA |
| | | | | | | |

| Hoistway, construction bottom | 8.7.2.1.4 | 8.7.2.1.4 | | | YES | YES | NA |
|-------------------------------|---------------|------------|------------|-----------------------|---------|-----|----|
| Hoistway, construction top | 8.7.2.1.3 | 8.7.2.1.3 | | | YES | YES | NA |
| Hoistway, project space below | 8.7.2.6 | 8.7.3.6 | į | OPEN DISCUSSION | NO | YES | NA |
| Hoistway door pwr operation | 8.7.2.12 | 8.7.3.12 | OPEN DISCU | JSSION INCLUSIVE | NO | YES | ?? |
| Hoistway door interlocks | 8.7.2.11.1 | 8.7.3.11 | OPEN DISCU | JSSION INCLUSIVE | NO | YES | ?? |
| Hoistway door locking device | 8.7.2.11 | 8.7.3.11 | OPEN DISCU | JSSION INCLUSIVE | NO | YES | ?? |
| Hoistway door unlock device | 8.7.2.11.4 | 8.7.3.11 | OPEN DISCU | JSSION INCLUSIVE | NO | YES | ?? |
| Hoistway enclosure | 8.7.2.1 | 8.7.3.1 | | | YES | YES | NA |
| Hoistway entrance | 8.7.2.10 | 8.7.3.10 | OPEN DISCU | JSSION INCLUSIVE | NO | YES | NA |
| Horizontal slide entrance | 8.7.2.10.2 | 8.7.2.10.2 | | | YES | YES | NA |
| Illumination in car | 8.7.2.14 | 8.7.3.13 | | | YES | YES | NA |
| Incline elevators | 8.7.5.1 | 8.7.5.1 | OPEN DISCU | JSSION INCLUSIVE | NO | YES | ?? |
| Incline, angle of | | | 8.7.6 | .1.5(a), 8.7.6.2.5(a) | YES | YES | NA |
| Increase in car dead weight | 8.7.2.15.2 | 8.7.3.21 | | | YES | YES | NA |
| Increase rated load | 8.7.2.16.4 | 8.7.3.20 | | | YES | YES | NA |
| Increase rate speed | 8.7.2.17.2 | 8.7.3.22.2 | | | YES | YES | NA |
| Increase travel | 8.7.2.17.1 | 8.7.3.22.1 | | | YES | YES | NA |
| Increase working pressure | | 8.7.3.23.4 | | | YES | YES | NA |
| Inspection | 8.7.1.3 | 8.7.1.3 | OPEN DISCU | JSSION INCLUSIVE | NO | YES | ?? |
| Interlock | 8.7.2.11.1 | 8.7.3.11 | | | YES | YES | NA |
| Jack, hydraulic | | 8.7.3.23 | | | YES | YES | NA |
| Label entrance assembly | 8.7.2.10.5 | 8.7.2.10.5 | | | NO | YES | ?? |
| Leveling device | 8.7.2.27.2 | 8.7.3.31.2 | OPEN DISCU | JSSION | NO | YES | ?? |
| Lighting in car | 8.7.2.14.2(f) | 8.7.3.13 | | | YES | YES | NA |
| Lighting escalator/walk | DISCUSSIO | N | 8.7. | 6.1.14, 8.7.6.2.14 | NO | YES | ?? |
| Lighting machine room | 8.7.2.7.6 | 8.7.3.20 | OPEN DISC | JSSION | | | |
| Load, increase in | 8.7.2.16.4 | 8.7.3.18 | | | YES | YES | NA |
| Loading change in class | 8.7.2.16.2 | 8.7.3.18 | | | YES | YES | NA |
| Location drive mach change | 8.7.2.25.2 | 8.7.3.23.4 | | | YES | YES | NA |
| Location hydro jack change | | 8.7.3.23.5 | | | YES | YES | NA |
| Location hydro mach change | | 8.7.3.23.6 | | | YES | YES | NA |
| Lock, contact | 8.7.2.11.2 | 8.7.3.11 | | OPEN DISCUSSION | | | |
| Locking device HW door | 8.7.2.11 | 8.7.3.11 | | OPEN DISCUSSION IN | CLUSIVE | | |
| Machine room | 8.7.2.7 | 8.7.3.7 | | OPEN DISCUSSION IN | CLUSIVE | | |
| | | | | | | | |

| NA-abinamy aguinmant | 8.7.2 | 8.7.3 | OPEN DISCUSSION IN | ICLUSIVE | | |
|-------------------------------|---|-----------------|---------------------------|----------|----------------|---------|
| Machinery equipment | 8.7.2.7 | 8.7.3.7 | OPEN DISCUSSION | | | |
| Machinery space | 8.7.2.7 | 8.7.2.10.5 | CANADA | ONLY | | |
| Marking entrance assembly | 8.7.2.10.3 | 8.7.7.3 | OPEN DISCUSSION | 01121 | | |
| Material lift auto transfer | | 8.7.2.7.2 | OPEN DISCUSSION | | | |
| Means access machine room | 8.7.2.7.2 | 8.7.3.11 | OPEN DISCUSSION | | | |
| Mech lock electric contact | 8.7.2.11.2 | | OPEN DISCOSSION | YES | YES | NA |
| Mech operated control valve | | 8.7.3.24 | | YES | YES | NA |
| Motion control change | 8.7.2.27.5 | 8.7.3.31.6 | 0.7.6.3 | | DISCUSSION IN | |
| Moving walks | | | 8.7.6.2 | | JISCOSSION IIV | CLUSIVL |
| Normal terminal stop device | 8.7.2.26 | 8.7.3.30 | OPEN DISCUSSION IN | | VEC | NA |
| Number elevators in HW | 8.7.2.1.2 | 8.7.2.1.2 | | YES | YES | ?? |
| Oil buffer | 8.7.2.23 | 8.7.3.27 | | NO | YES | |
| Operating device | 8.7.2.27 | 8.7.3.31 | | YES | YES | NA |
| Operating device top car | 8.7.2.27.1 | 8.7.3.31.1 | | YES | YES | NA |
| Operation control change | 8.7.2.27.6 | 8.7.3.31.7 | | YES | YES | NA |
| Parking device | 8.7.2.11.3 | 8.7.3.11 | OPEN DISCUSSION | | | |
| Pass change freight service | 8.7.2.16.1 | 8.7.3.17 | | YES | YES | NA |
| Passenger to carrying freight | 8.7.2.16.3 | 8.7.3.19 | | YES | YES | NA |
| Phase I and II operation | 8.7.2.28 | 8.7.3.31.8 | | YES | YES | NA |
| Phases, change in number | 8.7.2.27.3 | 8.7.3.31.4 | | YES | YES | NA |
| Pipe in HW/Mach room | 8.7.2.8 | 8.7.3.8 | | YES | YES | NA |
| Piping supply | | 8.7.3.24 | | YES | YES | NA |
| Piston | | 8.7.3.23.2 | | YES | YES | NA |
| Pit | 8.7.2.2 | 8.7.3.2 | OPEN DISCUSSION SUMP PUMP | ???? | | |
| Platform, car | 8.7.2.15.1 | 8.7.3.14 | | YES | YES | NA |
| Plunger | 0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 8.7.3.23.2 | | YES | YES | NA |
| Power operation HW door | 8.7.2.12 | 8.7.3.12 | OPEN DISCUSSION | | | |
| | 8.7.2.27.3 | 8.7.3.31.4 | | YES | YES | NA |
| Power supply change in | 0.7.2.27.3 | 8.7.3.23.6 | | YES | YES | NA |
| Power unit (hydro machine) | | 8.7.3.29 | OPEN DISCUSSION | NO | YES | ?? |
| Pressure tank | | 8.7.3.23.4 | OT EN DISCOSSION | YES | YES | NA |
| Pressure working increase | 07245 | | OPEN DISCUSSION | NO | YES | ?? |
| Pressurizing of hoistway | 8.7.2.1.5 | 8.7.3.1 | | NO | YES | ?? |
| Protection of floor opening | 0 7 7 7 | OPEN DISCUSSION | 8.7.6.1.3, 8.7.6.2.3 | YES | YES | NA |
| Protection space below HW | 8.7.2.6 | 8.7.3.6 | | IES | ILJ | NA |

| D | | | 8.7.6.1.4, 8.7.6.2.4 | YES | YES | NA |
|-------------------------------|------------|------------|------------------------|-----|--------------------|-------|
| Protection truss MR from fire | 8.7.4.1 | | 6.7.0.1.4, 0.7.0.2.4 | YES | YES | NA |
| Rack pinion | | 8.7.3.20 | 8.7.6.1.11, 8.7.6.2.11 | YES | YES | NA |
| Rated load increase in | 8.7.2.16.4 | 8.7.3.22.3 | 8.7.0.1.11, 6.7.0.2.11 | YES | YES | NA |
| Rated speed decrease in | 8.7.2.17.3 | 8.7.3.22.2 | | YES | YES | NA |
| Rate speed increase in | 8.7.2.17.2 | 8.7.3.24 | | YES | YES | NA |
| Relief valve | | 8.7.3.24 | 8.7.6.1.2 | YES | YES | NA |
| Relocate escalator | | 072226 | 8.7.0.1.2 | YES | YES | NA |
| Relocate hydraulic machine | | 8.7.3.23.6 | 07622 | YES | YES | NA |
| Relocate moving walk | _ | 0747 | 8.7.6.2.2 | | SCUSSION INCLUSIVE | IVA |
| Repair | 8.7.1.7 | 8.7.1.7 | 8.7.1.7 | | | |
| Replacement | 8.7.1.7 | 8.7.1.7 | 8.7.1.7 | | SCUSSION INCLUSIVE | NΙΛ |
| Reroping | 8.7.2.21.1 | 8.7.3.25 | | YES | YES | NA |
| Restricted opening of doors | 8.7.2.11.5 | 8.7.2.11.5 | OPEN DISCUSSION | | V50 | D I A |
| Rise, increase or decrease in | 8.7.2.17.1 | 8.7.3.22.1 | | YES | YES | NA |
| Roller guide counterweights | 8.7.2.22 | 8.7.2.22 | OPEN DISCUSSION | NO | YES | ?? |
| Rooftop elevators | 8.7.5.6 | 8.7.5.6 | | YES | YES | NA |
| Rope, change material etc. | 8.7.2.21.1 | 8.7.3.25.1 | OPEN DISCUSSION | | | |
| Rope, governor | 8.7.2.19 | 8.7.3.16 | OPEN DISCUSSION | | | |
| Rope, replacement | 8.7.1.7 | 8.7.1.7 | OPEN DISCUSSION | | | |
| Rope, splicing of | 8.7.1.7 | 8.7.1.7 | OPEN DISCUSSION | | | |
| Rope, suspension | 8.7.2.21.1 | 8.7.3.25 | OPEN DISCUSSION | | | |
| Rope equalizer | 8.7.2.21.3 | 8.7.3.25.2 | OPEN DISCUSSION | | | |
| Runby | 8.7.2.4 | 8.7.3.4 | OPEN DISCUSSION | NO | YES | ?? |
| Runby after Reroping | 8.7.2.4 | 8.7.3.4 | OPEN DISCUSSION | NO | YES | ?? |
| Safeties | 8.7.2.18 | 8.7.3.15 | | YES | YES | NA |
| Safety devices | OPEN D | ISCUSSION | 8.7.6.1.13, 8.7.6.2.13 | NO | YES | ?? |
| Screw column elevators | 8.7.4.2 | | | YES | YES | NA |
| Service, change in type | 8.7.2.16.1 | 8.7.3.17 | | YES | YES | NA |
| Sheave, driving machine | 8.7.2.25.1 | 8.7.2.25.1 | | YES | YES | NA |
| Sheave, governor | 8.7.2.19 | 8.7.2.19 | OPEN DISCUSSION | | | |
| Sheave beam | 8.7.2.9 | 8.7.3.8 | OPEN DISCUSSION | YES | YES | NA |
| Shipboard elevators | 8.7.5.8 | | OPEN DISCUSSION | NO | YES | ?? |
| Shorten suspension ropes | 8.7.1.7 | 8.7.1.7 | CANADA ONLY ?? | | | |
| Sidewalk elevators | 8.7.5.5 | 8.7.5.5 | | YES | YES | NA |
| Sidewalk elevators | 0.7.3.3 | 5.7.5.5 | | | | |

| Signaling devices | 87.2.28 | 8.7.3.31.6 | | YES | YES | NA |
|--|---|----------------------|------------------------|-------------|-----------------|----|
| Signaling devices Skylight in machine room | 8.7.2.7.5 | 8.7.3.7 | OPEN DISCUSSION | | | |
| Sleeving | 0.7.2.7.3 | 8.7.3.23.3 | 012.10.000000 | YES | YES | NA |
| Smoke, control of | 8.7.2.1.5 | 8.7.2.1.5 | OPEN DISCUSSION | NO | YES | NA |
| Special purpose elevators | 8.7.5.7 | 017121210 | | YES | YES | NA |
| Speed, increase | 8.7.2.17.2 | 8.7.3.22.2 | | YES | YES | NA |
| Speed governor | 8.7.2.19 | 8.7.3.16 | OPEN DISCUSSION | NO | YES | ?? |
| Spring buffer | 8.7.2.27 | 8.7.3.27 | CHECK APX L LOOKS | LIKE THIS I | S MISSNUMBERED | |
| Step system | 0.7.2.27 | 01710127 | 8.7.6.1.7 | YES | YES | NA |
| Stop switch, in car | 8.7.2.14.5 | 8.7.3.13, 8.7.2.14.5 | CAR TOP RAILING??? | | | |
| Stop valve | 0.7.2.11.3 | 8.7.3.24 | | YES | YES | NA |
| Stopping device terminal | 8.7.2.26 | 8.7.3.30 | OPEN DISCUSSION | NO | YES | NA |
| Storage and discharge tank | 0.7.2.20 | 8.7.3.29 | OPEN DISCUSSION | NO | YES | ?? |
| Supply piping | | 8.7.3.24 | | YES | YES | NA |
| Support | 8.7.2.9 | 8.7.3.9 | OPEN DISCUSSION | YES | YES | |
| Suspension rope | 8.7.2.21.1 | 8.7.3.25 | OPEN DISCUSSION | | | |
| Suspension rope, replacement | 8.7.1.7 | 8.7.1.7 | OPEN DISCUSSION | | | |
| Suspension rope, splicing of | 8.7.1.7 | 8.7.1.7 | OPEN DISCUSSION | | | |
| Suspension rope, equalizer | 8.7.2.21.2 | 8.7.3.25.2 | OPEN DISCUSSION | | | |
| Swing type entrance | 8.7.2.10.4 | 8.7.2.10.4 | | YES | YES | NA |
| Tank | 0.7.2.20.7 | 8.7.3.29 | OPEN DISCUSSION | NO | YES | ?? |
| Temporary wiring | 8.7.1.6 | 8.7.1.6 | 8.7.1.6 | NO | OPEN DISCUSSION | |
| Terminal stopping device | 8.7.2.26 | 8.7.3.30 | OPEN DISCUSSION | | | |
| Testing | 8.7.1.3 | 8.7.1.3 | | CUSSION | | |
| Top of car operating device | 8.7.2.27.1 | 8.7.3.31.1 | | YES | YES | NA |
| Track system | 0171212712 | | 8.7.6.1.10, 8.7.6.2.10 | YES | YES | NA |
| Transfer devices, automatic | 8.7.7.2 | 8.7.7.2 | OPEN DISCUSSION | NO | YES | ?? |
| Travel, increase or decrease in | 8.7.2.17.1 | 8.7.3.22.1 | | YES | YES | NA |
| Treadway system | • | | 8.7.6.2.7 | YES | YES | NA |
| Truck zoning device | 8.7.2.27.2 | 8.7.3.31.2 | | NO | YES | ?? |
| Truss and girders | | | 8.7.6.1.9, 8.7.6.2.9 | YES | YES | NA |
| Type of operation change in | 8.7.2.27.6 | 8.7.3.31.5 | | YES | YES | NA |
| Type of service, change in | 8.7.2.16.1 | | | YES | YES | NA |
| Unlocking device HW door | 8.7.2.11.4 | 8.7.3.11 | OPEN DISCUSSION | | | |
| J.I.Johning device in a door | | | | | | |

| Valve | | 8.7.3.24 | | YES | YES | NA |
|------------------------------|--------------|--------------|-----------------|-----|-----------------|----|
| Ventilation of machine room | 8.7.2.7.7 | 8.7.2.7.7 | OPEN DISCUSSION | | | |
| Vertical slide type entrance | 8.7.2.10.3 | 8.7.2.10.3 | | YES | YES | NA |
| Voltage, change in | 8.7.2.27.3 | 8.7.3.31.4 | | YES | YES | NA |
| Walls, hoistway enclosure | 8.7.2.1.1 | 8.7.3.1 | OPEN DISCUSSION | YES | YES | NA |
| Welding | 8.7.1.4, 8.8 | 8.7.1.4, 8.8 | 8.7.1.4, 8.8 | NO | OPEN DISCUSSION | ?? |
| Window in machine room | 8.7.2.7.5 | 8.7.2.7.5 | OPEN DISCUSSION | | | |
| Wire rope | 8.7.2.21 | 8.7.3.25 | OPEN DISCUSSION | | | |
| Wiring | 8.7.2.8 | 8.7.3.8 | | YES | YES | NA |
| Wiring, temporary | 8.7.1.6 | 8.7.1.6 | 8.7.1.6 | NO | YES | NA |
| Working pressure increase in | | 8.7.3.23.4 | | YES | YES | NA |

NONMANDATORY APPENDIX L INDEX OF ALTERATION REQUIREMENTS FOR ELECTRIC ELEVATORS, HYDRAULIC ELEVATORS, ESCALATORS, AND MOVING WALKS

PERMITS REQUIRED FOR ALL ALTERATED ITEMAS LISTED

| | | Escalators and Moving Walks |
|----------------------|--|--|
| | | |
| | | 8.7.6.1.14, 8.7.6.2.14 |
| | | ••• |
| | | ••• |
| | | ••• |
| | | |
| | | 6.7.1.1 |
| | | ••• |
| | | ••• |
| ient 8.7.2.20 | | |
| | | |
| 8.7.7.2 | | ••• |
| ** | 8.7.3.31.9 | ••• |
| | | |
| 9730 | | 8.7.6.1.5(c), 8.7.6.2. |
| | 8.7.3.9 | ••• |
| | ••• | ••• |
| | | ••• |
| | 8.7.3.9 | ••• |
| 8.7.2.23 | 8.7.3.27 | |
| | | |
| | 8.7.3.25 | |
| | ••• | |
| | 8.7.3.21 | |
| | 8.7.3.13 | ••• |
| 8.7.2.14, 8.7.2.27.7 | | ••• |
| 8.7.2.15.1 | | ••• |
| 8.7.2.27.2 | | ••• |
| | | ••• |
| | | ••• |
| | | ••• |
| | | ••• |
| | 8.7.3.18 | |
| | 6.7.1.7 | |
| 8.7.2.4 | 8.7.3.4 | ••• |
| 8.7.2.5 | The state of the s | ••• |
| ••• | | ••• |
| 8.7.2.1.4 | | 8.7.6.1.8, 8.7.6.2.8 |
| | | ••• |
| | 8.7.2.1.3 | ••• |
| | ••• | 8.7.6.1.5, 8.7.6.2.5 |
| | | 0.7.0.1.3, 0.7.6.2.5 |
| | 8.7.3.11 | |
| 8.7.2.27.5 | | *** |
| | | *** |
| 8.7.2.27 | 8.7.3.31.7 | *** |
| | 8.7.3.31 | |
| | 0.7.5.51 | |
| 8.7.2.1.5 | 8.7.2.1.5 | |
| 8.7.2.1.5 | | *** |
| | 8.7.2.1.5 | *** |
| | 8.7.2.27.2 8.7.2.15.1 8.7.2.18 8.7.2.16.2 8.7.4.7 8.7.2.4 8.7.2.5 | Electric Elevators 8.7.2.7.3 8.7.2.7.3 8.7.2.7.3 8.7.2.7.2 8.7.2.11.4 8.7.2.1.2 8.7.2.1.2 8.7.2.1.2 8.7.2.1.2 8.7.2.1.1 8.7.2.27.3 8.7.2.27.3 8.7.2.27.3 8.7.2.2.1.2 8.7.3.31.4 8.7.3.31.3 8.7.3.31.3 8.7.3.31.3 8.7.3.31.3 8.7.3.31.9 ent 8.7.2.20 8.7.2.2 8.7.2.2 8.7.3.31.9 8.7.2.23 8.7.3.31.9 8.7.2.23 8.7.2.33 8.7.2.33 8.7.2.33 8.7.2.33 8.7.2.33 8.7.2.34 8.7.2.35 8.7.2.16 8.7.2.14 8.7.2.15.1 8.7.2.14 8.7.3.13 8.7.2.14, 8.7.2.27.7 8.7.3.14 8.7.2.15.1 8.7.3.14 8.7.3.15 8.7.3.14 8.7.3.15 8.7.3.16 8.7.3.16 8.7.3.17 8.7.3.18 8.7.3.18 8.7.3.19 8.7.3.19 8.7.3.19 8.7.3.11 8.7.3.11 8.7.3.12 8.7.3.13 8.7.3.14 8.7.3.15 8.7.3.14 8.7.3.15 8.7.3.16 8.7.3.16 8.7.3.17 8.7.3.18 8.7.3.18 8.7.3.19 8.7.3.19 8.7.3.19 8.7.3.10 8.7.3.11 8.7.3.11 8.7.3.12 8.7.3.13 8.7.3.14 8.7.3.15 8.7.3.14 8.7.3.15 8.7.3.16 8.7.3.16 8.7.3.17 8.7.3.18 8.7.3.19 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 8.7.3.11 |

| | Electric Elevators | Hydraulic Elevators | Escalators and Moving Walks |
|---|------------------------|---|-----------------------------|
| tem | LIEVALOIS | 2723 | |
| Counterweight, location and guarding of | 8.7.2.3 | 8.7.3.3 | |
| Counterweight, rod type | 8.7.2.22.2 | 8.7.3.15 | |
| Counterweight safeties | 8.7.2.18 | 8.7.3.23.3 | *** |
| Cylinder | | 0,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | |
| Cyanaci | 8.7.1.8 | 8.7.1.8 | 8.7.1.8 |
| Data plate, code | 8.7.2.15.2 | 8.7.3.21 | •• |
| Deadweight of car, increase or decrease in | 8.7.2.17.1 | 8.7.3.22.1 | 0.745 |
| Decrease in travel | 8.7.1.5 | 8.7.1.5 | 8.7.1.5 |
| Design | 8.7.2.27.3 | 8.7.3.31.4 | *** |
| Direct current, change to alternating | 8.7.2.14 | 8.7.3.13 | |
| Door, car | 8.7.2.10.1 | 8.7.3.10 | |
| Door, hoistway | 8.7.2.7.3 | 8.7.2.7.3 | ••• |
| Door, machine room | 8.7.2.12 | 8.7.3.12 | |
| Door, power operation of | 8.7.2.13 | 8.7.2.13 | |
| Doors, Reopening Device | 8.7.2.11.5 | 8.7.2.11.5 | |
| Doors, restricted opening | 8.7.2.25.1 | 8.7.3.23 | *** |
| Driving machine | 8.7.2.25.2 | 8.7.3.23.4 | |
| Driving machine, change in location of | 8.7.2.8 | 8.7.3.8 | •• |
| Duct in hoistway or machine room Dumbwaiter, addition of automatic transfer device | 8.7.7.2 | 8.7.7.2 | *** |
| Dumbwaiter, addition of automatic transfer devices | 8.7.7 | 8.7.7 | |
| Dumbwaiters without automatic transfer devices | | | |
| 1 | | 8.7.6.1.15 | |
| gress, escalator | 8.7.2.11.2 | 8.7.3.11 | 8.7.6.1.14, 8.7.6.2.14 |
| Electric contact, mechanical lock and | 8.7.2.8 | 8.7.3.8 | |
| Electric wiring | | 8.7.3.24 | • |
| Electrically operated control valve | 8.7.2.10.1 | 8.7.2.10.1 | •• |
| Emergency door | 8.7.2.28 | 8.7.3.31.8 | • |
| Emergency operation | 8.7.2.28 | 8.7.3.31.8 | • |
| Emergency signaling device | 8.7.2.14, 8.7.2.27.7 | 8.7.3.13 | · |
| Enclosure, car | 8.7.2.1 | 8.7.3.1 | - |
| Enclosure, hoistway | 8.7.2.7 | 8.7.2.7 | 6.1.7, 6.2.7 |
| nclosure, machine room and machinery spaces | 0., .2., | ••• | 8.7.6.1.15 |
| intrance, escalator and moving walk | 8.7.2.10 | 8.7.3.10 | |
| Entrance, hoistway | 8.7.2.10.2 | 8.7.2.10.2 | |
| ntrance, horizontal slide type | 8.7.2.10.4 | 8.7.2.10.4 | |
| intrance, swing type | 8.7.2.10.3 | 8.7.2.10.3 | |
| Entrance, vertical slide type | 8.7.2.10.5 | 8.7.2.10.5 | |
| ntrance assembly, marking of | 8.7.2.8 | 8.7.2.8 | ••• |
| quipment, non elevator | 0.7.2.0 | | |
| | 8.7.2.21 | 8.7.3.25 | |
| tening, Suspension rope | 8.7.2.26 | 8.7.2.26 | |
| inal terminal stopping device | | 8.7.3.31.6 | ••• |
| irefighters' service | 8.7.2.28 | 8.7.3.24 | |
| itting, hydraulic | | 8.7.3.8 | |
| Foundation . | 8.7.2.9 | | |
| | 8.7.2.15.1 | 8.7.3.14 | |
| Frame, car. Freight elevator, change in class of loading | 8.7.2.16.2 | 8.7.3.18 | *** |
| reight elevator changed to passenger service | 8.7.2.16.1 | 8.7.3.17 | *** |
| reight elevator changed to passenger service reight elevator permitted to carry passengers | 8.7.2.16.3 | 8.7.3.19 | ••• |
| requency, change in | 8.7.2.27.3 | 8.7.3.31.4 | |
| | 8.7.2.14 | 8.7.3.13 | |
| e, car | 8.7.1 | 8.7.1 | 8.7.6.1.1, 8.7.6.2.1 |
| Seneral requirements | *** | *** | 8.7.6.1.5(b), 8.7.6.2.5(b) |
| eometry | 8.7.2.19 | 8.7.3.16 | ••• |
| Governor | 8.7.2.19 | 8.7.3.16 | ••• |
| Sovernor rope | | 8.7.3.28 | |
| | 8.7.2.24 | | |
| Guide rail | | 2731/ | |
| Guide rail Guide shoe, car | 8.7.2.15.1 8.7.2.22 | 8.7.3.14 8.7.3.26 | ••• |

copyrighted material licensed

ASME A17.1-2016/CSA B44-16

| | | Electric | Hydraulic Elevators | Escalators and the Moving Walks |
|-------|---|---------------|------------------------|---------------------------------|
| | | Elevators | | |
| | Item | ••• | 8.7.4.3 | 8.7.6.1.6, 8.7.6.2.6 |
| | Hand elevators | *** | 8.7.2.7.4 | |
| | Hand elevators Handrails (escalators and moving walks) | 8.7.2.7.4 | 8.7.2.1.2 | ••• |
| | Headroom, machine room Hoistway, addition of elevator to | 8.7.2.1.2 | 8.7.2.1.4 | *** |
| | Hoistway, addition of extraction of Hoistway, construction at bottom of | 8.7.2.1.4 | 8.7.2.1.3 | ··· |
| | Hoistway, construction at top of | 8.7.2.1.3 | 8.7.3.6 | |
| | Hoistway, protection of space below | 8.7.2.6 | 8.7.3.12 | *** |
| | Hoistway door, power operation of | 8.7.2.12 | 8.7.3.11 | *** |
| | Hoistway door interlocks | 8.7.2.11.1 | 8.7.3.11 | ••• |
| | Hoistway door locking device | 8.7.2.11 | 8.7.3.11 | ••• |
| | Hoistway door unlocking device | 8.7.2.11.4 | 8.7.3.1 | |
| A | Hoistway enclosure | 8.7.2.1 | 8.7.3.10 | |
| - CON | Hoistway entrance | 8.7.2.10 | 8.7.2.10.2 | *** |
| 15 | Horizontal slide type entrance | 8.7.2.10.2 | | |
| - K | Horizontal side type | | 8.7.3.13 | |
| | Illumination in car | 8.7.2.14 | 8.7.5.1 | *** |
| ~ | Inclined elevators | 8.7.5.1 | ••• | 8.7.6.1.5(a), 8.7.6.2.5(a) |
| | Inclination, angle of | | 8.7.3.21 | ••• |
| | Increase in deadweight of car | 8.7.2.15.2 | 8.7.3.20 | |
| | Increase in rated load | 8.7.2.16.4 | 8.7.3.22.2 | |
| | Increase in rated speed | 8.7.2.17.2 | 8.7.3.22.1 | |
| | Increase III lated speed | 8.7.2.17.1 | 8.7.3.23.4 | |
| | Increase in travel | | | *** |
| | Increase in working pressure | 8.7.1.3 | 8.7.1.3 | |
| | Inspection | 8.7.2.11.1 | 8.7.3.11 | |
| | Interlock | | | |
| ~ | | ••• | 8.7.3.23 | |
| K. | Jack, hydraulic | | | |
| | Lib. | 8.7.2.10.5 | 8.7.2.10.5 | |
| - | Labeling of entrance assembly | 8.7.2.27.2 | 8.7.3.31.2 | ··· NED |
| | Leveling device | 8.7.2.14.2(f) | 8.7.3.13 | 07/44/07/91/ |
| | Lighting in car | | ••• | 8.7.6.1.14, 8.7.6.2.14 |
| | Lighting of escalator and moving walk | 87776 | 8.7.2.7.6 | ••• |
| | Lighting of machine room | 8.7.2.16.4 | 8.7.3.20 | ••• |
| | Load, increase in | 8.7.2.16.2 | 8.7.3.18 | |
| | Loading change in class of | 8.7.2.25.2 | 8.7.3.23.4 | |
| | Location of driving machine, change of | 0.1.2.23.2 | 8.7.3.23.5 | ••• |
| | Leasting of hydraulic lack, change of | ••• | 8.7.3.23.6 | ••• |
| | Location of hydraulic machine (power unit), | ••• | 0.7.5125.0 | |
| | | | D 7 7 4 4 | |
| | change of | 8.7.2.11.2 | 8.7.3.11 | ••• |
| | Lock and contact | 8.7.2.11 | 8.7.3.11 | *** |
| | Locking device, hoistway door | | | |
| | | 8.7.2.7 | 8.7.3.7 | |
| A | Machine room | 8.7.2 | 8.7.3 | 8.7.6.1.12, 8.7.6.2.12 |
| | Machinery and equipment | 8.7.2.7 | 8.7.3.7 | ••• |
| | Machinery space | | 8.7.2.10.5 | |
| | Marking of entrance assembly | 8.7.2.10.5 | | MAT A EMPLY TO |
| - | Material lift with automatic transfer device | 8.7.7.3 | 8.7.7.3 | NOT REGOLATE |
| 1 | | 8.7.2.7.2 | 8.7.2.7.2 | |
| | Means of access to machine room | 8.7.2.11.2 | 8.7.3.11 | *** |
| | Mechanical lock and electric contact | | 8.7.3.24 | ••• |
| | Mechanically operated control valve | | 8.7.3.31.6 | |
| | Motion control, change of | 8.7.2.27.5 | | 8.7.6.2 |
| | Moving walks | *** | *** | OII IOIE |
| | Moving water | | | |
| | larged terminal stanning design | 8.7.2.26 | 8.7.3.30 | ••• |
| N | formal terminal stopping device | 8.7.2.1.2 | 8.7.2.1.2 | ••• |
| | Number of elevators per hoistway | 0.7 .2.1.2 | | |
| | | 07700 | 8.7.3.27 | |
| 0 | il buffer | 8.7.2.23 | | |
| | Operating device | 8.7.2.27 | 8.7.3.31 | *** |
| | | 8.7.2.27.1 | 8.7.3.31.1 | ••• |
| | | | | |
| | Operating device, top of car Operation control, change in type of | 8.7.2.27.6 | 8.7.3.31.7 | *** |

| | Electric Elevators | Hydraulic Elevators | Escalators and Moving Walks | licensed to Pam |
|--|--------------------------|------------------------|-----------------------------|------------------------------------|
| Item | | 8.7.3.11 | ••• | Johnson |
| Parking device | 8.7.2.11.3 8.7.2.16.1 | 8.7.3.17 | ••• | son |
| a service changed to treight service | 8.7.2.16.1 | 8.7.3.19 | | 9 |
| Passenger elevator changes to Passengers, carrying of on freight elevators | | 8.7.3.31.8 | ••• | 2018-03-26 |
| Phase I and II operation | 8.7.2.28 | 8.7.3.31.4 | ••• | 18-0 |
| Dhaces change in number of | 8.7.2.27.3 | 8.7.3.8 | ••• | 2-20 |
| Pipe in hoistway or machine room | 8.7.2.8 | 8.7.3.24 | | 5 |
| Piping supply | *** | 8.7.3.23.2 | | for |
| | *** | | • | Ticensee's use |
| Piston | 8.7.2.2 | 8.7.3.2 | | ens |
| Pit | 8.7.2.15.1 | 8.7.3.14 | | 66. |
| R Platform, car | *** | 8.7.3.23.2 | •• | E . |
| Plunger | 8.7.2.12 | 8.7.3.12 | ••• | ĕ |
| Power operation of hoistway door | 8.7.2.27.3 | 8.7.3.31.4 | •• | only. |
| Power supply, change in | | 8.7.3.23.6 | *** | |
| Power unit (hydraulic machine) | | 8.7.3.29 | •• | 8 |
| Pressure tank | | 8.7.3.23.4 | ••• | fur |
| Pressure, working, increase of | 07245 | 8.7.3.1 | | the |
| Pressurization of hoistway | 8.7.2.1.5 | ••• | 8.7.6.1.3, 8.7.6.2.3 | 7 |
| Protection of floor openings | | 8.7.3.6 | | nda. |
| posterior of space below hoistway | 8.7.2.6 | | 8.7.6.1.4, 8.7.6.2.4 | odu |
| Protection of truss and machinery spaces ago | ainst | - | | further reproduction or networking |
| | 8741 | | | 2 |
| Rack and pinion | 8.7.4.1 | 8.7.3.20 | 8.7.6.1.11, 8.7.6.2.11 | et |
| Rated load, increase in | 8.7.2.16.4 | 8.7.3.22.3 | | ork |
| Rated speed, decrease in | 8.7.2.17.3 | | ••• | ing |
| Rated speed, increase in | 8.7.2.17.2 | 8.7.3.22.2 | | 15 |
| | | 8.7.3.24 | 8.7.6.1.2 | 7 |
| Relief valve | | ••• | 8.7.0.1.2 | |
| Relocation of escalator | | 8.7.3.23.6 | ••• | |
| Relocation of hydraulic machine | | | 8.7.6.2.2 | |
| Relocation of moving walk | 9717 | 8.7.1.7 | | |
| Repair | 011 12-11 | 8717 | 8.7.1.7 | |
| Penlacement | 8717 | 8.7.3.25 | | |
| W. Reroping | 8.7.2.21.1 | 8.7.2.11.5 | | |
| Restricted opening of doors | 8.7.2.11.5 | | | |
| Restricted opening of doors | 8.7.2.17.1 | 8.7.3.22.1 | | |
| Rise, increase or decrease in | 8.7.2.22 | 8.7.2.22 | ••• | |
| Roller guide shoe, counterweight | 8.7.5.6 | 8.7.5.6 | ••• | |
| Roof top elevators | | 8.7.3.25.1 | | |
| Rope, change in material, grade, number, or | 0.7.2.21.1 | | | por men |
| diameter | 8,7,2,19 | 8.7.3.16 | | |
| Rope, governor | 8.7.1.7 | 8.7.1.7 | 10 | |
| Rope, replacement of | 8.7.1.7 | 8.7.1.7 | ••• | |
| Rope, splicing of | | 8.7.3.25 | | |
| Rope, suspension MACCO | 8.7.2.21.1 | | | |
| Nope, suspension | 8.7.2.21.3 | 8.7.3.25.2 | | |
| Rope equalizer | 8.7.2.4 | 8.7.3.4 | *** | |
| Runby | 0724 | 8.7.3.4 | | |
| Runby, after reroping | | | | |
| | | 8.7.3.15 | | |
| R Safeties | 8.7.2.18 | 0.7.3.13 | 8.7.6.1.13, 8.7.6.2.13 | |
| | | ••• | 0.7.0.1.125, 0.7.13.1.12 | |
| Safety devices | 8.7.4.2 | | | |
| Screw column elevators | 8.7.2.16.1 | 8.7.3.17 | | |
| Service, change in type of | | 8.7.2.25.1 | ••• | |
| Sheave, driving machine | 8.7.2.25.1 | | | |
| | 8.7.2.19 | 8.7.2.19 | *** | . ^ |
| Sheave, governor | 8.7.2.9 | 8.7.3.8 | *** | NOT KED |
| Sheave beam | 9.7.5.R. | | | Not REQ |
| Shipboard elevators | | 0747 | 101 | |
| Shortening of suspension rope | 8.7.1.7 | 8.7.1.7 | | |
| Shortening or Suspension rope | 8.7.5.5 | 8.7.5.5 | ••• | |
| O et tour lle eleventeur | 8.7.2.28 | 8.7.3.31.6 | ••• | |
| 2 Sidewalk elevators | | | | |
| Sidewalk elevators Signaling device | | 2737 | *** | |
| Sidewalk elevators Signaling device | 8.7.2.7.5 | 8.7.3.7 | | |
| Sidewalk elevators Signaling device Skylight in machine room | 8.7.2.7.5 | 8.7.3.23.3 | | |
| Sidewalk elevators Signaling device Skylight in machine room Sieeving | 8.7.2.7.5 | | | |
| Sidewalk elevators Signaling device Skylight in machine room | 8.7.2.7.5 | 8.7.3.23.3 | ••• | |

ASME A17.1-2016/CSA B44-16

| | | Electric Elevators | Hydraulic Elevators | Escalators and Moving Walks |
|------|---------------------------------|-----------------------|------------------------|--------------------------------|
| | Item | 8.7.2.17.2 | 8.7.3.22.2 | ••• |
| | Speed, increase in | 8.7.2.19 | 8.7.3.16 | |
| | Speed governor | 8.7.2.27 | 8.7.3.27 | |
| | Spring buffer | | | 8.7.6.1.7 |
| | Step system | 8.7.2.14.5 | 8.7.3.13, 8.7.2.14.5 | ••• |
| | Stop switch, in-car | 500 NETE 110 | 8.7.3.24 | ••• |
| | Stop valve | 8.7.2.26 | 8.7.3.30 | ••• |
| | Stopping device, terminal | | 8.7.3.29 | |
| | Storage and discharge tank | | 8.7.3.24 | |
| | Supply piping | 8.7.2.9 | 8.7.3.9 | ••• |
| | Support | 8.7.2.21.1 | 8.7.3.25 | *** |
| | Suspension rope | 8.7.1.7 | 8.7.1.7 | ••• |
| | Suspension rope, replacement of | 8.7.1.7 | 8.7.1.7 | ••• |
| | Suspension rope, splicing of | 8.7.2.21.2 | 8.7.3.25.2 | |
| | Suspension rope equalizer | 8.7.2.10.4 | 8.7.2.10.4 | |
| | Swing type entrance | 0./.2.10.4 | | |
| | | | 8.7.3.29 | ••• |
| . 1. | Tank | 8716 | 8.7.1.6 | 8.7.1.6 |
| * | Temperary wiring | 8.7.2,26 | 8.7.3.30 | *** |
| C. | Terminal stopping device | 8.7.1.3 | 8.7.1.3 | 8.7.1.3 |
| * | Testing | 8.7.2.27.1 | 8.7.3.31.1 | |
| , | Top of car operating device | | | 8.7.6.1.10, 8.7.6.2.10 |
| | Track system | 0.77.2 | B.7.7.2 | *** |
| | Transfer devices, automatic | 8.7.7.2 | 8.7.3.22.1 | |
| | Travel, increase or decrease in | 8.7.2.17.1 | 0.7.5.22.1 | 8.7.6.2.7 |
| | Treadway system | | 07777 | 6.7.0.2.7 |
| | Truck zoning device | 8.7.2.27.2 | 8.7.3.31.2 | |
| | Trusses and girders | | *** | 8.7.6.1.9, 8.7.6.2.9 |
| | Type of copying change in | 8.7.2.27.6 | 8.7.3.31.5 | ••• |
| | Type of service, change in | 8.7.2.16.1 | *** | |
| | Unlocking device, hoistway door | 8.7.2.11.4 | 8.7.3.11 | |
| | Valve | | 8.7.3.24 | |
| | Ventilation of machine room | 8.7.2.7.7 | 8.7.2.7.7 | |
| | | 8.7.2.10.3 | 8.7.2.10.3 | |
| | Vertical slide type entrance | | 8.7.3.31.4 | ••• |
| | Voltage, change in | 8.7.2.27.3 | 0.7.5.51.4 | *** |
| | Walls, hoistway enclosure | 8.7.2.1.1 | 8.7.3.1 | |
| * | Welding | 8.7.1.4, 8.8 | 8.7.1.4, 8.8 | 8.7.1.4, 8.8 |
| | Window in machine room | 8.7.2.7.5 | 8.7.2.7.5 | ••• |
| | Wire rope | 8.7.2.21 | 8.7.3.25 | ••• |
| | Wiring | 8.7.2.8 | 8.7.3.8 | |
| | | 8.7.1.6 | 8.7.1.6 | 8716 |
| | Wiring, temporary | 01/11/0 | | 01/12/0 |
| . 1 | Working pressure, increase in | ••• | 8.7.3.23.4 | *** |