

**FIRE PREVENTION AND BUILDING SAFETY COMMISSION  
RULEMAKING DOCKET<sup>1</sup>**

LSA DOCUMENT No. 24-566

Rule Readoption

<b>Subject Matter of the Rule</b>			
<p>Readopts without changes to the following rules: (1) 675 IAC 14-4.4 2020 Indiana Residential Code, (2) 675 IAC 17-1.8 Indiana Electrical Code, 2009 Edition, (3) 675 IAC 20 Swimming Pool Code, (4) 675 IAC 23-1 Amusement Device Code, (5) 675 IAC 30 Indiana Boiler and Pressure Vessel Rules</p> <p>Repeals the following rule: 675 IAC 24-1 Migrant Day Care Nursery Fire Safety Code</p> <p>These rules have been readopted in recognition of their ongoing necessity to ensure the safety of the subject matter they address.</p>			
<b>Notices and Documents Related to the Proposed Rule</b>			
Regulatory Analysis	<a href="#">20250903-IR-675240566RAA</a>		
Notice of First Public Comment Period (includes copy of proposed rule)	<a href="#">20250903-IR-675240566RNA</a>		
Notice of Public Hearing			
Public Comments			
Agency Response to Public Comments			
Final Rule			
<b>Comments</b>			
<p>Public comments may be made until the close of business on October 3, 2025, by the following methods:</p> <table style="width:100%; border:none;"><tr><td style="width:50%; vertical-align:top;"><b>1. Email to:</b> buildingcommission@dhs.in.gov</td><td style="width:50%; vertical-align:top;"><b>2. Mail/Hand Delivery to:</b> Fire Prevention Building Safety Commission C/O Kaitlin O'Neill - IDHS Indiana Government Center South, Room E208 302 W. Washington St., Indianapolis, IN 46204</td></tr></table> <p>The subject line of the email or letter shall state: Public Comment on LSA Doc #24-566</p>		<b>1. Email to:</b> buildingcommission@dhs.in.gov	<b>2. Mail/Hand Delivery to:</b> Fire Prevention Building Safety Commission C/O Kaitlin O'Neill - IDHS Indiana Government Center South, Room E208 302 W. Washington St., Indianapolis, IN 46204
<b>1. Email to:</b> buildingcommission@dhs.in.gov	<b>2. Mail/Hand Delivery to:</b> Fire Prevention Building Safety Commission C/O Kaitlin O'Neill - IDHS Indiana Government Center South, Room E208 302 W. Washington St., Indianapolis, IN 46204		
<b>Public Hearing</b>			
<p><b>Date and Time:</b> <b>Ways to Attend:</b></p> <table style="width:100%; border:none;"><tr><td style="width:50%; vertical-align:top;"><b>In Person</b> Indiana Government Center South 302 W. Washington St. Indianapolis, IN 46204</td><td style="width:50%; vertical-align:top;"><b>Virtually via Microsoft Teams</b> Link: Dial In #: Passcode/ID:</td></tr></table>		<b>In Person</b> Indiana Government Center South 302 W. Washington St. Indianapolis, IN 46204	<b>Virtually via Microsoft Teams</b> Link: Dial In #: Passcode/ID:
<b>In Person</b> Indiana Government Center South 302 W. Washington St. Indianapolis, IN 46204	<b>Virtually via Microsoft Teams</b> Link: Dial In #: Passcode/ID:		
<b>Relevant Scientific and Technical Findings</b>			
None			
<b>Timetable For Action</b>			
Date of publishing proposed rule and notice of public hearing	September 3, 2025		
Deadline to submit written comments	October 3, 2025		
Date of first public hearing			
Date of adoption of final rule			

<sup>1</sup> Document/Docket last updated: September 23, 2025.

Approved by Attorney General	
Approved by Governor	
Effective date	