

Indiana County Endangered, Threatened and Rare Species List
County: Jasper



| Species Name | Common Name | FED | STATE | GRANK | SRANK |
|--|------------------------------------|-----|-------|-------|-------|
| Crustacean: Malacostraca | | | | | |
| Caecidotea beattyi | An Isopod | | | G3G4 | S1 |
| Mollusk: Bivalvia (Mussels) | | | | | |
| Plethobasus cyphus | sheepnose | E | SE | G2G3 | S1 |
| Insect: Hymenoptera | | | | | |
| Anthidiellum notatum | eastern carder bee | | ST | G5 | S2 |
| Anthidium psoraleae | a wool-carder bee | | ST | G3G4 | S2 |
| Bombus affinis | Rusty-patched Bumble Bee | E | SE | G2 | S1 |
| Bombus vagans | Half-black Bumble Bee | | ST | G4 | S2 |
| Hoplitis spoliata | robber mason bee | | ST | G5 | S2 |
| Lasioglossum lustrans | Carolina desert chickory sweat bee | | SR | GNR | S3 |
| Lasioglossum macoupinense | Macoupin County sweat bee | | SR | G5 | S3 |
| Lasioglossum smilacinae | Mayflower sweat bee | | SR | GNR | S3 |
| Lasioglossum taylorae | Taylor's sweat bee | | ST | GNR | S2 |
| Lasioglossum timothyi | Timothy's sweat bee | | SR | G5 | S3 |
| Megachile rugifrons | a leafcutter bee | | ST | G2G3 | S2 |
| Sphecodes fattigi | a sweat bee | | ST | GNR | S2 |
| Insect: Lepidoptera (Butterflies & Moths) | | | | | |
| Aethes patricia | Patricia's Cochylid moth | | ST | G3G4 | S2S3 |
| Aethes ringsi | Rings' cochylid moth | | SE | G3G4 | S1 |
| Ancylis semiovana | New Jersey tea leaf-tier | | SR | GNR | S2S3 |
| Apamea nigrior | black-dashed apamea | | ST | G5 | S2 |
| Atrytonopsis hianna | Dusted Skipper | | SR | G4G5 | S2S3 |
| Callophrys irus | Frosted Elfyn | C | SE | G3 | S1S2 |
| Caradrina multiferla | dune rustic | | ST | GNR | S1S2 |
| Dichagyris acclivis | buff-edge Quaker | | ST | G4G5 | S2 |
| Digrammia eremiata | Goat's rue looper | | SR | G4 | S2S3 |
| Digrammia mellistrigata | yellow-striped angle | | SR | G5 | S3 |
| Euchloe olympia | Olympia Marble | | SR | G5 | S2S3 |
| Feltia manifesta | record keeper | | SR | G4 | S3S4 |
| Grammia figurata | figured grammia | | SR | G5 | S3 |
| Hadena capsularis | starry campion capsule moth | | SR | G5 | S2 |
| Hemaris gracilis | blueberry clearwing sphinx | | ST | G3G4 | S1S2 |
| Hesperia leonardus | Leonard's Skipper | | SR | G4 | S2S3 |
| Hesperia metea | Cobweb Skipper | | SR | G4 | S2S3 |
| Hesperia ottoe | Ottoe Skipper | | SE | G3 | S1 |
| Hesperia sassacus | Indian Skipper | | SR | G5 | S2S3 |
| Himella fidelis | intractable Quaker moth | | SR | GNR | S3S4 |
| Leucania inermis | unarmed wainscot | | ST | G5 | S2 |

Indiana Natural Heritage Data Center
 Division of Nature Preserves
 Indiana Department of Natural Resources
 This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Jasper



| Species Name | Common Name | FED | STATE | GRANK | SRANK |
|---------------------------------|--------------------------------|------|-------|-------|---------|
| Macalla zelleri | Zeller's epipaschia | | SR | GNR | S4 |
| Notodonta scitipennis | finned-willow prominent | | ST | G5 | S1S2 |
| Papaipema beeriana | Beer's blazing star borer moth | | ST | G3? | S1S3 |
| Papaipema speciosissima | royal fern borer moth | | ST | G3G4 | S3S4 |
| Phaneta striatana | striated phaneta moth | | SR | G5 | S4 |
| Photodes includens | included photedes | | ST | G4 | S1 |
| Problema byssus | Bunchgrass Skipper | | ST | G4 | S1S2 |
| Speyeria idalia | Regal Fritillary | C | SE | G3? | S1S2 |
| Virbia opella | tawny virbia | | SR | G5 | S3S4 |
| Fish | | | | | |
| Moxostoma valenciennesi | Greater Redhorse | | SE | G4 | S2 |
| Amphibian | | | | | |
| Ambystoma laterale | blue-spotted salamander | | SSC | G5 | S2 |
| Lithobates blairi | plains leopard frog | | SE | G5 | S2 |
| Reptile | | | | | |
| Clemmys guttata | spotted turtle | C | SE | G5 | S2 |
| Emydoidea blandingii | Blanding's turtle | C | SE | G4 | S2 |
| Kinosternon subrubrum subrubrum | eastern mud turtle | | SE | G5T5 | S1 |
| Ophedrys vernalis | smooth green snake | | SE | G5 | S2 |
| Sistrurus catenatus | eastern massasauga | T | SE | G3 | S2 |
| Terrapene ornata ornata | plains box turtle | | SE | G5T5 | S1 |
| Thamnophis proximus proximus | western ribbon snake | | SSC | G5T5 | S3 |
| Bird | | | | | |
| Antigone canadensis | sandhill crane | | SSC | G5 | S2B,S1N |
| Bartramia longicauda | Upland Sandpiper | | SE | G5 | S3B |
| Centronyx henslowii | Henslow's sparrow | | SE | G4 | S3B |
| Certhia americana | Brown Creeper | | | G5 | S2B |
| Circus hudsonius | Northern Harrier | | SE | G5 | S2 |
| Cistothorus palustris | marsh wren | | SE | G5 | S3B |
| Cistothorus platensis | sedge wren | | SE | G5 | S3B |
| Colinus virginianus | Northern Bobwhite | | SSC | G4G5 | S4 |
| Falco peregrinus | Peregrine Falcon | | SSC | G4 | S2B |
| Grus americana | Whooping Crane | E,XN | SE | G1 | S1N,S1M |
| Haliaeetus leucocephalus | bald eagle | | | G5 | S3 |
| Ixobrychus exilis | Least Bittern | | SE | G3G4 | S3B |
| Lanius ludovicianus | loggerhead shrike | | SE | G4 | S2B |
| Mniotilta varia | Black-and-white Warbler | | SSC | G5 | S1S2B |
| Nycticorax nycticorax | Black-crowned Night-heron | | SE | G5 | S1B |
| Pandion haliaetus | Osprey | | SSC | G5 | S1B |

Indiana Natural Heritage Data Center
 Division of Nature Preserves
 Indiana Department of Natural Resources
 This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Jasper



| Species Name | Common Name | FED | STATE | GRANK | SRANK |
|------------------------------------|---------------------------------|-----|-------|--------|-------|
| <i>Rallus limicola</i> | Virginia Rail | | SE | G5 | S3B |
| <i>Vermivora chrysoptera</i> | Golden-winged Warbler | C | SE | G4 | S1B |
| <i>Wilsonia canadensis</i> | Canada Warbler | | | G5 | S2B |
| Mammal | | | | | |
| <i>Geomys bursarius</i> | plains pocket gopher | | SSC | G5 | S2 |
| <i>Myotis sodalis</i> | Indiana myotis | E | SE | G2 | S1 |
| <i>Taxidea taxus</i> | badger | | SSC | G5 | S2 |
| Vascular Plant | | | | | |
| <i>Agalinis auriculata</i> | earleaf foxglove | | ST | G3 | S2 |
| <i>Androsace occidentalis</i> | western rockjasmine | | ST | G5 | S2 |
| <i>Aralia hispida</i> | bristly sarsaparilla | | SE | G5 | S1 |
| <i>Calopogon oklahomensis</i> | Oklahoma grass-pink | | SX | G2 | SX |
| <i>Capnoides sempervirens</i> | pale corydalis | | SE | G5 | S1 |
| <i>Carex conoidea</i> | prairie gray sedge | | ST | G5 | S2 |
| <i>Carex inops ssp. heliophila</i> | sun sedge | | SE | G5T5 | S1 |
| <i>Carex straminea</i> | straw sedge | | ST | G5 | S2 |
| <i>Cirsium hillii</i> | Hill's thistle | | SE | G3 | S1 |
| <i>Cyperus dentatus</i> | toothed sedge | | SE | G4 | S1 |
| <i>Danthonia compressa</i> | flattened oatgrass | | SE | G5 | SU |
| <i>Dendrolycopodium hickeyi</i> | Hickey's clubmoss | | ST | G5 | S3 |
| <i>Dichanthelium boreale</i> | northern witchgrass | | ST | G5 | S3 |
| <i>Dichanthelium deamii</i> | Deam's panic-grass | | SE | GNR | SU |
| <i>Dichanthelium leibergii</i> | Leiberg's witchgrass | | ST | G4 | S2 |
| <i>Digitaria filiformis</i> | slender crabgrass | | ST | G5 | S2? |
| <i>Diphasiastrum tristachyum</i> | deep-root clubmoss | | ST | G5 | S2 |
| <i>Drosera intermedia</i> | spoon-leaved sundew | | ST | G5 | S3 |
| <i>Eleocharis melanocarpa</i> | black-fruited spike-rush | | ST | G4 | S2 |
| <i>Eleocharis microcarpa</i> | small-fruited spike-rush | | SE | G5 | S1 |
| <i>Eleocharis robbinsii</i> | Robbins' spike-rush | | ST | G4G5 | S2 |
| <i>Fimbristylis puberula</i> | Carolina fimbry | | SE | G5 | S1 |
| <i>Gentiana alba</i> | yellow gentian | | ST | G4 | S3 |
| <i>Gentiana puberulenta</i> | downy gentian | | SE | G4G5 | S1 |
| <i>Geranium bicknellii</i> | Bicknell's northern cranesbill | | SE | G5 | S1 |
| <i>Hypericum adpressum</i> | creeping St. John's-wort | | ST | G3 | S2 |
| <i>Juncus pelocarpus</i> | brown-fruited rush | | SE | G5 | S1 |
| <i>Liatris pycnostachya</i> | cattail gay-feather | | SE | G5 | S1 |
| <i>Linum intercursum</i> | sandplain flax | | SE | G4 | S1 |
| <i>Linum sulcatum</i> | grooved yellow flax | | ST | G5 | S3 |
| <i>Lithospermum parviflorum</i> | shaggy false-gromwell | | SE | G4G5T4 | S1 |
| <i>Ludwigia sphaerocarpa</i> | globe-fruited false-loosestrife | | SE | G5 | S1 |

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Jasper



| Species Name | Common Name | FED | STATE | GRANK | SRANK |
|---------------------------------------|----------------------------|-----|-------|--------|-------|
| <i>Lycopodiella inundata</i> | northern bog clubmoss | | SE | G5 | S1 |
| <i>Lycopus amplexens</i> | sessile-leaved bugleweed | | SE | G5 | S1 |
| <i>Mikania scandens</i> | climbing hempweed | | SE | G5 | S1 |
| <i>Myriophyllum pinnatum</i> | cutleaf water-milfoil | | SE | G5 | S1 |
| <i>Myriophyllum verticillatum</i> | whorled water-milfoil | | ST | G5 | S3 |
| <i>Panicum verrucosum</i> | warty panic-grass | | ST | G4 | S2 |
| <i>Perideridia americana</i> | eastern eulophus | | SE | G4 | S1 |
| <i>Persicaria careyi</i> | Carey's smartweed | | ST | G4 | S2 |
| <i>Persicaria opelousana</i> | northeastern smartweed | | ST | G5TNRQ | S2 |
| <i>Persicaria setacea</i> | swamp smartweed | | SE | G5 | S1 |
| <i>Phemeranthus rugospermus</i> | prairie fame-flower | | SE | G3G4 | S1 |
| <i>Platanthera ciliaris</i> | yellow-fringe orchid | | SE | G5 | S1 |
| <i>Poa wolfii</i> | Wolf's bluegrass | | ST | G4 | S3 |
| <i>Polytaenia nuttallii</i> | prairie parsley | | SE | G5 | S1 |
| <i>Potamogeton bicipulatus</i> | snail-seed pondweed | | SE | G4 | S1 |
| <i>Potamogeton pulcher</i> | spotted pondweed | | ST | G5 | S2 |
| <i>Potamogeton strictifolius</i> | straight-leaf pondweed | | ST | G5 | S2 |
| <i>Prenanthes aspera</i> | rough rattlesnake-root | | ST | G4? | S3 |
| <i>Prunus pensylvanica</i> | fire cherry | | ST | G5 | S3 |
| <i>Rhynchospora macrostachya</i> | tall beaked-rush | | ST | G4 | S3 |
| <i>Rhynchospora recognita</i> | globe beaked-rush | | SE | G5? | S1 |
| <i>Rhynchospora scirpoides</i> | long-beaked baldrush | | ST | G4 | S3 |
| <i>Rorippa aquatica</i> | lake cress | | SE | G4? | S1 |
| <i>Sabatia campanulata</i> | slender marsh pink | | SX | G5 | SX |
| <i>Schoenoplectiella purshiana</i> | weakstalk bulrush | | ST | G4G5 | S3 |
| <i>Schoenoplectus torreyi</i> | Torrey's Bulrush | | SE | G5? | S1 |
| <i>Scleria muehlenbergii</i> | Muehlenberg's nutrush | | SE | G5 | S1 |
| <i>Scleria reticularis</i> | reticulated nutrush | | ST | G4 | S2 |
| <i>Sisyrinchium montanum</i> | strict blue-eyed-grass | | SE | G5 | S1 |
| <i>Sparganium androcladum</i> | branching bur-reed | | ST | G4G5 | S2 |
| <i>Symphotrichum sericeum</i> | western silvery aster | | ST | G5 | S2 |
| <i>Utricularia geminiscapa</i> | hidden-fruited bladderwort | | SE | G4G5 | S1 |
| <i>Utricularia radiata</i> | small swollen bladderwort | | SE | G4 | S1 |
| <i>Utricularia subulata</i> | zigzag bladderwort | | ST | G5 | S2 |
| <i>Veratrum virginicum</i> | Virginia bunchflower | | SE | G5 | S1 |
| <i>Viola pedatifida</i> | prairie violet | | ST | G5 | S2 |
| <i>Viola primulifolia</i> | primrose-leaf violet | | ST | G5 | S3 |
| <i>Xyris difformis</i> | Carolina yellow-eyed grass | | ST | G5 | S2 |
| High Quality Natural Community | | | | | |
| Forest - flatwoods dry | Dry Flatwoods | | SG | G2? | S2 |

Indiana Natural Heritage Data Center
 Division of Nature Preserves
 Indiana Department of Natural Resources
 This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
 State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant
 GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
 SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked

Indiana County Endangered, Threatened and Rare Species List

County: Jasper



| Species Name | Common Name | FED | STATE | GRANK | SRANK |
|--|----------------------------|-----|-------|-------|-------|
| Prairie - mesic | Mesic Prairie | | SG | G2 | S2 |
| Prairie - sand dry | Dry Sand Prairie | | SG | G3 | S2 |
| Prairie - sand dry-mesic | Dry-mesic Sand Prairie | | SG | G3 | S3 |
| Prairie - sand wet-mesic | Wet-mesic Sand Prairie | | SG | G1? | S2 |
| Rhynchospora capitellata - Rhexia virginica - Rhynchospora scirpoides - Schoenoplectiella hallii Marsh | Inland Coastal Plain Marsh | | SG | G2? | S1 |
| Savanna - sand dry | Dry Sand Savanna | | SG | G2? | S2 |
| Savanna - sand dry-mesic | Dry-mesic Sand Savanna | | SG | G2? | S2S3 |
| Wetland - flat muck | Muck Flat | | SG | G2 | S2 |
| Wetland - flat sand | Sand Flat | | SG | G2 | S1 |
| Other Significant Feature | | | | | |
| Migratory Bird Concentration Area | | | SG | G3 | SNR |

Indiana Natural Heritage Data Center
Division of Nature Preserves
Indiana Department of Natural Resources
This data is not the result of comprehensive county surveys.

Fed: E = Endangered; T = Threatened; C = candidate; PDL = proposed for delisting
State: SE = state endangered; ST = state threatened; SR = state rare; SSC = state species of special concern; SX = state extirpated; SG = state significant
GRANK: Global Heritage Rank: G1 = critically imperiled globally; G2 = imperiled globally; G3 = rare or uncommon globally; G4 = widespread and abundant globally but with long-term concerns; G5 = widespread and abundant globally; G? = unranked; GX = extinct; Q = uncertain rank; T = taxonomic subunit rank
SRANK: State Heritage Rank: S1 = critically imperiled in state; S2 = imperiled in state; S3 = rare or uncommon in state; S4 = widespread and abundant in state but with long-term concern; SG = state significant; SH = historical in state; SX = state extirpated; B = breeding status; SU = unranked; SNR = unranked; SNA = nonbreeding status unranked