

INDIANA DEPARTMENT OF CONSERVATION

Donald E. Foltz, Director

BULLETIN NO. 30

OF THE

DIVISION OF WATER RESOURCES

Charles H. Bechert, Director

GROUND-WATER LEVELS IN INDIANA

1955 - 1962

BY

Robert J. Southwood

U. S. GEOLOGICAL SURVEY

Prepared by the

GEOLOGICAL SURVEY

UNITED STATES DEPARTMENT OF THE INTERIOR

In cooperation with the

DIVISION OF WATER RESOURCES

INDIANA DEPARTMENT OF CONSERVATION

1964

CONTENTS

Introduction-----	Page
Purpose and scope-----	1
Previous records-----	1
Well-designation system-----	1
Water-level measurement-----	3
Cause of water-level fluctuations-----	3
Water-level records-----	3
Records of water levels in Indiana observation wells in U. S. Geological Survey Water-Supply Papers-----	5
Publications of cooperative ground-water program-----	118
	119

ILLUSTRATIONS

Figure 1. Approximate locations of current and discontinued observation wells for which water-level information is available-----	Page
2. Graph showing fluctuations of water level in observation well Clark 1 and monthly precipitation near Henryville, Ind. 1936-1962-----	2
3. Graph showing fluctuations of water level in observation well Montgomery 1 at Waveland and monthly precipitation at Crawfordsville, Ind. 1935-1962-----	4
4. Graph showing fluctuations of water level in observation well Steuben 1 and monthly precipitation at Angola, Ind. 1935-1962-----	4
	4

INTRODUCTION

A cooperative project of the U. S. Geological Survey and the Indiana Department of Conservation was begun in 1935 to record ground-water level fluctuations in Indiana. Personnel of these governmental agencies made periodic measurements of water levels in observation wells.

In 1944 the Geological Survey and the Department of Conservation increased and broadened their cooperative effort to a program of ground-water resources appraisal. Under this program a number of wells were added to the network of observation wells.

Purpose and Scope

Periodic and continuous measurements of water level in selected observation wells give information on long-term and short-term water-level fluctuations. A continuing program of observations supplies information on ground-water conditions as influenced by variations in regional and local climatic factors and local withdrawals of ground water. The data are used for determinations of water supply and effects of recharge and discharge on ground-water storage. The number of observation wells used, their location, and type and length of record obtained depends largely on the kind of information needed and how it is to be used.

This report represents a compilation of ground-water levels based on the measurements in 28 key observation wells and 116 other observation wells in the state of Indiana. The report summarizes the records of these observation wells for the period 1955 through 1962. The map (Fig. 1) on page 2 shows the locations of the observation wells.

PREVIOUS RECORDS

Water-level records for observation wells in Indiana were published annually for the period 1935-52 in Water-Supply Papers of U. S. Geological Survey. From 1953-55 the water-level records of only the key wells were published annually in these reports. Beginning with 1956 only selected water levels in key wells were published. The records for 1956 and 1957 were published in a single Water-Supply Paper. A list of Water-Supply Papers is given on page 118. Starting with 1958 the publication in Water-Supply Papers of selected water levels in key wells in Indiana will be at 5-year intervals.


A monthly release by the U. S. Geological Survey entitled "Water Resources Review" contains information on changes in ground-water levels throughout the Nation and gives the relative monthly position of the water level in three Federal key wells in Indiana; water-level records for these wells are included in this report.

Publications prepared by the U. S. Geological Survey and published by the Indiana Department of Conservation that contain summaries of water levels in observation wells are listed on page 119.

INDIANA

EXPLANATION

- Federal-State key well
- State key well
- Active well
- Discontinued well
- Two observation wells



Approximate location of current and discontinued observation wells for which water-level information is available.

1965

WELL-DESIGNATION SYSTEM

Observation wells in this report are designated by a two-letter symbol corresponding to the county name in which the well is located, followed by a number for successive wells. The first observation well in Allen County, for example, is designated as Al 1.

WATER-LEVEL MEASUREMENT

Water-level measurements are given in feet above or below land-surface datum (lsd). If known, the altitude of the land-surface datum above mean sea level (msl) is given in the well description. The height of the measuring point (MP) above or below land-surface datum is given in each well description. A tabulation, by observation wells, is given of the water level nearest the 25th of each month for the period of record covered by the report. A plus sign (+) in the table means water level was above land-surface.

CAUSE OF WATER-LEVEL FLUCTUATIONS

The water levels in some parts of Indiana have been declining over a period of years. Declines in water level are followed by periods of rising water levels, except in areas of heavy withdrawals of ground water where the lowered water levels reflect pumping conditions. Generally, periods of rising water levels can be correlated with periods of normal or above-normal precipitation and periods of declining water levels with dry periods. Figures 2, 3, and 4, (p. 4) illustrate these types of changes.

The general downward trend of water levels in southern Indiana, 1955-62, reflect the below-average rainfall for the period (fig. 2, p. 4). Slight reversals to an upward trend occur in 1957 and 1958 which are related to an above-average rainfall.

Water levels in the central part of the state have been on a general upward trend from 1955-62 except for 1959 when there was below-average rainfall and the general trend was downward. The above-average rainfall in 1960 re-turned the water levels to a general upward trend (fig. 3, p. 4).

Water levels in the northern area were on a downward trend from 1955 through 1957. The reversals of water-level trend in 1958 and 1959 are related to variability in the average rainfall. The upward trend recorded in 1960 continued until April 1962 when, in general, water levels started downward again in response to the below-average rainfall (fig. 4, p. 4). Water-level fluctuations are further described in publications listed on page 119.




FIG. 2 GRAPH SHOWING FLUCTUATIONS OF WATER LEVEL IN OBSERVATION WELL CLARK-I AND MONTHLY PRECIPITATION NEAR HENRYVILLE




FIG. 3 GRAPH SHOWING FLUCTUATIONS OF WATER LEVEL IN OBSERVATION WELL MONTGOMERY-I AT WAVELAND AND MONTHLY PRECIPITATION AT CRAWFORDSVILLE




FIG. 4 GRAPH SHOWING FLUCTUATIONS OF WATER LEVEL IN OBSERVATION WELL STEUBEN-I NEAR ANGOLA AND MONTHLY PRECIPITATION AT ANGOLA

WATER-LEVEL RECORDS

(In feet below land-surface, except as noted. Water level:
e, estimated; h, tape measurement; +, above land-surface.)

Adams County

Ad 1. City of Decatur. Park and N. Fifth Sts., Decatur. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 34, T. 28 N., R. 14 E. Drilled unused artesian well in limestone, diam 8 in, depth 244 ft, cased to 40. Lsd, 802.49 ft above msl. MP, top of pump base, 2.00 ft above lsd. Highest water level 27.83 below lsd, May 23, 1959; lowest 55.90 below lsd, Nov. 10, 1945. Records available: 1944-60. Discontinued.

Date	Water Level						
1955		July 28	43.08	Jan. 25	39.17	Aug. 15	38.75
Jan. 22	38.15	Aug. 25	43.17	Feb. 22	39.15	Sept. 26	38.83
Feb. 26	37.91	Sept. 29	43.42	Mar. 22	32.48	Oct. 24	39.25
Mar. 28	35.88	Oct. 27	43.06	Apr. 26	41.63	Nov. 28	36.98
Apr. 25	35.15	Nov. 24	36.17	May 24	43.46	Dec. 26	39.75
May 21	35.89	Dec. 22	43.52	June 28	43.65		
June 25	38.74					1960	
July 23	41.15	Jan. 27	44.33	July 26	37.81	Jan. 23	39.56
Aug. 27	36.46	Feb. 24	45.81	Aug. 23	37.27	Feb. 27	38.14
Sept. 24	43.80	Mar. 24	42.22	Sept. 27	37.27	Mar. 26	40.70
Oct. 22	44.33	Apr. 27	40.15	Oct. 25	39.11	Apr. 22	37.38
Nov. 26	43.13	May 25	38.11	Nov. 21	37.33	May 28	37.46
Dec. 24	40.83	June 22	38.81	Dec. 26	35.86	June 25	38.04
	1956					July 23	38.73
Jan. 28	42.64	July 27	39.90	Jan. 23	39.17	Aug. 28	39.63
Feb. 25	41.17	Aug. 24	39.44	Feb. 28	32.90	Sept. 24	39.90
Mar. 24	39.40	Sept. 21	34.50	Mar. 21	33.11	Oct. 22	39.29
Apr. 21	38.90	Oct. 19	40.65	Apr. 25	34.04	Nov. 26	40.48
May 26	38.15	Nov. 23	40.17	May 23	27.83	Dec. 24	36.40
June 23	41.10	Dec. 28	37.88	June 27	40.71		
				July 18	45.83		

Ad 2. City of Decatur. Seventh and Dayton Sts., Decatur. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 34, T. 28 N., R. 14 E. Drilled unused artesian well in limestone, diam 6 in, depth 250 ft, cased to 40. Lsd, 799.8 ft above msl. MP, edge of flange on top of casing, 1.20 ft above lsd. Highest water level 25.13 below lsd, Mar. 31, 1952; lowest 83.71 below lsd, July 13, 1946. Records available: 1945-62.

1955		Dec. 24	35.55	Nov. 24	44.38	Oct. 19	35.63
Jan. 22	33.44			Dec. 22	37.97	Nov. 23	34.05
Feb. 26	33.45	1956				Dec. 28	34.07
Mar. 28	31.66	Jan. 28	36.45				
Apr. 25	30.87	Feb. 25	34.30	Jan. 27	37.53	1958	
May 21	31.05	Mar. 24	34.02	Feb. 24	36.59	Jan. 25	34.13
June 25	46.70	Apr. 21	33.63	Mar. 24	36.22	Feb. 22	33.84
July 23	49.32	May 26	33.57	Apr. 27	33.99	Mar. 22	40.41
Aug. 27	50.80	June 23	29.78	May 25	33.36	Apr. 26	33.95
Sept. 24	50.32	July 28	48.55	June 22	42.07	May 24	39.86
Oct. 22	39.74	Aug. 25	37.23	July 27	41.09	June 28	37.93
Nov. 26	37.70	Sept. 29	36.86	Aug. 24	35.93	July 26	33.41
		Oct. 27	37.61	Sept. 21	34.55	Aug. 23	33.61

Ad 2--Continued

Date	Water Level						
Sept. 27	31.95	Oct. 24	33.13	Nov. 26	34.62	Dec. 23	34.54
Oct. 25	32.03	Nov. 28	31.78	Dec. 24	35.26	1962	
Nov. 21	31.97	Dec. 26	33.22	1961		Jan. 26	35.68
Dec. 26	31.61	1960		Jan. 28	35.47	Feb. 25	33.82
1959		Jan. 23	33.68	Feb. 25	36.64	Mar. 24	33.11
Jan. 23	33.05	Feb. 27	32.88	Mar. 24	34.57	Apr. 28	31.59
Feb. 28	28.30	Mar. 26	31.79	Apr. 22	33.61	May 25	32.04
Mar. 21	28.51	Apr. 22	32.55	May 27	31.97	June 23	33.36
Apr. 25	29.13	May 28	31.70	June 24	33.44	July 28	34.57
May 23	28.63	June 25	33.20	July 21	34.18	Aug. 25	41.95
June 27	38.78	July 23	33.15	Aug. 26	34.45	Sept. 22	35.28
July 18	31.97	Aug. 28	34.38	Sept. 23	34.43	Oct. 26	35.45
Aug. 15	43.80	Sept. 24	34.29	Oct. 28	34.61	Nov. 24	38.63
Sept. 26	31.47	Oct. 22	34.61	Nov. 25	34.54	Dec. 22	35.84

Ad 3. St. Joseph Cemetery Association. Decatur. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 33, T. 28 N., R. 14 E. Drilled unused artesian well in limestone, diam 6 in, depth 107 ft, cased to 40. Lsd, about 784 ft above msl. MP, edge of 6 x 6-in beam across well pit, 0.50 ft above lsd. Highest water level 20.05 below lsd, Mar. 4, 1955; lowest 50.09 below lsd, Jan. 30, 1944. Records available: 1947-59. Discontinued.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-59)							
1955	Feb. 25	24.45	Apr. 25	23.89	Aug. 25	26.85	
Jan. 25	25.06	Mar. 25	23.83	May 25	24.45	Sept. 25	27.23
Feb. 25	24.77	Apr. 25	25.40	June 25	25.01	Oct. 25	27.43
Mar. 13	23.34	May 25	25.06	July 25	25.70	Nov. 25	25.63
Apr. 25	21.11	June 25	24.43	Aug. 25	26.22	Dec. 25	27.21
May 25	25.10	July 25	25.78	Sept. 25	26.58	1959	
June 25	26.02	Aug. 25	26.41	Oct. 17	h26.97	Jan. 23	24.07
July 25	26.34	Sept. 24	27.80	1958		Feb. 25	25.49
Aug. 25	27.23	Oct. 25	28.00	Jan. 25	26.64	Mar. 25	26.03
Sept. 25	28.36	Nov. 25	27.84	Feb. 25	26.22	Apr. 25	26.09
Oct. 25	27.60	Dec. 25	27.23	Mar. 25	26.89	May 25	25.12
Nov. 25	25.19	1957		Apr. 15	26.79	June 25	26.88
Dec. 22	25.87	Jan. 25	25.40	May 25	27.18	July 25	25.90
1956		Feb. 24	26.18	June 25	26.42	Aug. 28	27.61
Jan. 25	26.42	Mar. 25	25.86	July 25	26.40	Sept. 25	27.95

Ad 5. Eleanor Reppert. Van Wert and Bellmont Rds., Decatur. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 35, T. 28 N., R. 14 E. Drilled unused artesian well in limestone, diam 6 in, depth 144 ft, cased to 30. Lsd, 790.85 ft above msl. MP, top of re-corder base, 2.23 ft above lsd. Alternate MP, top of casing, 0.75 ft above lsd. Highest water level 12.02h below lsd, Feb. 17, 1950; lowest 38.15 below lsd, Feb. 12, 1954. Records available: 1950-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)							
1955	July 25	31.50	Jan. 25	30.45	Aug. 25	29.45	
Jan. 25	26.80	Aug. 25	31.90	Feb. 25	30.30	Sept. 25	30.35
Feb. 25	27.65	Sept. 25	32.35	Mar. 25	27.50	Oct. 25	30.90
Mar. 25	24.70	Oct. 25	32.40	Apr. 25	26.90	Nov. 25	28.50
Apr. 25	24.45	Nov. 25	30.55	May 25	29.10	Dec. 25	30.90
May 23	27.90	Dec. 22	29.60	June 25	30.00	1957	
June 25	30.20	1956		July 25	28.75	Jan. 25	32.00

Ad 5--Continued

Date	Water Level						
Feb. 25	30.90	Aug. 25	23.90	Jan. 25	28.45	July 25	31.15
Mar. 25	29.75	Sept. 25	28.30	Feb. 25	25.55	Aug. 25	32.35
Apr. 25	25.55	Oct. 25	29.80	Mar. 25	24.55	Sept. 25	30.85
May 25	24.70	Nov. 25	28.75	Apr. 25	22.70	Oct. 25	30.60
June 25	24.95	Dec. 25	28.30	May 25	26.90	Nov. 25	31.90
July 25	25.10	1959		June 25	24.25	Dec. 25	32.25
Aug. 25	26.70	Jan. 25	27.35	July 28	e26.55	1962	
Sept. 25	28.05	Feb. 26	23.70	Aug. 25	29.55	Jan. 25	30.40
Oct. 25	28.35	Mar. 24	25.10	Sept. 25	30.15	Feb. 25	26.60
Nov. 25	26.40	Apr. 25	24.85	Oct. 25	30.25	Mar. 25	24.35
Dec. 25	23.85	May 25	21.00	Nov. 25	29.55	Apr. 25	24.65
1958		June 25	24.50	Dec. 25	29.80	May 25	25.85
Jan. 25	25.65	July 25	25.00	1961		June 25	30.75
Feb. 25	28.50	Aug. 25	26.75	Jan. 27	32.05	July 25	32.95
Mar. 25	27.75	Sept. 24	31.00	Feb. 25	32.25	Aug. 25	34.90
Apr. 25	28.65	Oct. 25	31.45	Mar. 25	29.00	Sept. 25	36.00
May 25	28.60	Nov. 25	31.70	Apr. 25	25.95	Oct. 25	e35.95
June 16	25.35	Dec. 25	30.70	May 25	25.30	Nov. 25	36.40
July 29	h25.33	1960		June 25	27.25	Dec. 25	36.35

Allen County

Al 3. City of Fort Wayne. Lawton Park. Clinton and E. Fourth Sts., Fort Wayne. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 35, T. 31 N., R. 12 E. Drilled unused artesian well in limestone, diam 8 in, reported depth 400 ft. Lsd, about 755 ft above msl. MP, edge of flange on top of casing, 1.20 ft above lsd. Highest water level 4.16 below lsd, Feb. 14, 1959; lowest 13.11 below lsd, Jan. 5, 6, 1962. Records available: 1944-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)							
		Oct. 25	11.49	July 25	8.66	Apr. 25	8.98
Jan. 25	8.84	Nov. 25	11.24	Aug. 25	9.09	May 25	9.59
Feb. 25	9.35	Dec. 25	11.31	Sept. 25	9.73	June 25	8.72
Mar. 25	8.03	1957		Oct. 25	10.25	July 25	9.62
Apr. 25	8.47	Jan. 25	11.12	Nov. 25	9.90	Aug. 25	10.09
May 25	9.47	Feb. 25	10.93	Dec. 25	10.18	Sept. 25	10.62
June 25	10.07	Mar. 25	10.71	1959		Oct. 25	10.78
July 25	10.32	Apr. 25	6.80	Jan. 25	9.81	Nov. 25	10.82
Aug. 25	10.82	May 25	8.66	Feb. 25	6.69	Dec. 25	10.85
Sept. 24	11.63	June 25	9.44	Mar. 2	7.27	1961	
Oct. 25	11.00	July 25	9.54	Apr. 25	8.27	Jan. 25	10.97
Nov. 25	9.86	Aug. 25	10.34	May 25	8.32	Feb. 25	10.73
Dec. 25	10.32	Sept. 25	10.86	June 25	9.44	Mar. 25	8.82
1956		Oct. 25	10.54	July 25	9.95	Apr. 25	7.85
Jan. 25	10.81	Nov. 25	10.26	Aug. 25	e10.33	May 23	h8.59
Feb. 25	10.14	Dec. 25	8.79	Sept. 25	10.90	June 25	9.52
Mar. 25	9.38	1958		Oct. 25	10.45	July 25	9.80
Apr. 25	9.80	Jan. 25	9.27	Nov. 25	10.02	Aug. 24	9.82
May 25	8.64	Feb. 25	9.90	Dec. 25	9.93	Sept. 25	9.78
June 25	9.43	Mar. 25	9.91	1960		Oct. 25	11.68
July 25	10.34	Apr. 25	9.85	Jan. 25	9.00	Nov. 25	e12.51
Aug. 25	10.78	May 25	9.95	Feb. 25	8.70	Dec. 25	12.97
Sept. 25	11.27	June 25	8.81	Mar. 25	9.55	1962	

Al 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 25	12.77	Apr. 25	10.93	July 25	9.95	Oct. 25	10.43
Feb. 24	112.83	May 26	10.34	Aug. 22	10.17	Nov. 25	10.44
Mar. 25	11.86	June 25	9.91	Sept. 25	10.41	Dec. 25	10.59

Al 4. Paul Henebry. Woodburn City. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 31 N., R. 14 E. Drilled unused well in rock, diam 4 in, depth 43.60 ft. Lsd, about 752 ft above msl. MP, 1-in hole in recorder platform, 2.72 ft above lsd. Highest water level 15.37 below lsd, Feb. 4, 5, 1962; lowest 25.20 below lsd, Dec. 20, 1962. Records available: 1962.

(daily highest water levels from recorder graph)

1962	Apr. 25	17.98	Aug. 25	23.45	Dec. 25	23.40
Jan. 25	15.75	May 25	20.40	Sept. 25	22.85	
Feb. 25	15.41	June 25	21.73	Oct. 25	23.05	
Mar. 25	15.41	July 25	22.82	Nov. 25	22.40	

Al 5. Noah Gerig. Woodburn City. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 9, T. 30 N., R. 15 E. Drilled unused well in rock, diam 4 in, depth 100 ft. Lsd, about 760 ft above msl. MP, top of 8-in pipe, 0.50 ft above lsd. Highest water level 10.04 below lsd, July 8, 9, 1962; lowest 15.88 below lsd, Dec. 20, 1962. Records available: 1962.

(daily highest water levels from recorder graph)

1962	Aug. 25	12.18	Oct. 25	14.19	Dec. 25	15.66
July 25	10.50	Sept. 25	13.11	Nov. 25	15.20	

Bartholomew County

Ba 2. V. E. Sprouse Co., Inc. 1804 East 22nd St., Columbus. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 18, T. 9 N., R. 6 E. Drilled unused well in gravel, diam 6 in, depth 52 ft. Lsd, about 640 ft above msl. MP, top of recorder base at 1-in hole, 2.99 ft above lsd. Highest water level 9.49 below lsd, Feb. 18, 1950; lowest 21.45 below lsd, Dec. 26, 1954. Records available: 1948-56. Discontinued.

(2 a.m. water levels from recorder graph)

1955	May 25	17.92	Oct. 25	19.94	Feb. 25	18.86
Jan. 25	20.54	June 25	17.82	Nov. 25	19.62	Mar. 25
Feb. 22	20.00	July 25	18.03	Dec. 25	19.49	Apr. 25
Mar. 22	18.66	Aug. 25	19.64	1956		
Apr. 25	17.87	Sept. 25	20.40	Jan. 25	19.67	

Benton County

Be 1. Northern Indiana Public Service Co. Van Buren and 8th Sts., Fowler. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 25 N., R. 8 W. Drilled unused well, diam 10 in, depth 114 ft. Lsd, about 813 ft above msl. MP, top of milled "T" on top of casing, 2.00 ft above lsd. Highest water level 35.40 below lsd, June 4, 6, 1952; lowest 51.09 below lsd, Aug. 24, 1955. Records available: 1944-58. Discontinued.

Be 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Nov. 23	43.25	Aug. 22	45.22	May 22	37.94
Jan. 26	40.31	Dec. 28	42.45	Sept. 24	43.62	June 26	39.00
Feb. 9	39.63	1956		Oct. 24	44.17	July 24	41.41
Apr. 27	37.70	Jan. 25	40.00	Nov. 28	43.08	Aug. 28	40.90
May 25	37.85	Feb. 22	40.49	Dec. 26	42.55	Sept. 25	41.14
June 22	39.25	Mar. 28	43.54	1957		Oct. 23	38.83
July 27	38.47	Apr. 25	40.42	Jan. 23	42.25	Nov. 27	37.27
Aug. 24	51.09	May 23	39.32	Feb. 27	41.49	Dec. 25	36.84
Sept. 28	42.15	June 27	39.15	Mar. 27	40.93	1958	
Oct. 26	46.07	July 25	44.68	Apr. 24	39.25	Jan. 22	35.94

Be 2. Town of Boswell. Boswell. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 13, T. 24 N., R. 9 W. Drilled unused well in gravel, diam 10 in, depth 37 ft. Lsd, about 755 ft above msl. MP, edge of casing in concrete base, 1.40 ft above lsd. Highest water level 3.45 below lsd, July 17, 1957; lowest 20.80 below lsd, Nov. 9, 1950. Records available: 1944-62.

1955		1957		1959		1961	
Jan. 26	7.87	Jan. 23	11.95	Jan. 28	7.20	Jan. 25	9.59
Feb. 23	7.35	Feb. 27	9.87	Feb. 25	7.05	Feb. 22	8.20
Mar. 23	5.35	Mar. 27	9.41	Mar. 25	5.47	Mar. 22	4.93
Apr. 27	5.45	Apr. 24	5.45	Apr. 22	4.79	Apr. 26	4.38
May 25	5.35	May 22	4.39	May 27	5.43	May 24	5.00
June 22	5.65	June 26	5.50	June 24	6.48	June 28	5.57
July 27	6.69	July 24	3.95	July 22	7.69	July 26	6.19
Aug. 24	8.25	Aug. 28	7.10	Aug. 25	8.99	Aug. 23	6.55
Sept. 28	10.22	Sept. 25	6.97	Sept. 23	10.40	Sept. 27	7.49
Oct. 26	8.41	Oct. 23	7.90	Oct. 28	10.17	Oct. 25	8.05
Nov. 23	6.87	Nov. 27	4.77	Nov. 25	6.93	Nov. 22	7.03
Dec. 28	6.93	Dec. 24	4.20	Dec. 23	6.01	Dec. 27	5.90
1956		1958		1960		1962	
Jan. 25	7.33	Jan. 22	5.05	Jan. 27	5.15	Jan. 24	5.20
Feb. 22	6.93	Feb. 26	5.93	Feb. 24	4.83	Feb. 28	5.63
Mar. 28	5.11	Mar. 26	6.15	Mar. 23	5.75	Mar. 28	4.65
Apr. 25	6.03	Apr. 23	5.93	Apr. 27	4.85	Apr. 25	5.53
May 23	6.05	May 28	6.25	May 25	5.71	May 23	5.25
June 27	6.33	June 25	4.53	June 22	5.62	June 27	6.17
July 25	6.80	July 23	4.40	July 27	5.99	July 25	5.05
Aug. 22	7.50	Aug. 27	5.70	Aug. 24	6.69	Aug. 22	6.55
Sept. 26	9.17	Sept. 24	6.87	Sept. 28	7.89	Sept. 26	7.45
Oct. 24	10.35	Oct. 22	7.90	Oct. 26	8.67	Oct. 24	8.49
Nov. 28	10.93	Nov. 26	7.87	Nov. 23	8.77	Nov. 21	8.53
Dec. 26	11.49	Dec. 24	7.40	Dec. 28	9.37	Dec. 26	9.70

Be 3. Water Utilities, Inc. Van Buren and Eighth Sts., Fowler. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 25 N., R. 8 W. Drilled unused artesian well in limestone, diam 10 in, depth 233 ft. Lsd, about 813 ft above msl. MP, northeast edge of casing, 1.20 ft above lsd. Highest water level 37.22 below lsd, Dec. 25, 1957; lowest 47.54 below lsd, Sept. 15, 1954. Records available: 1953-58. Discontinued.

1955		Apr. 27	38.64	July 27	41.17	Oct. 26	41.79
Jan. 26	41.32	May 25	38.47	Aug. 24	44.10	Nov. 23	40.54
Feb. 9	40.65	June 22	39.64	Sept. 28	42.24	Dec. 28	40.87

Be 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1956		July 25	41.96	Jan. 23	43.07	Aug. 28	39.89
Jan. 25	41.04	Aug. 22	43.06	Feb. 27	42.30	Sept. 25	39.68
Feb. 22	42.01	Sept. 24	43.28	Mar. 27	41.56	Oct. 23	39.53
Mar. 28	39.98	Oct. 24	43.26	Apr. 24	40.83	Nov. 27	38.31
Apr. 25	40.12	Nov. 28	43.58	May 22	39.23	Dec. 25	37.22
May 23	40.13	Dec. 26	42.46	June 26	39.69	1958	
June 27	40.00	1957		July 24	38.92	Jan. 22	37.16

Blackford County

Bf 1. Robert Wearly. Hartford City. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 23 N., R. 10 E. Dug unused water-table well in glacial drift, diam 48 in, depth 18 ft, cribbed with brick. On May 5, 1955, a 4-in steel casing was set to a depth of 18 ft and well backfilled with 2-in gravel. Lsd, about 921 ft above msl. MP, top of 4-in cap at 3/4-in hole, 0.62 ft below lsd. Highest water level 0.69 below lsd, Feb. 9, 1952; lowest 9.37 below lsd, Jan. 16, 1954. Records available: 1945-62.

		Dec. 27	2.52	1959		1961	
1955		1957		Jan. 28	4.27	Jan. 25	4.92
Jan. 22	2.96	Jan. 24	1.84	Apr. 28	1.62	Feb. 21	2.32
Feb. 26	3.75	Feb. 28	2.00	May 27	3.92	Mar. 22	1.92
Mar. 26	1.27	Mar. 28	3.02	June 23	4.82	Apr. 25	1.82
Apr. 23	2.04	Apr. 25	1.84	July 28	4.02	May 24	3.32
May 28	3.65	May 23	1.58	Aug. 25	5.02	June 22	2.52
June 25	3.84	June 24	2.52	Sept. 22	5.72	July 25	2.32
July 23	3.61	July 25	3.51	Oct. 26	5.22	Aug. 24	3.02
Aug. 27	3.74	Aug. 22	5.63	Nov. 28	5.52	Sept. 22	2.72
Sept. 25	4.64	Sept. 26	4.03	Dec. 23	3.12	Oct. 24	4.22
Oct. 22	4.29	Oct. 24	1.60	1960		Nov. 23	2.72
Nov. 26	3.40	Nov. 21	3.03	Jan. 26	3.72	Dec. 27	3.22
Dec. 24	5.08	Dec. 26	1.48	Feb. 23	4.52	1962	
1956		1958		Mar. 23	1.52	Jan. 22	1.82
Jan. 21	5.95	Jan. 23	3.53	Apr. 28	3.42	Feb. 27	2.32
Mar. 27	3.04	Feb. 27	3.40	May 24	2.52	Mar. 24	1.92
Apr. 25	4.25	Mar. 27	2.38	June 28	4.32	Apr. 4	3.12
May 24	4.04	Apr. 24	2.17	July 26	2.12	June 26	3.12
June 28	4.29	May 23	2.97	Aug. 23	3.02	Aug. 31	3.12
July 26	4.98	June 27	3.37	Sept. 27	4.12	Sept. 27	4.52
Aug. 23	5.27	July 26	3.72	Oct. 25	4.12	Oct. 26	2.52
Sept. 27	5.88	Aug. 30	4.42	Nov. 22	4.02	Nov. 23	4.32
Oct. 25	5.97	Sept. 27	3.78	Dec. 28	4.82	Dec. 7	5.52
Nov. 23	5.57						

Boone County

Bo 2. Wilbur W. and Martha T. Whitehead. Lebanon. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 4, T. 18 N., R. 1 E. Dug unused well in glacial drift, diam 36 in, depth 23 ft, cribbed with brick. Lsd, about 957 ft above msl. MP, edge of cover, 0.20 ft above lsd. Highest water level 2.00 below lsd, Apr. 6, 1948; lowest 12.35 below lsd, Oct. 8, 1954. Records available: 1935-56. Discontinued.

Bo 2--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		May 27	5.05	Sept. 23	8.76	1956	
Feb. 25	4.16	June 17	3.73	Oct. 28	5.10	Jan. 26	6.11
Mar. 25	3.85	July 22	4.58	Nov. 23	2.95	Feb. 9	3.68
Apr. 22	4.07	Aug. 19	7.13	Dec. 22	5.78		

Bo 4. Lebanon Utilities, Inc. Chicago Ave. and Kersey St., Lebanon. NE $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 36, T. 19 N., R. 1 W. Drilled unused well in sand and gravel, diam 8 in, depth 104 ft. Lsd, about 927 ft above msl. MP, edge of shelter house floor, 0.80 ft above lsd. Highest water level 23.4 below lsd, Apr. 30, 1950; lowest 77.8 below lsd, June 21-23, 1954. Records available: 1945-56. Discontinued.

(daily lowest water levels from recorder graph)							
1955		Apr. 25	68.4	Aug. 25	73.0	Dec. 25	58.0
Jan. 25	74.4	May 23	68.2	Sept. 25	71.6	1956	
Feb. 25	72.8	June 25	74.0	Oct. 25	60.0	Jan. 27	62.6
Mar. 25	71.8	July 25	73.8	Nov. 25	63.0	Feb. 20	66.6

Bo 10. Lebanon Utilities, Inc. Chicago Ave. and Kersey St., Lebanon. NW $\frac{1}{2}$ NE $\frac{1}{4}$ sec. 36, T. 19 N., R. 1 W. Drilled unused well in sand and gravel, diam 12 to 10 in, depth 216 ft. Lsd, about 926 ft above msl. MP, top of 3/4-in steel plate over well, 1.00 ft above lsd. Highest water level 11.60 below lsd, May 21, 22, 1953; lowest 91.2 below lsd, Feb. 2, 1956. Records available: 1945-56. Discontinued.

(daily lowest water levels from recorder graph)							
1955		Apr. 25	29.4	Aug. 25	75.0	Dec. 25	90.1
Jan. 25	28.8	May 25	27.0	Sept. 25	85.3	1956	
Feb. 25	27.3	June 25	26.8	Oct. 28	85.6	Jan. 25	89.8
Mar. 25	29.9	July 25	28.9	Nov. 25	83.5	Feb. 3	90.2

Bo 11. Lebanon Utilities, Inc. Chicago Ave. and Kersey St., Lebanon. NW $\frac{1}{2}$ NE $\frac{1}{4}$ sec. 36, T. 19 N., R. 1 W. Drilled unused well in gravel, diam 8 in, depth 193 ft. Lsd, about 928 ft above msl. MP, top of 1-in hole in 8-in plug plate, 0.50 ft above lsd. Highest water level 18.18 below lsd, Mar. 15, 1946; lowest 69.56 below lsd, Oct. 14, 1955. Records available: 1945-55. Discontinued.

1955		Apr. 22	36.98	Aug. 26	68.64	Dec. 1	68.30
Jan. 28	36.48	May 27	34.75	Sept. 23	69.11		
Feb. 25	35.16	June 17	34.72	Oct. 28	66.92		
Mar. 25	35.84	July 22	32.30	Nov. 23	64.57		

Bo 14. Lebanon Utilities, Inc. East and Elm Sts., Lebanon. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 19 N., R. 1 E. Drilled unused well, diam 6 in, depth 143 ft. Lsd, about 948 ft above msl. MP, top of casing, 1.50 ft above lsd. Highest water level 31.85 below lsd, Apr. 14, 1950; lowest 51.09 below lsd, Aug. 5, 1949. Records available: 1945-55. Discontinued.

1955		Apr. 22	37.80	Aug. 5	42.28	Dec. 1	39.30
Jan. 28	39.78	May 27	37.05	Sept. 23	41.22		
Feb. 25	39.94	June 17	37.78	Oct. 28	39.95		
Mar. 25	38.16	July 22	44.54	Nov. 23	39.17		

Bo 16. Leland and Margaret Dale. Lebanon. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 23, T. 18 N., R. 1 W. Dug unused well in glacial drift, diam 42 in, depth 19 ft, cribbed with brick. Lsd, about 952 ft above msl. MP, 1-in hole in oak plank, 0.75 ft above lsd. Highest water level 0.04 above lsd, June 5, 1961; lowest 11.00 below lsd, Nov. 1, 1948. Records available: 1946-62.

Date	Water Level						
1955		1957		1959		1961	
1956		1958		1960		1962	
Jan. 24	3.37	Jan. 28	1.98	Jan. 26	3.39	Jan. 23	6.33
Feb. 28	1.89	Feb. 25	2.21	Feb. 23	3.19	Feb. 27	3.02
Mar. 24	1.40	Mar. 25	2.69	Mar. 23	2.07	Mar. 27	.98
Apr. 25	2.10	Apr. 22	.64	Apr. 27	2.24	Apr. 24	.53
May 23	3.50	May 27	1.49	May 25	3.51	May 22	1.22
June 27	3.67	June 24	2.60	June 22	4.32	June 26	3.57
July 25	4.48	July 22	3.72	July 27	5.81	July 24	5.20
Aug. 21	5.69	Aug. 26	5.34	Aug. 24	6.67	Aug. 28	5.33
Sept. 26	6.67	Sept. 23	6.04	Sept. 28	8.17	Sept. 25	5.64
Oct. 23	5.17	Oct. 28	6.23	Oct. 26	7.99	Oct. 23	5.87
Nov. 28	2.30	Nov. 25	2.58	Nov. 23	7.82	Nov. 27	2.76
Dec. 26	3.78	Dec. 23	1.86	Dec. 28	5.34	Dec. 25	1.79
1956		1958		1960		1962	
Jan. 22	4.70	Jan. 29	2.83	Jan. 25	2.71	Jan. 22	2.79
Feb. 26	.78	Feb. 24	4.19	Feb. 22	2.89	Feb. 26	2.82
Mar. 25	2.58	Mar. 24	4.06	Mar. 28	.42	Mar. 26	2.38
Apr. 23	3.39	Apr. 28	3.92	Apr. 25	3.32	Apr. 23	3.30
May 22	4.04	May 26	3.49	May 23	3.26	May 28	2.35
June 25	3.35	June 23	2.56	June 27	2.12	June 25	4.65
July 23	3.66	July 28	2.84	July 25	3.59	July 23	4.17
Aug. 27	4.92	Aug. 25	3.44	Aug. 22	4.92	Aug. 27	5.10
Sept. 24	5.98	Sept. 22	4.82	Sept. 26	6.62	Sept. 24	5.30
Oct. 22	6.92	Oct. 27	5.27	Oct. 24	7.11		
Nov. 26	7.37	Nov. 24	4.40	Nov. 28	7.37		
Dec. 24	3.25	Dec. 22	3.99	Dec. 26	7.71		

Brown County

Br 3. State of Indiana. Brown County State Park. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 5, T. 8 N., R. 3 E. Dug unused well, diam 48 in, depth 15 ft, cribbed with rock. Lsd, 1,052.67 ft above msl. MP, edge of 2 x 6-in plank of protective top marked by painted arrow, 2.00 ft above lsd. Highest water level 0.30 above lsd, Feb. 2, 1943; lowest 10.20 below lsd, Oct. 26, 1959. Records available: 1936-62.

1955		1956		1957		1958	
Jan. 24	6.89	Jan. 23	8.57	Jan. 28	2.75	Jan. 27	2.24
Feb. 28	1.40	Feb. 27	1.43	Feb. 24	2.62	Feb. 24	5.92
Mar. 28	1.92	Mar. 26	2.25	Mar. 25	4.48	Mar. 23	3.98
Apr. 25	2.37	Apr. 23	3.59	Apr. 22	1.52	Apr. 28	4.53
May 23	6.29	May 28	5.32	May 27	1.78	May 26	3.75
June 27	7.00	June 25	5.13	June 24	6.07	June 23	2.92
July 25	8.22	July 23	7.42	July 22	6.96	July 28	3.06
Aug. 22	8.73	Aug. 27	8.78	Aug. 26	8.67	Aug. 25	6.61
Sept. 26	8.87	Sept. 24	8.85	Sept. 23	8.78	Sept. 22	7.54
Oct. 24	8.76	Oct. 22	8.95	Oct. 28	8.88	Oct. 27	8.88
Nov. 27	6.56	Nov. 26	9.01	Nov. 25	4.24	Nov. 24	8.20
Dec. 26	7.31	Dec. 24	4.99	Dec. 23	1.67	Dec. 22	5.52

Br 3--Continued

Date	Water Level						
1959		1960		1961		1962	
Jan. 26	1.97	Jan. 25	3.35	Jan. 23	9.01	Jan. 22	2.27
Feb. 23	1.22	Feb. 22	3.28	Feb. 27	2.75	Feb. 26	.67
Mar. 23	2.75	Mar. 28	1.11	Mar. 27	1.89	Mar. 26	1.94
Apr. 27	6.62	Apr. 25	6.06	Apr. 24	1.72	Apr. 23	4.68
May 25	8.55	May 23	8.32	May 22	3.24	May 28	6.74
June 22	8.45	June 27	7.17	June 26	7.70	June 25	6.61
July 27	9.12	July 25	8.41	July 24	8.84	July 23	7.16
Aug. 24	9.12	Aug. 22	8.94	Aug. 28	8.93	Aug. 27	8.49
Sept. 28	9.17	Sept. 26	9.03	Sept. 25	9.02	Sept. 24	8.77
Oct. 26	10.20	Oct. 24	9.09	Oct. 23	9.10	Oct. 22	8.80
Nov. 23	9.06	Nov. 28	9.20	Nov. 27	9.20	Nov. 12	8.84
Dec. 28	5.13	Dec. 26	9.20	Dec. 25	8.25	Dec. 24	8.94

Carroll County

Ca 1. Roy R. Richter. Flora. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 25 N., R. 1 W. Dug unused well in glacial drift, diam 42 in, depth 12 ft, cribbed with stone. Lsd, about 682 ft above msl. MP, edge of board in wood floor over well, 0.00 ft lsd. Highest water level 2.55 below lsd, Mar. 27, 1959; lowest dry, Sept. 28-Dec. 28, 1953, Jan. 3-Feb. 22, Sept. 6-27, Nov. 1-Dec. 6, 1954, Aug. 29, Sept. 5, 12, 19, 1955, Aug. 27-Dec. 31, 1956, Jan. 7-Feb. 4, 1957, Aug. 24-Sept. 21, 1959. Records available: 1945-62.

1955		1957		1959		1961	
Jan. 24	7.50	Jan. 28	(f)	Jan. 26	7.55	Jan. 23	10.7
Feb. 28	9.00	Feb. 25	10.60	Feb. 23	7.50	Feb. 27	9.35
Mar. 28	6.55	Mar. 25	9.60	Mar. 23	5.50	Mar. 27	4.7
Apr. 25	6.25	Apr. 22	4.10	Apr. 27	2.55	Apr. 24	3.10
May 23	6.65	May 27	5.35	May 25	6.60	May 22	6.5
June 27	8.80	June 24	7.55	June 22	8.65	June 26	8.25
July 25	7.72	July 22	6.15	July 27	9.35	July 24	5.25
Aug. 22	10.90	Aug. 26	9.15	Aug. 24	(f)	Aug. 28	7.95
Sept. 26	10.90	Sept. 23	6.65	Sept. 28	10.50	Sept. 25	9.15
Oct. 24	8.80	Oct. 28	9.25	Oct. 26	10.90	Oct. 30	7.25
Nov. 28	6.80	Nov. 25	7.05	Nov. 23	9.70	Nov. 20	7.15
Dec. 26	8.10	Dec. 23	4.10	Dec. 28	8.35	Dec. 11	7.55
1956		1958		1960		1962	
Jan. 23	10.00	Jan. 27	7.85	Jan. 25	7.60	Jan. 22	6.1
Feb. 26	3.55	Feb. 24	8.10	Feb. 22	6.60	Feb. 26	3.85
Mar. 26	6.05	Mar. 24	7.80	Mar. 28	7.60	Mar. 26	4.45
Apr. 23	7.40	Apr. 28	8.10	Apr. 25	5.75	Apr. 23	7.05
May 28	5.65	May 26	8.35	May 23	5.70	May 28	6.1
June 24	8.05	June 23	5.55	June 27	6.75	June 25	8.2
July 23	9.40	July 28	6.70	July 25	7.45	July 23	7.15
Aug. 27	(f)	Aug. 25	7.10	Aug. 22	3.60	Aug. 27	8.5
Sept. 24	(f)	Sept. 22	8.90	Sept. 19	8.70	Sept. 24	10.0
Oct. 22	(f)	Oct. 27	10.10	Oct. 31	10.10	Oct. 22	9.4
Nov. 26	(f)	Nov. 24	10.05	Nov. 28	10.20	Nov. 26	10.8
Dec. 24	(f)	Dec. 22	9.45	Dec. 26	10.60	Dec. 3	10.9
f Dry.							

Clark County

C1 1. State of Indiana. Clark County State Forest. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 36, T. 2 N., R. 6 E. Dug unused water-table well in shale, diam 48 in, depth 35 ft, cribbed with stone. On Oct. 7, 1955, an 8-in steel casing was set to a depth of 35 ft and well backfilled with 2-in crushed rock. Lsd, about 680 ft above msl. MP, top of recorder base at 1-in hole, 2.65 ft above lsd. Highest water level 0.30 below lsd, Mar. 24, 1961; lowest 31.65 below lsd, Dec. 31, 1962. Records available: 1936-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level						
1955							
		1957			1959		
Jan. 25	20.90	Jan. 25	14.55	Jan. 25	8.80	Jan. 25	30.00
Feb. 25	8.17	Feb. 25	17.00	Feb. 25	8.30	Feb. 25	11.65
Mar. 25	6.40	Mar. 26	15.90	Mar. 25	11.45	Mar. 25	1.90
Apr. 25	14.65	Apr. 25	5.60	Apr. 25	14.65	Apr. 25	8.25
May 25	21.60	May 25	6.45	May 25	16.55	May 25	13.00
June 25	25.60	June 25	7.70	June 25	24.05	June 25	23.15
July 25	21.35	July 25	23.30	July 25	26.20	July 25	27.10
Aug. 25	26.65	Aug. 25	27.15	Aug. 25	27.20	Aug. 25	28.40
Sept. 25	28.80	Sept. 25	28.10	Sept. 25	27.85	Sept. 25	28.95
Oct. 25	28.40	Oct. 25	28.70	Oct. 25	28.10	Oct. 25	29.45
Nov. 25	20.80	Nov. 25	16.25	Nov. 25	28.55	Nov. 25	29.90
Dec. 25	28.35	Dec. 25	9.45	Dec. 25	e17.35	Dec. 25	24.40
1956							
		1958			1960		
Jan. 25	29.55	Jan. 24	e9.25	Jan. 25	13.60	Jan. 25	19.70
Feb. 25	2.85	Feb. 25	17.20	Feb. 25	14.20	Feb. 25	16.70
Mar. 25	9.35	Mar. 25	e4.50	Mar. 25	9.40	Mar. 25	14.00
Apr. 24	13.00	Apr. 25	e11.65	Apr. 25	e15.95	Apr. 25	18.75
May 25	18.90	May 25	e11.55	May 25	23.55	May 25	26.45
June 25	25.75	June 25	21.85	June 25	10.50	June 25	27.40
July 25	26.70	July 25	11.20	July 25	20.10	July 25	29.65
Aug. 25	28.25	Aug. 25	18.05	Aug. 25	26.80	Aug. 25	30.35
Sept. 25	28.85	Sept. 25	22.55	Sept. 25	28.25	Sept. 25	30.75
Oct. 25	29.35	Oct. 25	25.20	Oct. 25	28.80	Oct. 25	31.05
Nov. 25	29.75	Nov. 25	18.60	Nov. 25	29.35	Nov. 25	31.25
Dec. 28	28.50	Dec. 25	19.65	Dec. 25	29.75	Dec. 25	31.50
1962							

C1 2. State of Indiana. Clark County State Forest. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 1 N., R. 6 E. Dug unused well, diam 36 in, depth 29 ft, cribbed with stone. Lsd, about 610 ft above msl. MP, edge of rock on northeast side, 0.00 ft lsd. Highest water level 0.40 below lsd, Jan. 21, 1959; lowest 14.10 below lsd, Feb. 15, 1944. Records available: 1936-61. Discontinued.

1955							
Jan. 26	12.38	Dec. 28	11.27	Oct. 24	11.76	Aug. 21	6.90
Feb. 23	4.19	1956		Nov. 21	11.96	Sept. 25	10.47
Mar. 23	1.31	Jan. 18	11.40	Dec. 27	11.05	Oct. 23	11.09
Apr. 27	1.75	Feb. 22	1.98	1957		Nov. 27	7.97
May 25	3.85	Mar. 28	1.90	Jan. 22	11.15	Dec. 25	5.07
June 22	5.50	Apr. 25	2.42	Feb. 27	8.07	1958	
July 27	5.50	May 23	3.47	Mar. 27	1.60	Jan. 28	.76
Aug. 24	8.74	June 27	5.15	Apr. 24	1.60	Feb. 28	2.90
Sept. 26	12.13	July 25	7.04	May 22	1.01	Mar. 25	1.07
Oct. 26	11.70	Aug. 22	9.90	June 26	2.32	Apr. 23	1.75

C1 2--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
May 28	3.25	Apr. 23	2.80	Mar. 25	1.44	Feb. 28	8.13
June 16	6.06	May 28	2.78	Apr. 22	2.85	Mar. 22	.96
July 24	4.40	June 25	6.15	May 27	3.74	Apr. 26	1.36
Aug. 27	4.20	July 24	8.97	June 24	1.89	May 31	.95
Sept. 25	5.73	Aug. 28	11.55	July 22	5.78	June 14	4.89
Oct. 23	5.80	Sept. 25	12.60	Aug. 26	8.02	July 26	6.70
Nov. 26	2.35	Oct. 23	12.58	Sept. 23	10.76	Aug. 23	10.08
Dec. 24 1959	2.47	Nov. 27	12.35	Oct. 28	11.97	Sept. 27	11.40
Jan. 28	1.63	1960		Dec. 23	12.53	Oct. 25	11.82
Feb. 26	1.65	Jan. 22	5.26	1961			
Mar. 26	1.85	Feb. 26	1.55	Jan. 23	12.30		

C1 3. Indiana Gas and Water Co., Inc. Tenth and Fulton Sts., Jeffersonville. Clark's Grant No. 2, 1,150 ft south of north line, 100 ft east of west line. Drilled unused well, diam 2 in, depth 45 ft, Lsd, about 455 ft above msl. MP, top of 2-in pipe, 1.25 ft above lsd. Highest water level 14.66 below lsd, May 8, 11, 1962; lowest 36.61 below lsd, Mar. 24, 1953.

Records available: 1943-62.

1955	1957	1959	1961
Jan. 25	22.80	Jan. 25	21.94
Feb. 25	23.28	Feb. 25	20.86
Mar. 25	23.05	Mar. 25	20.55
Apr. 25	23.55	Apr. 25	20.16
May 25	22.95	May 25	20.22
June 25	21.25	June 25	19.75
July 25	21.75	July 25	20.23
Aug. 25	22.60	Aug. 25	20.13
Sept. 25	23.15	Sept. 25	20.25
Oct. 25	22.00	Oct. 25	19.67
Nov. 25	20.30	Nov. 25	19.21
Dec. 25	20.40	Dec. 25	18.25
1956	1958	1960	1962
Jan. 25	20.05	Jan. 25	17.28
Feb. 25	20.65	Feb. 25	16.55
Mar. 25	20.45	Mar. 25	16.08
Apr. 25	19.85	Apr. 25	16.22
May 25	19.48	May 25	15.65
June 25	21.33	June 25	15.98
July 25	20.30	July 25	16.60
Aug. 25	20.91	Aug. 25	17.24
Sept. 25	20.72	Sept. 25	18.05
Oct. 25	20.08	Oct. 25	18.44
Nov. 25	21.14	Nov. 25	18.73
Dec. 25	21.84	Dec. 25	19.14

Clay County

Cy 4. Town of Clay City. Clay City. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 30, T. 10 N., R. 6 W. Drilled unused artesian well in sand and gravel, diam 8 in, depth 48 ft. Lsd, 574.3 ft above msl. MP, 1-in hole in recorder platform, 1.95 ft above lsd. Highest water level 12.55 below lsd, Feb. 10, 1960; lowest 19.40 below lsd, July 7, 1958. Records available: 1957-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1957		Dec. 25	15.70	Apr. 25	13.25	Oct. 25	16.30
Aug. 25	15.27	1959		May 25	13.00	Nov. 25	15.50
Sept. 25	15.89	Jan. 25	14.80	June 25	13.20	Dec. 25	14.65
Oct. 23	h15.81	Feb. 25	13.85	July 25	13.80	1962	
Nov. 25	14.86	Mar. 25	13.80	Aug. 25	14.35	Jan. 25	14.50
Dec. 25	14.01	Apr. 25	13.90	Sept. 25	14.75	Feb. 25	14.15
1958		May 25	13.65	Oct. 26	e15.15	Mar. 25	13.70
Jan. 25	13.73	June 25	14.60	Nov. 9	15.20	Apr. 23	e13.90
Feb. 25	e14.32	July 25	16.05	1961		May 30	h14.63
Mar. 25	14.50	Aug. 25	16.20	Jan. 25	15.90	June 25	14.80
Apr. 24	15.53	Sept. 25	15.50	Feb. 25	15.40	July 25	14.80
May 25	16.10	Oct. 25	14.85	Mar. 25	14.40	Aug. 25	15.45
June 25	16.75	Nov. 25	14.35	Apr. 25	14.35	Sept. 25	15.50
July 25	18.15	Dec. 25	13.85	May 25	14.50	Oct. 25	15.50
Aug. 25	17.90	1960		June 25	14.65	Nov. 25	15.00
Sept. 25	18.20	Jan. 25	13.35	July 27	15.60	Dec. 25	15.10
Oct. 25	17.10	Feb. 25	12.95	Aug. 25	15.55		
Nov. 25	16.85	Mar. 25	13.05	Sept. 25	16.55		

Cy 5. David Chavis. Lena. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 2, T. 13 N., R. 6 W. Drilled unused artesian well in sand and gravel, diam 6 in, depth 52.1 ft. Lsd, 426.9 ft above msl. MP, top of casing, 3.40 ft above lsd. Highest water level 11.96 below lsd, Aug. 3, 1958; lowest 18.59 below lsd, Oct. 14, 1957. Records available: 1957-59. Discontinued.

(daily highest water levels from recorder graph)

1957	Feb. 28	15.66	Oct. 25	17.04	May 25	14.59	
Aug. 25	16.10	Mar. 25	16.03	Nov. 21	e15.62	June 25	15.70
Sept. 25	17.53	Apr. 25	15.67	Dec. 25	16.20	July 25	17.55
Oct. 25	17.08	May 25	15.21	1959		Aug. 25	17.86
Nov. 25	e13.83	June 25	13.46	Jan. 25	15.08	Sept. 6	18.48
Dec. 24	12.78	July 25	13.89	Feb. 25	e13.62		
1958		Aug. 24	14.94	Mar. 25	13.43		
Jan. 25	13.74	Sept. 25	16.39	Apr. 25	13.66		

Clinton County

Ct 1. Frankfort Water Co. Jackson and Washington Sts., Frankfort. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 21 N., R. 1 W. Drilled unused well in gravel, diam 6 in, depth 79 ft. Lsd, 839.20 ft above msl. MP, top of casing, 2.00 ft below lsd. Highest water level 2.90 below lsd, Jan. 10, 1958; lowest 54.38 below lsd, Dec. 2, 1944. Records available: 1944-62.

Ct 1--Continued

Date	Water Level						
1955		Dec. 28	28.91	1959		Feb. 24	32.68
Jan. 28	31.60	1957		Feb. 27	23.00	Mar. 24	28.10
Feb. 25	30.90	Jan. 25	20.37	Mar. 27	23.28	Apr. 28	22.69
Mar. 25	27.18	Feb. 22	17.84	Apr. 24	23.00	May 26	26.30
Apr. 22	29.60	Apr. 26	18.50	May 22	31.15	June 23	28.98
May 27	36.95	May 24	19.95	June 26	32.25	July 28	36.20
June 24	36.82	June 28	20.31	July 24	27.75	Aug. 25	39.48
July 22	38.80	July 26	20.68	Aug. 28	39.82	Sept. 22	46.04
Aug. 26	37.15	Aug. 23	31.20	Sept. 25	38.30	Oct. 27	38.23
Sept. 23	39.00	Sept. 27	40.30	Oct. 23	29.46	Nov. 24	29.82
Oct. 28	37.05	Oct. 25	21.90	Dec. 24	26.53	Dec. 22	20.60
Nov. 25	33.97	Nov. 22	12.46				
Dec. 23	31.10	Dec. 27	10.69	1960		1962	
1956		1958		Feb. 26	21.19	Jan. 26	30.96
Jan. 27	26.45	Jan. 24	9.80	Mar. 25	25.34	Feb. 23	31.16
Feb. 24	27.45	Feb. 28	12.53	Apr. 22	30.97	Mar. 23	35.23
Mar. 23	23.79	Mar. 28	20.64	May 27	34.51	Apr. 27	25.14
Apr. 27	22.94	Apr. 25	18.46	June 24	39.60	May 25	27.00
May 25	27.28	May 23	20.60	July 22	39.50	June 22	14.06
June 22	34.97	June 27	20.02	Aug. 26	44.10	July 27	8.57
July 27	31.50	July 25	25.00	Sept. 23	44.35	Aug. 24	10.31
Aug. 24	33.75	Aug. 22	28.30	Oct. 28	37.80	Sept. 28	8.76
Sept. 28	39.96	Sept. 26	31.45	Nov. 25	32.55	Oct. 29	5.52
Oct. 26	36.77	Oct. 24	23.42	Dec. 23	29.03	Nov. 30	8.05
Nov. 23	30.16	Nov. 28	27.08	1961		Dec. 28	5.90
				Jan. 27	34.56		

Ct 2. Frankfort Ice Co. 300 W. Ohio St., Frankfort. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 21 N., R. 1 W. Drilled unused well in sand and gravel, diam 8 in, depth 85 ft. Lsd, 859.27 ft above msl. MP, top of casing, 0.50 ft above lsd. Highest water level 31.10 below lsd, Apr. 1, 1957; lowest 72.24 below lsd, Dec. 9, 1944. Records available: 1944-57. Discontinued.

(daily lowest water levels from recorder graph)

1955		Sept. 25	56.30	May 25	45.30	Jan. 25	39.05
Jan. 21	54.20	Oct. 25	55.45	June 25	51.35	Feb. 25	34.25
Feb. 25	48.95	Nov. 25	51.85	July 25	47.70	Mar. 25	33.50
Mar. 25	45.15	Dec. 25	44.45	Aug. 25	51.80	Apr. 25	36.55
Apr. 25	46.35	1956		Sept. 25	57.10	May 25	38.10
May 25	51.80	Jan. 25	44.35	Oct. 25	55.10	June 25	38.45
June 25	53.60	Feb. 25	46.15	Nov. 25	44.10	July 9	37.00
July 25	53.80	Mar. 25	41.40	Dec. 25	46.90	Aug. 25	46.20
Aug. 25	54.70	Apr. 25	41.50	1957		Sept. 21	57.05

Ct 4. Frankfort Light Co. Burlington Ave. and Gree St., Frankfort. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 2, T. 21 N., R. 1 W. Drilled unused well in gravel, diam 12 in, depth 230 ft. Lsd, about 840 ft above msl. MP, top of 1-3/16-in board, 0.50 ft above lsd. Highest water level 11.00 below lsd, Apr. 11, 12, 1962; lowest 42.60 below lsd, Aug. 11, 1949. Records available: 1949-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

1955		Apr. 25	23.90	Aug. 25	34.80	Dec. 23	27.65
Jan. 25	27.00	May 25	27.45	Sept. 23	35.70	1956	
Feb. 25	26.50	June 25	30.95	Oct. 25	30.45	Jan. 25	27.10
Mar. 26	25.15	July 25	26.95	Nov. 24	29.65	Feb. 25	23.60

Ct 4--Continued

Date	Water Level						
Mar. 25	22.50	Dec. 25	16.00	Aug. 21	28.15	Apr. 25	20.40
Apr. 25	22.55	1958		Sept. 25	32.30	May 25	19.90
May 25	22.90	Jan. 25	16.80	Oct. 25	26.00	June 25	18.65
June 25	22.95	Feb. 25	17.75	Nov. 25	23.90	July 25	18.05
July 25	21.20	Mar. 25	17.70	Dec. 25	23.60	Aug. 25	24.95
Aug. 25	22.95	Apr. 25	19.60	1960		Sept. 25	31.70
Sept. 25	31.35	May 25	20.65	Jan. 25	22.35	Oct. 25	25.90
Oct. 27	24.85	June 25	20.00	Feb. 25	21.10	Nov. 25	23.90
Nov. 25	23.00	July 25	h19.96	Mar. 25	21.05	Dec. 25	20.90
Dec. 25	18.80	Aug. 26	21.20	Apr. 25	21.05	1962	
1957		Sept. 25	25.15	May 27	e22.35	Jan. 25	15.45
Jan. 25	21.50	Oct. 25	21.30	June 25	23.25	Feb. 25	14.20
Feb. 25	22.00	Nov. 25	14.25	July 30	e23.55	Mar. 25	15.30
Mar. 23	22.45	Dec. 25	14.05	Aug. 25	27.45	Apr. 25	12.35
Apr. 25	20.70	1959		Sept. 25	27.60	May 25	14.30
May 25	23.15	Jan. 25	16.35	Oct. 25	22.20	June 25	13.50
June 25	23.85	Feb. 25	19.65	Nov. 25	23.20	July 25	11.40
July 25	22.90	Mar. 25	19.80	Dec. 25	23.20	Aug. 25	17.95
Aug. 25	23.00	Apr. 25	19.00	1961		Sept. 25	17.10
Sept. 25	25.80	May 22	e19.75	Jan. 25	23.55	Oct. 25	12.05
Oct. 25	21.80	June 25	23.90	Feb. 25	22.90	Nov. 25	12.00
Nov. 25	20.00	July 25	25.05	Mar. 25	21.75	Dec. 25	12.35

Crawford County

Cf 2. Zenis R. Parkhill Estate. Leavenworth. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 26, T. 3 S., R. 1 E. Dug unused well in limestone, diam 42 in, depth 20 ft, cribbed with stone. Lsd, about 700 ft above msl. MP, top of cover on south side, 1.00 ft above lsd. Highest water level 0.20 above lsd, July 19, 1958, Mar. 4, 1961; lowest 8.10 below lsd, Feb. 21, 1954. Records available: 1944-61.

Discontinued.

1955		June 23	4.38	Dec. 28	0.30	May 23	2.53
Jan. 22	1.40	July 28	3.49	1958		June 27	4.40
Feb. 28	.38	Aug. 25	4.51	Jan. 25	.50	July 25	4.82
Mar. 28	1.80	Sept. 22	4.62	Feb. 22	2.48	Aug. 22	5.55
Apr. 23	1.70	Oct. 27	5.99	Mar. 22	1.28	Sept. 26	5.85
May 28	2.50	Nov. 24	6.44	Apr. 26	1.29	Oct. 24	5.45
June 25	3.70	Dec. 22	5.00	May 31	3.63	Nov. 28	4.40
July 23	4.10	1957		June 28	3.48	Dec. 26	.95
Aug. 27	4.70	Jan. 12	1.60	July 26	.37	1960	
Sept. 24	4.95	Feb. 16	1.10	Aug. 9	.64	Jan. 23	.95
Oct. 22	4.25	Mar. 23	1.77	Sept. 13	3.95	Feb. 27	1.54
Nov. 26	1.80	Apr. 27	1.92	Oct. 25	2.35	Mar. 26	1.40
Dec. 24	2.55	May 25	1.22	Nov. 29	2.10	Apr. 16	2.10
		June 22	1.56	Dec. 27	3.25	May 28	4.50
1956						June 25	4.75
Jan. 28	3.15	July 27	1.40	1959		July 23	4.95
Feb. 25	1.15	Aug. 24	3.52	Jan. 31	1.86	Aug. 27	5.35
Mar. 24	1.68	Sept. 21	4.98	Feb. 28	1.46	Sept. 24	5.84
Apr. 28	3.30	Oct. 26	5.68	Mar. 21	2.05	Oct. 22	7.05
May 26	4.00	Nov. 23	1.38	Apr. 25	3.58		

Cf 2--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Nov. 26	6.68	Jan. 28	4.95	Apr. 22	0.80	July 15	2.70
Dec. 24 1961	6.64	Feb. 25	.05	May 13	2.70	Aug. 26	3.20
		Mar. 25	.60	June 3	3.10	Sept. 14	3.65

Cf 3. Robert Faulkenburg. St. Croix. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 3 S., R. 1 W. Dug unused well in limestone, diam 42 in, depth 18 ft, cribbed with stone. Lsd, about 760 ft above msl. MP, painted arrow on cover, 0.00 ft lsd. Highest water level 5.90 below lsd, Mar. 8, 1945; lowest 20.00 below lsd, Aug. 21, 28, 1955. Records available: 1944-62.

1955		July 23	16.3	May 28	15.0	Mar. 25	10.6
Jan. 22	12.9	Aug. 23	16.9	June 28	16.1	Apr. 22	11.5
Feb. 26	10.00	Sept. 28	17.0	July 28	15.4	May 21	14.2
Mar. 26	14.5	Oct. 28	16.8	Aug. 28	14.9	June 24	16.0
Apr. 21	14.5	Nov. 28	15.2	Sept. 28	17.4	July 22	16.4
May 28	15.4	Dec. 28	14.2	Oct. 28	16.8	Aug. 26	16.8
Aug. 21	20.0			Nov. 28	17.0	Sept. 23	17.3
1956		Jan. 28	14.8	Dec. 28	16.8	Oct. 28	15.2
Jan. 21	15.00	Feb. 28	15.2			Nov. 25	17.3
Apr. 28	16.20	Mar. 28	13.8	Jan. 28	13.5	Dec. 23	15.5
June 26	17.03	Apr. 28	16.2	Feb. 28	15.4		
July 28	16.90	May 21	15.6	Mar. 28	13.8	1962	
Aug. 25	17.10	June 21	17.4	Apr. 28	14.9	Jan. 27	17.42
Sept. 22	17.40	July 28	15.4	May 28	16.5	Mar. 23	12.7
Oct. 27	18.4	Aug. 28	15.3	June 25	16.4	Apr. 27	12.8
Nov. 24	16.8	Sept. 28	16.3	July 24	16.7	May 26	14.6
Dec. 22	17.7	Oct. 21	16.5	Aug. 27	16.9	June 23	16.8
1957		Nov. 28	16.4	Sept. 24	17.2	July 28	16.4
Jan. 26	18.3	Dec. 21	16.8	Oct. 22	17.4	Aug. 25	15.6
Feb. 23	15.0			Nov. 26	17.4	Sept. 27	16.8
Mar. 25	14.4	Jan. 21	15.4	Dec. 24	17.3	Oct. 27	16.9
Apr. 22	13.6	Feb. 28	14.8			Nov. 24	16.9
May 27	13.0	Mar. 28	15.8	1961		Dec. 22	17.2
June 24	15.4	Apr. 28	15.5	Jan. 28	14.08		
				Feb. 25	12.4		

Daviess County

Da 2. Floyd Dinkens. Cannelburg. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 30, T. 3 N., R. 5 W. Dug unused well in glacial drift, diam 24 in, depth 16.5 ft, cribbed with tile. Lsd, about 517 ft above msl. MP, edge of plank on new cover marked by arrow, 0.90 ft above lsd. Highest water level 0.10 below lsd, Feb. 3, 1952; lowest 13.94 below lsd, Aug. 15, 1954. Records available: 1949-55. Discontinued.

1955	Feb. 26	3.65	Apr. 24	0.32	May 22	6.72
Jan. 23	10.00	Mar. 27	3.40			

Da 3. Rufus Brothers. Cannelburg. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 30, T. 13 N., R. 5 W. Dug unused well in glacial drift, diam 24 in, depth 19.8 ft, cribbed with tile. Lsd, about 710 ft above msl. MP, hole in metal top, 0.23 ft below lsd. Highest water level 1.48 below lsd, July 27, 1958; lowest 11.80 below lsd, Sept. 18, 1955. Records available: 1955-62.

Da 3--Continued

Date	Water Level						
1955		Mar. 24	7.30	Mar. 22	3.33	Feb. 26	4.13
May 22	7.35	Apr. 28	5.43	Apr. 26	6.13	Mar. 26	1.93
June 26	8.48	May 26	3.13	May 24	6.56	Apr. 23	2.43
July 27	6.91	June 23	3.78	June 28	7.49	May 28	4.63
Aug. 28	9.83	July 28	6.78	July 25	9.18	June 25	6.43
Sept. 25	10.72	Aug. 25	8.72	Aug. 23	9.13	July 23	2.33
Oct. 23	9.23	Sept. 22	9.98	Sept. 27	9.13	Aug. 27	8.93
Nov. 27	6.05	Oct. 27	10.03	Oct. 25	8.53	Sept. 24	10.08
Dec. 26	9.02	Nov. 24	8.13	Nov. 22	8.33	Oct. 22	10.25
1956		Dec. 22	3.13	Dec. 27	5.93	Nov. 26	9.73
Jan. 22	9.72	1958		1960		Dec. 31	8.73
Feb. 26	2.48	Jan. 26	3.33	Jan. 24	4.36	1962	
Mar. 25	3.40	Feb. 23	7.13	Feb. 28	5.13	Jan. 28	4.03
Apr. 22	3.33	Mar. 23	5.23	Mar. 27	3.60	Feb. 25	3.13
May 27	6.93	Apr. 27	5.73	Apr. 24	4.88	Mar. 25	2.83
June 24	6.74	May 25	4.61	May 22	5.63	Apr. 22	4.43
July 22	9.19	June 23	3.79	June 26	3.08	May 27	6.93
Aug. 26	10.26	July 27	1.48	July 24	5.73	June 24	7.53
Sept. 23	10.68	Aug. 24	4.48	Aug. 28	8.00	July 22	7.93
Oct. 28	11.18	Sept. 28	6.45	Sept. 25	9.23	Aug. 26	9.43
Nov. 25	10.73	Oct. 26	6.93	Oct. 23	9.63	Sept. 23	9.13
Dec. 23	10.13	Nov. 23	4.13	Nov. 27	9.43	Oct. 27	10.13
1957		1959		1961		Dec. 23	11.13
Jan. 27	7.29	Jan. 25	3.30	Jan. 22	8.23		
Feb. 24	7.95	Feb. 23	3.33				

Decatur County

Dc 1. Ora Burke. Letts. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 9 N., R. 9 E. Dug unused well in glacial drift, diam 48 in, depth 24 ft, cribbed with stone. Lsd, about .894 ft above msl. MP, northwest side of pump hole in stone slab on well, 0.06 ft above lsd. Highest water level 0.60 below lsd, Apr. 13, 1951; lowest 18.55 below lsd, Nov. 14, 1953. Records available: 1944-57.

Discontinued.

1955		Sept. 24	7.84	June 23	5.60	Jan. 26	2.16
Feb. 26	2.01	Oct. 22	1.04	July 28	5.44	Feb. 23	2.14
Mar. 26	1.84	1956		Aug. 25	6.13	Mar. 23	1.98
Apr. 23	1.37	Jan. 28	2.54	Sept. 22	7.71	Apr. 27	1.53
May 28	2.70	Feb. 25	2.36	Oct. 27	7.03	May 25	1.54
June 25	3.22	Mar. 24	4.29	Nov. 24	6.17	June 22	1.94
July 23	5.49	Apr. 28	5.66	Dec. 22	4.13	July 27	6.44
Aug. 27	7.51	May 19	5.22	1957		Aug. 24	8.47

DeKalb County

Dk 1. City of Auburn. Auburn Water Works. Auburn. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 34 N., R. 13 E. Drilled used municipal well in glacial gravel, diam 4 in, reported depth 256 ft. Lsd, about 866 ft above msl. MP, air-line in pump base 61.5 ft long, 2.00 ft above lsd. Highest water level 4.5 below lsd, June 2, 1947; lowest 18.5 below lsd, Oct. 27, 1950. Records available: 1944-57. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Sept. 25	13.5	May 27	13.5	Jan. 27	13.5
Jan. 23	13.5	Oct. 23	12.5	June 24	11.5	Feb. 24	11.5
Feb. 27	11.5	Nov. 27	13.5	July 22	11.5	Mar. 24	11.5
Mar. 27	13.5	Dec. 25	11.5	Aug. 26	12.5	Apr. 28	10.5
Apr. 24	12.5	1956		Sept. 23	11.5	May 26	10.5
May 22	11.5	Jan. 22	12.5	Oct. 28	11.5	June 23	13.5
June 26	13.5	Feb. 26	13.5	Nov. 24	11.5	July 28	12.5
July 24	11.5	Mar. 21	13.5	Dec. 23	11.5	Aug. 25	17.5
Aug. 28	13.5	Apr. 22	11.5	1957		Sept. 22	11.5

Dk 2. Worth Wareham. Waterloo. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 3, T. 34 N., R. 13 E. Dug unused well in glacial drift, diam 36 in, depth 31 ft, cribbed with brick. Lsd, about 913 ft above msl. MP, edge of tin plate under pump flange, 0.20 ft above lsd. Highest water level 0.15 above lsd, July 28, 1950; lowest 17.10 below lsd, Dec. 6, 1946. Records available: 1936-61. Discontinued.

Date	Water Level						
1955		Aug. 24	4.89	Mar. 28	3.77	1960	
Jan. 28	4.08	Sept. 28	6.09	Apr. 25	4.05	Jan. 22	2.60
Feb. 24	3.00	Oct. 26	7.24	May 23	4.64	Feb. 26	2.42
Mar. 25	3.70	Nov. 23	7.20	June 27	4.17	Mar. 25	3.62
Apr. 22	4.00	Dec. 28	5.83	July 25	3.54	Apr. 22	2.30
May 27	4.71	1957		Aug. 22	2.59	May 27	3.73
June 24	3.91	Jan. 25	4.26	Sept. 26	3.87	July 22	5.32
July 22	3.65	Feb. 22	3.10	Oct. 24	5.07	Aug. 19	6.23
Aug. 26	4.81	Mar. 22	3.27	Nov. 28	2.90	Oct. 28	7.27
Sept. 23	6.32	Apr. 26	2.61	Dec. 26	4.57	Nov. 18	7.42
Oct. 28	3.50	May 24	2.94	1959		Dec. 23	7.60
Nov. 25	3.10	June 28	3.36	Jan. 23	4.37	1961	
Dec. 23	4.31	July 26	4.63	Feb. 27	3.36	Jan. 27	7.75
		Aug. 23	6.42	Mar. 27	3.37	Feb. 10	8.29
1956		Sept. 27	6.12	Apr. 24	3.59	Mar. 17	2.27
Jan. 27	4.93	Oct. 25	7.10	May 22	3.63	May 26	4.09
Feb. 24	5.23	Nov. 22	2.17	June 26	4.99	June 23	4.85
Mar. 23	3.22	Dec. 27	1.30	Sept. 25	6.13	Aug. 25	5.29
Apr. 27	4.28	1958		Oct. 23	3.77	Sept. 22	5.27
May 25	3.87			Nov. 27	3.31		
June 22	5.05	Jan. 24	4.12	Dec. 25	2.97		
July 27	5.90	Feb. 28	2.57				

Dubois County

Du 2. State of Indiana. Ferdinand State Forest. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 18, T. 3 S., R. 3 W. Drilled unused well in limestone, diam 6 in, depth 33 ft. Lsd, about 530 ft above msl. MP, top of concrete pump base at opening, 0.30 ft above lsd. Highest water level 1.50 below lsd, May 8, 1961; lowest 18.45 below lsd, Nov. 13, 1944. Records available: 1936-37, 1942-62.

(daily highest water levels from recorder graph, Mar. 21-Dec. 31, 1962)

Date	Water Level						
1955		1957		1959		1961	
Jan. 24	16.07	Jan. 22	15.20	Jan. 26	14.20	Jan. 25	16.20
Feb. 28	12.80	Feb. 25	15.70	Feb. 23	12.40	Feb. 27	13.70
Mar. 28	14.50	Mar. 25	15.20	Mar. 23	12.60	Mar. 27	13.50
Apr. 25	10.70	Apr. 29	15.10	Apr. 27	12.45	Apr. 24	12.20
May 22	11.40	May 27	11.95	May 18	10.90	May 22	13.50
June 27	14.75	June 24	12.00	June 22	14.50	June 26	14.40
July 26	14.75	July 22	14.30	July 27	13.70	July 24	14.60
Aug. 22	15.65	Aug. 26	15.20	Aug. 24	14.90	Aug. 28	14.60
Sept. 28	16.70	Sept. 23	15.70	Sept. 28	15.40	Sept. 25	14.80
Oct. 24	16.00	Oct. 22	16.10	Oct. 19	15.20	Oct. 23	15.40
Nov. 28	15.85	Nov. 19	14.50	Nov. 23	15.10	Nov. 27	15.00
Dec. 27	16.10	Dec. 23	14.10	Dec. 28	14.50	Dec. 26	14.60
1956		1958		1960		1962	
Jan. 23	16.10	Jan. 27	15.20	Jan. 25	15.00	Jan. 22	5.50
Feb. 27	13.70	Feb. 24	14.90	Feb. 22	15.00	Feb. 26	6.8
Mar. 26	13.90	Mar. 24	9.80	Mar. 28	13.40	Mar. 24	13.33
Apr. 23	13.60	Apr. 28	9.70	Apr. 25	12.90	Apr. 25	13.78
May 21	12.10	May 26	12.80	May 23	12.80	May 25	13.98
June 25	15.25	June 24	14.30	June 27	13.80	June 25	14.52
July 23	15.30	July 28	12.50	July 25	14.70	July 25	14.94
Aug. 20	15.30	Aug. 25	13.65	Aug. 22	15.55	Aug. 25	13.10
Sept. 24	16.05	Sept. 22	14.30	Sept. 26	16.70	Sept. 25	15.27
Oct. 22	16.40	Oct. 27	14.45	Oct. 24	17.10	Oct. 25	15.68
Nov. 26	16.70	Nov. 24	14.35	Nov. 28	16.10	Nov. 25	15.56
Dec. 17	16.60	Dec. 22	14.20	Dec. 27	16.30	Dec. 17	h15.84

Du 5. Carl Dorsam. Haysville. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 25, T. 1 N., R. 5 W. Dug unused well, diam 42 in, depth 37 ft, cribbed with rock. Lsd, about 541 ft above msl. MP, west edge of well opening in porch, 4.00 ft above lsd. Highest water level 8.28 below lsd, Mar. 9, 1945; lowest 22.77 below lsd, Nov. 29, 1952. Records available: 1944-62.

1955	1956	1957	1958
Jan. 22	21.68	Jan. 28	20.85
Feb. 26	20.80	Feb. 25	16.38
Mar. 26	18.35	Mar. 24	15.48
Apr. 23	17.60	Apr. 28	15.04
May 28	17.02	May 26	15.04
June 25	17.74	June 23	18.80
July 23	18.80	July 28	20.30
Aug. 27	20.44	Aug. 25	20.76
Sept. 24	20.84	Sept. 29	20.82
Oct. 22	20.92	Oct. 27	21.35
Nov. 26	20.06	Nov. 24	21.40
Dec. 24	20.35	Dec. 22	21.44

Du 5--Continued

Date	Water Level						
1959		Jan. 24	19.79	Jan. 22	21.11	Jan. 28	20.32
Jan. 24	18.40	Feb. 28	19.41	Feb. 26	20.43	Feb. 25	19.90
Feb. 28	18.36	Mar. 27	19.36	Mar. 26	18.49	Mar. 25	18.39
Mar. 28	17.40	Apr. 24	18.72	Apr. 23	17.26	Apr. 22	17.08
Apr. 25	19.68	May 22	19.00	May 28	16.39	May 27	19.26
May 23	19.59	June 26	18.72	June 25	17.08	June 24	19.76
June 27	19.77	July 24	18.85	July 23	19.30	July 22	20.18
July 25	20.20	Aug. 28	20.55	Aug. 27	20.39	Aug. 26	20.59
Aug. 22	20.58	Sept. 25	21.05	Sept. 10	20.79	Sept. 23	20.87
Sept. 26	20.84	Oct. 23	21.27	Oct. 22	21.11	Oct. 28	21.31
Nov. 22	21.20	Nov. 27	21.43	Nov. 26	21.18	Nov. 25	21.28
Dec. 27	20.66	Dec. 25	21.37	Dec. 24	21.14	Dec. 23	21.55
1960		1961		1962			

Elkhart County

Eh 2. Grace Leer. Millersburg. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 29, T. 36 N., R. 7 E. Driven unused well, diam 1 $\frac{1}{4}$ in, depth 18.5 ft. Lsd, about 821 ft above msl. MP, top of 1 $\frac{1}{4}$ -in coupling, 1.60 ft above lsd. Highest water level 0.70 below lsd, Oct. 11, 1954; lowest 7.77 below lsd, Jan. 1, 10, 1954. Records available: 1945-62.

1955		1957		1959		1961	
Jan. 23	5.25	Jan. 27	5.77	Jan. 25	5.84	Jan. 22	6.20
Feb. 27	4.70	Feb. 24	5.62	Feb. 22	5.19	Feb. 26	5.37
Mar. 27	5.01	Mar. 24	5.58	Mar. 22	4.78	Apr. 23	2.08
Apr. 24	5.34	Apr. 25	4.08	Apr. 26	5.00	May 28	5.19
May 22	5.78	May 26	4.77	May 24	4.19	June 25	5.70
June 26	6.06	June 23	5.54	June 25	5.65	July 23	5.91
July 24	6.12	July 25	5.97	July 26	5.94	Aug. 27	5.74
Aug. 28	6.27	Aug. 25	6.23	Aug. 23	6.25	Sept. 24	5.70
Sept. 25	6.39	Sept. 22	6.32	Sept. 27	6.39	Oct. 22	5.82
Oct. 23	6.12	Oct. 27	5.95	Oct. 25	5.97	Nov. 26	5.91
Nov. 27	5.75	Nov. 24	5.63	Nov. 22	5.05	Dec. 24	5.75
Dec. 25	5.94	Dec. 22	5.05	Dec. 29	4.75	1962	
1956		1958		1960		1961	
Jan. 23	6.02	Jan. 26	5.42	Jan. 24	4.77	Jan. 28	5.98
Feb. 26	3.47	Feb. 23	5.83	Feb. 28	5.07	Feb. 25	5.46
Mar. 25	5.20	Mar. 23	5.23	Mar. 27	5.46	Mar. 25	4.47
Apr. 22	5.45	Apr. 27	5.50	Apr. 24	4.42	Apr. 22	5.16
May 27	5.02	May 25	5.99	May 22	5.16	May 27	5.48
June 24	5.70	June 22	6.22	June 26	4.94	June 24	5.54
July 22	5.99	July 27	6.38	July 24	5.70	July 22	5.55
Aug. 26	6.19	Aug. 24	5.60	Aug. 28	5.99	Aug. 26	5.95
Sept. 23	6.34	Sept. 28	6.08	Sept. 25	6.02	Sept. 23	6.02
Oct. 28	6.41	Oct. 19	6.28	Oct. 23	6.24	Oct. 28	5.95
Nov. 25	6.43	Nov. 23	6.00	Nov. 27	5.83	Nov. 25	6.13
Dec. 23	6.40	Dec. 28	6.25	Dec. 25	6.05	Dec. 23	5.96

Eh 3. City of Goshen. Ninth and Jackson Sts., Goshen. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 36 N., R. 6 E. Drilled unused well in sand and gravel, diam 12 in, depth 179 ft. Lsd, about 802 ft above msl. MP, top of casing on south side, 1.00 ft above lsd. Highest water level 15.60 below lsd, Feb. 11, 1952; lowest 27.9 below lsd, Apr. 5, 1961, Aug. 17, 1962. Records available: 1950-62.
 (2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level						
1955		Nov. 15	19.6	Sept. 18	18.8	1961	
Jan. 25	16.4	Dec. 25	19.4	Oct. 25	18.9	Apr. 25	18.3
Feb. 25	17.5	1957		Nov. 25	18.9	May 25	17.9
Mar. 25	17.1	Jan. 31	h19.96	Dec. 11	h19.21	June 25	18.1
Apr. 25	17.0	Feb. 25	19.7	1959		July 25	18.7
May 19	17.8	Mar. 25	19.7	Apr. 25	17.9	Aug. 10	18.8
June 25	18.7	Apr. 25	19.7	May 25	17.4	Sept. 25	18.9
July 25	18.3	May 25	19.1	June 25	18.7	Oct. 25	18.9
Aug. 25	19.2	June 25	19.2	July 25	18.7	Nov. 25	18.8
Sept. 25	19.3	July 25	19.5	Aug. 25	19.9	Dec. 23	e18.9
Oct. 25	19.3	Aug. 25	19.6	Sept. 25	19.8	1962	
Nov. 25	19.2	Sept. 25	19.8	Oct. 25	19.2	Jan. 25	19.0
Dec. 25	19.4	Oct. 25	19.7	Nov. 25	19.1	Feb. 25	18.8
1956		Nov. 25	18.9	Dec. 4	19.1	Mar. 25	17.9
Jan. 25	19.8	Dec. 26	h18.86	1960		Apr. 25	18.0
Feb. 25	19.5	1958		Jan. 25	18.4	May 25	18.7
Mar. 25	18.8	Jan. 25	18.6	Feb. 25	18.2	June 28	h22.75
Apr. 25	19.1	Feb. 25	18.9	Mar. 3	e18.1	July 25	19.0
May 25	17.5	Mar. 25	18.7	Apr. 21	18.0	Aug. 25	19.9
June 25	17.9	Apr. 25	19.2	June 28	17.5	Sept. 25	19.5
July 25	18.5	May 22	19.5	July 25	18.1	Oct. 25	19.6
Aug. 25	18.8	June 27	h19.68	Aug. 16	18.5	Nov. 21	19.5
Sept. 25	19.1	July 24	19.1	Nov. 25	e18.8		
Oct. 25	19.7	Aug. 25	18.8	Dec. 15	19.0		

Fayette County

Fa 2. Ralph and Irene Kerr. Connersville. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 8, T. 14 N., R. 12 E. Dug unused well in glacial drift, diam 28 in, depth 22 ft, cribbed with stone. Lsd, about 1,036 ft above msl. MP, northwest corner of pump-edge opening in stone slab cover, 0.00 ft lsd. Highest water level 0.37 below lsd, Jan. 5, 1949; lowest 19.79 below lsd, Dec. 17, 1954. Records available: 1946-62.

1955		Jan. 26	6.76	Feb. 22	14.24	Mar. 24	5.27
Jan. 27	16.71	Feb. 23	2.88	Mar. 24	13.27	Apr. 22	3.86
Feb. 24	12.69	Mar. 26	2.93	Apr. 26	3.54	May 27	4.55
Mar. 25	3.03	Apr. 26	4.43	May 24	2.71	June 24	3.90
Apr. 28	3.17	May 24	5.08	June 28	4.24	July 22	2.92
May 26	5.25	June 28	6.18	July 19	6.30	Aug. 28	4.64
June 23	5.62	July 26	8.08	Aug. 24	9.06	Sept. 23	5.90
July 28	7.98	Aug. 23	9.78	Sept. 27	8.63	Oct. 22	7.28
Aug. 25	9.72	Sept. 27	12.01	Oct. 26	10.70	Nov. 28	6.13
Sept. 22	11.45	Oct. 25	13.58	Nov. 30	8.72	Dec. 24	5.23
Oct. 29	11.22	Nov. 22	14.77	Dec. 20	2.41	1959	
Nov. 28	3.39	Dec. 27	15.57	1958		Jan. 21	1.52
Dec. 22	4.94	1957		Jan. 29	3.23	Feb. 13	2.89
1956		Jan. 24	15.93	Feb. 24	5.07	Mar. 25	3.87

Fa 2--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Apr. 22	4.73	Mar. 22	6.84	Feb. 23	15.62	Mar. 26	2.74
May 27	4.67	Apr. 26	4.96	Mar. 23	2.47	Apr. 25	4.71
June 25	6.69	May 25	6.14	Apr. 27	2.54	May 23	5.80
July 22	8.50	June 22	6.78	May 25	4.44	June 26	7.86
Aug. 26	10.34	July 28	7.33	June 23	6.01	July 26	8.66
Sept. 23	11.92	Aug. 24	9.34	July 27	8.76	Aug. 21	10.31
Oct. 28	13.29	Sept. 22	11.31	Aug. 25	9.85	Sept. 26	12.09
Nov. 26	14.03	Oct. 27	13.18	Sept. 22	8.48	Oct. 25	13.21
Dec. 24 1960	14.27	Nov. 24	14.34	Oct. 27	10.83	Nov. 22	14.01
Jan. 22	13.02	Dec. 22	15.24	Nov. 25	11.28	Dec. 26	14.70
Feb. 23	5.49	Jan. 25	15.87	Dec. 19	10.51		

Fountain County

Fo 1. Merchants and Farmers Telephone Co. Hillsboro. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 19 N., R. 7 W. Drilled unused well in rock, diam 4 in, depth 59 ft. Lsd, about 708 ft above msl. MP, edge of concrete floor in shelter house, 0.30 ft above lsd. Highest water level 33.28 below lsd, Mar. 7, 1950; lowest 44.50 below lsd, Dec. 17, 1954. Records available: 1944-62.

1955	Jan. 25	41.7	Jan. 23	39.70	Jan. 24	41.50
Jan. 28	41.5	Feb. 22	41.7	Feb. 27	38.2	Feb. 28
Mar. 25	42.3	Mar. 22	41.7	Mar. 27	37.8	Mar. 28
Apr. 22	42.45	Apr. 26	41.2	Apr. 24	37.70	Apr. 25
May 27	40.70	May 24	41.6	May 22	38.5	May 23
June 24	41.7	June 24	39.08	June 26	38.3	June 27
July 22	40.70	July 26	37.7	July 24	39.7	July 25
Aug. 26	42.1	Aug. 23	39.7	Aug. 28	40.4	Aug. 22
Sept. 23	42.4	Sept. 27	40.1	Sept. 25	41.1	Sept. 26
Oct. 28	42.4	Oct. 25	39.3	Oct. 23	41.2	Oct. 24
Nov. 25	42.2	Nov. 22	41.3	Nov. 7	41.3	Nov. 28
Dec. 24	42.3	Dec. 27	41.0	Dec. 22	41.24	Dec. 26
1956	1958		1960		1962	
Jan. 27	42.1	Jan. 24	40.3	Jan. 26	40.70	Jan. 23
Feb. 24	41.8	Feb. 28	40.1	Feb. 23	41.08	Feb. 27
Mar. 23	41.7	Mar. 28	41.5	Mar. 22	41.08	Mar. 27
Apr. 13	41.9	Apr. 25	41.1	Apr. 26	41.09	Apr. 24
May 25	41.8	May 30	41.5	May 24	40.48	May 22
June 22	41.0	June 27	39.7	June 28	39.70	June 26
July 27	41.0	July 25	34.1	July 26	39.00	July 24
Aug. 24	41.1	Aug. 22	34.9	Aug. 23	39.00	Aug. 28
Sept. 28	41.8	Sept. 26	36.70	Sept. 27	40.50	Sept. 25
Oct. 26	41.90	Oct. 24	38.30	Oct. 25	41.08	Oct. 23
Nov. 23	41.9	Nov. 28	38.70	Nov. 22	41.25	Nov. 27
Dec. 28	41.7	Dec. 26	38.90	Dec. 27	41.48	Dec. 25
1957	1959		1961		1962	

Franklin County

Fr 1. Town of Brookville. Ninth and Cliff Sts., Brookville. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 29, T. 9 N., R. 2 W. Drilled used public-supply well in sand and gravel, diam 12 in, reported depth 150 ft. Air-line measurements. Lsd, about 651 ft above msl. MP, air pipe leaving pump base, 4.50 ft above lsd. Highest water level 20.75 below lsd, Jan. 28, 1950; lowest 31.71 below lsd, Oct. 16, 1939. Records available: 1936-57. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Sept. 27	28.5	May 26	28.5	Jan. 26	28.5
Jan. 22	28.5	Oct. 22	28.5	June 23	27.5	Feb. 23	28.5
Feb. 26	26.5	Nov. 26	26.5	July 28	28.5	Mar. 23	28.5
Mar. 26	25.5	Dec. 24	28.5	Aug. 25	28.5	Apr. 20	26.5
Apr. 23	27.5	1956		Sept. 22	28.5	May 25	25.5
May 22	28.5	Jan. 28	27.5	Oct. 27	28.5	June 22	25.5
June 25	27.5	Feb. 25	25.5	Nov. 24	28.5	July 27	28.5
July 23	27.5	Mar. 24	27.5	Dec. 22	28.5	Aug. 24	28.5
Aug. 27	29.5	Apr. 28	28.5	1957		Sept. 14	28.5

Fr 4. Alvin A. Harmeyer. Enochsburg. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 12, T. 10 N., R. 11 E. Drilled unused well in gravel, diam 6 in, depth 89 ft. Lsd, about 964 ft above msl. MP, top of casing on east side of well, 0.40 ft above lsd. Highest water level 16.86 below lsd, Apr. 7, 1944; lowest 65.45 below lsd, Aug. 11, 1956. Records available: 1944-56. Discontinued.

1955		June 25	51.16	Dec. 24	58.03	May 26	42.06
Jan. 22	40.86	July 23	48.68	1956		June 23	44.93
Feb. 25	39.42	Aug. 27	58.24	Jan. 28	55.84	July 28	58.42
Mar. 26	46.74	Sept. 24	53.72	Feb. 25	44.88	Aug. 25	61.86
Apr. 23	45.74	Oct. 22	48.42	Mar. 24	45.13		
May 28	50.42	Nov. 26	53.47	Apr. 28	41.41		

Fulton County

Fu 5. Forest Farm Products. Fulton St., Rochester. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 30 N., R. 3 E. Drilled unused water-table (?) well in sand and gravel, diam 6 in, depth 64 ft. Lsd, about 774 ft above msl. MP, top of casing, 4.10 ft above lsd. Highest water level 8.16 below lsd, Aug. 2, 1960; lowest 12.71 below lsd, Feb. 8, 1956. Records available: 1956-62.

1956		Sept. 21	9.96	Jan. 26	9.65	Feb. 27	10.06
Feb. 22	12.60	1958		Feb. 24	9.17	Mar. 22	10.04
Mar. 27	12.20	Feb. 28	9.93	Mar. 26	9.04	Apr. 27	9.65
Apr. 26	11.86	Mar. 28	9.95	Apr. 29	8.79	May 25	9.04
May 22	10.25	Apr. 18	9.92	May 25	8.64	June 23	8.79
June 25	10.97	May 22	10.03	June 26	8.75	July 25	8.34
July 27	11.60	June 26	9.05	July 24	9.20	Aug. 25	8.80
Aug. 23	12.08	July 24	8.78	Aug. 22	9.70	Sept. 23	9.72
Sept. 7	11.90	Aug. 26	8.79	Sept. 26	10.28	Oct. 27	10.20
1957		Sept. 23	8.70	Oct. 25	10.40	Nov. 23	10.45
Apr. 15	12.26	Oct. 24	9.00	Nov. 24	10.42	Dec. 28	10.68
June 21	11.83	Nov. 26	9.20	Dec. 24	10.41	1961	
July 26	11.47	Dec. 27	9.66	1960		Jan. 25	10.70
Aug. 24	10.35	1959		Jan. 23	10.25	Feb. 23	10.95

Fu 5--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 27	10.89	Sept. 26	10.25	Feb. 28	10.14	Aug. 22	10.14
Apr. 24	10.76	Oct. 25	10.22	Mar. 28	8.28	Sept. 26	10.48
May 22	10.64	Nov. 22	10.25	Apr. 25	8.68	Oct. 24	10.64
June 26	10.60	Dec. 27	10.17	May 23	8.90	Nov. 28	10.80
July 24	10.65	1962		June 27	9.40	Dec. 26	10.98
Aug. 28	10.28	Jan. 24	10.16	July 25	9.70		

Fu 6. Winamac Coil Spring Corp. Kewanna. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 30 N., R. 1 E. Drilled unused artesian well in sand and gravel, diam 10 in, depth 117 ft. Lsd, about 770 ft above msl. MP, 1-in hole in floor, 0.00 ft lsd. Highest water level 20.40 below lsd, May 14, 1960; lowest 25.68 below lsd, Dec. 28, 1962. Records available: 1956-62.

(daily highest water levels from recorder graph, May 11, 1956-May 12, 1957)							
1956		June 28	20.95	1960		July 28	22.65
May 13	20.45	July 26	20.70	Jan. 23	22.75	Aug. 25	21.15
July 29	22.15	Aug. 15	21.30	Feb. 26	22.20	Sept. 22	22.15
Aug. 11	22.35	Sept. 27	22.00	Mar. 26	22.15	Oct. 27	22.16
Sept. 28	22.66	Oct. 25	22.65	Apr. 23	20.55	Nov. 24	22.20
Oct. 25	24.00	Nov. 22	23.00	May 28	21.00	Dec. 22	21.79
Nov. 3	24.30	Dec. 27	23.33	June 24	21.40	1962	
Dec. 28	24.56	1959		July 22	22.10	Jan. 26	21.17
1957		Jan. 24	23.15	Aug. 26	23.05	Feb. 23	21.78
Aug. 24	23.51	Feb. 28	22.70	Sept. 23	23.61	Mar. 23	21.15
Sept. 28	24.37	Mar. 28	21.70	Oct. 28	24.41	Apr. 27	21.19
Oct. 26	24.30	Apr. 25	21.25	Nov. 25	24.62	May 25	22.09
Nov. 23	23.90	May 23	21.10	Dec. 23	25.20	June 22	22.60
Dec. 28	22.20	June 27	22.10	1961		July 27	23.60
1958		July 24	23.10	Jan. 27	25.44	Aug. 24	24.20
Jan. 25	22.20	Aug. 22	23.60	Feb. 24	25.47	Sept. 28	24.77
Feb. 22	22.90	Sept. 26	24.25	Mar. 24	23.88	Dec. 28	25.68
Mar. 22	22.63	Oct. 24	23.95	Apr. 28	21.95		
Apr. 26	22.95	Nov. 28	23.65	May 26	21.77		
May 24	23.45	Dec. 26	22.80	June 23	21.99		

Gibson County

Gi 1. Oakland City Country Club, Inc. West and Trusler Sts., Oakland City. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 2 N., R. 9 W. Dug unused well in shale, diam 12 in, depth 37 ft, cribbed with brick. Lsd, about 460 ft above msl. MP, 1 x 2-in slot cut in slab cover, 0.20 ft above lsd. Highest water level 11.05 below lsd, Jan. 20, 1947; lowest 21.49 below lsd, Nov. 29, 1954. Records available: 1944-62.

1955		Dec. 28	20.45	Aug. 22	18.82	Apr. 25	19.18
Apr. 27	19.80	1956		Sept. 26	19.20	May 23	16.66
May 25	19.60	Jan. 25	20.55	Oct. 25	19.52	June 27	17.43
June 22	19.42	Feb. 22	19.54	Nov. 22	19.98	July 25	17.29
July 27	19.27	Mar. 28	18.66	Dec. 26	20.10	Aug. 22	17.69
Aug. 24	19.39	Apr. 26	18.53	1957		Sept. 26	19.78
Sept. 28	19.27	May 23	18.38	Jan. 24	20.44	Oct. 24	18.43
Oct. 26	19.90	June 27	18.36	Feb. 28	20.12	Nov. 28	18.27
Nov. 23	20.30	July 25	18.61	Mar. 28	20.41	Dec. 26	15.82

Gr 1--Continued

Date	Water Level						
1958		Apr. 23	16.15	Aug. 25	16.48	Dec. 28	18.40
Jan. 23	16.62	May 28	16.59	Sept. 22	16.68	1962	
Feb. 28	16.61	June 25	16.54	Oct. 27	17.25	Jan. 25	18.53
Mar. 27	16.42	July 23	16.82	Nov. 24	17.74	Feb. 22	17.99
Apr. 24	16.67	Aug. 27	17.10	Dec. 22	18.16	Mar. 22	16.03
May 22	15.79	Sept. 24	17.43	1961		Apr. 26	16.58
June 26	16.36	Oct. 22	17.40	Jan. 26	18.39	May 24	16.67
July 24	14.98	Nov. 24	18.05	Feb. 23	18.09	June 28	17.25
Aug. 28	15.53	Dec. 24	17.84	Mar. 23	16.14	July 26	17.48
Sept. 25	16.24	1960		Apr. 27	15.22	Aug. 23	18.01
Oct. 23	16.76	Jan. 28	16.83	May 25	14.99	Sept. 27	18.42
Nov. 27	17.30	Feb. 25	16.28	June 22	15.00	Oct. 25	18.93
Dec. 25	17.33	Mar. 24	16.37	July 27	16.07	Nov. 22	19.22
1959		Apr. 28	16.36	Aug. 24	16.50	Dec. 27	19.46
Jan. 22	14.84	May 26	16.55	Sept. 28	17.19		
Feb. 26	15.72	June 23	16.20	Oct. 26	17.63		
Mar. 26	15.39	July 28	15.99	Nov. 23	18.12		

Greene County

Gr 2. Max Stone. Newberry. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 25, T. 6 N., R. 6 W. Drilled unused well in glacial till and sand, diam 10 in, depth 38 ft. Lsd, 554.6 ft above msl. MP, 1-in hole in recorder platform, 2.33 ft above lsd. Highest water level 12.85 below lsd, Jan. 25, 1958; lowest 20.24 below lsd, Jan. 11, 1962. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Nov. 24	16.16	Apr. 25	16.74	Oct. 25	19.03
July 25	15.16	1959		June 25	16.75	Nov. 25	19.04
Aug. 24	16.09	Jan. 27	16.44	July 25	16.26	Dec. 25	18.65
Sept. 25	17.25	Feb. 18	e15.62	Aug. 25	17.92	1962	
Oct. 25	18.59	Mar. 30	h14.24	Sept. 25	19.21	Jan. 25	18.47
Nov. 25	16.68	Apr. 25	14.41	Oct. 25	19.61	Feb. 25	17.10
Dec. 25	14.67	May 15	15.30	Nov. 25	19.28	Mar. 25	16.56
1958		June 25	17.10	Dec. 30	18.91	Apr. 25	15.47
Jan. 25	12.85	July 25	18.21	1961		May 25	15.81
Feb. 26	14.01	Aug. 25	19.06	Jan. 25	19.58	June 25	16.17
Mar. 25	15.46	Sept. 25	19.25	Feb. 25	19.85	July 25	16.36
Apr. 25	16.46	Oct. 25	18.77	Mar. 25	19.40	Aug. 25	18.29
May 26	15.02	Nov. 26	e18.54	Apr. 25	17.77	Sept. 25	18.25
June 26	14.74	Dec. 25	17.35	May 25	14.86	Oct. 25	18.15
July 25	14.63	1960		June 25	13.66	Nov. 25	18.02
Aug. 20	13.67	Jan. 25	16.38	July 25	14.92	Dec. 25	19.09
Sept. 25	14.76	Feb. 25	15.73	Aug. 25	16.62		
Oct. 14	h15.40	Mar. 25	15.73	Sept. 25	18.79		

Gr 3. City of Linton. Linton. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 20, T. 7 N., R. 6 W. Drill-ed unused artesian well in glaciofluvial sand and gravel, diam 8 in, depth 48.5 ft. Lsd, 482.2 ft above msl. MP, 1-in hole in recorder platform, 2.32 ft above lsd. Highest water level 0.29 above lsd, May 7, 1961; lowest 6.36 below lsd, Jan. 25, 1961. Records available: 1946, 1959-62.

Gr 3--Continued

(daily highest water levels from recorder graph)							
Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1959		Feb. 25	0.05	Feb. 25	4.37	Feb. 25	0.01
Mar. 31	h0.07	Mar. 25	.18	Mar. 25	.80	Mar. 16	.18
Apr. 25	.24	Apr. 25	.94	Apr. 25	.10	Apr. 20	.55
May 25	.41	May 23	1.43	May 25	.36	May 30	h1.49
June 25	1.27	June 25	1.36	June 21	1.32	June 28	h2.69
July 25	2.68	July 25	1.71	July 25	2.82	July 26	h2.88
Aug. 25	2.35	Aug. 25	3.27	Aug. 25	2.92	Aug. 25	3.30
Sept. 25	2.85	Sept. 25	4.45	Sept. 25	3.89	Sept. 25	3.88
Oct. 25	1.53	Oct. 25	5.26	Oct. 25	4.55	Oct. 25	4.48
Nov. 27	.80	Nov. 25	5.67	Nov. 25	4.44	Nov. 25	4.53
Dec. 25	.00	Dec. 29	5.60	Dec. 25	1.75	Dec. 25	4.14
1960		1961		1962			
Jan. 25	.24	Jan. 25	5.95	Jan. 25	.69		

Hamilton County

Ha 2. Public Service Co. of Indiana. Noblesville. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 36, T. 19 N., R. 4 E. Drilled unused well in limestone, diam 8 in, reported depth 265 ft. Lsd, about 770 ft above msl. MP, edge of 3-in nipple on top of casing, 0.78 ft above lsd. Highest water level 14.71 below lsd, May 19, 1943; lowest 37.03 below lsd, Jan. 13, 1959. Records available: 1935-61. Discontinued.

1955		Sept. 25	24.08	May 27	24.08	Jan. 26	25.33
Jan. 25	24.50	Oct. 23	24.97	June 24	18.80	Feb. 23	24.58
Feb. 22	24.97	Nov. 27	25.05	July 22	36.55	Mar. 22	24.95
Mar. 22	23.84	Dec. 26	24.90	Aug. 26	33.83	Apr. 26	25.05
Apr. 26	24.14	1957		Sept. 23	23.45	May 24	25.55
May 24	24.70	Jan. 22	22.79	Oct. 28	22.92	June 28	25.30
June 28	24.83	Feb. 25	24.73	Nov. 25	23.15	July 26	25.40
July 26	26.00	Mar. 26	25.09	Dec. 23	23.59	Aug. 30	26.15
Aug. 23	26.29	Apr. 25	22.20	1959		Sept. 27	25.88
Sept. 27	25.91	May 28	21.57	Jan. 27	22.42	Oct. 25	25.98
Oct. 25	25.32	June 25	21.59	Feb. 24	22.27	Nov. 22	26.05
Nov. 22	23.89	July 30	21.15	Mar. 24	22.53	Dec. 27	26.09
Dec. 27	24.71	Aug. 27	21.97	Apr. 28	22.25	1961	
1956		Sept. 24	22.69	May 26	22.59	Jan. 24	26.46
Jan. 25	24.98	Oct. 22	23.35	June 23	23.50	Feb. 28	26.48
Feb. 28	23.22	Nov. 26	23.46	July 21	24.37	Mar. 28	24.22
Mar. 27	23.58	Dec. 24	21.93	Aug. 25	25.86	Apr. 25	23.05
Apr. 24	23.63	1958		Sept. 22	25.60	May 23	22.98
May 22	24.30	Jan. 28	22.65	Oct. 27	25.69	June 27	23.35
June 26	23.24	Feb. 25	23.19	Nov. 24	25.49	July 25	24.15
July 24	23.14	Mar. 25	23.54	Dec. 22	25.69	Aug. 22	24.92
Aug. 27	24.48	Apr. 22	23.70	1960		Sept. 26	25.32

Ha 4. Public Service Co. of Indiana. Noblesville. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 36, T. 19 N., R. 4 E. Drilled unused well in rock, diam 6 in, reported depth 300 ft. Lsd, about 770 ft above msl. MP, top of casing, 1.10 ft above lsd. Highest water level 20.30 below lsd, Apr. 3, 1962; lowest 57.34 below lsd, Dec. 20, 1962. Records available: 1962.

Ha 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1962		June 21	21.99	Aug. 23	23.25	Nov. 21	23.20
Apr. 17	20.70	July 26	22.14	Sept. 27	23.33	Dec. 27	57.31
May 22	21.56						

Hancock County

Hc 1. New York Central System. Maxwell. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 16 N., R. 7 E. Drilled unused well, diam 6 in, depth 106 ft. Lsd, about 915 ft above msl. MP, edge of casing in iron plate on north side, 0.00 ft lsd. Highest water level 12.95 below lsd, June 20, 1946; lowest 28.98 below lsd, Sept. 13, 1955. Records available: 1946-62.

1955	Jan. 23	27.90	Jan. 27	25.40	Jan. 24	27.80
Jan. 25	27.86	Feb. 27	27.35	Feb. 25	24.63	Feb. 28
Feb. 22	27.17	Mar. 26	27.36	Mar. 24	24.65	Mar. 21
Mar. 22	26.10	Apr. 23	26.01	Apr. 28	24.80	Apr. 26
Apr. 26	26.23	May 22	26.13	May 26	24.55	May 24
May 24	26.52	June 24	25.34	June 23	25.67	June 27
June 28	26.43	July 23	26.03	July 21	26.58	July 25
July 26	26.87	Aug. 27	27.15	Aug. 25	27.20	Aug. 23
Aug. 23	27.40	Sept. 24	27.85	Sept. 22	27.76	Sept. 27
Sept. 27	27.57	Oct. 22	27.86	Oct. 27	27.68	Oct. 24
Oct. 25	26.54	Nov. 26	27.50	Nov. 24	27.63	Nov. 28
Nov. 22	27.96	Dec. 24	26.57	Dec. 23	27.10	Dec. 27
Dec. 27	26.37	1958		1960		1962
1956	Jan. 21	26.26	Jan. 5	27.02	Jan. 23	27.47
Jan. 24	26.00	Feb. 25	26.60	Feb. 25	25.88	Feb. 28
Feb. 21	25.24	Mar. 25	26.65	Mar. 22	26.52	Mar. 28
Apr. 24	24.42	Apr. 23	26.53	Apr. 26	26.42	Apr. 24
May 22	25.83	May 27	25.88	May 24	26.66	May 22
June 26	25.36	June 25	24.63	June 28	26.10	June 26
July 24	25.98	July 22	24.54	July 26	26.03	July 24
Aug. 28	26.79	Aug. 27	25.56	Aug. 23	27.13	Aug. 28
Sept. 25	27.31	Sept. 30	26.07	Sept. 28	27.55	Sept. 25
Oct. 23	27.63	Oct. 28	26.53	Oct. 26	27.80	Oct. 23
Nov. 27	28.03	Nov. 25	26.05	Nov. 14	28.50	Nov. 27
Dec. 25	27.93	Dec. 23	26.09	Dec. 27	28.40	Dec. 31
1957		1959		1961		

Harrison County

Hr 1. State of Indiana. Harrison County State Forest. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 14, T. 4 S., R. 3 E. Dug unused well, diam 48 in, depth 8.6 ft, cribbed with stone. Lsd, about 810 ft above msl. MP, painted arrow on wood cover, 0.44 ft above lsd. Highest water level flowing at lsd, Feb. 15, 28, Mar. 31, Apr. 15, 1939; lowest 8.64 below lsd, Jan. 9, 1954. Records available: 1936-57. Discontinued.

1955	Apr. 23	0.90	Aug. 27	4.20	Dec. 24	0.99
Jan. 22	1.31	May 28	1.81	Sept. 24	4.87	1956
Feb. 26	.90	June 25	1.06	Oct. 22	4.64	Jan. 21 .99
Mar. 26	1.25	July 23	2.66	Nov. 26	1.05	Feb. 25 .42

Hr 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 24	0.76	Sept. 22	2.28	Feb. 23	0.90	Aug. 25	3.46
Apr. 22	.81	Oct. 28	1.35	Mar. 24	.96	Sept. 22	3.56
May 26	1.11	Nov. 24	1.10	Apr. 27	1.00	Oct. 27	2.06
June 23	.86	Dec. 23	.91	May 26	.68	Nov. 24	.76
July 28	2.04	1957		June 23	1.72		
Aug. 25	2.45	Jan. 27	.91	July 28	2.46		

Hr 3. State of Indiana. Harrison County State Forest. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 2, T. 4 S., R. 2 E. Dug unused well in rock, diam 60 in, depth 25 ft, cribbed with stone. On July 18, 1960, a 10-in corrugated pipe was set to a depth of 25 ft and well backfilled with 2-in crushed rock. Lsd, about 840 ft above msl. MP, top of pipe on north side, 1.99 ft above lsd. Highest water level 0.61 below lsd, Feb. 27, 1962; lowest 10.64 below lsd, Jan. 5, 1961. Records available: 1938-62.

(daily highest water levels from recorder graph, July 18, 1960-Dec. 31, 1962)

1955	1957	1959	Jan. 25	10.47
Jan. 22	2.85	Jan. 27	2.96	Jan. 26
Feb. 26	2.52	Feb. 23	3.13	Feb. 23
Mar. 26	2.94	Mar. 24	2.96	Mar. 23
Apr. 23	2.39	Apr. 27	2.96	Apr. 27
May 28	3.29	May 26	2.26	May 27
June 25	4.86	June 23	3.11	June 22
July 23	6.05	July 28	5.36	July 27
Aug. 27	6.99	Aug. 25	6.56	Aug. 25
Sept. 24	7.52	Sept. 22	7.36	Sept. 28
Oct. 22	7.60	Oct. 27	7.86	Oct. 26
Nov. 26	7.08	Nov. 24	3.01	Nov. 23
Dec. 24	3.66	Dec. 22	2.76	Dec. 21
1956	1958	1960	Jan. 25	2.18
Jan. 21	4.31	Jan. 26	2.86	Feb. 25
Feb. 25	2.41	Feb. 23	3.71	Mar. 25
Mar. 24	2.94	Mar. 23	3.01	Apr. 25
Apr. 22	3.12	Apr. 27	2.16	May 25
May 26	4.10	May 25	4.91	June 25
June 23	5.10	June 29	6.71	July 25
July 28	6.70	July 27	3.26	Aug. 25
Aug. 25	7.26	Aug. 24	5.86	Sept. 25
Sept. 22	7.77	Sept. 21	6.81	Oct. 25
Oct. 28	8.15	Oct. 27	7.36	Nov. 25
Nov. 24	8.30	Nov. 23	7.71	Dec. 25
Dec. 23	8.21	Dec. 21	8.11	1961

Hendricks County

Hd 1. Brocia A. and Anna M. Smith. Belleville. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 14, T. 14 N., R. 1 W. Drilled unused artesian well in glacial drift, diam 4 in, depth 46 ft. Lsd, about 842 ft above msl. MP, top of casing, 0.30 ft above lsd. Highest water level 0.20 above lsd, Apr. 25, 1961; lowest 9.86 below lsd, Dec. 27, 1954. Records available: 1944-61. Discontinued.

1955	Mar. 28	2.51	June 27	4.30	Sept. 26	6.67
Jan. 24	6.07	.83	July 25	4.85	Oct. 24	3.52
Feb. 28	5.30	3.17	Aug. 22	5.88	Nov. 22	.90

Hd 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Dec. 26 1956	3.13	Apr. 24	0.47	Sept. 23 1959	4.00	Jan. 26	2.02
		May 28	.06	Oct. 27	5.00	Feb. 23	2.03
Jan. 23	4.38	June 24	1.61	Nov. 24	3.28	Mar. 22	2.70
Feb. 27	.13	July 25	2.30	Dec. 22	3.60	Apr. 26	2.60
Mar. 26	.62	Aug. 21	4.35			May 17	3.21
Apr. 23	1.47	Sept. 24	5.65	Jan. 27	3.99	June 28	1.07
May 28	2.64	Oct. 28	5.65	Feb. 23	1.68	July 26	3.47
June 25	2.81	Nov. 25	3.88	Mar. 24	1.14	Aug. 2	3.89
July 23	3.69	Dec. 26	1.54	Apr. 22	1.88	Nov. 28	9.04
Aug. 27	5.60	1958		May 26	1.93	1961	
Sept. 24	6.40	Jan. 23	3.18	June 23	3.12	Jan. 26	7.04
Oct. 22	7.26	Feb. 25	4.40	July 28	4.86	Feb. 27	5.56
Nov. 26	7.68	Mar. 26	3.98	Aug. 11	5.13	Mar. 27	.35
Dec. 27 1957	6.26	Apr. 23	3.95	Sept. 28	6.20	Apr. 25	+.20
		May 26	3.15	Oct. 27	5.56	May 23	1.63
Jan. 28	4.12	June 24	2.53	Nov. 24	3.76	June 27	4.32
Feb. 25	2.67	July 24	3.40	Dec. 22	2.53	July 26	5.60
Mar. 25	2.80	Aug. 28	3.59	1960		Aug. 15	5.30

Hd 2. John C. Gambold. Coatesville. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 15 N., R. 2 W. Drilled unused well, diam 4 in, depth 48 ft. Lsd, about 902 ft above msl. MP, top edge of 4-in coupling, 0.30 ft above lsd. Highest water level 14.59 below lsd, Apr. 6, 1957; lowest 25.66 below lsd, Nov. 26, 1953. Records available: 1948, 1950-59, 1962.

(daily highest water levels from recorder graph, Apr. 16-Dec. 31, 1962)

1955		June 23	19.18	Dec. 28 1958	15.55	May 23	18.60
Jan. 30	19.72	July 28	20.59			June 27	19.80
Feb. 27	20.60	Aug. 25	21.50	Jan. 25	18.40	July 25	20.89
Mar. 23	18.09	Sept. 22	22.24	Feb. 22	20.54	Aug. 22	21.16
Apr. 23	15.95	Oct. 27	23.10	Mar. 22	19.06	Sept. 26	22.16
May 28	19.22	Nov. 27	23.21	Apr. 26	19.04	Oct. 24	22.03
June 27	20.09	Dec. 22	21.52	May 24 1962	18.47		
July 23	20.79	1957		June 28	17.75	Apr. 24	18.75
Aug. 27	22.35	Jan. 26	20.34	July 26	19.00	May 31	19.42
Sept. 25	23.43	Feb. 23	18.70	Aug. 23	19.01	June 29	h20.51
Oct. 22	21.96	Mar. 23	18.64	Sept. 27	20.03	July 25	19.14
Nov. 26	20.48	Apr. 27	15.34	Oct. 25	20.80	Aug. 25	20.85
Dec. 24 1956	20.05	May 25	13.56	Nov. 22	20.51	Sept. 25	19.40
		June 27	16.46	Dec. 27	20.22	Oct. 25	20.65
Jan. 28	21.13	July 27	19.08	1959		Nov. 25	20.80
Feb. 25	17.40	Aug. 24	19.77	Jan. 24	19.93	Dec. 25	21.15
Mar. 24	17.38	Sept. 28	20.91	Feb. 28	17.32		
Apr. 28	18.14	Oct. 26	20.81	Mar. 28	17.39		
May 26	19.30	Nov. 23	18.37	Apr. 25	18.03		

Hd 3. John C. and Grace F. Gambold. Coatesville. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 15 N., R. 2 W. Dug unused well, diam 36 in, depth 17 ft, cribbed with brick. Lsd, about 884 ft above msl. MP, top course of brick on northeast side, 0.10 ft above lsd. Highest water level 0.04 below lsd, Jan. 26, 1952, Feb. 25, 1956; lowest 14.56 below lsd, Sept. 10, 1955. Records available: 1948, 1950-59. Discontinued.

Hd 3--Continued

Date	Water Level						
1955		Mar. 24	2.44	June 27	3.95	Sept. 27	5.30
Jan. 30	9.25	Apr. 28	.50	July 27	5.04	Oct. 25	5.74
Feb. 27	5.07	May 26	4.65	Aug. 24	5.25	Nov. 22	4.09
Mar. 23	1.62	June 23	.96	Sept. 28	6.75	Dec. 27	4.79
Apr. 23	2.11	July 28	5.93	Oct. 26	4.85	1959	
May 28	4.22	Aug. 25	7.16	Nov. 23	2.36	Jan. 24	2.09
June 27	5.48	Sept. 22	7.81	Dec. 28	1.85	Feb. 28	2.50
July 23	6.25	Oct. 27	8.67	1958		Mar. 28	3.41
Aug. 27	7.90	Nov. 24	9.12	Jan. 25	2.12	Apr. 25	3.33
Sept. 25	13.80	Dec. 22	5.28	Feb. 22	4.35	May 23	3.59
Oct. 22	11.77	1957		Mar. 22	4.46	June 27	4.97
Nov. 26	3.09	Jan. 26	1.89	Apr. 26	1.98	July 25	5.94
Dec. 24	4.08	Feb. 23	3.18	May 24	3.57	Aug. 22	6.23
1956		Mar. 23	2.87	June 28	3.21	Sept. 26	7.79
Jan. 28	4.83	Apr. 27	2.84	July 26	4.58	Oct. 24	5.15
Feb. 25	.04	May 25	1.50	Aug. 23	4.85		

Henry County

Hy 2. Gilbert M. Casey. Kennard, NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 17 N., R. 9 E.
 Driven unused well, diam 1 $\frac{1}{2}$ in, depth 40 ft. Lsd, about 1,055 ft above msl.
 MP, top of pitcher pump, 4.00 ft above lsd. Highest water level 7.05 below
 lsd, June 16, 1957; lowest 19.98 below lsd, Jan. 8, 1961. Records available:
 1946-62.

1955		1957		1959		1961	
Jan. 23	15.20	Jan. 20	17.36	Jan. 25	12.67	Jan. 15	18.89
Feb. 27	14.70	Feb. 25	15.48	Feb. 22	12.13	Feb. 26	17.85
Mar. 27	13.17	Mar. 24	15.14	Mar. 22	11.70	Mar. 26	12.56
Apr. 24	13.78	Apr. 28	13.05	Apr. 26	12.05	Apr. 23	12.27
May 22	14.30	May 26	9.00	May 24	12.50	May 28	13.58
June 26	15.10	June 23	8.90	June 21	13.62	June 25	13.40
July 24	15.90	July 28	13.30	July 26	15.17	July 30	15.28
Aug. 28	17.90	Aug. 25	15.23	Aug. 23	16.40	Aug. 27	16.16
Sept. 25	18.05	Sept. 22	15.80	Sept. 27	17.15	Sept. 10	16.68
Oct. 23	14.10	Oct. 27	16.37	Oct. 25	17.08	Oct. 22	17.60
Nov. 27	13.20	Nov. 24	14.24	Nov. 22	15.69	Nov. 26	17.87
Dec. 25	13.88	Dec. 22	13.50	Dec. 27	14.22	Dec. 24	17.13
1956		1958		1960		1962	
Jan. 22	15.14	Jan. 26	13.47	Jan. 24	13.90	Jan. 28	14.61
Feb. 26	12.50	Feb. 23	14.41	Feb. 28	13.48	Feb. 25	14.98
Mar. 25	12.22	Mar. 23	14.69	Mar. 27	14.16	Mar. 25	13.00
Apr. 22	13.45	Apr. 27	13.75	Apr. 24	13.77	Apr. 22	14.30
May 27	14.16	May 25	13.39	May 22	14.27	May 27	14.72
June 24	14.20	June 29	11.77	June 26	13.59	June 24	14.82
July 22	15.10	July 27	11.77	July 24	14.37	July 22	14.57
Aug. 26	16.53	Aug. 24	12.90	Aug. 28	15.74	Aug. 19	15.80
Sept. 23	17.52	Sept. 28	14.27	Sept. 25	16.76	Sept. 23	16.86
Oct. 28	18.59	Oct. 19	14.85	Oct. 23	17.59	Oct. 28	17.15
Nov. 26	19.20	Nov. 23	13.68	Nov. 27	18.21	Nov. 25	17.30
Dec. 23	18.71	Dec. 28	14.02	Dec. 25	18.71	Dec. 23	17.47

Howard County

Ho 4. Howard L. and Earl M. Shenk. Kokomo. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 24, T. 24 N., R. 4 E. Dug unused water-table well in till, diam 42 in, depth 19 ft. On Sept. 17, 1962, an 8-in corrugated pipe was set to a depth of 19 ft and well backfilled with 2-in crushed rock. Lsd, about 835 ft above ms1. MP, south edge of 8-in pipe, 3.60 ft above lsd. Highest water level 0.96 below lsd, Apr. 10, 1948; lowest dry, Jan. 30-July 3, July 17, Sept. 4, 1954-Jan. 1, 1955. Records available: 1945-62.

(daily highest water levels from recorder graph, Sept. 17-Dec. 31, 1962)

Date	Water Level							
1955								
	1957			1959			1961	
Jan. 22	13.54	Jan. 26	15.22	Jan. 23	5.19	Jan. 27	11.77	
Feb. 26	10.05	Feb. 23	12.12	Feb. 27	4.72	Feb. 24	10.47	
Mar. 26	4.81	Mar. 23	7.57	Mar. 27	3.27	Mar. 24	1.80	
Apr. 23	4.64	Apr. 26	2.00	Apr. 24	3.06	Apr. 28	1.11	
May 25	6.24	May 24	3.15	May 22	3.70	May 26	3.47	
June 25	6.57	June 25	5.31	June 26	6.42	June 23	5.40	
July 23	5.70	July 26	5.11	July 24	8.02	July 28	7.01	
Aug. 27	7.17	Aug. 23	7.33	Aug. 28	9.27	Aug. 25	7.59	
Sept. 24	10.70	Sept. 27	9.11	Sept. 25	10.40	Sept. 22	8.63	
Oct. 22	6.63	Oct. 25	10.20	Oct. 23	11.30	Oct. 28	10.83	
Nov. 26	3.39	Nov. 22	10.03	Nov. 27	12.52	Nov. 25	8.80	
Dec. 24	5.25	Dec. 27	1.98	Dec. 25	12.68	Dec. 23	7.74	
1956								
	1958			1960			1962	
Jan. 28	7.70	Jan. 24	5.33	Jan. 22	7.22	Jan. 27	4.06	
Feb. 25	4.32	Feb. 28	7.28	Feb. 26	4.53	Feb. 24	5.82	
Mar. 24	2.80	Mar. 28	7.27	Mar. 25	6.47	Mar. 24	1.80	
Apr. 28	5.67	Apr. 25	5.64	Apr. 22	3.62	Apr. 28	5.10	
May 26	6.64	May 23	7.38	May 27	4.66	May 26	6.79	
June 23	6.69	June 27	1.82	June 24	6.25	June 23	7.20	
July 28	8.03	July 25	3.61	July 24	6.80	July 28	3.95	
Aug. 25	9.06	Aug. 22	3.43	Aug. 26	7.71	Aug. 11	4.55	
Sept. 22	10.43	Sept. 26	7.02	Sept. 23	8.72	Sept. 26	9.94	
Oct. 27	12.20	Oct. 24	8.65	Oct. 28	9.79	Oct. 25	11.94	
Nov. 24	13.39	Nov. 28	8.78	Nov. 25	10.65	Nov. 25	12.86	
Dec. 22	14.30	Dec. 26	7.36	Dec. 23	11.20	Dec. 25	13.71	

Huntington County

Hu 1. S. W. Schell. Huntington. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 12, T. 27 N., R. 8 E. Dug unused well, diam 36 in, depth 42 ft, cribbed with brick. Lsd, about 811 ft above ms1. MP, south edge of pump hole in concrete cover, 0.40 ft above lsd. Highest water level flowing at lsd, Feb. 15, 1959; lowest 41.70 below lsd, Feb. 7, 1955. Records available: 1945-62.

1955	Aug.	28	29.20	Mar.	25	2.70	Nov.	25	36.40
Jan. 23	3.30	Sept. 25	41.70	Apr.	22	3.40	Dec.	23	37.60
Feb. 27	2.70	Oct. 23	40.70	May	27	3.60	1957		
Mar. 27	2.00	Nov. 27	7.00	June	24	6.50	Jan.	27	40.80
Apr. 24	2.70	Dec. 25	4.40	July	22	7.70	Feb.	24	18.50
May 22	4.90	1956		Aug.	26	29.10	Mar.	24	3.70
June 26	16.30	Jan.	22	3.60	Sept. 23	32.60	Apr.	28	2.20
July 24	6.70	Feb.	26	.00	Oct. 28	35.10	May	26	2.80

Hu 1--Continued.

Date	Water Level						
June 23	2.60	Nov. 23	3.80	Mar. 27	2.50	Aug. 27	4.30
July 28	5.10	Dec. 28	4.10	Apr. 24	2.30	Sept. 24	8.10
Aug. 25	10.40	1959		May 22	3.80	Oct. 22	6.80
Sept. 22	23.70	Jan. 25	3.70	June 26	4.40	Nov. 26	4.10
Oct. 27	7.80	Feb. 22	.80	July 23	5.90	Dec. 24	4.00
Nov. 24	5.30	Mar. 27	2.80	Aug. 27	21.70	1962	
Dec. 22	4.10	Apr. 26	.90	Sept. 24	32.70	Jan. 28	3.60
1958		May 24	4.60	Oct. 23	33.70	Feb. 25	2.30
Jan. 26	3.70	June 28	3.50	Nov. 27	35.00	Mar. 25	2.90
Feb. 23	3.00	July 26	7.20	Dec. 25	29.20	Apr. 22	4.10
Mar. 23	3.60	Aug. 22	15.20	1961		May 27	4.50
Apr. 27	3.60	Sept. 27	31.80	Jan. 22	22.60	June 24	5.20
May 25	4.20	Oct. 25	21.00	Feb. 26	10.00	July 22	10.30
June 22	2.30	Nov. 22	8.80	Mar. 26	2.40	Aug. 26	23.20
July 27	3.10	Dec. 27	4.00	Apr. 23	2.60	Sept. 23	26.50
Aug. 24	3.80	1960		May 28	5.40	Oct. 28	32.30
Sept. 28	10.80	Jan. 24	4.50	June 25	13.30	Nov. 25	35.70
Oct. 26	8.10	Feb. 28	3.70	July 9	20.10	Dec. 23	36.80

Jackson County

Jk 1. State of Indiana. Jackson County State Forest. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 19, T. 5 N., R. 5 E. Dug unused well, diam 36 in, depth 16.5 ft, cribbed with stone, Lsd, about 680 ft above msl. MP, edge of hole in wood cover, 0.20 ft above lsd. Highest water level 1.20 below lsd, Apr. 15, 1939; lowest 16.71 below lsd, Nov. 7, 1949. Records available: 1936-62.

1955		1957		1959		1961	
Jan. 24	5.30	Jan. 28	5.40	Jan. 26	3.30	Jan. 24	6.50
Feb. 28	2.20	Feb. 25	5.50	Feb. 23	2.62	Feb. 27	6.04
Mar. 28	3.00	Mar. 25	5.43	Mar. 23	2.47	Apr. 24	3.80
Apr. 25	3.90	Apr. 22	4.82	Apr. 27	3.10	May 22	3.50
May 22	4.51	May 27	4.62	May 25	3.65	June 26	4.10
June 27	5.10	June 24	4.50	June 22	3.75	July 24	5.30
July 25	5.65	July 22	4.35	July 27	3.67	Aug. 28	6.30
Aug. 22	5.69	Aug. 26	4.41	Aug. 24	3.73	Sept. 25	6.90
Sept. 26	5.70	Sept. 27	4.50	Sept. 28	3.74	Oct. 23	7.10
Oct. 24	5.80	Oct. 21	5.40	Oct. 26	4.80	Nov. 27	6.70
Nov. 28	5.76	Nov. 25	5.77	Nov. 27	5.27	Dec. 26	6.00
Dec. 27	5.70	Dec. 23	5.92	Dec. 28	5.47	1962	
1956		1958		1960			
Jan. 23	5.65	Jan. 23	6.30	Jan. 25	5.38	Jan. 22	5.00
Feb. 26	5.52	Feb. 24	6.68	Feb. 22	5.34	Feb. 26	3.10
Mar. 26	5.29	Mar. 24	6.25	Mar. 28	5.25	Mar. 26	3.60
Apr. 23	4.51	Apr. 28	4.50	Apr. 25	5.22	Apr. 23	4.10
May 28	4.42	May 26	4.53	May 23	4.82	May 28	4.80
June 26	4.39	June 23	4.75	June 27	5.10	June 25	5.40
July 23	4.47	July 28	4.42	July 25	4.90	July 23	6.40
Aug. 27	4.55	Aug. 25	5.50	Aug. 22	5.62	Aug. 27	7.40
Sept. 24	5.30	Sept. 22	5.19	Sept. 26	6.50	Sept. 24	7.40
Oct. 22	5.70	Oct. 27	5.45	Oct. 24	6.62	Oct. 22	7.70
Nov. 26	5.90	Nov. 25	5.45	Nov. 27	6.58	Nov. 26	7.20
Dec. 24	5.70	Dec. 22	5.17	Dec. 27	6.56	Dec. 24	7.00

Jk 2. Ralph Fish. Norman Station. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 24, T. 6 N., R. 2 E.
 Drilled unused well in rock, diam 6 in, depth 93 ft. Lsd, about 884 ft above
 msl. MP, top of recorder platform at 1-in hole, 2.50 ft above lsd. Highest
 water level 9.97 below lsd, May 15, 1961; lowest 22.21 below lsd, Jan. 25,
 1954. Records available: 1944-62.

(daily highest water levels from recorder graph, May 23, 1960-Dec. 31, 1962)

Date	Water Level						
1955		1957		Jan. 25	11.30	Jan. 30	h12.84
Jan. 24	18.26	Jan. 29	13.29	Feb. 22	11.10	Feb. 25	11.31
Feb. 28	15.70	Feb. 25	11.69	Mar. 22	10.70	Mar. 25	10.61
Mar. 28	14.13	Mar. 25	11.57	Apr. 26	11.10	Apr. 25	10.05
Apr. 25	12.50	Apr. 22	11.24	May 25	12.35	May 24	10.32
May 23	13.19	May 27	11.57	June 23	12.10	June 24	10.46
June 27	14.10	June 24	11.46	July 27	12.60	July 25	12.42
July 25	15.08	July 22	12.30	Aug. 23	13.60	Aug. 25	14.08
Aug. 22	16.12	Aug. 25	13.59	Sept. 27	14.90	Sept. 25	15.88
Sept. 25	18.16	Sept. 23	15.30	Oct. 28	14.90	Oct. 25	17.22
Oct. 24	18.32	Oct. 28	17.37	Nov. 25	13.20	Nov. 25	18.55
Nov. 28	16.20	Nov. 25	15.28	Dec. 23	12.80	Dec. 21	18.22
Dec. 26	14.84	Dec. 23	12.56	1960		1962	
1956		1958		Jan. 29	11.20	Jan. 25	13.29
Jan. 23	14.54	Jan. 27	11.64	Feb. 26	11.20	Feb. 8	12.43
Feb. 27	12.15	Feb. 24	12.50	Mar. 26	11.10	Mar. 25	10.84
Mar. 26	12.84	Mar. 24	12.09	Apr. 23	11.6	Apr. 25	10.96
Apr. 23	11.26	Apr. 28	11.38	May 25	12.12	May 25	11.90
May 28	11.83	May 26	10.52	June 25	11.48	June 25	11.89
June 25	12.26	June 23	10.50	July 24	10.92	July 25	12.36
July 23	12.40	July 27	10.30	Aug. 25	12.31	Aug. 25	14.14
Aug. 27	13.90	Aug. 25	11.10	Sept. 24	14.14	Sept. 25	14.23
Sept. 24	14.31	Sept. 15	12.03	Oct. 25	15.77	Oct. 25	15.77
Oct. 22	15.31	Nov. 23	11.30	Nov. 25	17.21	Nov. 25	16.43
Nov. 26	16.20	Dec. 28	11.70	Dec. 25	15.41	Dec. 25	16.54
Dec. 24	15.12	1959		1961			

Jasper County

Jp 3. Harry E. Brunton. Parr. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 30 N., R. 7 W.
 Drilled unused well in gravel, diam 3 in, depth 31 ft. Lsd, about 690 ft
 above msl. MP, top of cover, 1.00 ft above lsd. Highest water level 6.44
 below lsd, June 16, 1952; lowest 12.15 below lsd, Nov. 14, 1949. Records
 available: 1948-59. Discontinued.

	1955	1956	1957	1958
Jan. 24	10.01	Jan. 23	9.92	Jan. 28
Feb. 28	9.26	Feb. 27	7.71	Feb. 25
Mar. 28	9.06	Mar. 26	9.11	Mar. 25
Apr. 25	8.87	Apr. 23	9.51	Apr. 22
May 23	8.92	May 28	9.45	May 27
June 27	8.76	June 25	10.26	June 24
July 25	9.14	July 24	9.87	July 22
Aug. 22	9.17	Aug. 27	9.86	Aug. 26
Sept. 26	10.00	Sept. 24	10.18	Sept. 23
Oct. 24	9.93	Oct. 22	10.61	Oct. 28
Nov. 27	10.15	Nov. 26	10.83	Nov. 25
Dec. 27	9.94	Dec. 24	10.81	Dec. 23

Jp 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1959		Mar. 23	7.89	June 22	8.22	Sept. 28	9.22
Jan. 26	8.42	Apr. 27	8.10	July 27	8.39	Oct. 26	9.15
<u>Feb. 23</u>	<u>8.12</u>	<u>May 25</u>	<u>7.71</u>	<u>Aug. 24</u>	<u>8.69</u>	<u>Nov. 23</u>	<u>9.47</u>

Jp 4. Wm. Gehring, Inc. Newland. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 17, T. 30 N., R. 5 W. Drilled unused artesian well in limestone, diam 16 in, depth 300 ft. Lsd, about 680 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 0.95 below lsd, Apr. 8, 1962; lowest 17.50 ft below lsd, July 8, 1959. Records available: 1956-62.

(daily highest water levels from recorder graph)							
1956		Apr. 25	2.20	1960		Aug. 25	5.95
July 24	e9.00	May 27	8.20	Jan. 19	2.05	Sept. 25	4.00
Aug. 10	16.60	June 25	2.20	Feb. 25	1.35	Oct. 25	2.95
Sept. 24	7.35	July 24	1.65	Mar. 25	2.05	Nov. 25	2.45
Oct. 25	16.15	Aug. 25	2.50	Apr. 25	1.30	Dec. 25	1.95
Nov. 18	6.80	Sept. 25	3.20	May 25	2.40	1962	
Dec. 25	4.55	Oct. 25	3.20	June 25	e2.50	Jan. 8	1.70
1957		Nov. 25	2.90	July 25	9.90	Feb. 25	1.80
Jan. 25	4.30	Dec. 25	3.05	Aug. 25	7.50	Mar. 24	1.65
Feb. 25	3.60	1959		Sept. 25	6.55	Apr. 25	5.15
Mar. 25	3.40	Jan. 25	2.75	Oct. 25	5.65	May 25	3.30
Apr. 22	2.30	Feb. 25	e2.05	Nov. 25	4.45	June 27	h7.28
June 29	3.30	Mar. 25	1.85	Dec. 25	4.05	July 25	5.65
July 25	5.25	Apr. 25	1.45	1961		Aug. 25	9.35
Aug. 25	6.20	May 25	1.75	Jan. 20	4.00	Sept. 25	5.80
Sept. 11	6.80	June 14	7.85	Feb. 25	3.50	Oct. 25	4.50
Oct. 14	4.55	Aug. 25	8.10	Mar. 25	2.55	Nov. 25	4.25
Nov. 22	2.50	Sept. 24	5.30	Apr. 25	1.85	Dec. 25	3.80
Dec. 3	2.10	Oct. 25	3.85	May 25	5.85		
1958		Nov. 25	2.75	June 25	3.95		
Mar. 25	2.15	Dec. 25	2.40	July 25	h7.95		

Jp 5. St. Joseph's College. Collegeville. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 36, T. 29 N., R. 7 W. Drilled used water-table well in sand and gravel, diam 16 to 10 in, depth 47 ft. Lsd, about 665 ft above msl. MP, top of 10-in casing, 1.75 ft above lsd. Highest water level 10.35 below lsd, May 11, 1956; lowest 12.60 below lsd, Oct. 29, 1955. Records available: 1955-56. Discontinued.

1955	Oct. 24	12.60	1956	May 11	10.35
Sept. 20	11.10	Nov. 30	12.40	Mar. 22	11.75

Jp 6. Crystal Dairy. Remington. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 27 N., R. 7 W. Drilled unused artesian well in limestone, diam 10 in, depth 132 ft. Lsd, about 735 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 28.00 below lsd, Feb. 12, 1959; lowest 36.92 below lsd, Oct. 8, 1956. Records available: 1956-59. Discontinued.

(daily highest water levels from recorder graph)							
1956		Feb. 26	29.90	July 8	30.20	Mar. 20	29.45
Sept. 26	29.91	Mar. 12	30.40	Aug. 25	30.25	Apr. 25	29.65
Oct. 31	32.75	Apr. 25	31.00	Sept. 15	30.35	May 29	31.00
Nov. 18	31.65	May 21	30.75	Oct. 6	30.70	June 23	30.00
1957		June 15	30.70	1958		July 25	29.15

Jp 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 25	28.65	Dec. 25	29.30	Mar. 25	29.25	July 25	31.30
Sept. 25	28.50	1959		Apr. 25	29.05	Aug. 25	e31.90
Oct. 25	28.60	Jan. 25	28.90	May 25	29.55	Sept. 3	31.90
Nov. 25	29.00	Feb. 25	28.85	June 17	29.70		

Jefferson County

Jf 2. State of Indiana. Clifty Falls State Park. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 4 N., R. 10 E. Drilled unused artesian well in limestone, diam 6 in, depth 69 ft. Lsd, about 810 ft above msl. MP, edge of 1-in hole in steel plate cover, 0.51 ft above lsd. Highest water level 15.33 below lsd, Apr. 1, 1946; lowest 32.5 below lsd, Aug. 16, 1943. Records available: 1937-62.

1955		Jan. 22	26.36	Jan. 26	25.94	Jan. 24	26.69
Jan. 5	28.51	Feb. 26	26.09	Feb. 23	25.29	Feb. 21	26.39
Feb. 22	27.60	Mar. 26	26.29	Mar. 23	24.44	Mar. 28	25.54
Mar. 23	27.52	Apr. 22	27.04	Apr. 27	25.52	Apr. 25	25.39
Apr. 19	27.06	May 27	25.75	May 25	25.53	May 23	25.49
May 24	26.98	June 24	25.83	June 22	25.79	June 27	25.49
June 28	27.09	July 22	26.07	July 28	26.15	July 18	25.59
Aug. 29	27.58	Aug. 26	26.69	Aug. 24	26.39	Sept. 26	26.13
Sept. 26	28.13	Sept. 23	26.99	Sept. 27	26.44	Oct. 24	26.24
Oct. 24	27.85	Oct. 28	26.49	Oct. 25	26.54	Nov. 21	26.27
Nov. 28	27.36	Nov. 25	26.71	Nov. 22	26.59	Dec. 26	25.64
Dec. 19	27.60	Dec. 23	26.39	Dec. 23	26.09		1962
1956		1958		1960		Jan. 23	25.62
Jan. 23	27.36	Jan. 27	26.04	Jan. 24	25.99	Feb. 28	24.53
Feb. 22	26.73	Feb. 24	25.78	Feb. 28	25.74	Mar. 27	25.14
Mar. 28	26.32	Mar. 25	25.89	Mar. 27	25.59	Apr. 24	25.17
Apr. 25	26.47	Apr. 28	25.54	Apr. 25	25.54	May 22	25.03
May 23	26.52	May 26	25.59	May 23	25.59	June 26	25.14
June 26	26.44	June 23	25.64	June 27	25.59	July 24	25.50
July 28	26.58	July 28	25.70	July 25	25.64	Aug. 28	25.85
Aug. 28	26.84	Aug. 25	25.59	Aug. 22	25.51	Sept. 25	25.81
Sept. 25	27.14	Sept. 22	25.91	Sept. 26	26.29	Oct. 23	25.95
Oct. 23	27.10	Oct. 27	26.19	Oct. 24	26.44	Nov. 27	25.67
Nov. 27	27.24	Nov. 23	26.08	Nov. 22	26.54	Dec. 26	25.83
Dec. 25	26.99	Dec. 28	25.99	Dec. 26	26.54		
1957		1959		1961			

Jf 4. State of Indiana. Clifty Falls State Park. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 20, T. 4 N., R. 10 E. Drilled unused well in rock, diam 6 in, depth 74.55 ft. Lsd, about 820 ft above msl. MP, 1-in hole in recorder platform, 1.97 ft above lsd. Highest water level 21.95e below lsd, Feb. 17, 1959; lowest 42.35 below lsd, Feb. 8, 10, 1961. Records available: 1955-62.

(daily highest water levels from recorder graph)

1955		Jan. 25	36.05	July 24	33.40	1957	
Sept. 25	38.40	Feb. 25	22.95	Aug. 25	33.40	Jan. 29	h25.60
Oct. 25	37.40	Mar. 25	22.95	Sept. 25	34.90	Feb. 25	24.90
Nov. 25	24.85	Apr. 25	h26.38	Oct. 25	33.80	Mar. 25	24.80
Dec. 25	30.40	May 25	31.10	Nov. 27	h37.45	Apr. 25	23.60
1956		June 25	29.30	Dec. 25	28.00	May 27	h24.85

Jf 4--Continued

Date	Water Level						
June 25	26.40	Nov. 25	37.00	Mar. 25	23.95	Aug. 25	36.65
July 25	31.00	Dec. 25	30.15	Apr. 25	29.15	Sept. 25	39.00
Aug. 26	37.55	1959		May 25	34.00	Oct. 25	40.45
Sept. 25	40.05	Jan. 25	23.80	June 25	25.10	Nov. 22	39.90
Oct. 28	h39.90	Feb. 25	23.70	July 25	h26.15	Dec. 25	25.25
Nov. 25	h27.39	Mar. 22	23.90	Aug. 25	36.50	1962	
Dec. 25	25.50	Apr. 25	28.15	Sept. 25	38.85	Jan. 25	23.90
	1958	May 25	32.10	Oct. 25	40.20	Feb. 25	23.60
Jan. 27	25.50	June 25	36.60	Nov. 25	41.00	Mar. 25	23.45
Feb. 25	27.65	July 10	37.90	Dec. 25	41.70	Apr. 25	27.85
Mar. 25	24.60	Aug. 25	39.90	1961		May 25	26.85
Apr. 25	25.75	Sept. 25	40.75	Jan. 25	41.85	June 26	h27.30
May 25	26.60	Oct. 25	41.25	Feb. 25	28.10	July 25	34.45
June 25	33.30	Nov. 25	41.90	Mar. 25	24.15	Aug. 25	37.95
July 25	25.25	Dec. 25	30.60	Apr. 25	23.55	Sept. 25	39.00
Aug. 25	30.65	1960		May 25	26.25	Oct. 23	h39.10
Sept. 25	35.95	Jan. 25	24.90	June 25	24.75	Nov. 25	26.10
Oct. 25	37.80	Feb. 25	25.00	July 25	34.20	Dec. 25	35.50

Jennings County

Jn 1. State of Indiana. Muscatatuck State Park. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 3, T. 6 N., R. 8 E. Dug unused well, diam 36 in, depth 19 ft, cribbed with stone. Lsd, about 733 ft above msl. MP, 1-in hole in top of recorder platform, 2.36 ft above lsd. Highest water level 0.15 below lsd, May 5, 1958; lowest 17.75 below lsd, Jan. 15, 31, Feb. 1, 11, 1954. Records available: 1936-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)							
1955	Oct. 25	12.50	July 27	h3.83	Apr. 22	5.50	
Jan. 25	13.65	Nov. 25	13.05	Aug. 25	4.25	May 25	4.90
Feb. 25	8.05	Dec. 26	7.20	Sept. 22	5.60	June 25	2.45
Mar. 28	7.05	1957		Oct. 25	7.90	July 25	6.80
Apr. 25	8.40	Jan. 22	7.35	Nov. 25	6.55	Aug. 25	10.60
May 25	10.65	Feb. 25	5.45	Dec. 25	5.75	Sept. 25	12.45
June 25	8.00	Mar. 25	4.80	1959		Oct. 25	13.75
July 25	11.60	Apr. 25	3.45	Jan. 25	3.05	Nov. 25	14.40
Aug. 25	12.85	May 26	h2.64	Feb. 2	2.50	Dec. 25	14.70
Sept. 25	14.45	June 23	6.25	Mar. 25	3.35	1961	
Oct. 25	10.45	July 25	6.30	Apr. 27	4.70	Jan. 25	13.80
Nov. 25	6.10	Aug. 25	10.60	May 25	5.50	Feb. 25	9.80
Dec. 25	8.75	Sept. 25	12.70	June 25	9.35	Mar. 25	2.30
	1956	Oct. 25	13.55	July 25	11.65	Apr. 25	3.05
Jan. 25	10.30	Nov. 25	8.50	Aug. 25	11.80	May 25	5.00
Feb. 25	3.90	Dec. 25	5.45	Sept. 25	12.80	June 25	h5.52
Mar. 25	4.20	1958		Oct. 25	13.10	July 25	8.30
Apr. 25	5.50	Jan. 25	5.25	Nov. 25	11.00	Aug. 25	9.70
May 25	7.75	Feb. 25	7.52	Dec. 25	7.50	Sept. 25	11.85
June 25	4.85	Mar. 25	3.10	1960		Oct. 25	12.95
July 25	7.30	Apr. 25	3.10	Jan. 25	5.90	Nov. 25	12.60
Aug. 25	11.20	May 25	4.25	Feb. 25	5.55	Dec. 25	6.60
Sept. 23	10.90	June 25	4.85	Mar. 25	4.60	1962	

Jn 1--Continued

	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 25	3.45	Apr. 25	5.40	July 25	7.55	Oct. 25	13.40
Feb. 25	2.25	May 25	6.50	Aug. 25	11.60	Nov. 25	13.45
Mar. 25	2.60	June 25	7.90	Sept. 25	12.75	Dec. 25	13.65

Knox County

Kn 1. Blanche A. Noble. Tenth and Buchannan Sts., Monroe City. Donation 37, T. 2 N., R. 9 W. Dug unused well in gravel, diam 24 in, depth 38 ft, cribbed with tile. Lsd, about 528 ft above msl. MP, south side of shoulder of 2-ft vitrified tile, 0.40 ft above lsd. Highest water level 29.19 below lsd, May 10, 1951; lowest 37.22 below lsd, Feb. 22, 1945. Records available: 1944-62.

	1955	1957	1959	1961	1962
Jan. 27	35.05	Jan. 24	35.55	Jan. 22	32.30
Feb. 24	35.10	Feb. 28	35.57	Feb. 26	34.30
Mar. 24	34.84	Mar. 28	35.70	Mar. 26	31.90
Apr. 28	34.62	Apr. 25	35.40	Apr. 23	31.78
May 26	34.33	May 23	35.20	May 28	31.88
June 23	34.22	June 27	34.90	June 25	31.87
July 28	34.25	July 25	34.65	July 23	32.10
Aug. 25	34.48	Aug. 22	34.60	Aug. 27	32.20
Sept. 22	34.65	Sept. 26	34.75	Sept. 24	32.35
Oct. 27	34.73	Oct. 24	34.92	Oct. 22	32.50
Nov. 24	34.90	Nov. 28	35.02	Nov. 26	32.65
Dec. 22	35.02	Dec. 26	34.65	Dec. 24	32.82
	1956	1958	1960		
Jan. 26	35.16	Jan. 23	34.50	Jan. 28	32.55
Feb. 23	35.20	Feb. 27	34.16	Feb. 25	32.35
Mar. 22	34.85	Mar. 27	34.15	Mar. 24	32.20
Apr. 26	34.63	Apr. 24	34.05	Apr. 28	32.00
May 24	34.56	May 22	33.70	May 26	31.95
June 28	34.49	June 26	33.40	June 23	31.82
July 26	34.65	July 24	33.35	July 28	31.73
Aug. 23	34.78	Aug. 28	32.55	Aug. 25	31.85
Sept. 27	34.94	Sept. 25	32.15	Sept. 22	32.05
Oct. 25	35.08	Oct. 23	32.26	Oct. 27	32.30
Nov. 22	35.20	Nov. 27	32.48	Nov. 24	32.50
Dec. 27	35.40	Dec. 25	32.50	Dec. 22	32.70

Kn 2. Henry J. Kramer. St. Thomas. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 2 N., R. 11 W. Drilled unused well in sand, diam 6-5/8 in, depth 45 ft. Lsd, about 406 ft above msl. MP, top of casing, 1.20 ft above lsd. Highest water level 0.43 above lsd, July 15, 1958; lowest 8.36 below lsd, Oct. 13, 1960. Records available: 1956-62.

(2 a.m. water levels from recorder graph, July 25-Dec. 31, 1957; daily high-est, 1958-62)

1956	Feb. 14	h4.68	Oct. 25	6.71	Feb. 25	5.27	
Nov. 20	h7.54	May 9	h4.83	Nov. 25	4.35	Mar. 25	3.80
Dec. 19	h7.23	July 25	h5.02	Dec. 25	2.54	Apr. 25	5.10
1957		Aug. 25	5.96	1958		May 25	4.34
Jan. 24	h6.44	Sept. 27	6.55	Jan. 25	3.58	June 25	4.94

Kn 2--Continued

Date	Water Level						
July 25	0.14	Sept. 25	6.12	Nov. 25	7.39	1962	
Aug. 25	4.04	Oct. 16	5.24	Dec. 25	7.16	Jan. 25	3.47
Sept. 25	5.35	Nov. 25	5.43	1961		Feb. 25	3.76
Oct. 25	5.87	Dec. 25	4.23	Jan. 25	7.17	Mar. 25	3.83
Nov. 25	5.54	1960		Feb. 25	6.38	Apr. 25	5.33
Dec. 25	5.40	Jan. 25	4.44	Mar. 25	3.68	May 25	5.92
1959		Feb. 25	4.89	Apr. 25	3.97	June 25	h5.93
Jan. 25	3.88	Mar. 25	4.46	May 25	2.61	July 25	6.55
Feb. 25	3.92	Apr. 25	5.44	June 25	4.40	Aug. 25	6.96
Mar. 25	4.43	May 25	4.70	July 25	5.78	Sept. 26	h7.19
Apr. 25	5.19	June 25	4.91	Aug. 25	6.35	Oct. 25	7.33
May 25	3.97	July 25	5.61	Sept. 25	6.81	Nov. 25	7.34
June 25	5.26	Aug. 25	6.35	Oct. 25	7.16	Dec. 25	7.43
July 25	6.24	Sept. 25	e6.93	Nov. 25	7.27		
Aug. 25	5.59	Oct. 25	7.25	Dec. 26	5.88		

Kn 3. Julia Horrell. Decker Chapel. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 23, T. 1 N., R. 11 W. Drilled unused well in sand, diam 6-5/8 in, reported depth 43.5 ft. Lsd, about 405 ft above msl. MP, top of casing, 1.60 ft above lsd. Highest water level 2.25 below lsd, May 18, 1961; lowest 12.12 below lsd, Jan. 14, 1957. Records available: 1956-62.

(2 a.m. water levels from recorder graph, Nov. 20, 1956-Sept. 3, 1957)

1956	July 14	2.27	1960	June 22	4.90
Nov. 25	11.71	Aug. 12	4.30	Jan. 28	8.05
Dec. 25	12.06	Sept. 9	6.00	Feb. 19	7.65
1957		Oct. 7	7.95	Mar. 24	7.10
Jan. 25	12.11	Nov. 13	9.25	Apr. 28	9.10
May 25	3.22	Dec. 9	7.57	May 25	6.10
June 25	6.52	1959		June 20	6.82
July 25	5.89	Jan. 16	8.70	July 28	7.90
Aug. 22	8.67	Feb. 13	5.48	Aug. 25	9.00
Sept. 3	9.16	Mar. 16	3.45	Sept. 22	10.00
Nov. 29	8.96	Apr. 13	6.55	Oct. 27	10.70
Dec. 28	3.30	May 15	6.83	Nov. 23	11.15
1958		June 24	7.77	Dec. 15	11.20
Jan. 25	4.82	July 14	8.89	1961	
Feb. 11	6.66	Aug. 27	9.30	Jan. 19	11.60
Mar. 11	7.89	Sept. 23	10.05	Feb. 16	11.80
Apr. 14	7.28	Oct. 22	10.25	Mar. 23	6.90
May 13	6.65	Nov. 19	10.30	Apr. 27	6.65
June 9	8.00	Dec. 25	8.40	May 18	2.25

Kn 4. Dwight Shepherd, Decker. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 8, T. 1 N., R. 10 E. Drilled unused well in sand, diam 6-5/8 in, depth 62.9 ft. Lsd, about 408 ft above msl. MP, top of casing, 0.60 ft above lsd. Highest water level 3.15 below lsd, June 19, 1958; lowest 13.60 below lsd, Jan. 21, 1961. Records available: 1956-62.

(2 a.m. water levels from recorder graph, Nov. 20, 1956-Jan. 23, 1957)

1956	Jan. 24	13.48	Aug. 22	8.69	Dec. 28	5.00
Nov. 25	13.04	Feb. 14	12.54	Sept. 26	10.90	1958
Dec. 25	13.39	May 9	9.17	Oct. 25	11.80	Jan. 25
1957		July 25	6.50	Nov. 23	9.50	Feb. 22
						5.70
						7.60

Kn 4--Continued

Date	Water Level						
Mar. 22	8.97	May 23	7.98	July 23	8.98	Sept. 18	11.77
Apr. 29	9.00	June 24	9.29	Aug. 27	10.69	Oct. 17	12.35
May 24	8.56	July 25	10.88	Sept. 24	12.75	Nov. 20	12.85
June 28	9.14	Aug. 22	10.74	Oct. 22	12.19	1962	
July 26	3.55	Sept. 26	11.65	Nov. 26	12.89	Jan. 24	10.50
Aug. 23	4.50	Oct. 21	11.40	Dec. 31	12.90	Feb. 20	10.65
Sept. 27	8.60	Nov. 28	11.90	1961		Mar. 22	5.70
Oct. 25	10.20	Dec. 26	10.70	Jan. 28	13.42	Apr. 23	8.33
Nov. 22	11.80	1960		Feb. 25	13.27	May 22	9.82
Dec. 27	10.70	Jan. 30	9.72	Mar. 18	11.95	June 25	10.58
1959		Feb. 27	9.22	Apr. 22	9.04	July 19	11.39
Jan. 24	8.08	Mar. 23	9.21	May 27	4.25	Aug. 20	12.00
Feb. 28	5.98	Apr. 23	9.44	June 24	6.35	Oct. 18	12.27
Mar. 28	7.02	May 21	9.39	July 29	10.20	Dec. 18	13.43
Apr. 25	8.82	June 25	8.81	Aug. 18	10.90		

Kn 5. Clarence Gartner. Vincennes. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 33, T. 2 N., R. 10 W. Drilled unused well in sand and gravel, diam 6-5/8 in, depth 42 ft. Lsd, about 410 ft above msl. MP, top of casing, 1.40 ft above lsd. Highest water level 0.72 below lsd, Dec. 26, 1957; lowest 6.07 below lsd, Aug. 20, 1962.

Records available: 1956-62.

(2 a.m. water levels from recorder graph, Jan. 25-Mar. 27, 1957)							
1956		May 27	3.85	Nov. 27	3.63	Apr. 28	2.96
Nov. 20	5.39	June 26	3.38	Dec. 24	3.46	May 26	3.64
Dec. 19	4.67	July 24	1.15	1960		June 23	3.98
1957		Aug. 28	2.41	Jan. 22	3.64	July 28	5.21
Jan. 25	3.62	Sept. 25	3.42	Feb. 26	3.94	Aug. 25	5.63
Feb. 25	4.60	Oct. 23	3.65	Mar. 24	3.23	Sept. 22	5.91
Mar. 25	5.01	Nov. 27	2.87	Apr. 28	4.30	Oct. 27	5.58
May 9	4.13	Dec. 18	3.23	May 26	1.36	Nov. 20	5.83
July 25	2.92	1959		June 23	3.68	1962	
Aug. 22	4.77	Jan. 30	1.17	July 29	5.02	Jan. 24	1.95
Sept. 26	5.40	Feb. 27	2.25	Aug. 26	5.73	Feb. 20	4.16
Oct. 25	5.12	Mar. 26	3.05	Sept. 22	6.15	Mar. 22	2.07
Nov. 22	2.48	Apr. 23	3.75	Oct. 28	5.74	Apr. 23	3.73
Dec. 26	.72	May 28	2.02	Nov. 24	5.57	May 22	4.61
1958		June 25	4.19	Dec. 23	5.09	June 25	4.14
Jan. 23	2.35	July 30	4.63	1961		July 19	5.50
Feb. 27	3.79	Aug. 27	3.98	Jan. 27	5.14	Aug. 20	6.07
Mar. 20	3.38	Sept. 27	3.97	Feb. 24	3.29	Oct. 18	5.28
Apr. 24	3.86	Oct. 23	2.81	Mar. 24	2.90	Dec. 18	5.10

Kn 6. James O. Vance. Vincennes Common, Div. B, 32, T. 3 N., R. 10 W. Drilled unused well in sand, diam 6-5/8 in, depth 41 ft. Lsd, about 415 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 0.2 below lsd, Aug. 24, 1959; lowest 7.4 below lsd, Sept. 26, 1960. Records available: 1956-62. Discontinued.

1956		Feb. 14	2.50	Nov. 19	1.55	Mar. 24	1.36
Nov. 20	6.52	May 9	3.15	Dec. 23	1.88	Apr. 28	1.72
Dec. 19	4.25	July 24	3.80	1958		May 26	3.58
1957		Aug. 23	6.25	Jan. 27	1.88	June 23	2.98
Jan. 24	1.95	Sept. 21	5.39	Feb. 24	3.65	July 14	1.80

Kn 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 25	3.60	June 24	3.56	Apr. 25	3.4	Feb. 27	2.0
Sept. 22	3.70	July 27	4.3	May 23	3.1	Mar. 27	1.80
Oct. 7	3.73	Aug. 24	.2	June 27	2.7	Apr. 24	2.2
Nov. 15	1.92	Sept. 28	1.9	July 25	3.2	May 22	3.0
Dec. 9 1959	2.53	Oct. 26	1.9	Aug. 23	4.2	June 19	2.62
		Nov. 23	2.7	Sept. 26	7.4	July 24	3.1
Jan. 26	1.7	Dec. 28	3.3	Oct. 24	6.8	Aug. 18	4.1
Feb. 23	1.6	1960		Nov. 28	4.5	1962	
Mar. 23	3.1	Jan. 25	.8	Dec. 15	4.05	Oct. 18	3.82
Apr. 27	2.7	Feb. 22	.6	1961			
May 25	.8	Mar. 23	1.86	Jan. 23	4.3		

Kn 7. Kelly Farms. Vincennes. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 2, T. 1 N., R. 11 W. Drill-ed unused well in sand, diam 6-5/8 in, depth 53.12 ft. Lsd, about 405 ft above msl. MP, top of casing, 2.25 ft above lsd. Highest water level 2.45 below lsd, May 11, 1961; lowest 11.18 below lsd, Oct. 18, 1962. Records available: 1956-62.

1956	Aug. 12	5.80	1960	May 25	4.60
Nov. 20	10.33	Sept. 9	8.74	Jan. 21	8.60
Dec. 19	10.35	Oct. 7	9.47	Feb. 19	8.05
1957		Nov. 13	9.87	Mar. 24	8.45
Jan. 24	9.89	Dec. 9	8.60	Apr. 28	9.15
Feb. 14	8.50	1959		May 25	6.65
May 9	7.89	Jan. 16	9.33	June 23	8.85
July 25	7.88	Feb. 13	7.32	July 28	9.45
Aug. 22	9.45	Mar. 16	6.93	1961	1962
Nov. 19	8.30	Apr. 13	8.15	Sept. 22	10.35
Dec. 12	8.75	May 15	7.81	Oct. 27	10.55
1958		June 24	9.28	Nov. 23	10.60
Feb. 11	8.65	July 14	9.78	Dec. 26	10.55
Mar. 11	8.98	Aug. 27	9.65		May 22
Apr. 14	8.65	Sept. 23	9.95	1961	June 25
May 13	7.73	Oct. 22	9.30	Jan. 19	9.55
June 9	8.54	Nov. 13	9.61	Feb. 23	10.00
July 14	3.32	Dec. 25	8.55	Mar. 23	10.20
				Apr. 27	10.18
				7.25	11.18
				Dec. 18	10.72

Kosciusko County

Ko 2. State of Indiana. Wawasee State Fish Hatchery. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 25, T. 34 N., R. 7 E. Driven unused artesian well in till, diam 1 $\frac{1}{2}$ in, reported depth 87 ft. Lsd, about 865 ft above msl. MP, top of pipe elbow, 1.00 ft below lsd. Highest water level 3.25 above lsd, May 1, 1944; lowest 0.55 below lsd, Nov. 24, 1962. Records available: 1938-39, 1942-62.

1955	Aug. 27	+1.71	Mar. 24	+2.08	Nov. 24	+1.50
Jan. 22	+2.38	Sept. 24	+1.63	Apr. 28	+2.21	Dec. 22
Feb. 26	+2.21	Oct. 22	+1.71	May 26	+2.25	1957
Mar. 26	+2.25	Nov. 26	+1.83	June 23	+2.08	Apr. 27
Apr. 23	+2.38	Dec. 24	+1.83	July 28	+2.00	May 25
May 28	+2.25	1956		Aug. 25	+1.79	June 22
June 25	+2.13	Jan. 28	+1.58	Sept. 22	+1.50	July 27
July 23	+2.17	Feb. 25	+2.17	Oct. 27	+1.50	Aug. 24
						+1.19

Ko 2--Continued

Date	Water Level						
Sept. 28	+1.09	1959		Apr. 23	+2.58	Sept. 23	+0.20
Oct. 26	+1.31	Jan. 24	+1.88	May 28	+2.42	Oct. 22	.04
Nov. 23	+1.29	Feb. 28	+2.50	June 25	+2.58	Nov. 25	.08
Dec. 28	+1.67	Mar. 28	+2.33	July 23	+2.34	Dec. 23	.20
1958.		Apr. 25	+2.33	Aug. 27	+2.40	1962	
Jan. 25	+1.65	May 23	+2.50	Sept. 27	+2.34	Jan. 6	.33
Feb. 22	+1.61	June 27	+2.54	Oct. 22	+2.17	Mar. 24	.96
Mar. 22	+1.60	July 25	+2.46	Nov. 26	+1.50	Apr. 28	+1.04
Apr. 26	+1.73	Aug. 22	+1.83	Dec. 23	+1.33	May 26	.90
May 25	+1.00	Sept. 26	+1.58	1961		June 23	.85
June 28	+1.25	Oct. 24	+1.58	Jan. 28	+1.17	July 28	.58
July 5	+1.27	Nov. 28	+1.62	Feb. 25	+1.58	Aug. 25	.12
Aug. 23	+2.00	Dec. 26	+2.42	Mar. 25	+1.85	Sept. 22	.34
Sept. 27	+2.29	1960		May 27	+1.08	Oct. 27	.42
Oct. 25	+2.15	Jan. 23	+2.46	June 24	.87	Nov. 24	.55
Nov. 22	+2.13	Feb. 27	+2.54	July 22	.66	Dec. 8	.36
Dec. 27	+1.94	Mar. 26	+2.50	Aug. 26	.66		

Ko 3. Millard G. Stookey. Leesburg. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 33 N., R. 5 E. Driven unused well in glacial drift, diam 1 $\frac{1}{2}$ in, depth 21 ft., Lsd, about 832 ft above msl. MP, base of pitcher pump, 2.00 ft above lsd. Highest water level 8.50 below lsd, Mar. 19, 1951; lowest 14.54 below lsd, Apr. 1, 1957.

Records available: 1945-60. Discontinued.

1955		July 23	12.37	Aug. 26	14.08	Jan. 26	12.68
Jan. 10	11.61	Aug. 27	12.24	Sept. 23	14.21	Apr. 27	10.70
Apr. 25	11.78	Sept. 24	12.27	Oct. 28	14.49	May 25	10.86
May 23	11.83	Oct. 22	13.48	Dec. 23	14.48	June 22	10.48
June 27	12.08	Nov. 26	13.91	1958		July 26	11.01
Aug. 22	12.31	Dec. 17	14.09	Jan. 27	14.48	Aug. 24	11.36
Sept. 26	12.23	1957		Feb. 24	14.39	Sept. 28	11.72
Oct. 24	12.25	Jan. 28	14.24	Mar. 24	14.34	Oct. 26	12.20
1956		Feb. 5	14.26	Apr. 21	14.43	Dec. 28	12.02
Feb. 27	13.88	Mar. 25	14.53	May 26	14.50	1960	
Mar. 26	13.54	Apr. 15	14.33	July 14	12.82	Mar. 28	12.03
Apr. 23	13.39	May 6	13.68	Oct. 27	11.38		
May 27	11.88	June 24	13.82	Dec. 22	12.46		
June 24	12.16	July 15	13.93	1959			

Lake County

Lk 1. Town of East Gary. Corner of Vandenburg and 28th Sts., East Gary. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 16, T. 36 N., R. 7 W. Drilled used public-supply water-table well in sand, diam 38 in, reported depth 64 ft. Lsd, about 635 ft above msl. Measurements made by air-line. Highest water level 29.0 below lsd, Jan. 12, Sept. 2, 1954, June 3, 12, 22, July 1, 1956; lowest 52.0 below lsd, Feb. 6, 9, 10, 1955. Records available: 1954, 1956. Discontinued.

1956	June 22	29	July 1	29
------	---------	----	--------	----

Lk 2. Parramore Hospital. Crown Point. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 35 N., R. 8 W. Drilled used public-supply artesian well in sand, diam 26 in, reported depth 89 ft. Lsd, about 720 ft above msl. Measurements made by air-line. Highest water level 58.00 below lsd, Mar. 14, June 13, 1955, Mar. 13, May 8, 1958; lowest 76.00 below lsd, Oct. 17, 1956. Records available: 1954-58. Discontinued.

Date	Water Level						
1955		Mar. 26	61	Sept. 17	62	Nov. 7	62
Jan. 24	62	July 23	70	Oct. 13	60	Dec. 5	60
Feb. 28	64	Aug. 10	60.5	Nov. 14	62		1959
Mar. 28	58	Sept. 12	62	Dec. 14	62	Jan. 30	60
Apr. 25	58	Oct. 17	76		1958	Feb. 27	60
May 23	59	Nov. 12	62	Jan. 12	60	Mar. 27	60
June 13	58		1957	Feb. 12	62	Apr. 24	60
Aug. 21	61	Jan. 5	62	Mar. 13	58	May 29	60
Sept. 26	62	Feb. 10	62.5	Apr. 10	58	June 26	62
Oct. 24	62	Mar. 15	62	May 8	58	July 30	60
Nov. 28	60	Apr. 26	64	June 5	62	Aug. 21	60
Dec. 26	62	May 18	60	July 31	60	Sept. 18	60
	1956	June 15	62	Aug. 15	60	Oct. 16	60
Jan. 23	62	July 15	60	Sept. 12	62	Nov. 13	60
Feb. 27	62	Aug. 23	60	Oct. 10	62		

Lk 3. Town of Shelby. Shelby. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 32 N., R. 8 W. Driven unused water-table well in sand, diam 4 in, reported depth 18 ft. Lsd, about 638 ft above msl. MP, top of casing, 1.40 ft above lsd. Highest water level 0.05 below lsd, Mar. 28, 1955; lowest 5.70 below lsd, Sept. 27, Oct. 4, 1954. Records available: 1954-56. Discontinued.

1955		Apr. 18	2.58	Oct. 27	4.39	Jan. 26	5.05
Jan. 24	3.40	May 25	3.42	Nov. 24	4.16	Feb. 2	5.10
Feb. 28	2.20	Aug. 25	5.14	Dec. 22	4.70		
Mar. 28	.05	Sept. 22	5.36	1956			

Lk 4. Chesapeake and Ohio Railroad Co. Griffith. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 35 N., R. 9 W. Drilled unused artesian well in sand, diam 12 in, reported depth 82 ft. Lsd, about 638 ft above msl. MP, hole in recorder platform, 3.25 ft above lsd. Highest water level 11.95 below lsd, Apr. 18, 1960; lowest 19.40 below lsd, Oct. 3-5, 1962. Records available: 1956-62.

(daily highest water levels from recorder graph)							
1956		Aug. 25	14.55	Dec. 25	16.15	Jan. 25	13.70
July 27	18.01	Sept. 24	16.00	1959		Feb. 25	13.60
Aug. 25	17.35	Oct. 19	16.50	Jan. 29	16.85	Mar. 25	14.40
Sept. 28	17.80	1958		Feb. 27	14.85	Apr. 21	12.60
Oct. 25	18.55	Jan. 28	14.00	Mar. 16	13.75	May 15	13.20
Nov. 25	16.90	Feb. 24	14.70	Apr. 25	13.85	June 21	12.75
Dec. 25	16.55	Mar. 25	13.75	May 10	12.80	July 25	14.85
	1957	Apr. 25	14.35	June 25	14.70	Aug. 25	16.25
Jan. 24	h17.17	May 25	15.25	July 25	14.35	Sept. 27	h17.02
Feb. 25	15.65	June 25	13.65	Aug. 25	15.35	Oct. 25	h17.58
Mar. 23	e15.35	July 25	15.15	Sept. 25	17.00	Nov. 25	16.60
Apr. 24	h14.85	Aug. 25	14.55	Oct. 25	14.75	Dec. 25	16.80
May 25	13.40	Sept. 25	15.90	Nov. 25	14.30		1961
June 27	14.40	Oct. 25	16.35	Dec. 25	13.70	Jan. 25	17.55
July 25	13.95	Nov. 22	h16.25	1960		Feb. 25	17.30

Lk 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 25	14.80	Sept. 25	15.10	Feb. 25	13.25	Aug. 25	17.80
Apr. 25	13.05	Oct. 21	14.95	Mar. 25	12.45	Sept. 25	18.10
May 25	14.95	Nov. 16	14.50	Apr. 25	14.05	Oct. 23	e17.80
June 28	16.30	Dec. 25	13.40	May 25	15.10	Nov. 25	17.25
July 26	16.25	1962		June 25	14.60	Dec. 25	16.95
Aug. 25	17.10	Jan. 11	14.65	July 25	15.35		

Lk 5. Town of Highland. Highland. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 28, T. 36 N., R. 9 W. Drilled unused artesian well in sand, diam 18 in, reported depth 39 ft. Lsd, about 615 ft above msl. MP, top of casing, 0.60 ft above lsd. Highest water level 4.95 below lsd, Jan. 4, 1958; lowest 12.48 below lsd, Sept. 10, 1960.

Records available: 1956-61. Discontinued.

1956		Oct. 26	7.06	May 23	5.86	Oct. 22	9.86
June 28	8.02	Nov. 23	5.14	June 27	9.98	Nov. 28	9.28
July 28	8.50	Dec. 28	4.98	July 25	9.42	Dec. 24	9.39
Aug. 25	8.80	1958		Aug. 22	9.94	1961	
Sept. 22	8.90	Jan. 25	5.37	Sept. 26	11.04	Jan. 28	9.39
Oct. 26	9.70	Feb. 22	5.93	Oct. 24	8.14	Feb. 25	9.55
Nov. 26	8.70	Mar. 22	5.15	Nov. 28	7.44	Mar. 25	7.77
Dec. 22	8.40	Apr. 26	5.76	Dec. 26	6.77	Apr. 22	7.90
1957		May 24	7.48	1960		May 27	7.88
Jan. 25	8.20	June 28	5.56	Jan. 23	6.45	June 24	8.40
Feb. 23	7.60	July 26	8.22	Feb. 27	5.97	July 22	10.48
Mar. 23	6.40	Aug. 23	7.58	Mar. 26	6.76	Aug. 26	9.98
Apr. 27	5.10	Sept. 27	7.77	Apr. 23	6.53	Sept. 23	8.23
May 25	5.30	Oct. 18	8.18	May 28	7.08	Oct. 28	5.65
June 27	7.00	1959		June 25	7.92	Nov. 15	7.97
July 27	6.80	Feb. 28	6.37	July 23	10.47	Dec. 23	6.19
Aug. 24	7.70	Mar. 28	5.86	Aug. 27	9.84		
Sept. 28	7.40	Apr. 25	6.48	Sept. 24	10.16		

Lk 6, Michigan-Wisconsin Pipeline Co. St. John. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 34 N., R. 9 W. Drilled unused artesian well in sand, diam 6 in, reported depth 125 ft. Lsd, about 710 ft above msl. MP, 1-in hole in recorder platform, 2.20 ft above lsd. Highest water levels recorded not valid (affected by surface inflow from heavy precipitation); lowest 34.03 below lsd, Sept. 24, 1956. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956	1958	1959	Nov. 25	30.90
Aug. 23	33.57	Jan. 25	31.45	Dec. 25 e31.50
Sept. 25	33.76	Feb. 22	e31.83	32.15 1961
1957		Mar. 25	31.91	Jan. 25 31.95
Mar. 25	32.66	Apr. 25	31.64	June 25 30.70
May 25	30.65	May 25	31.90	Feb. 25 Mar. 25 32.45
June 22	h31.3	June 25	31.37	July 25 29.20
July 25	31.94	July 25	e31.39	Aug. 25 31.35
Aug. 22	32.71	Aug. 25	30.19	Sept. 23 32.15
Sept. 25	33.47	Sept. 25	31.00	May 25 30.10
Oct. 25	33.44	Oct. 25	31.41	Oct. 25 32.40
Nov. 25	32.66	Nov. 25	e32.06	June 28 30.50
Dec. 25	32.09	Dec. 25	32.30	July 25 h30.72
				Aug. 25 31.00
				Sept. 25 31.05
				Oct. 25 31.35

Lk 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Nov. 14	31.45	Apr. 25	29.70	July 25	h31.14	Oct. 25	e33.10
Dec. 19 1962	30.35	May 29	h29.91	Aug. 25	e31.85	Nov. 25	33.20
		June 27	h30.52	Sept. 25	e32.55	Dec. 25	e33.35

Lk 7, Lloyd Wakefield. Cedar Lake. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 34 N., R. 9 W. Drilled unused artesian well in limestone, diam 3 in, reported depth 230 ft. Lsd, about 750 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 51.17 below lsd, Mar. 15, 1958; lowest 61.57 below lsd, Sept. 5, 1961.

Records available: 1957-62. Discontinued.

1957		Sept. 25	60.76	Feb. 25	59.46	Apr. 25	59.97
Mar. 26	60.23	Oct. 27	60.61	Mar. 23	59.52	May 26	60.60
Apr. 23	60.35	Nov. 24	60.53	Apr. 26	59.24	June 27	60.70
May 28	60.33	Dec. 1	60.56	May 24	59.22	July 25	60.89
June 25	60.55	1959		June 21	59.17	Aug. 23	61.02
July 23	60.77	May 26	60.26	July 26	59.76	Sept. 26	60.98
Aug. 27	60.83	June 26	60.29	Aug. 23	60.17	Oct. 29	60.61
Sept. 24	60.64	July 22	60.99	Sept. 28	60.04	Nov. 21	60.26
1958		Aug. 20	60.77	Oct. 18	60.16	Dec. 26	60.02
Mar. 22	54.33	Sept. 24	60.80	Nov. 29	60.00	1962	
Apr. 28	60.15	Oct. 7	60.43	Dec. 28	60.50	Jan. 23	60.17
May 27	60.59	Nov. 24	60.31	1961		Feb. 27	60.20
June 27	60.44	Dec. 22	60.16	Jan. 24	60.70	Mar. 21	59.60
July 21	60.63	1960		Feb. 28	60.49		
Aug. 25	60.73	Jan. 25	59.69	Mar. 21	60.28		

Lk 8, Standard Oil Co. Whiting. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 37 N., R. 9 W. Drilled unused artesian well in limestone and sandstone, diam 14 to 8 in, reported depth 1,238 ft. Lsd, about 590 ft above msl. MP, hole in metal cover, 0.00 ft lsd. Highest water level 3.70 below lsd, Dec. 26, 1958; lowest 68.50 below lsd, Dec. 4, 28, 1962. Records available: 1957-62.

1957		Sept. 26	36.70	Feb. 23	53.9	Aug. 24	59.9
Mar. 28	52.53	Oct. 23	42.30	Mar. 24	55.9	Sept. 22	58.7
Apr. 25	58.10	Nov. 28	25.10	Apr. 21	56.8	Oct. 28	59.0
May 23	31.40	Dec. 26	3.70	May 27	58.7	Nov. 24	60.2
June 27	44.70	1959		June 23	58.0	Dec. 28	61.4
July 29	51.00	Jan. 23	13.3	July 28	54.3	1962	
Aug. 23	55.40	Feb. 27	28.9	Aug. 25	54.8	Jan. 25	61.67
Sept. 26	58.20	Mar. 26	36.5	Sept. 22	55.4	Feb. 23	62.9
Nov. 28	15.75	Apr. 23	42.0	Oct. 27	56.7	Mar. 23	63.2
Dec. 22	32.30	May 21	46.40	Nov. 25	58.4	Apr. 26	64.4
1958		June 26	22.3	Dec. 22	60.0	May 25	64.9
Jan. 24	35.90	July 23	20.3	1961		June 22	65.6
Feb. 27	50.60	Aug. 28	30.6	Jan. 26	61.7	July 26	65.3
Mar. 27	58.90	Sept. 25	41.6	Feb. 23	63.1	Aug. 24	65.8
Apr. 24	49.60	Oct. 22	48.1	Mar. 23	63.5	Sept. 27	66.2
May 22	50.7	Nov. 26	43.0	Apr. 27	58.9	Oct. 25	66.9
June 26	52.8	Dec. 24	48.4	May 25	59.5	Nov. 23	68.2
July 25	38.60	1960		June 22	59.8	Dec. 28	68.5
Aug. 28	31.00	Jan. 28	52.4	July 28	60.3		

Lk 9. American Bridge Division, U. S. Steel Corp. Gary. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 37 N., R. 8 W. Dug used industrial water-table well in sand, diam 50 ft, reported depth 30 ft. Lsd, about 595 ft above msl. MP, edge of concrete by gate, 0.00 ft lsd. Highest water level 6.89 below lsd, Nov. 14, 1961; lowest 18.95 below lsd, Aug. 3, 1962. Records available: 1957-62.

(daily highest water levels from recorder graph, 1957)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1957		Mar. 28	11.00	Sept. 23	14.00	1962	
Mar. 25	7.60	Apr. 25	12.00	Oct. 28	13.00	Jan. 26	14.60
Apr. 11	7.40	May 22	12.00	Nov. 25	15.00	Feb. 23	13.50
July 25	9.20	June 26	12.94	Dec. 23	12.00	Mar. 23	14.60
Aug. 8	10.50	Sept. 25	14.00	1961		Apr. 22	13.90
1958		Nov. 27	12.00	Jan. 27	15.00	May 25	16.39
May 23	11.00	Dec. 22	12.00	Feb. 24	16.00	June 22	14.64
June 27	13.30	1960		Mar. 24	17.00	July 27	12.82
July 25	12.40	Jan. 23	11.00	May 26	15.00	Aug. 24	15.00
Aug. 22	14.00	Feb. 26	13.00	June 23	14.00	Sept. 28	14.45
Oct. 24	12.94	Mar. 25	11.94	July 28	12.00	Oct. 26	11.50
Nov. 28	10.98	Apr. 22	11.00	Aug. 25	14.00	Nov. 23	13.00
Dec. 26	11.94	May 27	12.00	Sept. 22	14.00	Dec. 28	13.00
1959		June 24	13.94	Oct. 27	15.00		
Jan. 24	12.00	July 29	11.00	Nov. 22	14.68		
Feb. 27	12.00	Aug. 19	10.00	Dec. 22	14.60		

Lk 10. Inland Steel Co. East Chicago. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 37 N., R. 9 W. Drilled unused artesian well in limestone, diam 8 in, reported depth 550 ft. Lsd, about 595 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 20.42 below lsd, Nov. 2, 1961; lowest 30.25 below lsd, Nov. 21, 1957. Records available: 1957-62.

1957		July 24	25.02	Mar. 24	21.94	Aug. 24	21.07
Mar. 28	28.33	Aug. 28	25.38	Apr. 28	22.02	Sept. 28	21.03
Apr. 25	29.31	Sept. 25	25.10	May 26	21.57	Oct. 26	20.97
May 23	28.20	Oct. 23	25.00	June 23	21.28	Nov. 24	20.90
June 27	27.57	Nov. 27	25.18	July 28	21.75	Dec. 28	20.94
July 25	28.56	Dec. 24	24.49	Aug. 25	21.69	1962	
Aug. 22	28.62	1959		Sept. 22	21.48	Jan. 25	21.38
Sept. 26	29.40	Jan. 22	23.42	Oct. 27	21.46	Feb. 22	21.36
Oct. 24	29.70	Feb. 26	23.70	Nov. 24	21.53	Mar. 22	21.51
Nov. 28	29.94	Mar. 26	23.79	Dec. 22	21.43	Apr. 26	21.57
Dec. 26	29.85	Apr. 23	23.65	1961		May 24	21.34
1958		May 28	23.24	Jan. 26	20.98	June 28	22.27
Jan. 23	29.28	June 25	22.83	Feb. 23	20.49	July 26	22.39
Feb. 27	27.23	July 10	23.00	Mar. 23	20.85	Aug. 23	22.51
Mar. 27	28.19	Dec. 24	22.50	Apr. 27	21.53	Sept. 27	22.23
Apr. 24	27.00	1960		May 25	21.52	Oct. 25	21.97
May 22	26.24	Jan. 28	22.11	June 22	21.72	Nov. 21	21.30
June 26	25.86	Feb. 25	21.80	July 27	21.20	Dec. 27	21.88

Lk 11. Town of Shelby. Shelby. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 28, T. 32 N., R. 8 W. Driven unused water-table well in sand, diam 4 in, reported depth 18 ft. Lsd, about 642 ft above msl. MP, edge of 2-in coupling, 1.20 ft above lsd. Highest water level 4.10 below lsd, May 24, 1957; lowest 10.69 below lsd, Jan. 31, 1961. Records available: 1956-62.

Lk 11--Continued

Date	Water Level						
1956		Nov. 22	6.95	July 24	5.80	May 23	6.20
Mar. 23	6.90	Dec. 27	5.80	Aug. 28	6.80	June 27	7.20
Apr. 27	7.40	1958		Sept. 25	7.95	July 26	8.00
May 25	4.90	Jan. 24	6.65	Oct. 23	5.50	Aug. 23	8.30
June 22	6.00	Feb. 28	6.85	1960		Sept. 27	8.00
July 27	7.15	Mar. 28	6.50	Jan. 26	4.20	Oct. 25	7.70
Aug. 24	8.05	Apr. 25	6.85	Feb. 23	5.00	Nov. 25	6.98
Sept. 28	8.60	May 23	7.25	Mar. 22	6.10	Dec. 23	6.73
Oct. 25	9.00	June 27	5.95	Apr. 26	5.10	1962	
Nov. 23	9.20	July 25	5.70	May 24	5.90	Jan. 27	6.29
Dec. 28	9.40	Aug. 22	6.55	June 28	6.20	Feb. 24	6.54
1957		Sept. 26	7.70	July 25	7.00	Mar. 23	5.39
Jan. 25	9.30	Oct. 24	8.25	Aug. 22	7.90	Apr. 27	5.73
Feb. 27	8.90	Nov. 28	8.45	Sept. 27	8.60	May 25	6.59
Mar. 22	8.70	Dec. 26	8.55	Oct. 25	9.60	June 22	7.40
Apr. 26	5.65	1959		Nov. 22	9.10	July 27	8.10
May 24	4.10	Jan. 23	8.45	Dec. 27	9.50	Aug. 24	8.68
June 28	4.30	Feb. 27	6.45	1961		Sept. 28	8.90
July 26	5.10	Mar. 27	5.45	Jan. 24	9.80	Oct. 26	9.43
Aug. 23	6.40	Apr. 24	5.00	Feb. 21	9.80	Nov. 23	9.66
Sept. 27	7.85	May 22	4.70	Mar. 28	8.20	Dec. 28	9.89
Oct. 25	7.60	June 26	5.80	Apr. 25	6.80		

La Porte County

Lp 1. City of La Porte. La Porte. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 28, T. 37 N., R. 2 W. Dug used public-supply well in sand and gravel, diam 50 ft, reported depth 40 ft. Lsd, about 748 ft above msl. MP, edge of concrete curb on west side, 1.30 ft above lsd. Highest water level 0.52 above lsd, June 24, 1950; lowest 17.30 below lsd, Aug. 23, 1947. Records available: 1942-62.

1955		Sept. 24	0.84	May 26	1.08	Jan. 25	0.89
Jan. 22	1.60	Oct. 22	.68	June 23	1.14	Feb. 22	.63
Feb. 26	1.40	Nov. 26	.82	July 28	1.19	Mar. 28	.19
Mar. 26	1.20	Dec. 24	.73	Aug. 25	1.19	Apr. 25	.76
Apr. 23	1.87	1957		Sept. 22	.87	May 23	+.18
May 28	1.24	Jan. 28	.84	Oct. 27	.65	June 27	1.01
June 25	1.44	Feb. 25	.74	Nov. 24	.90	July 25	1.65
July 25	1.33	Mar. 25	.82	Dec. 22	.91	Aug. 22	1.06
Aug. 27	1.21	Apr. 22	1.11	1959		Sept. 26	1.06
Sept. 25	.88	May 27	1.44	Jan. 26	.87	Oct. 24	.85
Oct. 22	.56	June 24	1.22	Feb. 23	.62	Nov. 28	.76
Nov. 19	.93	July 22	1.02	Mar. 23	.53	Dec. 26	.84
Dec. 31	1.44	Aug. 26	1.19	Apr. 27	.74	1961	
1956		Sept. 23	1.01	May 25	.88	Jan. 23	.97
Jan. 22	1.87	Oct. 28	.99	June 25	.95	Feb. 27	.81
Feb. 25	1.01	Nov. 25	.83	July 27	1.14	Mar. 27	1.25
Mar. 24	2.27	Dec. 23	.78	Aug. 24	1.41	Apr. 24	1.09
Apr. 28	1.11	1958		Sept. 28	1.57	May 22	1.69
May 27	1.59	Jan. 27	.77	Oct. 26	.49	June 26	2.04
June 30	1.39	Feb. 24	.73	Nov. 23	.81	July 24	1.79
July 29	1.27	Mar. 24	.89	Dec. 28	.81	Aug. 28	1.78
Aug. 21	1.12	Apr. 28	.99	1960		Sept. 25	1.34

Lp 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Oct. 23	1.37	Jan. 22	1.42	May 28	1.90	Sept. 24	1.26
Nov. 27	1.31	Feb. 26	1.41	June 25	1.87	Oct. 22	1.26
Dec. 25	1.23	Mar. 26	1.15	July 23	1.32	Nov. 26	1.62
1962		Apr. 23	1.53	Aug. 27	1.41	Dec. 24	1.51

Lp 2. State of Indiana. Kankakee State Game Preserve. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 10, T. 33 N., R. 3 W. Drilled unused artesian well in sand and gravel, diam 6 in, reported depth 115 ft. Lsd, about 671 ft above ms1. MP, top of casing, 1.36 ft above lsd. Highest water level 0.34 below lsd, Apr. 8, 1950; lowest 7.52 below lsd, July 25, 1955. Records available: 1942-62.

1955		1957		1959		1960		1962	
Jan. 24	3.52	Jan. 28	5.70	Jan. 26	4.43	Feb. 27	4.35	Mar. 27	3.11
Feb. 28	3.48	Feb. 25	5.48	Feb. 17	2.15	Apr. 25	2.70		
Mar. 28	3.52	Mar. 25	5.50	Mar. 23	2.63	May 22	6.33		
Apr. 25	3.90	Apr. 22	4.30	Apr. 6	2.16	June 26	4.40		
May 23	4.95	May 27	4.04	July 27	5.43	July 24	5.50		
June 20	4.68	June 24	4.65	Aug. 24	6.14	Aug. 28	5.20		
July 25	7.52	July 22	5.18	Sept. 28	6.73	Sept. 25	4.70		
Aug. 22	6.45	Aug. 25	5.92	Oct. 26	4.81	Oct. 23	4.30		
Sept. 26	6.52	Sept. 23	6.31	Nov. 23	5.76	Nov. 26	3.90		
Oct. 24	5.56	Oct. 21	6.24	Dec. 28	4.67	Dec. 25	4.20		
Nov. 28	5.35	Nov. 25	4.18						
Dec. 26	5.23	Dec. 23	3.33	Jan. 25	3.55	Jan. 22	3.60		
1956		1958		1960		1962			
Jan. 23	5.63	Jan. 27	4.17	Mar. 28	4.19	Mar. 26	2.1		
Feb. 27	4.53	Feb. 24	4.51	Apr. 25	2.32	Apr. 24	3.4		
Mar. 26	4.43	Mar. 24	4.07	May 23	3.91	May 28	4.2		
Apr. 23	5.14	Apr. 28	4.94	June 27	3.19	June 26	5.1		
May 28	3.22	May 26	5.65	July 25	5.41	July 23	5.7		
June 28	4.87	June 22	4.41	Aug. 22	4.90	Aug. 27	6.5		
July 23	5.73	July 28	5.06	Sept. 26	5.90	Sept. 24	6.2		
Aug. 27	6.30	Aug. 25	4.45	Oct. 24	5.41	Oct. 22	5.5		
Sept. 24	6.73	Sept. 22	5.43	Nov. 28	5.01	Nov. 26	5.11		
Oct. 22	6.78	Oct. 27	5.31	Dec. 26	4.96	Dec. 25	5.44		
Nov. 26	6.39	Nov. 24	4.68						
Dec. 24	6.18	Dec. 22	4.66	Jan. 23	5.33				

Lp 3. U. S. Government. Kingsbury Ordnance Plant. Kingsbury. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 31, T. 36 N., R. 2 W. Drilled unused water-table well in sand, diam 8 in, reported depth 89 ft. Lsd, 737.08 ft above ms1. MP, top of recorder platform, 1.59 ft above lsd. Highest water level 16.25 below lsd, May 21-25, 30, 31, June 1-3, 1956; lowest 19.20 below lsd, Jan. 12, 1960. Records available: 1955-62.

(daily highest water levels from recorder graph)

1955		May 25	16.25	1957		Aug. 25	17.50
Nov. 25	e17.03	June 25	16.44	Jan. 25	18.23	Sept. 25	17.37
Dec. 25	17.31	July 25	16.87	Feb. 25	18.21	Oct. 25	17.50
1956		Aug. 25	17.27	Mar. 25	18.03	Nov. 25	17.27
Jan. 25	17.49	Sept. 25	17.61	Apr. 25	17.59	Dec. 25	16.96
Feb. 25	17.52	Oct. 25	17.90	May 25	17.03		1958
Mar. 25	17.20	Nov. 25	e18.07	June 25	17.08	Jan. 25	16.85
Apr. 25	17.25	Dec. 25	e18.18	July 25	17.31	Feb. 25	17.02

Lp 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 25	16.66	June 25	e16.96	Sept. 25	17.83	Dec. 25	18.11
Apr. 25	16.85	July 28	17.47	Oct. 25	e18.07		1962
May 25	17.15	Aug. 25	17.69	Nov. 25	18.19	Jan. 25	18.06
June 25	e17.41	Sept. 25	18.05	Dec. 25	e18.32	Feb. 25	18.02
July 25	17.60	Oct. 25	17.77		1961	Mar. 16	17.66
Aug. 25	17.57	Nov. 25	17.51	Jan. 25	18.46	Apr. 13	16.98
Sept. 25	17.75	Dec. 25	17.53	Feb. 25	18.43	May 25	17.37
Oct. 25	17.96	1960		Mar. 25	17.91	June 25	17.67
Nov. 25	18.15	Jan. 25	17.33	Apr. 25	17.59	July 25	17.98
Dec. 25 1959	18.29	Feb. 25	16.60	May 25	17.24	Aug. 25	18.27
Jan. 25	18.40	Apr. 25	16.63	July 25	17.78	Oct. 25	18.57
Feb. 19	17.79	May 25	16.97	Aug. 25	18.03	Nov. 25	18.54
Mar. 25	16.62	June 25	17.15	Sept. 25	18.03	Dec. 25	18.61
Apr. 25	16.39	July 24	17.49	Oct. 25	17.99		
May 25	16.68	Aug. 25	17.64	Nov. 25	18.13		

Lp 4. U. S. Government. Kingsbury Ordnance Plant, Kingsbury. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 11, T. 35 N., R. 2 W. Drilled unused artesian well in sand, diam 8 in, reported depth 90 ft. Lsd, about 688 ft above msl. MP, top of recorder platform, 1.82 ft above lsd. Highest water level 0.10e below lsd, May 1, 1957; lowest 4.50 below lsd, Dec. 13-17, 1956. Records available: 1955-57. Discontinued.

(daily highest water levels from recorder graph)

1955		Mar. 25	2.15	Sept. 25	3.99	Feb. 25	3.56
Nov. 25	2.13	Apr. 25	2.53	Oct. 25	4.34	Mar. 25	3.31
Dec. 25	2.62	May 9	.74	Nov. 25	e4.46	Apr. 25	1.05
1956		June 25	2.02	Dec. 25	4.46	May 25	1.08
Jan. 25	2.98	July 25	2.89	1957		June 6	1.49
Feb. 25	2.12	Aug. 25	3.51	Jan. 25	3.83	Nov. 6	h2.56

Lp 5. U. S. Government. Kingsbury Ordnance Plant, Kingsbury. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 32, T. 36 N., R. 2 W. Drilled unused water-table well in sand, diam 8 in, reported depth 80 ft. Lsd, about 741 ft above msl. MP, top of recorder platform, 3.00 ft above lsd. Highest water level 16.44 below lsd, June 21, 1956; lowest 19.48 below lsd, Apr. 14, 15, 1957. Records available: 1955-57. Discontinued.

(daily highest water levels from recorder graph)

1955		Apr. 25	17.78	Oct. 25	17.88	Mar. 25	19.35
Dec. 25	17.36	May 25	16.75	Nov. 25	18.21	Apr. 25	19.45
1956		June 25	16.49	Dec. 25	18.53	May 11	18.93
Jan. 25	17.62	July 25	16.80	1957			
Feb. 25	17.76	Aug. 25	17.16	Jan. 25	e18.83		
Mar. 25	17.59	Sept. 25	17.52	Feb. 25	19.09		

Lp 6. Coolspring Township School. Michigan City. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 16, T. 37 N., R. 4 W. Drilled unused artesian well in gravel, diam 6 in, reported depth 62 ft. Lsd, 655.64 ft above msl. MP, top of 2-in coupling, 9.40 ft above lsd. Highest water level 5.80 above lsd, June 1, 1956; lowest 2.43 above lsd, Jan. 10, 1958. Records available: 1956-58. Discontinued.

Lp 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1956		Oct. 24	+4.75	Mar. 22	+4.01	Sept. 25	+3.38
May 20	+4.90	Nov. 27	+4.64	Apr. 26	+3.91	Oct. 25	+3.28
June 29	+5.60	Dec. 24	+4.74	May 24	+3.70	Nov. 22	+3.50
July 20	+5.20	1957		June 28	+3.55	Dec. 20	+2.48
Aug. 30	+5.00	Jan. 25	+4.39	July 26	+3.45	1958	
Sept. 28	+4.94	Feb. 22	+4.15	Aug. 22	+3.40	Jan. 10	+2.43

Lp 7. Pennsylvania Railroad Co. Hanna, NE $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 13, T. 34 N., R. 3 W. Drilled unused water-table well in sand and gravel, diam 8 in, reported depth 76 ft. Lsd, about 680 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 3.90 below lsd, Apr. 29, 1957; lowest 8.16 below lsd, Oct. 1, 8, 1956. Records available: 1956-58. Discontinued.

1956	Jan. 28	7.16	Sept. 23	7.78	Apr. 28	7.08	
July 23	7.50	Feb. 25	7.33	Oct. 28	6.24	May 26	7.41
Aug. 27	7.89	Mar. 25	7.21	Nov. 25	6.61	June 23	6.25
Sept. 24	8.12	Apr. 22	6.34	Dec. 23	4.93	July 28	7.18
Oct. 22	8.11	May 27	6.57	1958		Aug. 25	7.11
Nov. 26	7.97	June 24	7.08	Jan. 27	6.80	Sept. 22	7.39
Dec. 24	7.89	July 22	7.26	Feb. 24	6.33	Oct. 20	7.91
1957		Aug. 26	7.59	Mar. 24	6.76		

Lawrence County

Lw 2. Roscoe Ingram. Mitchell. NW $\frac{1}{2}$ NW $\frac{1}{4}$ sec. 36, T. 4 N., R. 1 W. Dug unused well, diam 24 in, depth 26 ft, cribbed with brick. Lsd, about 678 ft above msl. MP, edge of 2 x 6-in board, 0.70 ft above lsd. Highest water level 0.10 above lsd, Jan. 8, 1958; lowest 23.21 below lsd, Jan. 29, Feb. 5, 12, 19, 26, Mar. 5, 1954. Records available: 1944-61. Discontinued.

1955	Aug. 24	22.00	Sept. 24	21.83	Apr. 27	21.45	
Jan. 28	22.10	Sept. 25	22.00	Oct. 22	22.13	May 25	21.08
Feb. 25	21.82	Oct. 25	22.00	Nov. 19	20.29	June 22	13.11
Mar. 24	21.78	1957		Dec. 24	21.99	July 27	21.42
Apr. 22	19.37	May 22	22.39	1959		Aug. 24	21.27
May 27	21.93	June 24	22.00	Jan. 28	15.17	Sept. 28	21.54
June 24	21.93	July 24	21.91	Feb. 25	20.15	Oct. 26	21.49
July 23	22.93	Aug. 28	22.04	Mar. 25	22.08	Nov. 23	21.34
Aug. 25	21.98	Sept. 25	22.14	Apr. 26	21.39	Dec. 28	21.45
Sept. 22	21.96	Oct. 23	21.95	May 7	21.36	1961	
Oct. 27	22.76	Nov. 27	21.70	June 25	21.40	Jan. 25	21.43
Nov. 27	21.98	Dec. 25	11.77	July 22	21.34	Feb. 22	20.14
Dec. 26	22.76	1958		Aug. 5	20.92	Mar. 22	7.12
1956		Jan. 22	22.49	Sept. 23	21.47	Apr. 12	22.07
Jan. 27	22.76	Feb. 26	22.00	Oct. 28	21.42	May 24	22.05
Feb. 23	22.61	Mar. 26	22.33	Nov. 25	21.45	July 26	21.24
Mar. 23	22.62	Apr. 23	22.17	Dec. 23	21.35	Aug. 23	21.58
Apr. 27	22.62	May 28	22.77	1960		Sept. 27	22.07
May 25	22.76	June 25	21.98	Jan. 27	21.35		
June 22	22.62	July 23	8.38	Feb. 17	21.05		
July 27	21.96	Aug. 27	22.66	Mar. 23	17.17		

Madison County

Md 3. Mrs. Albert Closser. Frankton. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 21 N., R. 7 E. Drilled unused well, diam 3 in, depth 27 ft. Lsd, about 799 ft above msl. MP, top of casing, 0.50 ft above lsd. Highest water level 18.39 below lsd, June 16, 1939; lowest dry, Sept. 30, 1939-Mar. 31, 1940, Oct. 15, 1940-Oct. 28, 1941. Records available: 1935-41, 1947-55. Discontinued.

Date	Water Level						
1955		Feb. 28	23.79	Apr. 25	21.59	June 21	21.69
Jan. 27	24.46	Mar. 28	22.64	May 24	21.52		

Md 6. Ivan P. Moorman. Alexandria. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 21 N., R. 7 E. Driven unused well, diam 1 $\frac{1}{2}$ in, depth 35 ft. Lsd, about 875 ft above msl. MP, top edge of broken pitcher pump, 2.50 ft above lsd. Highest water level 3.33 below lsd, Apr. 8, 1948; lowest dry, Aug. 23-Dec. 27, 1954. Records available: 1946-55. Discontinued.

1955	Feb. 28	5.90	Apr. 25	5.55	July 25	8.66	
Jan. 24	(f)	Mar. 28	5.42	June 27	6.80	Aug. 22	8.86
	f Dry						

Md 7. State of Indiana. Mounds State Park. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 16, T. 19 N., R. 8 E. Driven unused artesian well, diam 1 $\frac{1}{4}$ in, depth 18.5 ft. Lsd, about 905 ft above msl. MP, top of pipe, 3.50 ft above lsd. Highest water level 3.35 above lsd, July 1, 1957; lowest 13.9 below lsd, Aug. 7, 1946. Records available: 1935-36, 1938-62.

1955		1957		1959		1961	
Jan. 24	8.46	Jan. 21	7.52	Jan. 26	3.40	Jan. 23	7.12
Feb. 28	8.07	Feb. 25	7.49	Feb. 23	.60	Feb. 27	7.58
Mar. 21	8.47	Mar. 25	7.30	Mar. 23	.54	Mar. 27	5.84
Apr. 25	8.02	Apr. 22	2.60	Apr. 27	1.60	Apr. 24	2.19
May 23	7.94	May 27	.80	May 25	.52	May 21	.70
June 27	4.45	June 24	+.30	June 22	2.59	June 26	2.20
July 25	4.50	July 22	1.40	July 27	4.20	July 24	3.12
Aug. 22	5.42	Aug. 26	3.30	Aug. 24	5.10	Aug. 28	4.48
Sept. 26	6.39	Sept. 23	4.20	Sept. 28	5.70	Sept. 25	5.15
Oct. 24	6.58	Oct. 28	5.02	Oct. 26	6.00	Oct. 23	5.68
Nov. 28	5.48	Nov. 25	5.20	Nov. 23	6.00	Nov. 27	5.94
Dec. 27	5.47	Dec. 23	3.10	Dec. 28	5.75	Dec. 25	6.22
1956		1958		1960		1962	
Jan. 23	5.58	Jan. 27	2.68	Jan. 25	4.98	Jan. 22	5.88
Feb. 27	4.27	Feb. 17	3.24	Feb. 22	2.93	Feb. 26	4.66
Mar. 26	3.56	Mar. 24	4.07	Mar. 28	3.34	Mar. 26	2.20
Apr. 23	2.48	Apr. 28	3.96	Apr. 25	3.30	Apr. 23	2.09
May 28	1.09	May 26	2.52	May 23	3.30	May 28	3.38
June 25	1.62	June 23	+.95	June 27	2.80	June 25	4.14
July 23	2.69	July 28	1.85	July 25	3.40	July 23	4.05
Aug. 20	4.35	Aug. 25	2.10	Aug. 22	4.30	Aug. 27	5.10
Sept. 24	5.50	Sept. 22	3.12	Sept. 26	5.35	Sept. 24	5.32
Oct. 22	6.12	Oct. 27	4.40	Oct. 24	6.04	Oct. 22	5.98
Nov. 26	6.72	Nov. 24	5.14	Nov. 28	6.65	Nov. 26	6.37
Dec. 24	7.20	Dec. 22	5.00	Dec. 26	7.08	Dec. 24	6.85

Md 8. Die-Casting Corp. 26th and H Sts., Elwood. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 15, T. 21 N., R. 6 E. Drilled unused artesian well in limestone, diam 8 in, depth 415 ft. Lsd, about 858 ft above msl. MP, top of shelter base, 2.00 ft above lsd. Highest water level 10.2 below lsd, Dec. 30, 1957; lowest 55.40 below lsd, Sept. 20, 22, 1950. Records available: 1949-62.
 (daily lowest water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level						
1955							
		1957		1959		1961	
Jan. 23	16.4	Jan. 25	17.5	Jan. 25	13.7	Jan. 25	22.2
Feb. 25	17.0	Feb. 25	14.6	Feb. 25	13.3	Feb. 25	20.9
Mar. 25	14.0	Mar. 25	14.6	Mar. 25	13.3	Mar. 25	13.1
Apr. 24	13.6	Apr. 25	12.0	Apr. 25	14.0	Apr. 25	11.5
May 25	16.3	May 25	13.4	May 25	13.6	May 24	13.5
June 25	16.3	June 25	16.1	June 25	18.1	June 25	15.1
July 31	19.6	July 25	15.7	July 25	20.2	July 25	17.5
Aug. 25	22.0	Aug. 25	18.1	Aug. 25	21.6	Aug. 25	19.1
Sept. 25	23.3	Sept. 25	16.9	Sept. 25	23.4	Sept. 25	21.8
Oct. 25	19.1	Oct. 25	16.7	Oct. 25	21.2	Oct. 25	20.7
Nov. 25	15.3	Nov. 19	12.8	Nov. 25	20.2	Nov. 25	18.2
Dec. 25	15.9	Dec. 25	11.3	Dec. 24	18.5	Dec. 25	17.2
1956							
		1958		1960		1962	
Jan. 22	16.8	Jan. 25	13.3	Jan. 21	16.0	Jan. 25	15.2
Feb. 25	13.3	Feb. 25	15.4	Feb. 25	14.2	Feb. 25	15.4
Mar. 25	13.3	Mar. 25	15.8	Mar. 25	15.6	Mar. 25	13.0
Apr. 25	14.4	Apr. 25	16.2	Apr. 25	14.8	Apr. 25	15.5
May 25	14.8	May 23	16.8	May 25	25.7	May 25	18.5
June 24	15.6	June 25	13.5	June 25	16.8	June 25	19.1
July 25	16.5	July 25	14.1	July 25	15.2	July 25	18.4
Aug. 25	19.1	Aug. 25	16.4	Aug. 25	19.7	Aug. 25	22.7
Sept. 25	23.1	Sept. 25	18.4	Sept. 25	22.0	Sept. 25	23.4
Oct. 25	22.3	Oct. 25	17.0	Oct. 25	21.2	Oct. 25	22.7
Nov. 25	21.2	Nov. 25	14.0	Nov. 25	21.0	Nov. 25	22.5
Dec. 25	19.3	Dec. 25	15.0	Dec. 25	21.5	Dec. 25	22.7

Md 9. Elwood Trailer Corp. 9th and North J Sts., Elwood. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 9, T. 21 N., R. 6 E. Drilled unused artesian well in limestone, diam 8 in, reported depth 400 ft. Lsd, about 865 ft above msl. MP, top of shelter base, 2.00 ft above lsd. Highest water level 20.40 below lsd, Jan. 17, 1950; lowest 42.10 below lsd, Sept. 18, 1952. Records available: 1949-58.

Discontinued.

(daily lowest water levels from recorder graph, 1955-57; daily highest, 1958)							
1955		Dec. 24	28.0	Nov. 25	29.9	Oct. 25	29.8
Jan. 25	29.5	1956		Dec. 25	27.6	Nov. 25	26.7
Feb. 25	28.9	Jan. 18	28.4	1957		Dec. 25	23.3
Mar. 25	27.0	Feb. 25	24.5	Jan. 25	30.6	1958	
Apr. 25	24.2	Mar. 25	22.9	Feb. 25	27.8	Jan. 25	24.3
May 25	28.6	Apr. 25	25.3	Mar. 25	27.4	Feb. 25	24.4
June 25	26.9	May 25	26.3	Apr. 25	25.5	Mar. 24	24.6
July 31	28.7	June 24	25.6	May 26	22.72	Apr. 25	25.7
Aug. 25	32.9	July 25	28.9	June 25	29.5	May 14	26.0
Sept. 25	32.2	Aug. 25	30.5	July 25	29.5		
Oct. 25	30.0	Sept. 19	37.2	Aug. 25	28.0		
Nov. 25	26.7	Oct. 25	32.8	Sept. 25	30.3		

Marion County

Ma 1. Indianapolis Water Co. 18th and Harding Sts., Indianapolis.
 SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 34 N., R. 3 E. Drilled unused well in limestone, diam 10
 in, depth 351 ft. Lsd, 701.28 ft above msl. MP, top of casing, 16.00 ft
 below lsd. Highest water level 13.50 below lsd, Feb. 15, 1950; lowest 37.26
 below lsd, Aug. 9, 1944. Records available: 1943-58. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Aug. 24	19.45	Mar. 26	17.12	Apr. 26	16.89
Jan. 25	18.52	Sept. 23	19.70	Apr. 24	17.06	May 24	16.61
Feb. 25	18.30	Oct. 21	19.14	May 25	18.00	June 21	17.66
Mar. 25	17.19	Nov. 22	17.17	Nov. 26	19.29	Oct. 25	18.02
Apr. 26	18.31	Dec. 23	17.63	1957		Nov. 29	17.24
May 25	19.54	1956		Jan. 28	17.48	Dec. 20	16.98
June 24	18.92	Jan. 25	18.30	Feb. 22	17.25	1958	
July 25	18.92	Feb. 23	17.66	Mar. 8	17.15	Jan. 27	16.79

Ma 2. Indiana National Bank. 130 East Washington St., Indianapolis.
 SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 15 N., R. 3 E. Drilled unused artesian well in gravel,
 diam 8 in, depth 90 ft. Lsd, 712.27 ft above msl. MP, top of casing, 24.00
 ft below lsd. Highest water level 37.11 below lsd, Apr. 14, 1959; lowest
 70.55 below lsd, Sept. 21, 1941. Records available: 1935-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)							
	1955	1957	1959	1961	1962	1963	1964
Jan. 25	48.24	Jan. 25	41.45	Jan. 25	38.81	Jan. 25	40.27
Feb. 25	47.06	Feb. 25	40.67	Feb. 25	38.31	Feb. 25	39.95
Mar. 25	46.84	Mar. 25	40.61	Mar. 25	37.32	Mar. 25	39.88
Apr. 25	47.26	Apr. 25	43.37	Apr. 25	38.08	Apr. 25	39.76
May 25	49.35	May 25	45.02	May 25	41.02	May 25	40.03
June 25	51.02	June 25	46.26	June 25	43.48	June 25	41.45
July 25	54.59	July 25	48.36	July 25	46.35	July 25	43.30
Aug. 25	56.49	Aug. 25	49.19	Aug. 25	48.14	Aug. 25	45.22
Sept. 25	56.54	Sept. 25	47.55	Sept. 25	48.51	Sept. 25	45.70
Oct. 25	52.26	Oct. 25	44.60	Oct. 25	46.70	Oct. 25	42.95
Nov. 25	48.92	Nov. 25	42.07	Nov. 25	42.60	Nov. 25	40.74
Dec. 25	45.87	Dec. 25	41.84	Dec. 25	40.84	Dec. 25	39.45
	1956	1958	1960	1962			
Jan. 25	43.65	Jan. 25	39.58	Jan. 25	h39.66	Jan. 25	38.78
Feb. 25	42.13	Feb. 25	38.65	Feb. 25	38.91	Feb. 22	h38.38
Mar. 25	41.60	Mar. 25	38.36	Mar. 25	38.41	Mar. 25	38.10
Apr. 25	40.97	Apr. 25	40.88	Apr. 25	40.73	Apr. 25	38.37
May 24	44.02	May 25	42.86	May 25	41.31	May 25	43.57
June 25	47.44	June 25	44.78	June 25	45.56	June 25	44.35
July 25	47.50	July 25	47.27	July 25	46.02	July 25	46.14
Aug. 25	49.08	Aug. 25	47.46	Aug. 25	47.50	Aug. 25	47.28
Sept. 25	47.28	Sept. 25	46.07	Sept. 25	47.36	Sept. 25	45.37
Oct. 25	45.76	Oct. 25	43.74	Oct. 25	43.68	Oct. 25	43.54
Nov. 25	43.41	Nov. 25	41.20	Nov. 25	41.77	Nov. 25	41.15
Dec. 25	42.56	Dec. 25	39.65	Dec. 25	40.76	Dec. 25	40.40

Ma 3. City of Indianapolis. Harry E. Wood High School. Meridian St. and Madison Ave., Indianapolis. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 6 in, depth 162 ft, cased to 70. Lsd, 705.73 ft above msl. MP, top of 3-in air-line discharge pipe, 0.80 ft below lsd. Highest water level 32.56 below lsd, Apr. 6, 27, 1959; lowest 71.06 below lsd, Oct. 7, 1941. Records available: 1935-62.

Date	Water Level						
1955							
		1957			1959		
Jan. 24	45.28	Jan. 25	38.93	Jan. 19	34.98	Jan. 23	34.96
Feb. 28	43.61	Feb. 22	40.18	Feb. 24	36.86	Feb. 27	35.37
Mar. 23	44.26	Mar. 22	40.27	Mar. 23	33.25	Mar. 27	34.74
Apr. 25	42.87	Apr. 26	39.52	Apr. 27	32.56	Apr. 24	33.46
May 27	45.10	May 24	42.08	May 25	35.16	May 22	33.56
June 24	46.97	June 24	42.12	June 22	36.46	June 26	34.07
July 25	47.83	July 19	42.49	July 27	40.24	July 24	36.09
Aug. 22	49.98	Aug. 23	43.60	Aug. 24	45.28	Aug. 28	37.14
Sept. 26	49.86	Sept. 27	42.69	Sept. 28	41.97	Sept. 26	40.35
Oct. 24	47.32	Oct. 18	40.82	Oct. 26	40.86	Oct. 23	37.66
Nov. 28	45.00	Nov. 27	40.83	Nov. 24	40.47	Nov. 27	34.99
Dec. 23	43.41	Dec. 27	38.59	Dec. 28	40.03	Dec. 22	35.90
1956							
		1958			1960		
Jan. 23	40.65	Jan. 24	38.82	Jan. 25	35.60	Jan. 25	34.11
Feb. 27	39.04	Feb. 28	36.11	Feb. 23	37.54	Feb. 22	34.07
Mar. 26	38.08	Mar. 28	36.83	Mar. 28	34.57	Mar. 22	34.40
Apr. 23	38.62	Apr. 28	35.84	Apr. 25	36.29	Apr. 26	34.33
May 28	40.16	May 26	38.09	May 23	37.06	May 24	38.59
June 25	41.83	June 23	38.68	June 27	40.02	June 25	39.78
July 23	42.22	July 28	40.61	July 25	41.34	July 23	41.24
Aug. 27	42.52	Aug. 25	42.80	Aug. 22	41.53	Aug. 27	41.45
Sept. 24	42.30	Sept. 26	42.44	Sept. 26	41.60	Sept. 28	42.64
Oct. 22	41.58	Oct. 24	41.69	Oct. 24	39.90	Oct. 24	40.12
Nov. 26	41.22	Nov. 26	38.92	Nov. 28	36.70	Nov. 28	37.75
Dec. 28	42.47	Dec. 22	35.59	Dec. 27	35.96	Dec. 27	37.34

Ma 4. Layne-Northern Co., Inc. 227 W. Edwards Ave., Indianapolis. NE $\frac{1}{2}$ NE $\frac{1}{2}$ sec. 35, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 8 in, depth 304 ft. Lsd, 692.70 ft above msl. MP, top of casing, 5.50 ft above lsd. Highest water level 3.96 above lsd, Apr. 12, 1938; lowest 15.72 below lsd, May 27, 1941. Records available: 1937-56. Discontinued, (daily lowest water levels from recorder graph)

1955	June 24	5.71	Dec. 25	2.56	May 25	1.22
Jan. 25	5.20	July 24	5.59	1956	June 25	.76
Feb. 25	5.02	Aug. 24	6.95	Jan. 25	2.59	.87
Mar. 25	4.56	Sept. 25	6.93	Feb. 25	2.28	1.58
Apr. 25	4.46	Oct. 25	5.74	Mar. 25	1.67	
May 25	4.97	Nov. 25	3.47	Apr. 25	1.66	

Ma 9. Indianapolis Forwarding Co. 333 W. Ohio St., Indianapolis. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 8 in, depth 225 ft. Lsd, 707.95 ft above msl. MP, top of cap of 1-in hole, 0.50 ft above lsd. Highest water level 35.43 below lsd, Apr. 24, 1950; lowest 62.48 below lsd, Oct. 3, 1942. Records available: 1939-57. Discontinued.

Ma 9--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Sept. 26	46.91	May 28	38.69	Jan. 21	39.40
Jan. 24	44.43	Oct. 24	46.04	June 25	39.80	Feb. 22	38.44
Feb. 28	42.98	Nov. 28	43.70	July 23	40.39	Mar. 22	37.93
Mar. 23	42.48	Dec. 23	41.60	Aug. 27	41.54	Apr. 26	38.87
Apr. 25	42.03	1956		Sept. 24	42.02	May 24	38.72
May 23	42.57	Jan. 23	40.42	Oct. 22	41.58	June 24	40.38
June 24	43.46	Feb. 27	39.22	Nov. 26	40.34	July 26	40.40
July 25	45.18	Mar. 26	38.39	Dec. 28	40.04	Aug. 23	41.23
Aug. 22	46.20	Apr. 23	37.75	1957		Sept. 13	41.46

Ma 10. Federal Building. Meridian and Ohio Sts., Indianapolis. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 1, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 8 in, reported depth 304 ft. Lsd, 717.51 ft above msl. MP, top of 3-in air-line discharge pipe, 10.00 ft below lsd. Highest water level 38.83 below lsd, Apr. 13, 1959; lowest 70.78 below lsd, Aug. 29, 1941. Records available: 1939-62.

1955		1957		1959		1961	
Jan. 24	50.65	Jan. 25	43.87	Jan. 26	41.27	Jan. 23	41.99
Feb. 28	49.33	Feb. 22	43.51	Feb. 24	41.13	Feb. 27	42.79
Mar. 23	49.38	Mar. 22	43.21	Mar. 23	39.67	Mar. 27	41.74
Apr. 25	49.63	Apr. 26	49.29	Apr. 27	39.22	Apr. 24	41.40
May 23	53.59	May 24	49.94	May 25	44.17	May 22	41.98
June 24	56.52	June 24	51.82	June 22	45.83	June 26	42.61
July 25	59.70	July 26	53.28	July 27	49.61	July 24	45.14
Aug. 22	61.09	Aug. 23	53.98	Aug. 24	51.78	Aug. 28	46.62
Sept. 26	57.50	Sept. 27	53.94	Sept. 28	52.13	Sept. 26	48.22
Oct. 24	54.02	Oct. 25	46.79	Oct. 26	47.32	Oct. 23	44.55
Nov. 28	50.36	Nov. 27	44.24	Nov. 24	44.39	Nov. 27	42.37
Dec. 23	48.16	Dec. 27	43.77	Dec. 28	42.96	Dec. 22	41.89
1956		1958		1960		1962	
Jan. 23	46.20	Jan. 24	42.27	Jan. 25	41.49	Jan. 25	41.00
Feb. 27	44.60	Feb. 28	41.50	Feb. 23	41.04	Feb. 22	40.66
Mar. 26	43.98	Mar. 28	41.14	Mar. 28	40.19	Mar. 22	40.91
Apr. 23	43.53	Apr. 28	42.38	Apr. 25	42.48	Apr. 26	40.91
May 28	45.60	May 26	47.89	May 23	43.24	May 24	45.95
June 25	53.14	June 23	49.63	June 27	46.33	June 25	46.75
July 23	52.97	July 28	51.85	July 25	47.75	July 23	47.71
Aug. 27	54.08	Aug. 27	52.44	Aug. 22	48.26	Aug. 27	48.53
Sept. 24	50.77	Sept. 26	51.46	Sept. 26	48.01	Sept. 28	49.05
Oct. 22	48.17	Oct. 24	46.03	Oct. 24	47.60	Oct. 24	47.00
Nov. 26	45.63	Nov. 26	43.65	Nov. 28	43.58	Nov. 21	45.52
Dec. 28	45.28	Dec. 22	42.07	Dec. 27	42.75	Dec. 27	43.28

Ma 13. City of Indianapolis. Sanitation Plant. Raymond and Harding Sts., Indianapolis. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 15 N., R. 3 E. Bored test water-table well in sand and gravel, diam 8 in, depth 8.5 ft. Lsd, 668.40 ft above msl. MP, top of casing, 5.00 ft above lsd. Highest water level 1.69 above lsd, Jan. 10, 1950; lowest dry, July 16-Oct. 25, 1948, Oct. 16-Dec. 30, 1953, Aug. 30-Dec. 21, 1954, Jan. 31, Mar. 31, 1955. Records available: 1939-55. Discontinued.

1955	Jan. 31	(f)	Feb. 25	5.04	Mar. 31	(f)
f Dry.						

Ma 14. City of Indianapolis. Sanitation Plant. Raymond and Harding Sts., Indianapolis. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 15 N., R. 3 E. Bored test water-table well in sand and gravel, diam 2 in, depth 23 ft. Lsd, 685.68 ft above msl. MP, top of pipe, 0.00 ft lsd. Highest water level 15.50 below lsd, Oct. 10, 1950; lowest dry, Feb. 14, 1945. Records available: 1939-55.

Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Feb. 25	19.97	Apr. 25	20.03	May 31	19.97
Jan. 31	19.98	Mar. 31	20.00				

Ma 18. Anna M. Stelzner. 4948 W. Vermont St., Indianapolis. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 6, T. 15 N.; R. 3 E. Dug unused well in glacial drift, diam 24 in, depth 28 ft, cribbed with brick. Lsd, about 735 ft above msl. MP, top of shelter base, 2.29 ft above lsd. Highest water level 3.55 below lsd, May 8, 1961; lowest 28.45 below lsd, Oct. 8-10, 1954. Records available: 1943-62. (daily lowest water levels from recorder graph, 1955-Feb. 15, 1957; 2 a.m., Feb. 16-Dec. 31, 1957; daily highest, 1958-62)

1955	1957	1959	1961
Jan. 25	25.90	Jan. 25	23.00
Feb. 25	25.65	Feb. 25	21.85
Mar. 25	24.60	Mar. 25	21.15
Apr. 25	23.95	Apr. 25	14.50
May 25	24.30	May 25	9.30
June 25	24.60	June 25	16.90
July 25	24.80	July 25	18.66
Aug. 25	26.35	Aug. 25	21.16
Sept. 25	27.35	Sept. 25	22.50
Oct. 25	24.45	Oct. 25	23.35
Nov. 25	22.70	Nov. 25	21.45
Dec. 23	22.80	Dec. 25	15.40
1956	1958	1960	1962
Jan. 25	23.00	Jan. 25	18.55
Feb. 27	15.00	Feb. 25	19.05
Mar. 25	17.45	Mar. 25	19.30
Apr. 25	17.75	Apr. 25	18.55
May 25	19.15	May 25	18.20
June 25	17.60	June 25	16.95
July 25	19.60	July 25	14.50
Aug. 25	22.85	Aug. 25	17.70
Sept. 25	25.05	Sept. 25	19.60
Oct. 25	25.85	Oct. 25	20.35
Nov. 25	25.15	Nov. 25	18.50
Dec. 9	25.00	Dec. 25	18.95

Ma 19. New York Central System. 10th and Exeter Sts., Indianapolis. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 5, T. 15 N., R. 3 E. Driven unused well in glacial drift, diam 1 $\frac{1}{4}$ in, depth 24 ft. Lsd, about 720 ft above msl. MP, top of pipe, 1.13 ft above lsd. Highest water level 12.50 below lsd, Feb. 27, 1950; lowest 21.48 below lsd, Feb. 5, 1945. Records available: 1943-62.

1955	May	23	19.55	Oct.	24	19.77	Feb.	27	18.49
Jan. 24	20.33	June 24	19.59	Nov. 28		18.86	Mar. 26		17.49
Feb. 28	20.40	July 25	19.75	Dec. 23		18.65	Apr. 23		16.94
Mar. 23	20.18	Aug. 22	20.04		1956		May 28		17.07
Apr. 25	19.67	Sept. 26	20.42	Jan. 23		19.01	June 25		15.42

Ma 19--Continued

Date	Water Level						
July 23	15.34	Feb. 28	16.69	Oct. 26	19.07	May 22	14.89
Aug. 27	16.28	Mar. 28	17.26	Nov. 24	19.24	June 26	15.62
Sept. 24	17.01	Apr. 28	17.71	Dec. 28	19.14	July 24	16.58
Oct. 22	17.64	May 26	17.69	1960		Aug. 28	17.41
Nov. 26	18.16	June 23	17.28	Jan. 25	19.16	Sept. 26	18.03
Dec. 28	18.15	July 28	15.74	Feb. 23	18.43	Oct. 23	18.53
1957		Aug. 25	14.62	Mar. 28	18.52	Nov. 27	18.78
Jan. 25	18.36	Sept. 26	15.65	Apr. 25	18.73	Dec. 22	19.11
Feb. 22	18.32	Oct. 24	16.45	May 23	18.77	1962	
Mar. 22	18.43	Nov. 26	16.62	June 27	18.09	Jan. 25	18.82
Apr. 26	16.41	Dec. 22	17.00	July 25	17.89	Feb. 22	18.28
May 24	15.75	1959		Aug. 22	18.36	Mar. 22	17.77
June 24	15.34	Jan. 26	16.64	Sept. 26	19.00	Apr. 26	17.27
July 26	14.74	Feb. 24	16.44	Oct. 24	19.45	May 24	17.17
Aug. 23	15.61	Mar. 23	16.37	Nov. 28	19.73	June 25	17.66
Sept. 27	16.55	Apr. 24	16.68	Dec. 27	20.16	July 23	17.44
Oct. 25	17.02	May 25	16.70	1961		Aug. 27	18.01
Nov. 27	17.19	June 22	17.18	Jan. 23	20.38	Sept. 28	18.37
Dec. 27	16.00	July 27	17.96	Feb. 27	20.64	Oct. 24	18.33
1958		Aug. 24	18.45	Mar. 27	18.65	Nov. 28	18.49
Jan. 24	15.89	Sept. 28	18.94	Apr. 24	17.96	Dec. 26	18.68

Ma 25. Electric Steel Castings Co. Tenth and Main Sts., Speedway. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 16 N., R. 3 E. Drilled unused well in gravel, diam 6 in, depth 118 ft. Lsd, about 725 ft above msl. MP, top edge of concrete collar, 1.70 ft above lsd. Highest water level 17.95 below lsd, Jan. 31, 1949; lowest 52.82 below lsd, Jan. 31, 1947. Records available: 1945-57. Discontinued.

(daily lowest water levels from recorder graph)

1955	Sept. 25	40.3	May 25	40.5	Jan. 25	31.9
Jan. 25	37.5	Oct. 25	37.4	June 25	40.4	Feb. 25
Feb. 25	41.6	Nov. 25	40.2	July 25	39.1	Mar. 25
Mar. 25	43.0	Dec. 25	34.3	Aug. 25	40.0	Apr. 25
Apr. 25	35.2	1956		Sept. 25	42.7	May 25
May 25	33.1	Jan. 25	38.7	Oct. 25	38.7	June 25
June 25	38.6	Feb. 25	37.1	Nov. 25	31.6	July 25
July 26	47.6	Mar. 25	37.5	Dec. 25	29.6	Aug. 25
Aug. 25	45.1	Apr. 23	32.0	1957		Sept. 19

Ma 26. Otto Schakel. Five Points. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 26, T. 15 N., R. 4 E. Dug unused well in gravel, diam 42 in, depth 14 ft, cribbed with brick. Lsd, about 850 ft above msl. MP, top of concrete block on well cover platform, 0.40 ft above lsd. Highest water level 2.15 below lsd, Mar. 22, 1948; lowest 11.74 below lsd, Oct. 4, 1954. Records available: 1947-55. Discontinued.

1955	Jan. 24	7.55	Feb. 21	6.99

Ma 27. Otto Schakel. Five Points. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 26, T. 15 N., R. 4 E. Dug unused well in gravel, diam 36 in, depth 14 ft. Lsd, about 850 ft above msl. MP, crack in pump floor, 0.50 ft above lsd. Highest water level 0.60 below lsd, Dec. 10, 1951; lowest 10.23 below lsd, Sept. 19, 1955. Records available: 1947-56. Discontinued.

Ma 27--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		May 23	7.60	Oct. 24	7.23	Feb. 27	5.32
Jan. 24	2.93	June 27	7.91	Nov. 28	5.79	Mar. 26	4.99
Feb. 21	2.32	July 25	9.15	Dec. 26	7.50	Apr. 23	7.00
Mar. 28	5.87	Aug. 22	8.95	1956		July 1	7.41
Apr. 25	5.90	Sept. 26	8.72	Jan. 23	7.00		

Ma 28. Manuel W. Rabourn. Acton. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 14 N., R. 5 E. Dug unused artesian well in glacial drift, diam 42 in, depth 24 ft, cribbed with brick. Lsd, about 819 ft above msl. MP, top of platform, 2.32 ft above lsd. Highest water level 0.15 below lsd, Apr. 25, May 8, 1961; lowest 17.07 below lsd, Oct. 11, 1954. Records available: 1947-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

1955		1957		1959		1961	
Jan. 25	11.77	Jan. 25	4.97	Jan. 25	2.82	Jan. 25	12.21
Feb. 25	10.95	Feb. 25	5.13	Feb. 25	e3.93	Feb. 25	10.06
Mar. 25	8.01	Mar. 29	5.22	Mar. 25	3.88	Mar. 25	1.68
Apr. 25	7.98	Apr. 25	4.48	Apr. 25	6.42	Apr. 25	.15
May 25	9.41	May 25	1.80	May 25	5.43	May 25	4.94
June 25	9.23	June 25	6.82	June 25	7.83	June 25	8.45
July 25	9.63	July 25	6.61	July 25	9.87	July 25	10.22
Aug. 24	11.09	Aug. 25	9.07	Aug. 25	11.41	Aug. 25	11.04
Sept. 25	12.58	Sept. 25	10.09	Sept. 25	e12.86	Sept. 25	11.98
Oct. 25	10.27	Oct. 25	11.21	Oct. 25	13.92	Oct. 25	12.90
Nov. 25	4.11	Nov. 25	6.28	Nov. 25	14.47	Nov. 25	13.53
Dec. 25	6.86	Dec. 31	2.57	Dec. 25	13.10	Dec. 25	12.65
1956		1958		1960		1962	
Jan. 25	9.34	Jan. 25	5.90	Jan. 25	8.79	Jan. 25	7.74
Feb. 24	6.16	Feb. 25	8.13	Feb. 25	5.40	Feb. 25	7.15
Mar. 25	7.27	Mar. 25	7.46	Mar. 25	6.67	Mar. 25	h2.20
Apr. 25	6.60	Apr. 25	6.94	Apr. 25	7.21	Apr. 25	h6.99
May 25	8.88	May 25	h5.99	May 24	8.01	May 25	8.17
June 25	7.91	June 25	2.05	June 23	e6.40	June 25	9.56
July 25	7.98	July 25	2.23	July 25	6.64	July 25	e10.54
Aug. 25	9.00	Aug. 25	6.22	Aug. 25	9.42	Aug. 25	h11.18
Sept. 25	11.06	Sept. 25	8.53	Sept. 25	10.87	Sept. 25	9.79
Oct. 25	12.57	Oct. 25	9.06	Oct. 25	11.99	Oct. 25	10.67
Nov. 25	13.19	Nov. 24	6.67	Nov. 25	12.93	Nov. 25	11.23
Dec. 27	7.54	Dec. 25	6.79	Dec. 25	12.96	Dec. 25	e11.43

Ma 29. Indiana Amusement Corp. Indiana Theater. 134 W. Washington St., Indianapolis. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 15 N., R. 3 E. Drilled unused well in gravel, diam 12 in, depth 101 ft. Lsd, about 715 ft above msl. MP, edge of casing on east side, 12.50 ft below lsd. Highest water level 37.21 below lsd, Apr. 17, 1950; lowest 53.60 below lsd, Sept. 5, 1948. Records available: 1948-57. Discontinued.

(daily lowest water levels from recorder graph)

1955		June 25	47.05	Dec. 25	42.70	May 25	40.85
Jan. 25	45.04	July 25	49.70	1956		June 25	43.27
Feb. 25	43.88	Aug. 21	51.47	Jan. 25	40.56	July 25	43.76
Mar. 25	43.64	Sept. 25	51.80	Feb. 25	39.37	Aug. 25	45.19
Apr. 25	43.73	Oct. 25	48.30	Mar. 25	38.53	Sept. 25	44.16
May 25	45.65	Nov. 25	45.45	Apr. 25	37.86	Oct. 25	43.27

Ma 29--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Nov. 25	40.75	Jan. 25	38.80	Apr. 26	40.83	July 26	44.63
Dec. 25	39.82	Feb. 25	38.26	May 25	41.48	Aug. 24	45.19
1957		Mar. 25	37.68	June 25	42.12	Sept. 19	44.61

Ma 30. L. S. Ayres and Co. 1 West Washington St., Indianapolis. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 15 N., R. 3 E. Drilled unused artesian well in limestone, diam 12 in, reported depth 400 ft. Lsd, about 715 ft above msl. MP, top of casing, 29.50 ft below lsd. Highest water level 35.3 below lsd, Apr. 18, 1959; lowest 58.70 below lsd, Sept. 4, 1954. Records available: 1948-62.
(daily lowest water levels from recorder graph, Jan. 1-Feb. 26, 1955; 2 a.m.,

Feb. 27, 1955-Dec. 31, 1957; daily highest, 1958-62)							
1955		Apr. 26	43.7	Mar. 25	36.4	Mar. 25	38.9
Jan. 25	46.7	May 25	43.9	Apr. 25	37.5	Apr. 25	38.7
Feb. 25	45.5	June 25	45.6	May 25	39.8	May 25	39.2
Mar. 26	45.2	July 25	47.2	June 5	41.0	June 25	40.3
Apr. 25	45.7	Aug. 25	48.0	Aug. 25	47.5	July 25	42.2
May 25	48.2	Sept. 25	46.0	Sept. 25	48.8	Aug. 25	45.2
Oct. 26	50.2	Oct. 25	44.1	Oct. 25	46.0	Sept. 25	44.9
Nov. 25	47.3	Nov. 26	40.9	Nov. 25	42.0	Oct. 25	42.5
Dec. 25	45.0	Dec. 24	41.3	Dec. 25	40.0	Nov. 25	40.0
1956		1958		1960		Dec. 24	e38.7
Jan. 25	42.1	Jan. 25	38.1	Jan. 25	38.8	1962	
Feb. 25	40.6	Feb. 25	37.3	Feb. 25	38.0	Jan. 25	37.8
Mar. 25	40.1	Mar. 25	36.9	Mar. 25	37.4	Feb. 25	37.1
Apr. 25	39.4	Apr. 25	40.4	Apr. 25	39.7	Mar. 25	37.0
May 25	43.75	May 24	h44.25	May 25	40.8	Apr. 25	37.5
June 25	44.6	June 25	43.4	June 25	44.9	May 25	43.1
July 25	46.35	July 25	46.1	July 25	45.1	June 25	43.3
Aug. 25	47.35	Aug. 25	45.8	Aug. 25	47.0	July 25	45.8
Sept. 24	46.30	Sept. 25	45.3	Sept. 25	46.2	Aug. 25	46.9
Oct. 25	44.8	Oct. 25	42.7	Oct. 25	43.1	Sept. 25	45.0
Nov. 25	42.5	Nov. 25	40.4	Nov. 25	41.0	Oct. 24	h45.15
Dec. 25	41.7	Dec. 25	38.6	Dec. 25	39.9	Nov. 25	39.4
1957		1959		1961		Dec. 25	39.6
Jan. 25	40.4	Jan. 25	37.7	Jan. 25	39.4		
Mar. 25	39.8	Feb. 25	37.2	Feb. 25	39.1		

Ma 31. U. S. Government. Fort Harrison. Indianapolis. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 6, T. 16 N., R. 5 E. Drilled unused well in limestone, diam 8 in, depth 347 ft. Lsd, about 835 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 95.3 below lsd, Apr. 27, 1961; lowest 104.6 below lsd, Aug. 15, 1959. Records available: 1954-62.

(daily lowest water levels from recorder graph, 1955-57; daily highest 1958-62)

1955		Sept. 25	102.5	Apr. 25	100.7	Dec. 25	101.9
Feb. 25	101.2	Oct. 25	102.3	May 25	101.1	1957	
Mar. 25	99.9	Nov. 25	100.5	June 25	100.7	Jan. 25	100.8
Apr. 25	100.5	Dec. 25	101.7	July 25	101.2	Apr. 25	99.9
May 25	102.0	1956		Aug. 25	102.5	May 25	98.4
June 25	101.5	Jan. 25	102.3	Sept. 25	102.5	June 24	h99.14
July 25	102.6	Feb. 25	99.3	Oct. 25	102.6	July 25	101.2
Aug. 25	103.2	Mar. 25	100.2	Nov. 25	102.1	Aug. 25	101.7

Ma 31--Continued

Date	Water Level						
Sept. 25	102.3	Jan. 25	98.2	June 25	100.4	Nov. 25	101.6
Oct. 25	102.7	Feb. 25	98.9	July 25	101.3	Dec. 25	101.5
Nov. 22	h100.98	Mar. 25	99.3	Aug. 25	102.0		1962
Dec. 25	98.7	Apr. 25	99.9	Sept. 25	102.1	Jan. 25	100.5
1958		May 25	99.7	Oct. 25	102.4	Feb. 25	100.8
						Mar. 25	98.8
Jan. 25	99.5	June 25	101.1	Nov. 25	102.1	Apr. 25	101.1
Feb. 25	100.8	July 25	101.4	Dec. 25	102.9	May 25	101.1
Mar. 22	100.4	Aug. 25	102.1		1961		
Apr. 25	100.7	Sept. 25	102.1	Jan. 25	102.3	June 25	102.0
May 25	100.0	Oct. 25	101.3	Feb. 25	101.6	July 25	101.4
June 25	98.3	Nov. 25	101.0	Mar. 25	98.5	Aug. 25	102.4
July 25	98.8	Dec. 25	100.5	Apr. 25	96.0	Sept. 25	102.1
Aug. 25	99.9		1960	May 25	99.8	Oct. 25	101.9
Sept. 25	100.7	Jan. 25	99.8	June 26	e101.4	Nov. 25	101.9
Oct. 25	101.0	Feb. 18	101.0	July 25	101.1	Dec. 25	102.2
Nov. 25	100.4	Mar. 25	100.0	Aug. 21	101.8		
Dec. 25	100.9	Apr. 25	100.2	Sept. 25	101.9		
1959		May 25	101.0	Oct. 25	101.7		

Ma 32. Indianapolis Water Co. Indianapolis. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 36, T. 17 N., R. 3 E. Drilled unused well in limestone, diam 10 in, depth 322 ft. Lsd, about 720 ft above msl. MP, 1-in hole in top of recorder platform, 2.10 ft above lsd. Highest water level 5.85 below lsd, June 17, 1958; lowest 14.76 below lsd, Sept. 6, 1961. Records available: 1958-62.

(daily highest water levels from recorder graph)

1958	July 25	11.70	Oct. 25	11.17	1962	
May 26	10.15	Aug. 25	13.07	Nov. 25	11.03	Jan. 25 10.04
June 28	h9.55	Sept. 25	12.50	Dec. 25	11.07	Feb. 25 10.30
July 25	10.55	Oct. 26	e11.55			Mar. 25 9.22
Aug. 25	10.50	Nov. 25	11.24	Jan. 25	11.02	Apr. 30 h10.72
Sept. 27	11.70	Dec. 25	10.86	Feb. 25	10.78	May 25 10.60
Oct. 25	10.60		1960	Mar. 25	8.96	June 26 12.00
Nov. 25	10.29	Jan. 25	10.66	Apr. 25	8.01	July 25 11.40
Dec. 25	10.55	Feb. 25	10.33	May 25	9.89	Aug. 25 11.90
1959		Mar. 25	10.66	June 25	10.40	Sept. 25 10.90
Jan. 25	8.04	Apr. 25	11.06	July 25	11.12	Oct. 25 10.70
Feb. 25	9.58	May 25	10.89	Aug. 25	11.53	Nov. 25 10.80
Mar. 25	9.81	June 25	10.52	Sept. 25	11.11	Dec. 25 10.80
Apr. 25	10.67	July 25	12.90	Oct. 25	10.85	
May 25	10.50	Aug. 25	12.15	Nov. 25	10.56	
June 25	12.60	Sept. 25	e12.01	Dec. 25	10.59	

Marshall County

M1 1. Howard Lemler, Bourbon. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 16, T. 33 N., R. 3 E. Dug unused well in glacial drift, diam 12 in, depth 17 ft, cribbed with tile, Lsd, about 832 ft above msl. MP, top edge of vitrified tile on east side, 0.30 ft above lsd. Highest water level 1.07 below lsd, Apr. 9, 1950; lowest 10.09 below lsd, Oct. 1, 1955. Records available: 1948-62.

M1 1--Continued

Date	Water Level						
1955		1957		1959		1961	
Jan. 22	4.73	Jan. 26	8.70	Jan. 24	7.19	Jan. 28	8.71
Feb. 26	3.68	Feb. 23	7.73	Feb. 28	6.38	Feb. 25	8.24
Mar. 26	4.71	Mar. 23	7.29	Mar. 28	5.06	Mar. 25	4.56
Apr. 23	5.07	Apr. 27	4.76	Apr. 25	5.33	Apr. 22	4.00
May 28	6.69	May 25	5.94	May 23	5.15	May 27	4.45
June 25	7.84	June 22	6.61	June 27	5.57	June 24	6.59
July 23	8.59	July 27	7.58	July 25	7.21	July 22	6.66
Aug. 27	9.33	Aug. 24	8.56	Aug. 22	8.22	Aug. 26	6.76
Sept. 24	10.02	Sept. 28	9.60	Sept. 26	8.79	Sept. 23	7.11
Oct. 22	9.93	Oct. 26	9.29	Oct. 24	7.05	Oct. 28	7.24
Nov. 26	8.94	Nov. 23	7.24	Nov. 28	4.97	Nov. 25	7.08
Dec. 24	8.64	Dec. 28	3.51	Dec. 26	4.91	Dec. 23	6.33
1956		1958		1960		1962	
Jan. 28	8.95	Jan. 25	5.58	Jan. 23	4.69	Jan. 27	5.98
Feb. 25	7.43	Feb. 22	6.49	Feb. 27	3.73	Feb. 24	5.43
Mar. 24	6.25	Mar. 22	5.80	Mar. 26	3.69	Mar. 24	5.15
Apr. 28	6.40	Apr. 26	6.95	Apr. 23	3.36	Apr. 28	5.15
May 26	4.88	May 24	7.81	May 28	5.45	May 26	5.91
June 23	6.46	June 28	7.94	June 25	5.70	June 23	7.06
July 28	7.63	July 26	5.22	July 23	6.71	July 28	7.54
Aug. 25	8.21	Aug. 23	4.82	Aug. 27	7.93	Aug. 25	8.28
Sept. 22	8.65	Sept. 27	6.46	Sept. 24	8.45	Sept. 22	8.71
Oct. 27	9.60	Oct. 25	6.72	Oct. 22	8.75	Oct. 27	8.99
Nov. 24	9.70	Nov. 22	6.71	Nov. 26	9.11	Nov. 24	9.14
Dec. 22	9.62	Dec. 27	7.42	Dec. 24	9.32	Dec. 22	9.21

M1 2. City of Plymouth. Plymouth Waterworks. Plymouth, SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 34 N., R. 2 E. Drilled unused artesian well in gravel, diam 16 in, depth 127 ft. Lsd, about 803 ft above msl. MP, 1-in hole in wood platform, 0.50 ft above lsd. Highest water level 17.80 below lsd, Apr. 20, 1960; lowest 22.87 below lsd, Feb. 7, 1957. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956	May 21	21.42	1960	July 25	20.65
Dec. 27	22.09	June 11	22.81	Jan. 25	19.65
1957		July 25	20.91	Feb. 25	19.20
Jan. 30	22.12	Aug. 24	19.91	Mar. 25	19.80
Feb. 25	21.96	Sept. 1	20.28	Apr. 25	18.40
Mar. 25	21.87	Oct. 6	20.66	May 25	19.20
Apr. 25	21.88	Dec. 25	21.10	June 25	19.40
May 14	20.47	1959		July 13	19.90
June 26	21.05	Jan. 25	20.95	Aug. 25	20.65
July 25	21.83	Feb. 25	19.50	Sept. 25	20.80
Aug. 12	e21.46	Mar. 25	20.05	Oct. 25	21.10
Sept. 25	22.08	Apr. 25	19.60	Nov. 25	20.95
Oct. 25	21.79	May 25	19.45	Dec. 25	21.10
Nov. 25	21.30	June 25	19.75	1961	
Dec. 23	h20.30	July 25	19.85	Jan. 25	21.50
1958		Aug. 25	20.70	Feb. 25	20.80
Jan. 25	20.60	Sept. 25	21.20	Mar. 25	19.50
Feb. 4	20.78	Oct. 25	20.75	Apr. 25	18.20
Mar. 25	20.52	Nov. 25	20.15	May 25	19.45
Apr. 25	20.97	Dec. 25	20.20	June 25	19.90

M1 3. Fred Banks. Culver. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 32 N., R. 1 E. Drilled unused water-table well in sand, diam 18 in, depth 43 ft. Lsd, about 737 ft above msl. MP, top of casing, 2.25 ft above lsd. Highest water level 7.45 below lsd, Apr. 25, May 2, 1960; lowest 11.25 below lsd, Sept. 28, 1959. Records available: 1957-61. Discontinued.

Date	Water Level						
1957		Oct. 27	9.95	Oct. 26	10.85	Oct. 24	10.65
Nov. 25	9.29	Nov. 24	9.85	Nov. 23	9.95	Nov. 28	10.85
Dec. 23	9.15	Dec. 22	9.85	Dec. 28	9.95	Dec. 26	10.65
1958		1959		1960		1961	
Jan. 27	8.85	Jan. 26	10.15	Jan. 25	9.75	Jan. 23	10.95
Feb. 24	9.45	Feb. 23	9.85	Feb. 22	8.75	Feb. 27	11.05
Mar. 24	9.65	Mar. 23	8.55	Mar. 28	9.25	Mar. 27	9.05
Apr. 28	9.95	Apr. 27	8.45	Apr. 25	7.45	Apr. 24	8.55
May 26	10.35	May 25	8.55	May 23	8.15	May 22	7.95
June 23	8.25	June 22	9.35	June 27	9.15	June 26	9.15
July 28	8.25	July 27	10.15	July 25	9.55	July 24	9.65
Aug. 25	8.75	Aug. 24	11.05	Aug. 22	9.75	Aug. 28	8.15
Sept. 22	9.45	Sept. 28	11.25	Sept. 26	10.25	Sept. 25	8.95

M1 4. Pertic Blueberry Plantation. Lapaz. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 35 N., R. 2 E. Drilled unused artesian well in sand, diam 6 in, depth 133 ft. Lsd, about 848 ft above msl. MP, top of casing, 1.95 ft above lsd. Highest water level 41.6 below lsd, Apr. 30, May 6, 7, 1960; lowest 54.2 below lsd, May 16, 1959, May 13, 1960. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Jan. 25	44.8	May 25	41.9	Sept. 25	43.4
Aug. 29	44.84	Feb. 25	44.0	June 25	42.1	Oct. 25	43.4
Sept. 25	45.10	Mar. 25	43.4	July 25	42.4	Nov. 25	43.5
Oct. 25	45.26	Apr. 25	42.6	Aug. 25	42.8	Dec. 25	43.2
Nov. 25	45.14	May 25	42.9	Sept. 25	43.1	1962	
1958		June 25	42.9	Oct. 25	43.4	Jan. 25	43.1
Mar. 25	43.92	July 25	43.2	Nov. 25	43.5	Feb. 25	43.2
Apr. 25	44.09	Aug. 25	43.7	Dec. 25	43.6	Mar. 25	43.1
May 26	44.20	Sept. 25	43.9	1961		Apr. 25	42.7
June 6	44.20	Oct. 25	43.4	Jan. 25	44.2	May 25	43.0
July 26	43.95	Nov. 25	43.2	Feb. 19	44.0	June 25	43.3
Aug. 25	43.6	Dec. 25	43.3	Mar. 25	43.6	July 25	43.4
Sept. 18	43.7	1960		Apr. 25	42.8	Aug. 25	44.0
Oct. 25	44.0	Jan. 25	42.9	May 25	42.8	Sept. 25	44.0
Nov. 25	44.0	Feb. 25	42.2	June 25	42.9	Oct. 25	44.5
Dec. 25	44.8	Mar. 25	42.5	July 25	43.2	Nov. 25	44.9
1959		Apr. 25	41.7	Aug. 25	43.3	Dec. 25	44.8

Martin County

Mt 3. John Ketcham. Loogootie. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 4 N., R. 5 W. Dug unused water-table well in rock, diam 42 in, depth 32 ft, cribbed with stone. Lsd, about 621 ft above msl. MP, edge of iron opening on top of well, 0.70 ft above lsd. Highest water level 18.02 below lsd, June 2, 1947; lowest 24.27 below lsd, Dec. 26, 1954. Records available: 1944-62.

Mt 3--Continued

Date	Water Level						
1955		1957		Mar. 22	19.83	Mar. 26	19.09
Jan. 23	23.84	Jan. 27	22.89	Apr. 26	20.61	Apr. 23	19.38
Feb. 27	23.46	Feb. 24	22.89	May 24	21.27	May 28	20.94
Mar. 27	20.09	Mar. 24	22.96	June 21	21.35	June 18	20.62
Apr. 24	19.51	Apr. 28	21.28	July 26	21.81	July 23	21.09
May 22	20.77	May 26	19.37	Aug. 23	21.94	Aug. 27	21.53
June 26	21.49	June 23	19.95	Sept. 27	22.11	Sept. 24	21.88
July 25	21.53	July 28	21.33	Oct. 26	22.26	Oct. 22	22.22
Aug. 28	22.24	Aug. 25	21.91	Nov. 22	27.37	Nov. 26	22.38
Sept. 25	22.46	Sept. 29	22.42	Dec. 27	22.34	Dec. 24	22.46
Oct. 23	22.51						1962
Nov. 27	22.43	Jan. 26	20.08	Jan. 24	21.22	Jan. 28	21.21
Dec. 18	22.56	Feb. 23	20.95	Feb. 28	20.72	Feb. 25	20.41
1956		Mar. 23	21.43	Mar. 27	20.62	Mar. 27	19.74
Jan. 22	22.77	Apr. 27	20.32	Apr. 24	20.61	Apr. 22	19.48
Feb. 26	20.88	May 25	19.74	May 22	19.88	May 27	20.36
Mar. 25	19.89	June 22	20.09	June 27	19.25	June 24	21.28
Apr. 22	20.09	July 28	19.75	July 24	20.74	July 22	21.64
May 28	20.48	Aug. 24	20.58	Aug. 28	21.44	Aug. 26	22.09
June 24	21.08	Sept. 28	20.86	Sept. 25	21.93	Sept. 23	23.11
July 22	21.87	Oct. 26	21.55	Oct. 23	22.12	Oct. 14	23.22
Aug. 26	23.09	Nov. 23	21.39	Nov. 27	22.38	Nov. 18	22.38
Sept. 23	22.41	Dec. 22	20.55	Dec. 25	22.33	Dec. 30	22.47
Oct. 28	22.69						
Nov. 25	22.86	Jan. 25	20.28	Jan. 22	22.37		
Dec. 23	22.93	Feb. 22	20.34	Feb. 26	22.32		

Mt 4. John Ketcham. Loogootie. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 4 N., R. 5 W. Dug unused well in rock, diam 36 in, depth 14 ft, cribbed with rock. Lsd, about 604 ft above msl. MP, painted arrow on cover, 0.76 ft above lsd. Highest water level 1.95 below lsd, May 26, 1957; lowest dry, Dec. 2, 1956. Records available: 1944-57. Discontinued.

1955		Sept. 25	10.73	May 28	3.26	Jan. 27	4.11
Jan. 23	3.76	Oct. 23	8.69	June 24	4.53	Feb. 24	3.51
Feb. 27	2.95	Nov. 27	3.18	July 22	6.83	Mar. 24	3.76
Mar. 27	2.96	Dec. 18	3.53	Aug. 26	9.82	Apr. 28	3.43
Apr. 24	2.81			Sept. 23	11.33	May 26	1.95
May 22	3.29	Jan. 22	7.66	Oct. 28	12.92	June 23	2.52
June 26	3.31	Feb. 26	2.97	Nov. 11	13.53	July 28	4.18
July 25	3.52	Mar. 25	3.01	Dec. 23	12.90	Aug. 25	7.15
Aug. 28	7.87	Apr. 22	3.52			Sept. 22	9.28

Mt 5. Joe Arvin. Whitfield. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 12, T. 2 N., R. 5 W. Drilled unused artesian well in rock, diam 7 in, depth 143 ft. Lsd, about 565 ft above msl. MP, top of casing, 1.00 ft above lsd. Highest water level 29.0 below lsd, July 19, 20, 1961; lowest 33.26 below lsd, Nov. 17, 1959. Records available: 1958-62.

(daily highest water levels from recorder graph)							
1958		Sept. 25	31.37	1959		Apr. 25	30.56
May 25	31.74	Oct. 25	31.52	Jan. 19	31.30	May 25	30.86
July 25	31.44	Nov. 25	31.63	Feb. 25	31.02	June 25	e31.06
Aug. 3	31.47	Dec. 25	30.95	Mar. 25	30.72	July 25	31.56

Mt 5--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 25	31.86	June 25	30.8	Apr. 25	30.0	Feb. 25	30.4
Sept. 23	h32.37	July 25	30.9	May 25	29.8	Mar. 25	30.1
Oct. 25	31.76	Aug. 25	30.8	June 25	29.5	Apr. 25	29.9
Nov. 25	32.46	Sept. 25	30.8	July 25	29.1	May 25	29.5
Dec. 25 1960	33.06	Oct. 25	31.1	Aug. 25	29.7	June 27	h29.59
		Nov. 23	31.6	Sept. 25	29.9	July 25	29.6
Jan. 25	32.7	Dec. 15	h32.30	Oct. 25	30.1	Aug. 25	29.8
Feb. 25	31.6	1961		Nov. 25	30.8	Sept. 26	h30.14
Mar. 25	32.1	Jan. 25	31.4	Dec. 26	h30.68	Oct. 25	30.6
Apr. 25	31.3	Feb. 25	30.7	1962		Nov. 25	31.1
May 25	31.1	Mar. 25	31.1	Jan. 25	30.5	Dec. 23	31.0

Miami County

Mi 2. U. S. Government. Bunker Hill Air Force Base. Bunker Hill. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 25, T. 26 N., R. 3 E. Drilled unused well in limestone, diam 4 in, reported depth 165 ft. Lsd, about 795 ft above msl. MP, top of casing, 1.00 ft above lsd. Highest water level 29.3 below lsd, July 14, 1958; lowest 55.7 below lsd, July 22, 1960. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Sept. 25	40.8	Mar. 21	45.8	Sept. 25	44.5
Apr. 25	37.8	Oct. 27	42.0	Apr. 25	50.8	Oct. 25	44.1
May 28	h30.94	Nov. 25	42.6	May 25	49.0	Nov. 25	43.3
June 26	37.0	Dec. 26	40.6	June 25	47.8	Dec. 25	43.8
July 27	37.0	1959		July 28	53.6	1962	
Aug. 25	39.0	Jan. 18	40.9	Aug. 25	52.1	Jan. 25	47.4
Sept. 25	38.7	Feb. 26	43.0	Sept. 15	45.1	Feb. 25	41.7
Oct. 25	37.8	Mar. 25	41.7	Oct. 25	50.0	Mar. 27	h39.1
Nov. 25	38.0	Apr. 28	38.6	Nov. 25	52.6	Apr. 25	34.0
Dec. 22	35.8	May 26	45.8	Dec. 25	42.0	May 25	44.9
1958		June 25	49.3	1961		June 26	e43.9
Jan. 25	32.2	July 25	46.4	Jan. 25	46.8	July 25	44.5
Feb. 7	33.6	Sept. 25	54.4	Feb. 21	54.0	Aug. 25	45.8
Mar. 21	36.1	Oct. 25	50.6	Mar. 25	50.9	Sept. 25	h47.4
Apr. 25	31.4	Nov. 23	49.5	Apr. 25	e48.8	Oct. 25	45.9
May 23	35.3	Dec. 20	48.5	May 25	45.7	Nov. 27	h44.9
June 25	34.0	1960		June 27	41.5	Dec. 25	43.1
July 25	37.1	Jan. 24	47.2	July 25	43.0		
Aug. 6	39.9	Feb. 10	43.6	Aug. 25	41.0		

Mi 5. U. S. Government. Bunker Hill Air Force Base. Bunker Hill. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 25 N., R. 3 E. Drilled unused well in limestone, diam 4 in, depth 133.5 ft. Lsd, about 808 ft above msl. MP, 1-in hole in recorder platform, 2.45 ft above lsd. Highest water level 16.40 below lsd, May 2, 3, 1961; lowest 27.65 below lsd, Feb. 1, 1961. Records available: 1960-62.

(daily highest water levels from recorder graph)

1960		Nov. 25	22.75	Feb. 15	24.70	June 25	22.55
Aug. 25	20.09	Dec. 25	24.85	Mar. 19	19.05	July 17	23.60
Sept. 26	e23.00	1961		Apr. 16	18.25	Aug. 25	21.00
Oct. 25	22.35	Jan. 30	25.25	May 8	16.90	Sept. 17	22.85

Mi 5--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1962		June 26	h24.06	Sept. 17	23.45	Dec. 10	h24.52
Apr. 26	e20.35	July 25	20.75	Oct. 25	23.75		
May 28	h22.48	Aug. 25	23.90	Nov. 25	23.65		

Monroe County

Mr 2. State of Indiana. Morgan-Monroe State Forest. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 10 N., R. 1 W. Dug unused well in limestone, diam 42 in, depth 27 ft, cribbed with stone. Lsd, about 875 ft above msl. MP, sharp edge of top course stone on north side, 0.40 ft below lsd. Highest water level 4.65 below lsd, Jan. 3, 1950; lowest 26.50 below lsd, Sept. 23, 1954. Records available: 1944-57. Discontinued.

1955		Aug. 12	24.51	June 22	22.00	Jan. 21	17.85
Jan. 28	23.10	Dec. 23	20.85	July 20	23.89	Feb. 22	19.75
Feb. 25	17.65	1956		Aug. 31	18.25	Mar. 8	16.55
Mar. 25	19.37	Feb. 24	16.94	Sept. 21	23.45	Apr. 24	9.85
May 13	20.91	Mar. 23	17.02	Oct. 4	25.15	May 20	15.05
June 24	21.14	Apr. 28	18.29	Dec. 27	24.05	June 21	15.55
July 29	23.68	May 25	21.25	1957		July 25	15.55

Mr 3. Dustin McDonald. Sandford. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 7 N., R. 2 W. Dug unused well, diam 36 in, depth 29 ft, cribbed with stone. Lsd, about 815 ft above msl. MP, edge of stone on top course, 0.00 ft lsd. Highest water level 10.60 below lsd, Apr. 8, 1951; lowest 27.44 below lsd, Feb. 27, 1945. Records available: 1944-56. Discontinued.

1955		July 25	23.56	1956		June 25	21.59
Jan. 24	26.66	Aug. 24	24.40	Jan. 26	25.90	July 25	23.07
Feb. 25	26.71	Sept. 25	25.12	Feb. 24	23.04	Aug. 25	24.01
Mar. 29	20.00	Oct. 25	25.55	Mar. 25	21.41	Sept. 24	h24.57
Apr. 16	16.70	Nov. 25	25.50	Apr. 25	21.39	Oct. 22	h24.90
June 30	22.70	Dec. 7	25.54	May 29	18.39	Nov. 15	25.19

Mr 4. Dustin McDonald. Sandford. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 7 N., R. 2 W. Drilled unused well in rock, diam 6 in, depth 59 ft. Lsd, about 815 ft above msl. MP, top of recorder base, 2.22 ft above lsd. Highest water level 14.60 below lsd, May 16, 1961; lowest 27.70 below lsd, Nov. 30, 1954. Records available: 1953-62.

1955		Sept. 25	25.34	May 29	20.18	Jan. 25	24.49
Jan. 24	27.01	Oct. 25	25.76	June 25	22.12	Feb. 8	h25.20
Feb. 25	27.54	Nov. 25	26.04	July 25	23.56	Oct. 25	25.19
Mar. 29	20.38	Dec. 25	26.20	Aug. 25	24.56	Nov. 24	h25.46
Apr. 25	19.15	1956		Sept. 25	25.05	Dec. 27	h19.58
May 24	22.29	Jan. 26	26.63	Oct. 25	25.59	1958	
June 24	22.51	Feb. 24	24.43	Nov. 22	25.74	Jan. 26	h19.74
July 25	23.74	Mar. 25	22.08	Dec. 25	26.07	Feb. 25	21.92
Aug. 24	24.59	Apr. 25	21.93	1957		Mar. 24	21.73

Mr 4--Continued

Date	Water Level						
Apr. 25	20.71	July 25	21.41	Oct. 25	23.50	1962	
May 23	h17.94	Aug. 24	22.45	Nov. 25	23.98	Jan. 27	h22.48
June 24	18.89	Sept. 25	23.10	Dec. 25	24.31	Feb. 24	h23.40
July 25	16.98	Oct. 24	23.15	1961		Mar. 25	17.90
Aug. 25	19.73	Nov. 25	23.70	Jan. 25	24.85	Apr. 25	19.63
Sept. 25	21.66	Dec. 25	24.25	Feb. 25	24.47	May 25	20.65
Oct. 25	22.59	1960		Mar. 24	18.93	June 25	h21.82
Nov. 25	22.98	Jan. 25	22.90	Apr. 25	18.86	July 25	h22.46
Dec. 25	23.42	Feb. 21	20.93	May 25	16.13	Aug. 25	h23.10
1959		Mar. 26	e20.13	June 25	18.29	Sept. 25	23.45
Jan. 26	17.60	Apr. 25	20.41	July 25	20.17	Oct. 25	23.94
Feb. 25	15.68	May 25	20.65	Aug. 25	21.43	Nov. 25	24.35
Mar. 25	17.39	June 25	16.99	Sept. 25	22.31	Dec. 25	24.33
Apr. 25	18.23	July 25	20.13	Oct. 25	23.01		
May 25	18.39	Aug. 25	21.76	Nov. 26	23.45		
June 28	19.66	Sept. 25	22.78	Dec. 24	23.62		

Montgomery County

My 1. Byron Banta. Waveland. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 36, T. 17 N., R. 6 W. Dug unused water-table well in glacial drift, diam 36 in, depth 18 ft, cribbed with brick. On Aug. 25, 1955, an 8-in steel casing was set to a depth of 18 ft and well backfilled with crushed rock. Lsd, about 765 ft above msl. MP, inner manhole ring at painted arrow, 1.16 ft above lsd. Highest water level 2.78 below lsd, Jan. 4, 1950; lowest 15.45 below lsd, Nov. 16, 1940. Records available: 1935-62.

(2 a.m. water levels from recorder graph, 1955-56; daily highest, 1957-62)							
1955		Oct. 25	13.51	July 25	8.42	Apr. 25	9.73
Jan. 25	10.05	Nov. 25	12.33	Aug. 25	8.56	May 25	9.36
Feb. 25	9.46	Dec. 25	9.37	Sept. 25	e9.25	June 25	6.52
Mar. 21	8.57	1957		Oct. 25	10.87	July 25	10.40
Apr. 25	7.41	Jan. 25	7.76	Nov. 25	7.38	Aug. 25	11.42
May 25	9.77	Feb. 25	9.28	Dec. 25	10.23	Sept. 25	11.99
June 25	9.98	Mar. 25	9.04	1959		Oct. 25	12.58
July 25	11.78	Apr. 25	6.73	Jan. 25	7.94	Nov. 25	11.45
Aug. 24	13.12	May 25	7.16	Feb. 25	7.35	Dec. 25	11.03
Sept. 25	14.50	June 24	8.07	Mar. 25	8.08	1961	
Oct. 25	12.24	July 25	9.88	Apr. 25	9.30	Jan. 25	10.39
Nov. 25	9.02	Aug. 25	11.10	May 25	9.57	Feb. 25	9.74
Dec. 25	10.08	Sept. 25	11.69	June 25	10.54	Mar. 25	6.76
1956		Oct. 25	10.37	July 25	12.13	Apr. 25	4.42
Jan. 25	11.24	Nov. 21	8.52	Aug. 26	12.63	May 25	9.12
Feb. 29	6.90	Dec. 25	5.76	Sept. 25	13.33	June 25	9.92
Mar. 25	8.13	1958		Oct. 25	11.86	July 25	11.28
Apr. 25	9.34	Jan. 20	9.48	Nov. 25	11.03	Aug. 26	11.98
May 25	9.79	Feb. 25	9.52	Dec. 25	10.71	Sept. 25	12.14
June 25	10.40	Mar. 25	9.58	1960		Oct. 25	11.74
July 25	10.52	Apr. 25	9.55	Jan. 25	9.32	Nov. 25	9.97
Aug. 25	11.64	May 25	8.95	Feb. 25	8.92	Dec. 25	9.39
Sept. 25	12.50	June 20	e8.50	Mar. 25	8.31	1962	

My 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 25	8.89	Apr. 25	9.39	July 25	7.03	Oct. 25	9.33
Feb. 25	8.65	May 25	9.43	Aug. 25	11.28	Nov. 25	9.93
Mar. 25	6.46	June 25	10.17	Sept. 25	10.67	Dec. 25	11.24

My 4. Mrs. W. L. Glenn Estate, Waveland. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 13, T. 17 N., R. 6 W. Dug unused well in glacial drift, diam 36 in, depth 21 ft, cribbed with stone. Lsd, about 696 ft above msl. MP, 1-in hole in platform, 0.70 ft above lsd. Highest water level 1.33 below lsd, Apr. 4, 1938; lowest 17.33 below lsd, Oct. 15, 1940. Records available: 1935-57. Discontinued.

(2 a.m. water levels from recorder graph)

1955		Oct. 25	12.90	July 25	6.00	Apr. 26	2.73
Jan. 25	13.42	Nov. 25	11.81	Aug. 25	7.95	May 30	2.86
Feb. 25	13.22	Dec. 25	11.33	Sept. 25	9.02	June 25	3.53
Mar. 25	12.73	1956		Oct. 25	9.80	July 25	4.80
Apr. 25	12.36	Jan. 25	12.28	Nov. 25	10.31	Aug. 25	6.13
May 25	12.53	Feb. 25	7.58	Dec. 14	10.58	Sept. 25	7.38
June 25	12.11	Mar. 25	3.88	1957		Oct. 1	7.59
July 25	13.10	Apr. 25	4.96	Jan. 25	10.72		
Aug. 19	14.00	May 25	5.94	Feb. 22	10.22		
Sept. 25	15.34	June 25	4.72	Mar. 25	7.94		

My 5. Indiana Gas and Water Co. Crawfordsville. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 19 N., R. 4 W. Drilled unused artesian well in sand and gravel, diam 6 in, depth 44.7 ft. Lsd, 685.6 ft. MP, top of casing, 5.50 ft above lsd. Highest water level 4.75 above lsd, Nov. 27, 1958; lowest 7.40 below lsd, May 26, 1962. Records available: 1958-62.

(daily highest water levels from recorder graph)

1958		Oct. 25	+0.65	Dec. 22	0.3	Jan. 25	1.2
Sept. 25	+3.90	Nov. 25	.25	1961		Feb. 25	1.0
Oct. 25	+3.90	Dec. 25	.55	Jan. 25	.8	Mar. 25	1.2
Nov. 25	+4.20	1960		Feb. 25	.3	Apr. 25	1.2
Dec. 25	+4.25	Jan. 25	2.75	Mar. 25	.4	May 25	7.3
1959		Feb. 25	+1.85	Apr. 25	1.6	June 25	2.3
Jan. 15	+3.85	Mar. 25	.85	May 25	1.6	July 26	h1.76
Feb. 16	h+4.04	Apr. 25	+2.3	June 25	+1.3	Aug. 25	4.0
Mar. 25	+3.75	May 25	.1	July 25	.7	Sept. 25	1.5
Apr. 25	+3.55	June 25	.5	Aug. 25	.6	Oct. 25	.0
May 25	+3.85	July 25	.4	Sept. 25	+1.0	Nov. 25	.9
June 25	+1.75	Aug. 25	2.3	Oct. 25	+2.3	Dec. 25	+.4
July 25	+1.15	Sept. 25	.5	Nov. 25	+2.0		
Aug. 25	.95	Oct. 25	1.4	Dec. 25	+3.7		
Sept. 25	1.95	Nov. 25	.6	1962			

My 6. Town of Ladoga. Ladoga. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 17 N., R. 3 W. Drilled unused artesian well in siltstone, diam 12 in, depth 180 ft. Lsd, about 820 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 23.65 below lsd, May 9, 1961; lowest 29.70 below lsd, Feb. 4, 1961. Records available: 1959-62.

My 6--Continued

(daily highest water levels from recorder graph)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1959		Sept. 25	28.75	July 25	26.84	May 25	26.34
Dec. 25	28.13	Oct. 25	29.38	Aug. 25	26.76	June 25	27.03
1960		Nov. 25	29.48	Sept. 25	27.25	July 25	26.27
Jan. 26	27.41	Dec. 29	29.37	Oct. 25	27.36	Aug. 25	27.85
Feb. 25	26.89	1961		Nov. 25	27.29	Sept. 25	27.35
Mar. 25	26.83	Jan. 25	29.33	Dec. 25	27.12	Oct. 25	27.15
Apr. 25	26.96	Feb. 25	29.16	1962		Nov. 17	27.70
May 25	26.89	Mar. 25	26.49	Jan. 25	26.63	Dec. 25	28.30
June 25	25.93	Apr. 25	24.80	Feb. 25	26.45		
July 25	26.55	May 25	25.57	Mar. 25	24.80		
Aug. 25	27.86	June 25	25.42	Apr. 25	26.18		

Morgan County

Mg 3. State of Indiana. Morgan-Monroe State Forest. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 27, T. 11 N., R. 1 E. Drilled unused artesian well in rock, diam 8 in, depth 45 ft. Lsd, about 670 ft above msl. MP, drilled hole in pump base, 0.47 ft above lsd. Highest water level 1.75 below lsd, Dec. 18, 1950; lowest 12.93 below lsd, Sept. 30, 1956. Records available: 1945-62. Discontinued.

1955		Jan. 21	6.93	Dec. 23	6.43	Sept. 22	6.83
Jan. 28	5.62	Feb. 22	5.93	1959		Oct. 27	7.83
Feb. 25	5.99	Mar. 8	7.23	Jan. 22	6.03	Nov. 24	8.03
Mar. 25	5.41	Apr. 24	5.43	Feb. 28	5.83	Dec. 26	7.13
May 13	6.53	May 20	7.13	Mar. 25	5.63	1961	
June 24	6.43	June 21	7.73	Apr. 23	5.63	Jan. 26	6.33
July 29	7.62	July 25	7.73	May 28	5.83	Feb. 23	6.03
Aug. 12	7.92	Sept. 25	7.13	June 25	6.43	Apr. 28	5.47
Oct. 14	6.61	Oct. 25	6.43	July 23	8.43	May 26	5.47
Dec. 23	6.70	Nov. 5	6.23	Aug. 27	7.63	June 30	5.52
1956		Dec. 23	5.23	Sept. 24	7.43	July 22	5.73
Feb. 24	5.90	1958		Oct. 21	6.63	Aug. 12	6.83
Mar. 23	5.97	Jan. 23	5.43	Nov. 24	6.43	Sept. 23	7.43
Apr. 28	6.27	Feb. 25	6.43	Dec. 25	6.03	Oct. 28	8.23
May 25	6.63	Mar. 24	6.03	1960		Nov. 25	7.03
June 22	5.63	Apr. 30	6.73	Jan. 28	6.23	Dec. 1	6.43
July 20	7.53	May 21	6.23	Feb. 25	6.13	1962	
Aug. 31	7.83	June 27	6.43	Mar. 24	6.03	Feb. 26	5.25
Sept. 21	7.03	July 27	6.33	Apr. 28	5.73	Mar. 22	5.10
Oct. 29	9.03	Aug. 22	6.73	May 26	5.63	Apr. 26	6.0
Nov. 26	6.13	Sept. 23	6.43	June 23	4.43	May 10	5.8
Dec. 27	6.13	Oct. 27	6.83	July 28	6.73		
1957		Nov. 28	6.13	Aug. 25	6.93		

Newton County

Ne 3. E. J. Funk and Sons. Kentland. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 16, T. 27 N., R. 9 W. Drilled unused artesian well in gravel and sand, diam 10 in, depth 103 ft. MP, 1-in hole in recorder platform, 1.07 ft above lsd. Highest water level 30.75 below lsd, Apr. 16, 1956; lowest 39.85 below lsd, Sept. 6, 1959. Records available: 1954-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1955		May 26	31.90	Mar. 25	31.30	Apr. 25	31.40
Jan. 25	32.60	June 11	32.45	Apr. 18	e31.10	May 25	34.00
Feb. 25	32.75	July 25	32.80	Aug. 27	35.75	June 25	32.45
Mar. 25	32.05	Aug. 25	33.30	Sept. 25	35.05	July 25	34.30
Apr. 25	31.25	Sept. 25	33.45	Oct. 25	34.40	Aug. 25	34.40
May 24	32.30	Oct. 25	33.40	Nov. 25	33.50	Sept. 25	34.15
June 25	32.10	Nov. 25	32.05	Dec. 25	33.50	Oct. 25	33.60
Nov. 8	33.05	Dec. 25	32.15	1960		Nov. 25	32.95
1956		1958		Jan. 25	32.35	Dec. 25	32.20
Jan. 25	32.00	Jan. 25	31.60	Feb. 25	31.80	1962	
Feb. 25	31.05	Feb. 25	33.20	Mar. 25	32.25	Jan. 27	h35.45
Mar. 25	31.35	Mar. 25	32.60	Apr. 23	e31.30	Feb. 23	h33.02
Apr. 21	31.25	Apr. 25	33.35	May 23	31.25	Mar. 25	31.90
June 19	31.85	May 24	32.90	June 25	31.40	Apr. 25	32.00
July 25	32.50	June 25	31.95	July 26	33.00	May 25	33.20
Aug. 24	33.65	July 25	32.95	Aug. 28	34.60	June 16	h37.28
Sept. 27	33.85	Aug. 25	33.15	Sept. 9	35.55	July 25	h34.88
Oct. 30	33.85	Sept. 25	33.85	Oct. 25	33.90	Aug. 25	34.65
Nov. 24	34.10	Oct. 25	33.70	Nov. 25	33.50	Sept. 22	33.70
Dec. 25	34.50	Nov. 25	32.70	Dec. 23	33.55	Oct. 25	h34.72
1957		Dec. 25	33.05	1961		Nov. 25	33.55
Jan. 9	33.80	1959		Jan. 25	34.05	Dec. 25	33.30
Mar. 21	33.90	Jan. 25	32.25	Feb. 25	33.20		
Apr. 16	33.40	Feb. 25	34.20	Mar. 26	33.40		

Ne 4. Brown Trucking Co. Brook. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 19, T. 28 N., R. 8 W. Drilled unused artesian well in sand and gravel, diam 5 in, depth 114 ft. Lsd, about 650 ft above msl. MP, top of recorder platform, 2.20 ft above lsd. Highest water level 6.15 below lsd, June 16, 1958; lowest 16.5 below lsd, Feb. 22, 1957. Records available: 1954-61. Discontinued.

(daily highest water levels from recorder graph)

1955		Nov. 13	13.3	1958		Jan. 17	10.4
Feb. 24	9.9	1957		Jan. 25	8.5	Feb. 25	8.9
Aug. 25	11.5	Jan. 25	13.4	Feb. 25	9.3	Mar. 25	8.3
Nov. 8	11.2	Feb. 25	13.1	Mar. 26	9.4	Apr. 25	8.1
1956		Mar. 18	12.7	Apr. 22	9.3	May 25	e8.7
Jan. 25	11.0	Apr. 25	8.7	May 17	10.2	June 7	10.0
Feb. 25	9.7	May 23	8.5	June 23	6.3	July 29	e11.3
Mar. 25	9.1	June 25	9.4	July 25	8.4	Aug. 25	12.2
Apr. 24	9.2	July 25	8.1	Aug. 25	9.8	Sept. 25	13.0
June 17	9.1	Aug. 25	10.3	Sept. 25	10.8	Oct. 25	11.8
July 25	10.6	Sept. 17	11.2	Oct. 24	11.4	Nov. 25	9.1
Aug. 25	12.0	Oct. 23	11.6	Nov. 25	10.8	Dec. 25	9.1
Sept. 28	12.9	Nov. 21	9.7	Dec. 14	10.4	1960	
Oct. 30	13.3	Dec. 25	7.7	1959		Jan. 25	h8.7

Ne 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Feb. 23	h8.2	Aug. 25	11.0	Jan. 19	12.2	July 23	10.5
Mar. 25	9.2	Sept. 25	12.0	Feb. 27	11.8	Aug. 26	10.8
Apr. 25	7.2	Oct. 25	12.3	Mar. 23	9.0	Sept. 25	10.6
May 25	8.4	Nov. 25	12.1	Apr. 25	7.7	Oct. 25	10.1
June 25	7.8	Dec. 25	e12.1	May 25	8.3	Nov. 25	8.3
July 25	e9.9	1961		June 25	9.6	Dec. 12	8.1

No 5. Town of Morocco. Morocco. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 29 N., R. 9 W. Drilled unused water-table well in sand and gravel, diam 16 in, depth 49 ft. Lsd, about 670 ft above msl. MP, top of casing, 1.75 ft above lsd. Highest water level 4.80 below lsd, June 10, 1958; lowest 10.10 below lsd, Jan. 25, 26, 28, Feb. 3, 9, 15, 16, 1961. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956		July 25	6.90	Jan. 25	7.95	Aug. 25	8.35
July 25	8.10	Aug. 25	7.50	Feb. 25	7.50	Sept. 25	7.95
Aug. 27	8.20	Sept. 25	8.00	Mar. 25	7.85	Oct. 25	8.35
Sept. 25	8.65	Oct. 25	8.20	Apr. 25	7.30	Nov. 25	7.50
Oct. 16	8.75	Nov. 25	7.75	May 25	7.50	Dec. 25	7.95
1957		Dec. 25	8.15	June 25	7.15	1962	
Jan. 25	8.75	1959		July 25	8.00	Jan. 5	7.80
Feb. 25	8.75	Jan. 21	8.10	Aug. 25	8.35	Feb. 25	7.65
Mar. 25	8.85	Feb. 25	6.90	Sept. 25	8.65	Mar. 25	6.50
Apr. 24	e6.65	Mar. 25	7.25	Oct. 25	9.00	Apr. 25	7.25
June 24	6.95	Apr. 25	7.45	Nov. 25	8.95	May 25	6.75
July 25	6.70	May 25	7.10	Dec. 25	9.15	June 27	h7.36
Aug. 21	7.70	June 25	7.75	1961		July 25	6.80
Sept. 25	8.15	July 25	7.70	Jan. 25	9.30	Aug. 25	7.95
Oct. 12	8.55	Aug. 25	8.45	Feb. 25	9.00	Sept. 25	8.30
1958		Sept. 25	e8.85	Mar. 25	8.05	Oct. 25	7.45
Mar. 25	7.60	Oct. 25	8.25	Apr. 26	7.40	Nov. 25	8.05
Apr. 25	7.85	Nov. 25	7.95	May 25	8.00	Dec. 25	8.50
May 25	8.10	Dec. 25	8.15	June 25	8.20		
June 25	6.45	1960		July 25	8.55		

Noble County

No 5. Rolla Becker. Albion. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 34 N., R. 10 E. Dug unused well in glacial drift, diam 36 to 28 in, depth 29 ft, cribbed with brick. Lsd, about 1,020 ft above msl. MP, top course of brick on south side, 0.50 ft above lsd. Highest water level 0.40 below lsd, Oct. 4, 1954; lowest 9.59 below lsd, Dec. 1, 1953. Records available: 1942-55.

Discontinued.

1955	Jan. 15	3.57	Feb. 15	2.90	Mar. 1	2.27
------	---------	------	---------	------	--------	------

No 6. City of Kendallville. Diamond St. at Bixler Lake, Kendallville, SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 35 N., R. 11 E. Drilled unused well in sand and gravel, diam 6 in, depth 40 ft, cased to 30. Lsd, 967.5 ft above msl. MP, 1-in hole in shelter house base, 2.20 ft above lsd. Highest water level 0.35 below lsd, July 2, 1962; lowest 29.35 below lsd, Nov. 13, 1952. Records available: 1946-62.

No 6--Continued

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		1957		Apr. 25	8.70	Mar. 25	9.20
Jan. 25	8.30	Jan. 25	12.70	May 25	8.90	Apr. 25	10.00
Feb. 25	10.00	Feb. 25	12.85	June 25	7.95	May 25	7.90
Mar. 22	8.50	Mar. 25	13.35	July 25	7.85	June 25	7.70
Apr. 25	8.35	Apr. 22	13.15	Aug. 18	8.05	July 25	7.85
May 25	9.20	June 25	13.50	Sept. 25	8.15	Aug. 25	7.85
June 28	10.65	July 25	14.85	Oct. 25	7.65	Sept. 25	8.30
July 25	11.35	Aug. 29	16.55	Nov. 25	7.55	Oct. 25	7.75
Aug. 25	14.45	Oct. 25	17.00	Dec. 25	7.40	Nov. 25	7.75
Oct. 25	16.30	Nov. 25	17.30	1960		Dec. 24	7.80
Nov. 25	16.85	Dec. 25	16.70	Jan. 25	6.95	1962	
Dec. 12	16.25	1958		Feb. 25	6.60	Jan. 25	h7.78
1956		Jan. 25	16.95	Mar. 25	6.85	Feb. 23	h8.08
Jan. 25	13.15	Feb. 25	16.55	Apr. 25	6.65	Mar. 25	7.55
Feb. 25	12.15	Mar. 25	17.50	May 17	6.90	Apr. 25	7.55
Mar. 25	11.35	Apr. 25	15.80	June 25	7.00	May 25	h8.49
Apr. 25	11.05	May 25	13.40	July 25	7.60	June 23	e5.80
May 25	10.00	June 25	12.05	Aug. 25	8.20	July 25	8.60
June 25	10.90	July 30	h10.94	Sept. 23	8.50	Aug. 24	9.40
July 25	11.40	Aug. 25	e10.60	Oct. 25	8.95	Sept. 25	h9.82
Aug. 25	11.70	Dec. 25	8.10	Nov. 25	9.20	Oct. 25	10.35
Sept. 17	12.25	1959		Dec. 27	8.75	Nov. 23	10.75
Oct. 25	12.70	Jan. 25	7.25	1961		Dec. 25	11.95
Nov. 25	12.15	Feb. 25	7.25	Jan. 24	8.55		
Dec. 25	11.95	Mar. 25	7.20	Feb. 25	8.45		

No 7. Arthur McClellan, Merriam. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 23, T. 33 N., R. 9 E.
 Driven unused well in glacial drift, diam 1 $\frac{1}{4}$ in, depth 29 ft. Lsd, about 935
 ft above msl. MP, top edge of cellarway floor, 3.00 ft above lsd. Highest
 water level 15.90 below lsd, Apr. 16, 1950; lowest 22.52 below lsd, Nov. 24,
 1947. Records available: 1947-62.

1955		Aug. 27	19.86	Mar. 24	20.56	Nov. 23	20.49
Jan. 24	19.11	Sept. 24	20.37	Apr. 28	20.84	Dec. 28	20.51
Feb. 28	19.30	Oct. 22	20.84	May 26	21.00	1960	
Mar. 28	19.34	Nov. 26	21.20	June 23	21.05	Jan. 25	20.40
Apr. 25	19.39	Dec. 24	21.42	July 28	20.99	Feb. 22	19.02
May 23	19.56	1957		Aug. 25	20.90	Mar. 28	19.01
June 27	19.92	Jan. 28	21.59	Sept. 22	20.80	Apr. 25	18.74
July 25	20.17	Feb. 25	21.53	Oct. 27	20.74	May 23	18.68
Aug. 22	20.36	Mar. 25	21.43	Nov. 24	20.89	June 27	18.50
Sept. 26	20.79	Apr. 22	20.82	Dec. 22	20.88	July 25	19.00
Oct. 24	20.87	May 27	19.55	1959		Aug. 22	19.52
Nov. 28	20.13	June 24	19.80	Jan. 26	20.69	Sept. 26	20.12
Dec. 26	20.08	July 22	20.00	Feb. 23	19.00	Oct. 24	20.59
1956		Aug. 26	20.60	Mar. 23	19.36	Nov. 28	20.88
Jan. 23	20.43	Sept. 23	20.71	Apr. 27	18.60	Dec. 26	21.10
Feb. 27	20.06	Oct. 28	21.14	May 25	18.84	1961	
Mar. 26	19.87	Nov. 25	21.37	June 22	19.36	Jan. 23	21.42
Apr. 23	19.83	Dec. 23	21.22	July 27	19.72	Feb. 27	21.60
May 28	17.97	1958		Aug. 24	20.19	Mar. 27	21.07
June 25	18.56	Jan. 27	20.41	Sept. 28	20.40	Apr. 24	20.39
July 23	19.30	Feb. 24	20.60	Oct. 26	20.51	May 22	19.67

No 7--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
June 26	19.94	Nov. 27	21.47	Mar. 26	20.44	Aug. 27	21.65
July 24	20.33	Dec. 25	21.58	Apr. 23	20.66	Sept. 24	21.91
Aug. 28	20.75	1962		May 28	20.92	Oct. 22	22.13
Sept. 25	21.07	Jan. 22	21.52	June 25	21.14	Nov. 26	22.31
Oct. 23	21.23	Feb. 26	21.12	July 23	21.38	Dec. 24	22.45

Ohio County

Oh 1. Arthur H. Hannah. Aberdeen. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 16, T. 3 N., R. 2 W.
 Dug unused well, diam 48 in, depth 39 ft, cribbed with stone. Lsd, about 850
 ft above msl. MP, edge of rock on west side, 0.51 ft below lsd. Highest
 water level 0.63 below lsd, Mar. 3, 1945; lowest 20.28 below lsd, Nov. 21,
 1953. Records available: 1944-62.

1955		1957		1959		1961	
Jan. 22	16.69	Jan. 26	10.03	Jan. 24	5.27	Jan. 28	12.58
Feb. 26	10.62	Feb. 23	8.26	Feb. 28	3.82	Feb. 27	10.61
Mar. 26	4.51	Mar. 23	6.59	Mar. 28	3.57	Mar. 25	7.52
Apr. 23	3.41	Apr. 27	5.58	Apr. 25	3.93	Apr. 22	5.58
May 28	4.62	May 26	5.46	May 23	5.26	May 27	4.39
June 25	7.48	June 22	6.39	June 27	8.27	June 24	3.93
July 23	8.97	July 27	8.68	July 25	10.23	July 22	6.07
Aug. 27	13.13	Aug. 24	10.02	Aug. 22	11.11	Aug. 26	8.77
Sept. 24	13.71	Sept. 28	11.11	Sept. 26	11.93	Sept. 23	11.34
Oct. 22	13.78	Oct. 26	11.22	Oct. 24	12.35	Oct. 28	12.87
Nov. 26	8.47	Nov. 23	10.55	Nov. 28	12.28	Nov. 25	13.36
Dec. 24	7.09	Dec. 28	9.66	Dec. 26	11.23	Dec. 23	13.19
1956		1958		1960		1962	
Jan. 30	4.94	Jan. 25	7.19	Jan. 23	9.57	Jan. 29	12.61
Feb. 25	2.48	Feb. 22	8.09	Feb. 27	7.57	Feb. 25	10.24
Mar. 24	1.80	Mar. 22	7.31	Mar. 27	6.48	Mar. 24	9.04
Apr. 28	3.14	Apr. 26	5.88	Apr. 23	5.84	Apr. 28	6.71
May 26	4.81	May 24	5.87	May 21	6.87	May 28	8.24
June 30	6.23	June 28	7.10	June 25	7.19	June 23	9.11
July 28	7.35	July 26	7.91	July 23	7.91	July 28	9.99
Aug. 25	8.34	Aug. 23	8.47	Aug. 27	11.17	Aug. 25	11.76
Sept. 22	9.39	Sept. 27	9.21	Sept. 24	11.69	Sept. 22	12.14
Oct. 27	9.81	Oct. 25	9.57	Oct. 22	11.97	Oct. 27	12.13
Nov. 24	11.47	Nov. 22	9.87	Nov. 26	12.63	Nov. 24	13.08
Dec. 22	11.73	Dec. 27	9.46	Dec. 24	12.91	Dec. 22	12.86

Orange County

Or 1. Leroy Foutch, Jr. Millersburg. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 7, T. 1 N., R. 2 E.
 Dug unused well in clay and rock, diam 36 in, depth 36 ft. Lsd, about 900 ft
 above msl. MP, painted arrow on southwest side, 0.00 ft lsd. Highest water
 level 0.13 below lsd, Apr. 28, 1948; lowest 18.91 below lsd, Oct. 23, 1954.
 Records available: 1944-58. Discontinued.

1955	Mar. 26	2.39	June 25	5.52	Sept. 24	9.88	
Jan. 22	8.66	Apr. 23	2.39	July 23	7.68	Oct. 22	10.72
Feb. 26	.79	May 28	3.83	Aug. 27	8.88	Nov. 26	11.03

Or 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Dec. 24 1956	6.38	Sept. 22	9.08	June 22	3.73	Mar. 22	0.90
		Oct. 27	10.22	July 27	6.09	Apr. 5	.88
Jan. 28	1.08	Nov. 24	12.08	Aug. 24	6.22	May 24	1.25
Feb. 25	1.04	Dec. 22	12.08	Sept. 28	6.62	June 28	5.11
Mar. 24	2.46	1957		Oct. 26	9.22	July 26	5.82
Apr. 28	2.08	Jan. 26	8.08	Nov. 25	3.39	Aug. 23	5.07
May 26	3.79	Feb. 23	3.08	Dec. 28	1.37	Oct. 25	3.22
June 23	4.81	Mar. 25	.82	1958			
July 28	6.68	Apr. 27	3.13	Jan. 25	1.90		
<u>Aug. 25</u>	<u>8.18</u>	<u>May 27</u>	<u>.19</u>	<u>Feb. 22</u>	<u>1.84</u>		

Owen County

Ow 2. U. S. Corps of Engineers. Cagles Mill Reservoir. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 35, T. 12 N., R. 4 W. Drilled unused well in limestone, diam 6 in, depth 96 ft. Lsd, about 680 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 6.74 below lsd, Jan. 15, 1950; lowest 28.30 below lsd, Nov. 1, 1954.

Records available: 1946-58. Discontinued.

1955		Nov. 22	24.05	Sept. 27	24.65	July 23	24.06
Jan. 24	26.40	Dec. 27	26.23	Oct. 24	24.68	Aug. 27	24.44
Feb. 28	26.15	1956		Nov. 28	24.65	Sept. 25	24.53
Mar. 28	26.20	Jan. 23	26.25	Dec. 26	24.43	Oct. 23	24.53
Apr. 25	26.15	Feb. 29	24.03	1957		Nov. 29	24.36
May 23	24.07	Mar. 26	24.19	Jan. 22	24.47	Dec. 23	24.16
June 28	24.49	Apr. 23	24.33	Feb. 28	24.40	1958	
July 25	24.48	May 28	24.08	Mar. 28	24.35	Jan. 22	16.30
Aug. 22	24.73	June 25	24.33	Apr. 24	24.18	Feb. 27	18.95
Sept. 28	26.74	July 23	24.26	May 28	24.04	Mar. 26	17.97
<u>Oct. 26</u>	<u>26.32</u>	<u>Aug. 23</u>	<u>24.61</u>	<u>June 24</u>	<u>24.16</u>		

Ow 5. David R. Bronson. Cunot. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 30, T. 12 N., R. 4 W. Dug unused artesian well in sandy clay, diam 26 in, depth 19 ft, cribbed with stone. On June 25, 1958, an 8-in slotted steel casing was set to a depth of 17 ft and well backfilled with coarse gravel. Lsd, about 780 ft above msl. MP, top of 8-in casing, 1.62 ft above lsd. Highest water level 0.26 below lsd, Mar. 21, 1962; lowest 13.72 below lsd, Feb. 23, 1954. Records available: 1946-62.

(daily highest water levels from recorder graph, Oct. 20, 1958-Dec. 31, 1962)							
1955		Jan. 18	7.96	Mar. 27	1.36	Mar. 26	4.03
Jan. 18	3.71	Feb. 21	2.46	Apr. 24	1.88	Apr. 16	2.66
Feb. 16	5.46	Mar. 19	1.96	May 22	1.45	May 22	2.70
Mar. 22	1.62	Apr. 25	3.46	June 26	3.58	June 24	1.61
Apr. 26	1.41	May 11	3.96	July 24	6.26	July 22	3.72
May 11	3.96	June 29	6.65	Aug. 28	8.56	Aug. 26	3.15
June 14	2.56	July 27	8.46	Sept. 25	9.60	Sept. 23	6.97
July 27	7.86	Aug. 28	9.46	Oct. 30	10.36	Oct. 25	6.99
Aug. 9	8.63	Sept. 26	9.71	Nov. 27	4.36	Nov. 25	2.11
Sept. 21	10.21	Oct. 24	10.86	Dec. 26	1.06	Dec. 25	5.61
Nov. 16	5.46	Nov. 21	11.01	1958		1959	
Dec. 21	2.96	1957		Jan. 22	2.85	Jan. 25	2.55
1956		Feb. 27	2.10	Feb. 27	6.34	Feb. 25	1.35

Ow 5--Continued

Date	Water Level						
Mar. 25	2.09	Mar. 25	1.41	Mar. 15	10.88	Mar. 25	0.95
Apr. 25	1.96	Apr. 25	4.07	Apr. 25	.34	Apr. 25	2.16
May 25	1.97	May 25	1.38	May 25	2.48	May 25	4.27
June 25	5.45	June 25	1.70	June 25	6.19	June 25	5.69
July 25	8.35	July 25	6.96	July 25	8.88	July 17	h8.34
Aug. 25	9.16	Aug. 25	8.72	Aug. 25	e9.82	Aug. 25	9.61
Sept. 25	9.86	Sept. 25	9.59	Sept. 25	10.64	Sept. 25	e10.22
Oct. 25	10.38	Oct. 25	10.28	Oct. 25	11.35	Oct. 25	10.83
Nov. 25	9.77	Nov. 25	10.98	Nov. 26	h12.01	Nov. 25	11.61
Dec. 25	4.22	Dec. 21	11.45	Dec. 25	e2.99	Dec. 24	e12.33
1960		1961		1962			
Jan. 25	2.74	Jan. 24	11.97	Jan. 25	1.99		
Feb. 25	2.66	Feb. 16	12.25	Feb. 25	1.03		

Parke County

Pa 2. Ohio Oil Co. Catlin. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 14 N., R. 8 W. Drilled unused artesian (?) well in sand and gravel, diam 8 to 6 in, depth 36.5 ft. Lsd, 532.0 ft above msl. MP, top of recorder platform, 1.91 ft above lsd. Highest water level 1.4 above lsd, Feb. 5, 6, 1960; lowest 8.5 below lsd, Feb. 4, 5, Mar. 14, 15, 1961. Records available: 1957-62,

(daily highest water levels from recorder graph)

1957		Aug. 25	2.6	Feb. 25	2.4	Sept. 25	7.0
Feb. 17	5.29	Sept. 25	2.1	Mar. 25	1.1	Oct. 24	7.3
Mar. 25	1.80	Oct. 25	5.9	Apr. 25	4.5	Nov. 25	1.5
Apr. 25	2.0	Nov. 25	.1	May 25	1.2	Dec. 17	1.4
May 24	e.2	Dec. 25	5.9	June 25	.6	1962	
June 24	h2.95	1959		July 25	5.6	Jan. 15	.3
July 25	4.7	Jan. 25	2.8	Aug. 25	6.8	Feb. 25	.6
Aug. 25	6.2	Feb. 27	.2	Sept. 25	7.5	Mar. 25	.5
Sept. 25	6.9	Mar. 25	1.1	Oct. 25	7.9	Apr. 25	2.0
Oct. 25	6.6	Apr. 25	1.7	Nov. 25	8.2	May 24	3.7
Nov. 26	5.4	May 16	2.7	Dec. 22	8.3	June 25	6.0
Dec. 25	.0	June 25	4.4	1961		July 25	5.8
1958		July 25	5.1	Jan. 25	8.2	Aug. 25	6.8
Jan. 25	1.8	Aug. 25	5.5	Feb. 25	7.8	Sept. 25	6.3
Feb. 25	6.0	Sept. 25	5.9	Mar. 25	.7	Oct. 25	7.2
Mar. 25	2.0	Oct. 25	5.8	Apr. 25	.0	Nov. 25	7.5
Apr. 25	2.7	Nov. 25	5.5	May 25	2.5	Dec. 25	7.9
May 25	6.4	Dec. 25	5.0	June 25	5.3		
June 25	1.6	1960		July 25	6.3		
July 25	5.7	Jan. 25	2.5	Aug. 25	6.8		

Pa 3. F. T. Moore. Montezuma. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 25, T. 16 N., R. 9 W. Drilled unused artesian well in sand and gravel, diam 12 in, depth 124 ft. Lsd, 514.3 ft above msl. MP, top of casing, 1.65 ft above lsd. Highest water level 36.55 below lsd, Aug. 10-12, 1958; lowest 50.02 below lsd, Feb. 19, 20, 1961. Records available: 1957-62.

Pa 3--Continued

(daily highest water levels from recorder graph)

Date	Water Level						
1957		Nov. 25	42.95	Mar. 24	45.62	Aug. 25	43.64
July 25	38.64	Dec. 25	43.26	Apr. 13	45.41	Sept. 25	45.36
Aug. 25	40.36	1959		May 21	44.12	Oct. 25	46.56
Sept. 25	42.69	Jan. 25	e43.62	June 25	43.05	Nov. 25	47.34
Oct. 25	44.54	Feb. 25	38.23	July 25	42.41	Dec. 25	47.62
Nov. 25	45.30	Mar. 25	38.16	Aug. 25	43.85	1962	
Dec. 25	43.71	Apr. 26	38.95	Sept. 28	e45.76	Jan. 25	46.60
1958		May 27	38.98	Oct. 25	e47.09	Feb. 25	42.32
Jan. 25	41.64	June 23	40.70	Nov. 25	48.25	Mar. 25	39.83
Feb. 25	42.77	July 26	43.08	Dec. 25	49.04	Apr. 25	39.62
Mar. 25	43.88	Aug. 25	44.94	1961		May 25	40.88
Apr. 25	44.86	Sept. 25	46.55	Jan. 25	49.65	June 25	41.99
May 25	45.37	Oct. 25	47.46	Feb. 25	49.95	July 25	42.31
June 25	39.89	Nov. 25	47.87	Mar. 16	49.24	Aug. 22	h43.33
July 25	37.68	Dec. 25	47.98	Apr. 25	45.40	Sept. 25	45.10
Aug. 25	36.82	1960		May 25	39.63	Oct. 25	46.55
Sept. 25	38.97	Jan. 25	47.44	June 25	40.18	Nov. 25	e47.70
Oct. 25	e41.42	Feb. 25	45.73	July 25	42.10	Dec. 25	e48.55

Pa 4. U. S. Corps of Engineers. Mansfield. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 15 N., R. 16 W. Drilled unused artesian well in limestone, diam 6 in, depth 111.7 ft. Lsd, 748.7 ft above msl. MP, top of platform, 2.09 ft above lsd. Highest water level 46.83 below lsd, Nov. 15, 19, 1961; lowest 48.77 below lsd, Sept. 23, 24, 1961. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Nov. 25	47.54	Mar. 25	48.05	Aug. 25	48.54
July 25	47.70	Dec. 25	47.73	Apr. 25	47.98	Sept. 25	48.68
Aug. 25	47.87	1959		May 25	47.82	Oct. 25	47.22
Sept. 25	47.93	Jan. 25	47.70	June 25	47.68	Nov. 19	46.83
Oct. 25	47.87	Feb. 18	47.65	July 24	48.00	Dec. 25	46.94
Nov. 25	47.87	Mar. 25	47.55	Aug. 25	48.23	1962	
Dec. 25	47.69	Apr. 25	47.44	Sept. 25	48.40	Jan. 25	47.43
1958		May 25	47.38	Oct. 25	48.54	Feb. 25	47.85
Jan. 25	47.55	June 25	47.43	Nov. 25	48.48	Mar. 25	47.88
Feb. 25	47.92	July 25	47.76	Dec. 22	48.45	Apr. 25	47.95
Mar. 25	47.84	Aug. 25	47.67	1961		May 25	47.92
Apr. 25	47.89	Sept. 25	47.99	Jan. 25	48.60	June 25	48.02
May 25	47.83	Oct. 25	47.91	Feb. 25	48.53	July 26	e47.96
June 25	47.73	Nov. 27	e47.96	Mar. 25	48.33	Aug. 25	48.41
July 25	47.74	Dec. 25	48.03	Apr. 25	48.15	Sept. 25	48.30
Aug. 25	47.68	1960		May 25	48.06	Oct. 25	48.41
Sept. 25	47.60	Jan. 25	48.08	June 25	48.11	Nov. 25	48.42
Oct. 25	47.70	Feb. 25	48.04	July 25	48.36	Dec. 25	48.50

Pa 5. Glen Crowder. Marshall. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 17 N., R. 7 W. Drilled unused artesian well in limestone, diam 6 in, depth 165.6 ft. Lsd, 582.5 ft above msl. MP, top of casing, 2.25 ft below lsd. Highest water level 34.34 below lsd, June 23, 1960; lowest 37.45 below lsd, Sept. 24, 1961. Records available: 1959-62.

Pa 5--Continued

(daily highest water levels from recorder graph)

Date	Water Level						
1959		Mar. 25	36.34	Mar. 25	36.01	Mar. 17	36.15
Apr. 25	36.02	Apr. 25	36.36	Apr. 25	35.12	Apr. 25	36.25
May 25	36.26	May 18	36.36	May 25	36.19	May 25	36.33
June 25	36.50	June 25	35.39	June 25	36.13	June 25	36.55
July 25	36.78	July 25	36.53	July 25	36.44	July 25	35.95
Aug. 26	e36.93	Aug. 25	36.81	Aug. 25	37.03	Aug. 24	36.71
Sept. 25	37.08	Sept. 25	36.99	Sept. 25	e36.95	Sept. 25	36.59
Oct. 25	36.69	Oct. 25	37.13	Oct. 25	36.60	Oct. 25	36.56
Nov. 26	36.62	Nov. 25	36.94	Nov. 25	36.30	Nov. 25	36.48
Dec. 25	36.47	Dec. 30	36.71	Dec. 25	36.21	Dec. 25	36.58
1960		1961		1962			
Jan. 20	36.34	Jan. 25	36.77	Jan. 25	36.07		
Feb. 25	36.30	Feb. 25	36.31	Feb. 25	36.12		

Perry County

Pe 1. John Snyder. Gatchel. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 5 S., R. 2 W. Dug unused well, diam 30 in, depth 22 ft, cribbed with stone. Lsd, about 750 ft above msl. MP, painted arrow on cover, 0.05 ft above lsd. Highest water level 0.55 below lsd, Mar. 29, 1959; lowest 19.31 below lsd, Nov. 16, 1952.

Records available: 1944-61. Discontinued.

1955		Feb. 24	5.32	Oct. 26	7.78	May 22	5.41
Jan. 23	3.25	Mar. 24	5.98	Nov. 23	6.74	June 26	5.60
Feb. 27	1.40	Apr. 28	5.98	Dec. 28	7.30	July 24	7.10
Mar. 27	3.75	May 26	7.60	1959		Aug. 28	8.15
Apr. 24	1.35	June 23	4.30	Jan. 25	3.30	Sept. 25	8.55
May 22	1.23	July 28	7.75	Feb. 22	1.29	Oct. 23	8.80
June 26	6.48	Aug. 25	9.15	Mar. 22	.58	Nov. 27	8.60
July 24	7.45	Sept. 22	9.53	Apr. 26	6.60	Dec. 25	7.67
Aug. 28	8.61	Oct. 27	9.00	May 24	2.80	1961	
Sept. 25	8.97	Nov. 24	3.23	June 21	6.99	Jan. 22	5.70
Oct. 23	6.75	Dec. 22	2.75	July 26	4.40	Feb. 26	2.38
Nov. 27	5.97	1958		Aug. 23	7.05	Mar. 26	2.64
Dec. 25	7.00	Jan. 26	2.30	Sept. 27	7.68	Apr. 23	1.25
1956		Feb. 23	5.60	Oct. 25	7.30	May 28	6.04
Jan. 15	7.53	Mar. 23	3.66	Nov. 22	5.97	June 25	7.30
Sept. 23	9.55	Apr. 27	3.20	Dec. 27	4.07	July 23	4.14
Oct. 28	10.66	May 25	5.90	1960		Aug. 27	7.50
Nov. 25	9.10	June 22	7.10	Jan. 24	3.74	Sept. 24	8.00
Dec. 23	8.05	July 27	4.17	Feb. 28	2.53	Oct. 22	8.10
1957		Aug. 24	6.55	Mar. 27	2.92	Nov. 26	4.64
Jan. 27	4.75	Sept. 28	6.70	Apr. 24	4.68	Dec. 24	3.30

Pe 2. Ralph C. James. Gatchel. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 5 S., R. 2 W. Drilled unused artesian well in rock, diam 6 in, reported depth 316 ft. Lsd, about 780 ft above msl. MP, top of casing on west side, 0.30 ft above lsd. Highest water level 19.45 below lsd, Dec. 6, 1959; lowest 50.60 below lsd, Dec. 6, 1953. Records available: 1952-62.

Pe 2--Continued

Date	Water Level						
1955		1957		1959		1961	
Jan. 23	34.61	Jan. 27	31.90	Jan. 25	28.69	Jan. 22	29.40
Feb. 27	33.26	Feb. 24	31.80	Feb. 22	49.38	Feb. 26	28.86
Mar. 27	42.45	Mar. 24	30.97	Mar. 22	38.64	Mar. 26	27.80
Apr. 24	32.20	Apr. 28	30.97	Apr. 26	27.10	Apr. 23	36.72
May 22	32.50	May 26	30.35	May 24	28.10	May 28	25.50
June 26	31.80	June 23	30.50	June 21	27.59	June 25	25.90
July 24	32.20	July 28	28.90	July 26	27.10	July 23	26.30
Aug. 28	32.34	Aug. 25	29.50	Aug. 23	27.29	Aug. 27	26.37
Sept. 25	32.67	Sept. 22	29.72	Sept. 27	28.40	Sept. 24	26.77
Oct. 23	33.10	Oct. 27	30.40	Oct. 25	27.47	Oct. 22	27.18
Nov. 27	31.80	Nov. 24	30.30	Nov. 22	27.97	Nov. 26	27.80
Dec. 25	32.00	Dec. 22	29.75	Dec. 27	27.97	Dec. 24	27.70
1956		1958		1960		1962	
Jan. 22	31.93	Jan. 24	28.73	Jan. 24	26.50	Jan. 28	27.17
Feb. 26	31.75	Feb. 23	29.50	Feb. 28	31.84	Feb. 25	27.50
Mar. 25	31.45	Mar. 23	29.97	Mar. 27	31.08	Mar. 25	25.47
Apr. 22	31.33	Apr. 27	29.30	Apr. 24	28.14	Apr. 22	24.94
May 27	30.80	May 25	28.00	May 22	27.45	May 27	24.93
June 24	29.40	June 22	28.20	June 26	29.50	June 24	24.96
July 22	31.00	July 27	27.80	July 24	28.00	July 22	24.90
Aug. 26	31.35	Aug. 24	27.75	Aug. 28	30.03	Aug. 26	24.70
Sept. 23	31.30	Sept. 28	27.75	Sept. 25	31.90	Sept. 23	26.49
Oct. 28	30.77	Oct. 26	29.20	Oct. 23	32.39	Oct. 28	26.78
Nov. 25	31.10	Nov. 23	28.79	Nov. 27	31.96	Nov. 25	27.14
Dec. 23	31.72	Dec. 28	29.06	Dec. 25	30.40	Dec. 23	26.49

Pike County

Pi 1. A. J. Heuring. Lafayette and Main Sts., Winslow. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 1 S., R. 7 W. Dug and drilled unused artesian well in rock, diam 36 to reported 6 in, depth 25 ft. Lsd, about 468 ft above msl. MP, edge of hole in concrete cover, 1.00 ft above lsd. Highest water level 2.42 below lsd, July 12, 1961; lowest 13.55 below lsd, Dec. 15, 1954. Records available: 1936-62.

1955		Apr. 25	6.30	Aug. 28	8.33	Dec. 24	7.17
Jan. 26	12.29	May 23	5.40	Sept. 25	9.00	1959	
Feb. 23	11.61	June 27	7.10	Oct. 23	9.70	Jan. 28	5.46
Mar. 23	8.90	July 25	8.75	Nov. 27	7.97	Feb. 25	5.18
Apr. 27	8.12	Aug. 22	9.00	Dec. 25	6.13	Mar. 25	5.45
May 25	8.10	Sept. 26	9.85	1958		Apr. 22	6.33
June 22	8.29	Oct. 24	10.30	Jan. 22	5.80	May 27	6.60
July 27	8.45	Nov. 28	10.70	Feb. 26	6.70	June 24	6.59
Aug. 24	9.49	Dec. 26	9.55	Mar. 26	5.30	July 22	7.77
Sept. 28	10.85	1957		Apr. 23	6.18	Aug. 26	7.90
Oct. 26	9.75	Jan. 23	9.00	May 28	5.70	Sept. 23	8.37
Nov. 23	8.80	Feb. 27	7.40	June 25	7.20	Oct. 28	7.50
Dec. 28	8.30	Mar. 27	7.50	July 23	5.80	Nov. 25	7.34
1956		Apr. 24	5.82	Aug. 27	6.35	Dec. 30	6.77
Jan. 25	9.70	May 22	7.20	Sept. 24	7.38	1960	
Feb. 22	6.38	June 26	6.40	Oct. 22	7.78	Jan. 27	6.45
Mar. 28	4.90	July 24	7.01	Nov. 26	7.63	Feb. 24	6.35

Pi 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 23	5.02	Dec. 28	8.15	Aug. 23	7.51	Apr. 25	6.01
Apr. 20	5.62	1961		Sept. 27	8.62	May 23	6.79
May 25	6.15	Jan. 25	7.85	Oct. 25	9.02	June 27	6.59
June 22	6.18	Feb. 21	7.30	Nov. 22	9.01	July 25	7.09
July 27	6.60	Mar. 29	5.70	Dec. 27	7.45	Aug. 22	7.82
Aug. 24	7.07	Apr. 26	4.50	1962		Sept. 26	6.90
Sept. 28	8.34	May 24	5.00	Jan. 24	6.89	Oct. 24	7.89
Oct. 26	8.76	June 28	6.29	Feb. 28	4.77	Nov. 28	6.88
Nov. 23	8.89	July 26	6.54	Mar. 28	5.31	Dec. 26	7.36

Porter County

Pt 1. City of Valparaiso. Valparaiso Water Dept. Valparaiso. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 35 N., R. 5 W. Drilled unused well in sand, diam 2 in, reported depth 89 ft. Lsd, about 803 ft above msl. MP, top edge of pipe, 0.00 ft lsd. Highest water level 48.28 below lsd, July 8, 1952; lowest 70.31 below lsd, Oct. 29, 1957. Records available: 1935-62.

1955	1957	1959	1961
Jan. 25	54.80	Jan. 22	64.48
Feb. 21	54.37	Feb. 27	67.93
Mar. 22	53.98	Mar. 27	67.60
Apr. 26	53.49	Apr. 24	69.33
May 24	53.16	May 22	67.99
June 21	55.62	June 25	69.32
July 26	55.95	July 24	69.76
Aug. 23	58.25	Aug. 28	65.46
Sept. 29	60.38	Sept. 27	69.37
Oct. 25	61.00	Oct. 22	70.14
Nov. 22	62.50	Nov. 27	62.60
Dec. 27	62.87	Dec. 26	59.81
1956	1958	1960	1962
Jan. 24	59.05	Jan. 21	58.96
Feb. 28	60.70	Feb. 28	57.65
Mar. 27	60.01	Mar. 27	57.11
Apr. 24	58.48	Apr. 24	56.70
May 22	59.17	May 22	61.45
June 26	58.33	June 25	65.42
July 31	64.06	July 23	66.71
Aug. 22	66.00	Aug. 27	67.82
Sept. 25	66.59	Sept. 24	68.48
Oct. 23	67.05	Oct. 22	68.91
Nov. 27	68.55	Nov. 26	69.02
Dec. 26	64.84	Dec. 24	69.11

Pt 3. State of Indiana. Dunes State Park. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 13, T. 37 N., R. 6 W. Unused driven well in sand, diam 1 $\frac{1}{2}$ in, reported depth 20 ft. Lsd, about 614 ft above msl. MP, top edge of coupling, 0.00 ft lsd. Highest water level 11.10 below lsd, June 20, 1943; lowest dry, Sept. 18, 25, 1953. Records available: 1935-46, 1948-56. Discontinued.

Pt 3--Continued

Date	Water Level						
1955		July 5	15.20	1956		May 10	15.04
Mar. 19	14.70	Aug. 24	15.77	Jan. 25	16.16	June 26	15.00
Apr. 24	14.50	Sept. 5	15.35	Feb. 28	15.66	July 19	15.60
May 28	14.78	Nov. 30	15.80	Mar. 21	15.41		
June 27	15.20	Dec. 21	15.70	Apr. 15	15.60		

Pt 6. Indiana Associated Telephone Corp. Wheeler, NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 35 N., R. 7 W. Dug and driven unused well in clay and sand, diam 60 to 4 in, depth 45 ft, cribbed with brick. Lsd, about 666 ft above msl. MP, edge of 3-in oak plank near west side, 0.30 ft above lsd. Highest water level 1.68 below lsd, Apr. 24, 1954; lowest 22.03 below lsd, Dec. 11, 1948. Records available: 1948-61. Discontinued.

1955		Oct. 27	18.03	July 26	5.73	Apr. 23	4.09
Jan. 22	3.58	Nov. 24	19.65	Aug. 23	6.47	May 28	4.68
Feb. 26	3.67	Dec. 22	20.58	Sept. 27	9.18	June 25	3.20
Mar. 26	3.40	1957		Oct. 25	10.67	July 23	5.78
Apr. 23	3.49	Jan. 26	21.56	Nov. 22	11.99	Aug. 27	9.69
May 28	5.40	Feb. 23	21.53	Dec. 27	14.86	Sept. 24	12.78
June 25	6.91	Mar. 23	19.79	1959		Oct. 22	14.80
July 23	10.24	Apr. 27	2.59	Jan. 23	15.68	Nov. 26	16.52
Aug. 27	13.45	May 25	3.59	Feb. 28	6.79	Dec. 24	16.97
Sept. 27	14.26	June 26	5.17	Mar. 28	4.42	1961	
Oct. 22	14.49	July 27	5.06	Apr. 25	3.41	Jan. 28	17.15
Nov. 26	14.10	Aug. 24	5.92	May 23	4.30	Feb. 25	16.00
Dec. 24	13.63	Sept. 28	10.60	June 27	6.89	Mar. 25	4.67
1956		Oct. 26	4.77	July 25	4.92	Apr. 22	2.67
Jan. 28	14.13	Nov. 23	3.22	Aug. 22	6.90	May 27	5.05
Feb. 25	10.78	Dec. 28	2.90	Sept. 26	10.64	June 24	6.26
Mar. 24	4.95	1958		Oct. 24	6.22	July 22	4.74
Apr. 28	2.03	Jan. 25	4.23	Nov. 28	3.05	Aug. 26	8.05
May 26	4.27	Feb. 22	5.09	Dec. 26	3.45	Sept. 23	4.18
June 23	7.60	Mar. 22	4.17	1960		Oct. 28	3.57
July 28	10.95	Apr. 26	5.00	Jan. 23	3.70	Nov. 25	3.73
Aug. 25	13.56	May 24	6.08	Feb. 27	3.71	Dec. 23	4.18
Sept. 22	15.75	June 28	4.74	Mar. 26	4.12		

Pt 7. City of Valparaiso. Valparaiso Water Dept. Valparaiso. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 35 N., R. 5 W. Driven unused well in drift, diam 1 $\frac{1}{2}$ in, depth unknown. Lsd, about 800 ft above msl. MP, top of pipe, 3.80 ft above lsd. Highest water level 54.04 below lsd, Jan. 31, 1956; lowest 66.50 below lsd, Mar. 13, 1957. Records available: 1954, 1956-57. Discontinued.

1956		July 24	60.00	Jan. 22	64.20	Aug. 28	64.41
Jan. 24	54.43	Aug. 21	61.21	Feb. 27	63.50	Sept. 27	63.92
Feb. 28	60.44	Sept. 25	62.79	Mar. 27	65.44	Oct. 22	65.92
Mar. 27	56.25	Oct. 23	62.62	Apr. 24	63.81	Nov. 27	57.19
Apr. 24	54.65	Nov. 27	63.20	May 22	64.34		
May 22	54.35	Dec. 26	63.60	June 25	63.78		
June 26	58.79	1957		July 24	64.07		

Pt 8. Wabash Railway Co. Crocker. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 36 N., R. 6 W. Drilled unused artesian well in sand, diam 10 in, depth 80 ft. Lsd, about 633 ft above msl. MP, hole in top of platform, 2.28 ft above lsd. Highest water level 8.20 below lsd, Mar. 28, 29, Apr. 1, 1962; lowest 10.65 below lsd, Dec. 26, 28, 1960. Records available: 1956-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1956		May 25	11.14	Dec. 25	10.25	June 25	9.80
Nov. 29	11.28	June 26	11.06	1960		July 25	10.05
Dec. 28	11.39	July 25	11.12	Jan. 25	9.80	Aug. 25	9.90
1957		Aug. 25	11.17	Feb. 25	9.10	Sept. 25	9.50
Jan. 25	11.54	Sept. 25	11.35	Mar. 25	9.30	Oct. 25	9.25
Feb. 25	11.65	Oct. 25	11.55	Apr. 25	8.50	Nov. 25	9.15
Mar. 25	11.76	Nov. 25	11.65	May 25	8.85	Dec. 25	9.20
Apr. 25	11.74	Dec. 25	11.80	June 25	8.70	1962	
May 25	11.25	1959		July 25	9.10	Jan. 25	9.25
June 25	11.39	Jan. 25	11.90	Aug. 25	9.50	Feb. 25	9.15
July 25	11.38	Feb. 25	11.60	Sept. 25	9.85	Mar. 25	8.25
Aug. 25	11.37	Mar. 25	11.20	Oct. 25	10.10	Apr. 25	8.60
Sept. 25	11.53	Apr. 25	10.85	Nov. 25	10.30	May 25	8.95
Oct. 23	11.56	May 9	10.40	Dec. 25	10.55	June 25	9.35
Dec. 25	11.30	June 25	10.40	1961		July 25	9.70
1958		July 25	10.35	Jan. 25	10.75	Aug. 25	9.95
Jan. 25	11.15	Aug. 25	10.40	Feb. 25	10.90	Sept. 25	10.25
Feb. 25	11.17	Sept. 25	10.75	Mar. 25	10.70	Oct. 25	10.50
Mar. 25	11.00	Oct. 27	10.80	Apr. 25	9.90	Nov. 25	10.75
Apr. 25	11.11	Nov. 25	10.40	May 25	9.70	Dec. 25	10.85

Pt 9. Herbert Hull. Deep River. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 35 N., R. 7 W. Drilled unused artesian well in limestone, diam 8 to 6 in, depth 379 ft. Lsd, about 684 ft above msl. MP, top of casing, 2.35 ft above lsd. Highest water level 23.10 below lsd, Mar. 30, 1960; lowest 25.30 below lsd, Oct. 28, 29, 1962. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Apr. 25	23.61	July 25	23.64	Oct. 17	h24.06
Aug. 13	23.93	May 25	23.59	Aug. 25	23.88	Nov. 14	h24.17
Oct. 15	24.43	June 25	23.84	Sept. 27	e24.16	1962	
1958		July 25	23.94	Oct. 25	24.20	Jan. 9	h23.37
Feb. 25	h23.99	Aug. 25	23.87	Nov. 25	24.31	Feb. 6	h24.03
Apr. 23	23.64	Sept. 29	24.28	Dec. 21	24.47	Mar. 14	h23.78
June 25	23.85	Oct. 25	23.65	1961		Apr. 25	23.74
Aug. 25	23.75	Nov. 26	23.72	Jan. 25	24.81	May 25	23.94
Sept. 25	23.82	Dec. 25	23.84	Feb. 25	24.32	June 25	24.15
Oct. 25	24.10	1960		Mar. 25	24.50	July 25	24.29
Nov. 25	24.05	Jan. 25	23.52	Apr. 25	24.09	Aug. 25	24.62
Dec. 25	24.45	Feb. 25	23.13	May 26	24.08	Sept. 25	25.02
1959		Mar. 25	23.48	June 27	h24.13	Oct. 25	25.09
Jan. 25	24.21	Apr. 18	23.37	July 25	24.06	Nov. 25	25.24
Feb. 25	24.03	May 18	23.37	Aug. 25	24.14	Dec. 25	25.01
Mar. 25	23.74	June 25	23.48	Sept. 19	h24.41		

Posey County

Py 2. Mary M. Wade. Wadesville. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 5 S., R. 12 W. Drilled unused artesian well in rock, diam 6 in, depth 236 ft. Lsd, about 430 ft above msl. MP, edge of 1-in hole in recorder base, 2.81 ft above lsd. Highest water level 0.05 above lsd, Jan. 22, 1962; lowest 14.95 below lsd, Nov. 30, Dec. 6, 1954. Records available: 1947-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level						
1955							
		1957		1959		1961	
Jan. 25	13.30	Jan. 25	e13.30	Jan. 25	e4.90	Jan. 25	6.25
Feb. 25	12.05	Feb. 24	11.00	Feb. 25	4.05	Feb. 25	5.20
Mar. 31	8.75	Mar. 25	8.60	Mar. 25	h3.42	Mar. 25	h4.56
Apr. 27	7.00	Apr. 25	6.55	Apr. 25	e3.70	Apr. 24	h3.86
May 25	6.30	May 25	h5.81	May 25	4.40	May 25	3.25
June 25	6.50	June 15	h5.40	June 25	4.80	June 23	4.15
July 25	6.90	July 25	e5.70	July 25	5.70	July 25	5.10
Aug. 25	8.30	Aug. 27	h6.75	Aug. 25	6.40	Aug. 25	5.55
Sept. 25	10.55	Sept. 25	8.20	Sept. 25	7.10	Sept. 25	6.80
Oct. 25	12.00	Oct. 25	9.65	Oct. 25	6.25	Oct. 22	h8.14
Nov. 24	13.05	Nov. 25	9.60	Nov. 25	6.00	Nov. 25	8.85
Dec. 25	13.40	Dec. 24	7.45	Dec. 26	h4.90	Dec. 25	7.45
1956							
		1958		1960		1962	
Jan. 25	14.05	Jan. 29	5.55	Jan. 25	4.20	Jan. 25	5.50
Feb. 25	12.05	Feb. 25	4.15	Feb. 25	4.00	Feb. 21	4.60
Mar. 25	10.00	Mar. 25	4.15	Mar. 25	3.70	Mar. 25	3.75
Apr. 25	8.25	Apr. 25	4.25	Apr. 25	3.75	Apr. 25	3.70
May 25	7.50	May 25	3.90	May 21	h3.72	May 25	4.25
June 25	7.40	June 25	4.80	June 25	4.35	June 25	5.35
July 25	8.40	July 25	4.25	July 21	h4.66	July 25	6.75
Aug. 25	9.65	Aug. 25	4.90	Aug. 25	5.50	Aug. 25	8.50
Sept. 25	11.00	Sept. 25	6.20	Sept. 25	6.95	Sept. 25	9.85
Oct. 25	12.40	Oct. 25	6.95	Oct. 25	7.85	Oct. 25	10.90
Nov. 25	12.90	Nov. 25	7.35	Nov. 25	8.15	Nov. 25	ell.20
Dec. 25	13.65	Dec. 25	6.70	Dec. 25	7.15	Dec. 26	ell.05

Pulaski County

Pu 1. State of Indiana. Jasper-Pulaski State Game Preserve. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 31 N., R. 4 W. Drilled unused artesian well in rock, diam 4 in, reported depth 149 ft, cased to 60. Lsd, about 706 ft above msl. MP, east edge of iron rim for manhole cover in concrete base, 0.00 ft lsd. Highest water level 4.09 below lsd, Dec. 27, 1961, Jan. 3, 10, 17, Apr. 11, 18, June 20, 1962; lowest 12.14 below lsd, Dec. 1, 1935. Records available: 1935-42, 1944-62.

1955		Aug. 23	8.94	Mar. 28	7.94	Nov. 28	10.94
Jan. 26	7.77	Sept. 21	9.01	Apr. 25	8.92	Dec. 26	10.97
Feb. 28	8.03	Oct. 26	8.83	May 23	7.91	1957	
Mar. 23	7.17	Nov. 25	8.81	June 27	6.93	Jan. 23	10.97
Apr. 27	6.75	Dec. 21	9.01	July 25	8.94	Feb. 20	10.90
May 25	7.91	1956		Aug. 22	8.96	Mar. 27	9.93
June 22	6.99	Jan. 25	9.18	Sept. 26	10.94	Apr. 23	8.91
July 27	7.96	Feb. 22	9.10	Oct. 24	10.91	May 22	6.96

Pu 1--Continued

	Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
June 12	7.91	1959			May 18	6.98	Oct. 25	5.09
July 24	7.90	Jan. 28	7.05	June 15	6.99	Nov. 22	6.00	
Sept. 23	8.95	Feb. 25	7.05	July 27	6.98	Dec. 27	4.09	
Oct. 3	8.96	Mar. 25	7.01	Aug. 24	6.97		1962	
Nov. 21	7.00	Apr. 22	6.97	Sept. 14	6.91	Jan. 24	5.00	
Dec. 20	6.97	May 27	6.96	Oct. 26	7.01	Feb. 28	5.00	
1958		June 24	7.03	Nov. 23	7.02	Mar. 28	4.10	
Jan. 17	7.00	July 22	8.08	Dec. 28	7.05	Apr. 25	4.10	
Feb. 26	7.93	Aug. 25	8.09			May 23	4.11	
Mar. 27	6.99	Sept. 16	9.01	Jan. 18	7.03	June 27	5.00	
Apr. 10	6.97	Oct. 14	9.01	Feb. 15	7.03	July 25	5.01	
June 24	7.91	Nov. 18	8.05	Mar. 22	7.04	Aug. 22	5.01	
July 23	6.94	Dec. 16	7.05	Apr. 26	6.08	Sept. 26	5.06	
Aug. 27	6.94	1960		May 24	7.00	Oct. 24	5.08	
Sept. 24	7.05	Jan. 13	6.04	June 28	8.91	Nov. 28	4.11	
Oct. 16	7.07	Feb. 24	6.93	July 26	5.08	Dec. 26	5.00	
Nov. 26	7.09	Mar. 24	6.95	Aug. 23	5.07			
Dec. 31	8.00	Apr. 20	6.98	Sept. 27	5.08			

Pu 6. Earl Overmyer. Francisville. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 29 N., R. 4 W.
 Drilled unused artesian well in limestone, diam 8 in, depth 663 ft. Lsd,
 about 685 ft above msl. MP, top of casing, 3.00 ft above lsd. Highest water
 level 4.03 below lsd, June 15, 1958; lowest 16.82 below lsd, June 17, 18,
 1957. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956		Feb. 25	8.50	Nov. 25	8.43	July 25	8.60
July 25	h9.80	Mar. 25	7.79	Dec. 25	8.12	Aug. 25	9.00
Aug. 26	h11.99	Apr. 25	8.50	1960		Sept. 25	9.20
Sept. 25	13.72	May 25	9.00	Jan. 25	7.38	Oct. 25	9.16
Oct. 25	14.83	June 25	5.75	Feb. 22	6.60	Nov. 26	h6.38
Nov. 25	15.06	July 25	6.60	Mar. 25	8.17	Dec. 25	h7.54
Dec. 25	15.80	Aug. 25	7.94	Apr. 25	6.27		1962
1957		Sept. 25	9.59	May 25	7.61	Jan. 25	7.50
Jan. 25	15.58	Oct. 25	10.65	June 25	7.42	Feb. 25	7.83
Feb. 23	15.09	Nov. 25	9.68	July 25	9.38	Mar. 25	5.87
Mar. 25	14.47	Dec. 25	9.65	Aug. 25	10.61	Apr. 25	8.01
Apr. 25	6.06	1959		Sept. 25	11.58	May 25	8.20
May 25	6.01	Jan. 25	e9.22	Oct. 25	13.33	June 25	9.15
June 25	7.27	Feb. 25	8.08	Nov. 25	11.85	July 25	8.90
July 21	h5.20	Mar. 25	6.09	Dec. 25	e12.62	Aug. 26	h11.51
Aug. 25	8.90	Apr. 25	6.37	1961		Sept. 25	12.80
Sept. 23	11.87	May 25	7.60	Jan. 25	13.55	Oct. 25	14.87
Oct. 23	10.30	June 25	10.01	Feb. 25	11.82	Nov. 25	13.94
Nov. 25	6.97	July 25	11.40	Mar. 25	6.92	Dec. 25	14.49
Dec. 25	5.05	Aug. 23	13.58	Apr. 25	5.09		
1958		Sept. 25	15.17	May 26	h7.65		
Jan. 23	7.06	Oct. 25	14.12	June 25	h8.30		

Putnam County

Pn 4. Brazil Water Works. Reelsville. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 13 N., R. 5 W. Drilled unused water-table well in sand and gravel, diam 10 in, depth 60 ft. Lsd, 611.7 ft above msl. MP, top of recorder platform, 2.23 ft above lsd. Highest water level 0.20 below lsd, May 9, 1961; lowest 17.30 below lsd, Aug. 24, 25, 1959. Records available: 1957-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1957		Nov. 25	15.10	Mar. 25	14.95	Aug. 25	16.05
July 25	14.25	Dec. 25	15.55	Apr. 25	15.45	Sept. 25	14.30
Aug. 25	15.25	1959		May 25	15.30	Oct. 25	16.15
Sept. 16	15.35	Jan. 25	12.05	June 25	8.00	Nov. 25	14.75
Oct. 25	13.85	Feb. 25	13.05	July 25	15.65	Dec. 25	14.75
Nov. 25	13.75	Mar. 25	14.70	Aug. 25	16.40	1962	
Dec. 24	h11.07	Apr. 25	14.65	Sept. 23	16.55	Jan. 25	12.70
1958		May 25	14.50	Oct. 25	16.80	Feb. 25	14.30
Jan. 25	14.10	June 25	16.10	Nov. 25	16.65	Mar. 25	10.75
Feb. 26	15.20	July 25	16.15	Dec. 24	16.55	Apr. 25	15.05
Mar. 25	14.30	Aug. 25	16.55	1961		May 25	15.45
Apr. 25	15.00	Sept. 25	17.05	Jan. 25	16.25	June 25	16.05
May 25	14.40	Oct. 25	16.45	Feb. 25	16.20	July 24	14.05
June 25	13.70	Nov. 25	16.25	Mar. 25	12.65	Aug. 25	16.15
July 25	14.50	Dec. 25	15.75	Apr. 25	3.30	Sept. 25	15.05
Aug. 25	14.90	1960		May 25	14.30	Oct. 17	15.25
Sept. 25	15.75	Jan. 25	14.65	June 25	15.35	Nov. 25	15.80
Oct. 25	16.05	Feb. 20	14.00	July 25	16.00	Dec. 13	h16.18

Pn 5. Town of Cloverdale. Cloverdale. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 12 N., R. 4 W. Drilled unused artesian well in shale and siltstone, diam 8 in, depth 410 ft. Lsd, 763.1 ft above msl. MP, top of recorder platform, 2.10 ft above lsd. Highest water level 11.90 below lsd, May 11, 12, 1961; lowest 15.52 below lsd, July 30, 1959. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Dec. 25	14.09	May 25	12.87	Oct. 25	14.49
Aug. 25	14.40	1959		June 25	13.00	Nov. 25	e13.33
Sept. 25	14.96	Jan. 25	13.55	July 23	13.70	Dec. 25	12.55
Oct. 25	14.56	Feb. 21	13.02	Aug. 25	14.18	1962	
Nov. 25	13.23	Mar. 25	12.85	Sept. 25	14.32	Jan. 25	12.71
Dec. 25	12.56	Apr. 25	13.42	Oct. 25	14.64	Feb. 25	12.85
1958		May 25	13.72	Nov. 25	14.10	Mar. 25	12.46
Jan. 24	13.55	June 25	14.28	Dec. 25	13.60	Apr. 25	13.29
Feb. 24	13.50	July 25	15.28	1961		May 25	13.61
Mar. 25	14.44	Aug. 27	e14.91	Jan. 25	13.53	June 25	14.27
Apr. 25	14.16	Sept. 25	14.69	Feb. 25	12.86	July 25	13.98
May 25	14.10	Oct. 28	e14.11	Mar. 19	12.17	Aug. 25	15.05
June 23	h13.52	Nov. 24	13.15	Apr. 25	12.05	Sept. 25	15.21
July 25	13.74	Dec. 25	13.02	May 25	12.59	Oct. 25	16.00
Aug. 25	13.74	1960		June 25	13.96	Nov. 25	15.50
Sept. 25	14.01	Jan. 25	12.91	July 25	14.30	Dec. 25	15.58
Oct. 25	13.91	Feb. 4	12.95	Aug. 25	14.41		
Nov. 16	14.06	Apr. 25	13.51	Sept. 25	14.73		

Pn 6. Ohio Oil Co. Roachdale. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 16 N., R. 4 W. Drill-ed unused artesian well in sand and gravel, diam 6 in, depth 172 ft. Lsd, about 800 ft above msl. MP, top of recorder platform, 2.24 ft above lsd. Highest water level 18.59 below lsd, May 9, 1961; lowest 25.08 below lsd, Dec. 1, 2, 1960. Records available: 1958-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1958		July 25	22.17	Sept. 25	23.45	Nov. 25	23.30
June 27	20.58	Aug. 25	22.81	Oct. 25	24.35	Dec. 25	22.38
July 25	20.92	Sept. 25	23.90	Nov. 25	24.93	1962	
Aug. 24	20.00	Oct. 25	23.73	Dec. 23	24.81	Jan. 25	21.07
Sept. 10	h20.67	Nov. 25	22.80	1961		Feb. 25	20.60
Oct. 25	21.49	Dec. 22	22.30	Jan. 25	24.73	Mar. 25	21.27
Nov. 20	21.40	1960		Feb. 25	24.05	Apr. 25	22.53
Dec. 20	20.55	Jan. 25	20.67	Mar. 25	20.71	May 25	20.45
1959		Feb. 25	19.05	Apr. 25	19.26	June 25	21.88
Jan. 26	21.15	Mar. 25	20.34	May 25	20.18	July 25	21.33
Feb. 25	19.88	Apr. 25	20.48	June 25	21.81	Aug. 25	22.80
Mar. 25	19.00	May 25	21.01	July 25	23.00	Sept. 25	22.91
Apr. 25	19.27	June 25	20.22	Aug. 25	23.55	Oct. 25	23.64
May 25	19.99	July 25	20.68	Sept. 25	24.52	Nov. 25	23.95
June 25	20.83	Aug. 25	22.24	Oct. 25	24.68	Dec. 12	h24.20

Randolph County

Ra 1. Artie V. Keys Estate. Winchester. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 20 N., R. 14 E. Drilled used domestic artesian well in limestone, diam 4 in, depth 157 ft, cased to 148. Lsd, about 1,130 ft above msl. MP, northwest edge of 4 $\frac{1}{2}$ -in pipe, 5.87 ft below lsd. Highest water level 12.08 below lsd, Jan. 31, 1949; lowest 18.43 below lsd, Jan. 31, 1945. Records available: 1942-62.

1955		Oct. 31	17.61	July 31	13.28	Apr. 30	14.25
Jan. 31	14.39	Nov. 30	17.97	Aug. 31	13.97	May 31	14.58
Feb. 28	13.33	Dec. 31	17.53	Sept. 30	14.65	June 30	15.26
Mar. 31	13.13	1957		Oct. 31	15.41	July 31	15.84
Apr. 30	13.67	Jan. 31	16.47	Nov. 30	14.80	Aug. 31	16.64
May 31	14.17	Feb. 28	14.55	Dec. 31	14.82	Sept. 30	17.28
June 30	15.18	Mar. 31	14.77	1959		Oct. 31	17.34
July 31	15.87	Apr. 30	12.90	Jan. 31	13.53	Nov. 30	17.68
Aug. 31	16.71	May 31	13.28	Feb. 28	12.95	Dec. 31	17.84
Sept. 30	16.47	June 30	13.04	Mar. 31	13.21	1961	
Oct. 31	14.50	July 31	14.20	Apr. 30	13.06	Jan. 31	17.88
Nov. 30	13.39	Aug. 31	15.63	May 31	14.01	Feb. 28	15.83
Dec. 31	14.37	Sept. 30	16.35	June 30	15.14	Mar. 31	13.23
1956		Oct. 31	16.47	July 31	15.83	Apr. 30	12.71
Jan. 31	15.04	Nov. 30	15.71	Aug. 31	16.61	May 31	14.41
Feb. 29	12.94	Dec. 31	13.00	Sept. 30	17.14	June 30	14.64
Mar. 31	12.93	1958		Oct. 31	16.86	July 31	14.51
Apr. 30	13.67	Jan. 31	14.06	Nov. 30	16.05	Aug. 31	14.89
May 31	14.18	Feb. 28	14.46	Dec. 31	14.63	Sept. 30	15.17
June 30	14.60	Mar. 31	13.79	1960		Oct. 31	15.56
July 31	15.59	Apr. 30	13.30	Jan. 31	13.54	Nov. 30	15.41
Aug. 31	16.41	May 31	14.13	Feb. 29	13.05	Dec. 31	14.85
Sept. 30	17.25	June 30	12.80	Mar. 31	13.67	1962	

Ra 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 31	13.57	Apr. 30	14.44	July 20	13.87	Oct. 31	16.61
Feb. 28	14.27	May 31	14.87	Aug. 31	15.30	Nov. 30	16.22
Mar. 31	13.83	June 30	15.17	Sept. 15	15.59	Dec. 31	16.34

Ripley County

Ri 1. Cleveland Fagan. Osgood. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 19, T. 8 N., R. 11 E. Dug unused well, diam 48 in, depth 20 ft, cribbed with stone. Lsd, about 950 ft above msl. MP, painted arrow on cover, 0.12 ft above lsd. Highest water level 1.58 below lsd, May 3, 1947; lowest 14.46 below lsd, Sept. 18, 1954. Records available: 1944-61. Discontinued.

1955	Dec. 22	6.25	Sept. 27	4.72	June 25	4.58	
Jan. 22	11.70	1957		Oct. 25	4.67	July 23	4.28
Feb. 26	9.36	Jan. 26	5.70	Nov. 23	4.55	Aug. 27	5.34
Mar. 26	4.74	Feb. 23	5.48	Dec. 27	4.47	Sept. 24	4.98
Apr. 2	4.52	Mar. 23	4.00	1959		Oct. 22	5.58
June 25	3.43	Apr. 27	4.28	Jan. 24	4.46	Nov. 26	6.56
July 23	4.70	May 25	6.37	Feb. 28	4.18	Dec. 24	6.28
Aug. 27	5.58	June 22	6.13	Mar. 28	4.16	1961	
Sept. 24	6.24	July 27	6.28	Apr. 25	4.18	Jan. 28	6.46
Oct. 22	6.14	Aug. 24	7.54	May 23	3.67	Feb. 25	4.11
Nov. 26	6.16	Sept. 28	9.15	June 27	5.58	Mar. 25	5.16
Dec. 24	3.12	Oct. 26	8.40	July 25	6.60	Apr. 22	4.95
1956		Nov. 23	8.68	Aug. 22	5.50	May 27	4.68
Jan. 28	4.13	Dec. 28	5.02	Sept. 26	7.67	June 24	5.64
Feb. 25	4.22	1958		Oct. 24	7.36	July 22	6.53
Mar. 24	3.96	Jan. 25	5.25	Nov. 28	7.46	Aug. 26	6.58
Apr. 28	4.27	Feb. 22	3.93	Dec. 26	6.78	Sept. 23	6.63
May 26	4.72	Mar. 22	5.18	1960		Oct. 28	6.24
June 23	4.57	Apr. 26	3.10	Jan. 23	3.00	Nov. 25	5.98
July 28	4.17	May 24	3.26	Feb. 27	3.08	Dec. 23	5.98
Aug. 25	4.76	June 28	3.66	Mar. 26	3.18		
Sept. 27	5.28	July 26	4.52	Apr. 23	3.38		
Nov. 24	6.20	Aug. 23	4.24	May 28	4.28		

Ri 2. Weldon Manlief. Milan. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 20, T. 8 N., R. 13 W. Drill-ed unused well in limestone, diam 6 in, depth 64.06 ft. Lsd, about 995 ft above msl. MP, top of casing, 1.50 ft above lsd. Highest water level 0.80 below lsd, Jan. 21, 1959; lowest 11.21 below lsd, Dec. 22, 1960. Records available: 1958-62.

(daily highest water levels from recorder graph)							
1958	Feb. 25	1.40	Dec. 25	8.55	Sept. 25	10.10	
May 25	3.43	Mar. 25	3.10	1960		Oct. 25	10.65
June 10	8.37	Apr. 25	7.40	Jan. 25	7.15	Nov. 25	11.00
July 26	1.60	May 25	8.60	Feb. 25	5.65	Dec. 25	11.25
Sept. 25	9.00	June 25	9.20	Mar. 25	2.15	1961	
Oct. 25	9.70	July 25	9.80	Apr. 25	7.25	Jan. 25	9.05
Nov. 25	9.95	Aug. 25	10.30	May 25	9.20	Feb. 24	7.00
Dec. 25	9.15	Sept. 25	10.60	June 22	7.45	Mar. 25	1.50
1959		Oct. 25	10.75	July 25	6.90	Apr. 25	2.50
Jan. 24	2.25	Nov. 25	10.20	Aug. 25	9.30	May 25	6.55

Ri 2--Continued

	Date	Water Level		Date	Water Level		Date	Water Level
June	25	8.45	Nov.	25	h10.87	Mar.	25	1.70
July	25	9.85	Dec.	26	8.40	Apr.	25	6.45
Aug.	25	10.15		1962		May	25	8.80
Sept.	25	10.45	Jan.	23	2.40	June	25	9.00
Oct.	25	10.85	Feb.	25	1.30	July	25	6.80

Ri 3. Town of Sunman. Sunman School. Sunman. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 9 N., R. 13 W. Drilled unused well, diam 6 in, depth 77.95 ft. Lsd, about 1,120 ft above msl. MP, inside edge of ledge for door, 1.17 ft above lsd. Highest water level 4.68 below lsd, May 2-7, 1959; lowest 7.80 below lsd, Oct. 29, 1962. Records available: 1958-59, 1962. Discontinued.

(daily highest water levels from recorder graph)

1958		Nov. 25	5.96	May 7	e4.68	Sept. 25	7.68
Aug. 25	5.83	Dec. 25	5.45	1962		Oct. 22	h7.78
Sept. 25	5.96	1959		July 31	h6.81	Nov. 20	h7.62
Oct. 25	6.11	Jan. 25	4.76	Aug. 25	7.35		

Ri 4. Naas Corp. Sunman. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 9 N., R. 13 E. Drilled unused well in sand and gravel, diam 8 in, depth 33.95 ft. Lsd, about 1,120 ft above msl. MP, top of casing, 0.20 ft above lsd. Highest water level 0.65 below lsd, Mar. 15, 1959; lowest 6.65 below lsd, Dec. 20, 1962. Records available: 1958-59, 1962.

(daily highest water levels from recorder graph)

1958		Jan. 25	1.43	Aug. 25	4.86	Sept. 27	h6.06
Aug. 25	2.28	Feb. 25	1.23	Sept. 25	5.44	Oct. 25	h6.12
Sept. 25	2.87	Mar. 25	1.61	Oct. 25	4.25	Nov. 25	5.14
Oct. 25	3.39	Apr. 25	2.26	Nov. 25	3.57	Dec. 22	e6.06
Nov. 25	1.84	May 25	2.07	1962			
Dec. 25	2.87	June 25	2.35	July 31	h5.31		
1959		July 31	3.58	Aug. 25	6.48		

Ri 5. Sunman Water Works. Sunman. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 16, T. 9 N., R. 13 E. Drilled unused well in rock, diam 6 in, depth 92 ft. Lsd, about 1,010 ft above msl. MP, top of casing, 3.00 ft above lsd. Highest water level 7.00 below lsd, May 15, 1959; lowest 13.78h below lsd, Nov. 6, 1962. Records available: 1958-59, 1962. Discontinued.

(daily highest water levels from recorder graph)

1958		Jan. 25	9.51	July 25	11.28	July 31	h12.10
Sept. 21	11.82	Feb. 27	7.89	Aug. 25	12.73	Aug. 25	12.70
Oct. 25	12.00	Mar. 25	7.71	Sept. 24	13.70	Sept. 25	h13.32
Nov. 25	11.90	Apr. 25	9.40	Oct. 21	13.56	Oct. 24	e13.70
Dec. 25	11.54	May 25	9.53	Nov. 25	13.38	Nov. 20	h13.75
1959		June 25	10.07	1962			

Rush County

Ru 1. Margaret Krause and Alice Redman. Rushville. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 14 N., R. 10 E. Dug unused well, diam 42 in, depth 25 ft, cribbed with stone. Lsd, about 1,002 ft above msl. MP, edge of pump hole in concrete top, 0.60 ft above lsd. Highest water level 1.53 below lsd, Jan. 25, 1950; lowest 18.55 below lsd, Aug. 31, 1951. Records available: 1945-56.

Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		July 23	5.47	Dec. 17	4.26	Apr. 20	3.88
Jan. 22	8.36	Aug. 27	6.73	1956		May 25	4.28
Feb. 26	4.57	Sept. 24	7.54	Jan. 14	4.65	June 22	4.27
May 28	4.71	Oct. 22	5.01	Feb. 25	2.63	July 27	5.09
June 25	4.66	Nov. 26	2.81	Mar. 31	3.07		

St. Joseph County

Sj 1. City of Mishawaka. Mishawaka Water and Light Dept. Virgil and Lindon Sts., Mishawaka. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 37 N., R. 3 E. Driven unused well in sand, diam 1 $\frac{1}{4}$ in, depth 40 ft. Lsd, 702.37 ft above msl. MP, top of pipe, 0.50 ft above lsd. Highest water level 4.46 below lsd, May 25, 1943; lowest 17.70 below lsd, Oct. 15, 1956. Records available: 1935-57.

Discontinued.

1955		Sept. 15	15.08	May 16	11.50	Jan. 15	12.75
Jan. 15	11.16	Oct. 15	13.58	June 16	16.50	Feb. 15	11.65
Feb. 16	12.50	Nov. 16	13.58	July 16	16.40	Mar. 16	8.20
Mar. 16	10.16	Dec. 31	13.41	Aug. 15	16.80	Apr. 15	6.66
Apr. 16	11.07	1956		Sept. 30	15.60	May 15	8.10
May 16	13.00	Jan. 16	12.66	Oct. 15	17.70	June 15	8.80
June 15	12.66	Feb. 15	10.60	Nov. 15	13.60	July 15	9.90
July 16	14.17	Mar. 16	13.30	Dec. 16	16.40	Aug. 15	13.34
Aug. 15	13.58	Apr. 16	13.70	1957		Sept. 1	14.30

Sj 9. New Jersey, Indiana, and Illinois Railroad Co. Oliver St. and Indiana Ave., South Bend. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 37 N., R. 2 E. Drilled unused artesian well in sand and gravel, diam 8 in, depth 80 ft. Lsd, about 715 ft above msl. MP, floor of recorder shelter, 0.90 ft above lsd. Highest water level 9.72 below lsd, Dec. 30, 1962; lowest 17.55 below lsd, June 6, Sept. 5, 1953. Records available: 1945-62.

(2 a.m. water levels from recorder graph, 1955-56; daily highest, 1957-62)

1955		Dec. 26	13.96	Nov. 25	16.12	Oct. 25	16.18
Jan. 25	12.41	1956		Dec. 25	16.31	Nov. 25	15.28
Feb. 25	12.54	Jan. 25	14.27	1957		Dec. 25	14.51
Mar. 25	12.59	Feb. 25	13.95	Jan. 25	15.50	1958	
Apr. 25	12.49	Mar. 25	13.56	Feb. 24	15.03	Jan. 25	13.75
May 25	13.37	Apr. 25	13.69	Mar. 25	14.82	Feb. 25	13.70
June 25	13.73	May 25	12.10	Apr. 25	14.42	Mar. 25	12.95
July 25	14.42	June 25	13.88	May 25	13.77	Apr. 25	13.45
Aug. 25	15.19	July 25	14.68	June 25	14.76	May 25	14.29
Sept. 25	15.63	Aug. 25	14.98	July 25	15.61	June 25	14.24
Oct. 25	14.46	Sept. 23	15.25	Aug. 25	15.97	July 25	14.53
Nov. 25	13.93	Oct. 25	15.91	Sept. 25	15.70	Aug. 25	14.00

Sj 9--Continued

Date	Water Level						
Sept. 25	14.17	Oct. 25	16.02	Nov. 6	15.64	1962	
Oct. 25	14.51	Nov. 25	15.26	Dec. 21	15.51	Jan. 25	13.97
Nov. 25	14.50	Dec. 25	14.78	1961		Feb. 6	h13.63
Dec. 28	e14.45	1960		Feb. 20	15.49	Mar. 25	13.15
1959		Jan. 25	13.79	Mar. 25	14.84	Apr. 30	h13.07
Jan. 18	14.72	Feb. 25	12.61	Apr. 30	13.74	May 25	13.73
Feb. 25	13.78	Mar. 25	12.78	May 25	13.52	June 25	14.29
Mar. 25	13.16	Apr. 25	12.22	June 25	14.23	July 25	14.65
Apr. 25	12.87	May 25	12.55	July 25	15.07	Aug. 25	16.06
May 25	13.18	June 25	12.65	Aug. 25	15.65	Sept. 25	10.97
June 25	14.32	July 25	14.18	Sept. 25	15.46	Oct. 25	10.90
July 25	15.15	Aug. 25	14.91	Oct. 25	14.93	Nov. 25	10.22
Aug. 25	15.71	Sept. 25	15.76	Nov. 25	14.68	Dec. 25	9.87
Sept. 25	16.87	Oct. 25	15.53	Dec. 25	14.14		

Sj 16. St. Marys College. Notre Dame. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 35, T. 38 N., R. 2 E. Drilled unused well in sand and gravel, diam 12 in, depth 116 ft. Lsd, about 678 ft above msl. MP, floor of shelter base, 0.40 ft above lsd. Highest water level 0.90 below lsd, Apr. 12, 28-30, 1950; lowest 16.0 below lsd, Mar. 11, 1953. Records available: 1945-58. Discontinued.

1955	Feb. 27	4.65	Dec. 26	6.30	1958	
Jan. 25	5.19	Mar. 23	5.25	1957	Jan. 28	5.45
Feb. 22	5.23	Apr. 24	5.39	Jan. 22	6.55	Feb. 25
Mar. 22	4.68	May 22	4.38	Feb. 26	5.00	Mar. 25
Apr. 26	4.79	June 26	5.42	Mar. 26	5.95	Apr. 22
May 24	5.50	July 24	5.30	Apr. 2	6.00	May 27
June 28	5.87	Aug. 27	6.04	July 23	8.60	June 17
July 27	5.90	Sept. 25	6.37	Aug. 27	8.70	July 22
1956		Oct. 23	6.59	Sept. 24	6.75	
Jan. 26	5.74	Nov. 20	6.58	Oct. 22	7.45	

Sj 17. Ved Morgan. Coquillard Drive and McKinley Road., South Bend, NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 7, T. 37 N., R. 3 E. Drilled unused well, diam 2 in, depth 140 ft, Lsd, about 745 ft above msl. MP, top of pipe, 0.10 ft above lsd. Highest water level 31.54 below lsd, Feb. 11, 1961; lowest 51.54 below lsd, Aug. 24, 1957. Records available: 1945-61. Discontinued.

1955	Mar. 24	46.09	June 22	49.70	Sept. 27	49.59
Jan. 29	45.75	Apr. 28	46.50	July 27	50.57	Oct. 25
Feb. 26	44.57	May 26	45.78	Aug. 24	51.54	Nov. 22
Mar. 26	44.70	June 26	47.22	Sept. 28	50.79	Dec. 27
Apr. 23	44.84	July 28	47.98	Oct. 26	50.58	1959
May 28	46.25	Aug. 25	47.90	Nov. 23	50.09	Jan. 24
June 25	47.83	Sept. 22	48.23	Dec. 28	49.04	Feb. 28
July 9	48.04	Oct. 27	48.97	1958		Mar. 28
Aug. 27	49.07	Nov. 24	48.48	Jan. 25	48.64	Apr. 25
Sept. 24	48.43	Dec. 22	48.48	Feb. 22	48.33	May 28
Oct. 22	47.13	1957		Mar. 22	47.85	June 27
Nov. 26	46.15	Jan. 26	49.00	Apr. 26	47.99	July 11
Dec. 24	46.17	Feb. 23	49.14	May 24	49.15	Aug. 22
1956		Mar. 23	49.35	June 28	49.47	Sept. 26
Jan. 28	46.54	Apr. 27	49.60	July 26	49.90	Oct. 24
Feb. 25	46.67	May 25	49.38	Aug. 23	49.67	Nov. 28
						50.71
						50.74
						49.92

Sj 17--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Dec. 26 1960	49.35	May 28	46.43	Nov. 26	49.42	Apr. 22	49.11
		June 25	47.23	Dec. 24	49.29	May 27	49.37
Jan. 26	48.85	July 23	48.16	1961		June 24	49.71
Feb. 27	48.01	Aug. 27	49.26	Jan. 28	46.95	July 22	50.29
Mar. 26	42.91	Sept. 24	49.20	Feb. 25	43.95	Aug. 26	50.86
Apr. 23	44.69	Oct. 22	49.43	Mar. 25	48.00	Sept. 23	51.33

Sj 23. New York Central System. Lydick. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 38 N., R. 1 E. Drilled unused water-table well in sand and gravel, diam 12 in, depth 56 ft. Lsd, about 722 ft above msl. MP, top of casing, 1 ft above lsd. Highest water level 5.19 below lsd, June 21, 1956; lowest 6.05 below lsd, Jan. 19, 1957. Records available: 1956-57. Discontinued.

1956	Nov. 23	5.94	1957		Feb. 9	5.80
June 21	5.19	Dec. 22	5.92	Jan. 26	6.02	

Sj 24. Wabash Railroad Co. Pine. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 36 N., R. 2 E. Drilled unused water-table well in sand, diam 12 in, depth 93 ft. Lsd, about 824 ft above msl. MP, top of platform, 2.13 ft above lsd. Highest water level 37.83 below lsd, May 6, 1960; lowest 41.53 below lsd, July 17, 1957. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957	Oct. 25	39.88	Mar. 25	38.59	Sept. 25	38.91	
Jan. 13	h40.11	Nov. 25	39.53	Apr. 25	38.06	Oct. 25	39.04
Apr. 22	h39.99	Dec. 25	40.10	May 25	38.20	Nov. 25	39.08
May 6	h39.93	1959		June 21	38.23	Dec. 25	38.94
July 17	h41.53	Jan. 26	40.02	July 25	38.45	1962	
Aug. 25	39.72	Feb. 25	39.50	Aug. 24	38.71	Jan. 25	39.08
Sept. 25	39.88	Mar. 25	39.33	Sept. 28	38.75	Feb. 25	38.78
Oct. 24	e39.68	Apr. 25	38.93	Oct. 30	e38.78	Mar. 25	38.69
Nov. 25	39.77	May 25	38.81	Nov. 25	39.01	Apr. 25	38.57
Dec. 21	h40.28	June 25	39.11	Dec. 25	39.03	May 25	38.85
1958		July 25	39.30	1961		June 25	38.97
Feb. 25	40.01	Aug. 25	39.32	Jan. 25	39.19	July 25	39.09
Mar. 25	39.79	Sept. 25	39.48	Feb. 25	38.97	Aug. 25	39.34
Apr. 25	40.04	Oct. 25	39.55	Mar. 25	39.05	Sept. 25	39.41
May 16	39.89	Nov. 25	39.46	Apr. 25	h38.85	Oct. 25	39.56
June 25	39.26	Dec. 24	39.27	May 25	38.32	Nov. 25	39.75
July 21	39.53	1960		June 24	38.79	Dec. 25	39.51
Aug. 25	39.60	Jan. 25	38.88	July 25	39.00		
Sept. 25	39.67	Feb. 5	e38.77	Aug. 25	39.02		

Sj 25. Mr. Stone. South Bend. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 37 N., R. 1 E. Drilled unused well in sand, diam 6 in, depth 40.8 ft. Lsd, about 717 ft above msl. MP, edge of casing, 1.10 ft above lsd. Highest water level 4.48 below lsd, Feb. 10, 1960; lowest 8.58 below lsd, Apr. 30, 1962. Records available: 1959-62.

1959	June 24	6.45	Nov. 25	6.19	Mar. 23	6.06	
Feb. 25	5.46	July 22	6.59	Dec. 23	5.57	Apr. 27	5.77
Mar. 25	5.15	Aug. 26	7.57	1960		May 25	6.16
Apr. 22	5.93	Sept. 23	7.05	Jan. 27	5.79	June 22	5.69
May 27	6.20	Oct. 21	6.39	Feb. 24	5.85	July 13	6.30

Sj 25--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 24	6.53	Jan. 25	6.83	1962		June 27	6.45
Sept. 28	6.66	Feb. 22	6.64	Jan. 9	6.41	July 24	6.40
Oct. 26	6.63	Mar. 22	6.01	Feb. 6	6.29	Aug. 21	6.87
Nov. 23	6.66	Apr. 26	5.29	Mar. 6	6.62	Sept. 17	6.92
Dec. 28	6.80	May 10	5.99	Apr. 30	8.58	Oct. 16	6.82
1961		Sept. 26	6.61	May 28	6.48	Dec. 11	6.74

Scott County

Sc 1. Town of Scottsburg. Highland and Thomas Sts., Scottsburg. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 19, T. 3 N., R. 7 E. Drilled unused well in gravel, diam 12 in, depth 34 ft, cased to 28. Lsd, about 565 ft above msl. MP, top of 2-in coupling, 1.21 ft above lsd. Highest water level 12.60 below lsd, Mar. 30, 1951; lowest 27.84 below lsd, Oct. 22, 1948. Records available: 1942-62.

1955		Jan. 24	16.04	Jan. 23	15.81	Jan. 22	18.47
Jan. 22	17.14	Feb. 25	15.93	Feb. 28	15.45	Feb. 28	15.16
Feb. 27	14.89	Mar. 24	16.37	Mar. 22	16.57	Apr. 23	15.37
Mar. 20	15.19	Apr. 27	15.22	Apr. 23	15.84	May 28	15.78
Apr. 23	16.44	May 26	13.89	May 22	16.30	June 25	15.70
May 22	17.00	June 23	16.07	June 26	16.76	July 28	15.64
July 23	17.48	July 27	16.89	July 27	17.09	Aug. 27	19.59
Aug. 22	17.89	Aug. 25	17.88	Aug. 23	20.24	Sept. 23	18.11
Sept. 26	17.87	Sept. 22	18.89	Sept. 27	17.82	Oct. 28	18.10
Oct. 23	16.95	Oct. 22	17.63	Oct. 23	16.98	Nov. 25	17.03
Nov. 27	15.85	Nov. 23	16.31	Nov. 27	16.57	Dec. 23	15.81
Dec. 25	16.90	Dec. 28	14.97	Dec. 28	16.46	1962	
1956		1958		1960		Jan. 27	14.74
Jan. 23	17.05	Jan. 25	15.31	Jan. 24	16.35	Feb. 25	14.86
Feb. 25	14.50	Feb. 22	15.49	Feb. 28	16.29	Mar. 25	14.94
Mar. 24	15.07	Mar. 22	15.38	Mar. 23	15.55	Apr. 23	16.31
Apr. 23	16.42	Apr. 23	15.32	Apr. 24	16.79	May 28	16.26
May 22	16.33	May 23	16.11	May 28	16.46	June 25	16.64
June 27	15.58	June 23	16.38	June 26	15.48	July 27	22.79
July 25	17.29	July 24	15.82	July 22	17.39	Aug. 25	20.43
Aug. 23	17.54	Aug. 27	17.33	Aug. 26	19.35	Sept. 23	17.75
Sept. 26	17.05	Sept. 23	17.28	Sept. 25	18.45	Oct. 28	17.84
Oct. 22	17.37	Oct. 24	17.24	Oct. 23	17.58	Nov. 26	17.62
Nov. 24	17.40	Nov. 23	17.21	Nov. 22	18.08	Dec. 24	17.52
Dec. 22	16.84	Dec. 24	16.98	Dec. 24	18.25		
1957		1959		1961			

Shelby County

Sh 1. Clarence Milner. Fairland. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 16, T. 13 N., R. 6 E. Driven unused well in gravel, diam 1 $\frac{1}{2}$ in, depth 23 ft. Lsd, about 768 ft above msl. MP, top of pipe, 2.00 ft above lsd. Highest water level 4.08 below lsd, Feb. 26, 1950; lowest 10.94 below lsd, Oct. 27, 1956. Records available: 1946-62.

Sh 1--Continued

Date	Water Level						
1955							
		1957			1959		
Jan. 23	9.35	Jan. 26	9.47	Jan. 25	6.55	Jan. 22	9.64
Feb. 26	9.15	Feb. 25	8.89	Feb. 28	6.38	Feb. 26	9.02
Mar. 26	7.83	Mar. 24	9.10	Mar. 28	6.84	Mar. 19	5.78
Apr. 23	7.54	Apr. 22	7.03	Apr. 25	7.79	Apr. 29	5.60
May 22	8.06	May 25	7.00	May 24	7.04	May 28	6.43
June 26	8.60	June 23	5.62	June 28	7.98	June 28	8.45
July 24	8.01	July 22	7.23	July 26	8.77	July 22	8.30
Aug. 27	8.99	Aug. 25	8.76	Aug. 22	9.28	Aug. 26	9.52
Sept. 26	9.36	Sept. 22	9.24	Sept. 27	9.67	Sept. 23	10.02
Oct. 23	8.72	Oct. 27	9.53	Oct. 24	9.78	Oct. 26	10.05
Nov. 27	6.48	Nov. 23	9.18	Nov. 22	9.50	Nov. 26	10.12
Dec. 24	7.85	Dec. 22	7.26	Dec. 27	9.10	Dec. 24	9.73
1956							
		1958			1960		
Jan. 23	8.66	Jan. 25	7.55	Jan. 24	8.53	Jan. 27	10.40
Feb. 25	6.23	Feb. 23	8.60	Feb. 28	7.73	Feb. 24	8.20
Mar. 25	6.87	Mar. 23	8.50	Mar. 27	8.10	Mar. 24	7.80
Apr. 22	7.35	Apr. 27	8.62	Apr. 24	8.44	Apr. 29	8.29
May 27	8.32	May 25	7.49	May 28	8.85	May 28	8.87
June 24	7.78	June 22	7.18	June 25	8.02	June 23	9.38
July 22	7.04	July 27	6.75	July 23	8.28	July 29	9.52
Aug. 26	9.08	Aug. 24	7.37	Aug. 27	9.55	Aug. 25	9.75
Sept. 23	9.53	Sept. 27	8.73	Sept. 25	9.32	Sept. 23	9.84
Oct. 27	10.94	Oct. 26	8.51	Oct. 22	9.75	Oct. 27	10.25
Nov. 25	10.05	Nov. 23	8.45	Nov. 20	9.86	Nov. 24	10.53
Dec. 23	9.79	Dec. 28	8.32	Dec. 18	9.80	Dec. 22	10.51

Spencer County

Sp 4. J. Andrew Wetzel. Buffaloville. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 10, T. 5 S., R. 5 W. Dug unused well in clay and rock, diam 48 in, depth 19 ft, cribbed with stone. Lsd, about 460 ft above msl. MP, painted arrow on wood platform, 0.00 ft lsd. Highest water level 0.44 below lsd, Jan. 27, 1945; lowest 18.02 below lsd, July 18, 1948. Records available: 1944-57. Discontinued.

1955	Sept. 25	7.30	May 27	5.19	Jan. 27	4.20
Jan. 23	2.30	Oct. 23	8.00	June 24	5.20	Feb. 24
Feb. 27	1.88	Nov. 27	3.19	July 22	6.99	Mar. 24
Mar. 27	3.15	Dec. 25	4.19	Aug. 25	7.25	Apr. 28
Apr. 24	1.90	1956		Sept. 23	7.90	May 26
May 22	4.04	Jan. 22	4.10	Oct. 28	9.02	June 23
June 26	5.64	Feb. 26	2.55	Nov. 25	9.70	July 28
July 24	4.30	Mar. 25	3.13	Dec. 23	10.47	Aug. 25
Aug. 28	6.73	Apr. 22	3.53	1957		Sept. 22
						7.46

Sp 5. State of Indiana. Lincoln State Park. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 4 S., R. 5 W. Drilled unused artesian well in rock, diam 4 in, reported depth 111 ft. Lsd, about 480 ft above msl. MP, top of casing on west side, 4.00 ft below lsd. Highest water level 23.50 below lsd, Mar. 8, 1944; lowest 33.20 below lsd, Dec. 31, 1956. Records available: 1944-57. Discontinued.

Sp 5--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Sept. 28	32.75	May 21	29.90	Jan. 22	32.90
Jan. 26	32.60	Oct. 26	32.60	June 27	31.80	Feb. 26	32.20
Feb. 23	32.20	Nov. 23	32.50	July 24	32.15	Mar. 25	32.10
Mar. 23	27.60	Dec. 28	32.85	Aug. 22	32.60	Apr. 22	29.10
Apr. 27	27.20	1956		Sept. 25	32.10	May 27	27.80
May 25	30.60	Jan. 25	32.80	Oct. 23	32.10	June 24	26.20
June 22	29.30	Feb. 22	28.50	Nov. 26	33.10	July 24	31.10
July 27	31.80	Mar. 28	29.50	Dec. 24	33.10	Aug. 28	31.90
Aug. 24	32.30	Apr. 25	28.75	1957		Sept. 15	31.99

Sp 6. State of Indiana. Lincoln State Park. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 5 S., R. 5 W. Drilled unused artesian well in rock, diam 4 in, reported depth 83 ft. Lsd, about 475 ft above msl. MP, top of casing on west side, 0.20 ft above lsd. Highest water level 21.52 below lsd, Mar. 21, 1951; lowest 32.90 below lsd, Nov. 23, 30, 1961. Records available: 1944-62.

(daily highest water levels from recorder graph, Mar. 21-Dec. 31, 1962)

1955		1957		1959		1961	
Jan. 26	30.35	Jan. 22	28.90	Jan. 27	24.20	Jan. 23	32.60
Feb. 23	29.25	Feb. 26	25.90	Feb. 23	23.00	Feb. 27	29.70
Mar. 23	25.85	Mar. 25	24.20	Mar. 23	22.90	Mar. 23	25.90
Apr. 27	24.35	Apr. 22	22.20	Apr. 27	23.20	Apr. 27	25.00
May 25	24.75	May 27	23.30	May 26	23.00	May 25	25.20
June 22	27.10	June 24	23.30	June 24	25.50	June 21	27.40
July 27	26.90	July 24	26.10	July 23	26.00	July 26	30.00
Aug. 24	28.55	Aug. 28	27.60	Aug. 25	27.90	Aug. 24	30.90
Sept. 28	29.75	Sept. 24	29.00	Sept. 22	28.10	Sept. 27	31.90
Oct. 26	29.40	Oct. 23	29.40	Oct. 26	28.90	Oct. 25	32.70
Nov. 23	27.85	Nov. 26	27.90	Nov. 23	27.30	Nov. 23	32.90
Dec. 28	26.86	Dec. 26	25.05	Dec. 28	25.90	Dec. 27	31.20
1956		1958		1960		1962	
Jan. 25	26.96	Jan. 27	23.60	Jan. 25	24.40	Jan. 24	29.10
Feb. 22	25.05	Feb. 23	23.40	Feb. 22	22.90	Feb. 28	27.10
Mar. 28	23.60	Mar. 25	22.60	Mar. 22	23.70	Mar. 25	26.13
Apr. 25	23.50	Apr. 21	22.60	Apr. 26	23.30	Apr. 25	25.71
May 21	23.70	May 26	23.00	May 23	23.90	May 25	27.57
June 27	26.85	June 23	24.70	June 20	24.90	June 25	27.72
July 24	28.50	July 23	24.90	July 25	27.20	July 25	h28.72
Aug. 22	29.50	Aug. 27	24.90	Aug. 22	29.00	Aug. 25	e30.56
Sept. 25	30.30	Sept. 24	27.30	Sept. 26	30.30	Sept. 25	29.22
Oct. 23	30.50	Oct. 27	28.10	Oct. 26	31.00	Oct. 25	28.40
Nov. 26	29.90	Nov. 24	28.00	Nov. 22	31.50	Nov. 25	27.25
Dec. 24	29.50	Dec. 24	26.60	Dec. 27	31.20	Dec. 25	27.47

Sp 9. J. Andrew Wetzel. Buffaloville. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 10, T. 5 S., R. 5 W. Dug unused well in rock, diam 48 in, depth 17.24 ft. Lsd, about 450 ft above msl. MP, top of middle board on well cover, 0.00 ft lsd. Highest water level 0.30 below lsd, May 7, 1961; lowest 12.61 below lsd, Jan. 10, 1954. Records available: 1953-62.

1955	Apr. 24	2.10	Aug. 28	5.29	Dec. 25	2,30
Jan. 23	6.76	May 22	3.98	Sept. 25	6.12	1956
Feb. 27	2.04	June 26	4.93	Oct. 23	5.41	Jan. 22 3.07
Mar. 27	2.48	July 24	2.99	Nov. 27	2.50	Feb. 26 2.24

Sp 9--Continued

Date	Water Level						
Mar. 25	2.45	Dec. 22	2.18	Aug. 23	3.42	Apr. 23	1.90
Apr. 22	2.89	1958		Sept. 27	4.10	May 28	3.18
May 27	3.89	Jan. 26	2.20	Oct. 25	4.85	June 25	4.53
June 24	4.30	Feb. 23	3.42	Nov. 22	2.74	July 23	5.42
July 22	5.75	Mar. 23	2.08	Dec. 27	2.20	Aug. 27	6.40
Aug. 25	6.35	Apr. 27	2.16	1960		Sept. 24	7.15
Sept. 23	6.83	May 25	3.55	Jan. 24	2.30	Oct. 22	7.96
Oct. 28	7.21	June 22	2.10	Feb. 28	2.35	Nov. 26	8.26
Nov. 25	7.39	July 27	3.11	Mar. 27	2.92	Dec. 24	2.11
Dec. 23	7.30	Aug. 24	3.25	Apr. 24	3.22	1962	
1957		Sept. 28	5.07	May 22	3.27	Jan. 28	2.18
Jan. 27	2.90	Oct. 26	5.42	June 26	4.22	Feb. 25	1.90
Feb. 24	3.01	Nov. 23	5.84	July 24	4.54	Mar. 25	2.22
Mar. 24	2.76	Dec. 28	4.10	Aug. 28	5.88	Apr. 22	3.15
Apr. 28	3.20	1959		Sept. 25	6.54	May 27	3.20
May 26	2.54	Jan. 25	2.38	Oct. 23	7.10	June 24	3.86
June 23	2.16	Feb. 22	2.25	Nov. 27	7.65	July 22	4.25
July 28	4.22	Mar. 22	2.30	Dec. 25	6.00	Aug. 26	5.55
Aug. 25	5.74	Apr. 26	3.93	1961		Sept. 23	3.64
Sept. 22	6.46	May 24	2.30	Jan. 22	6.42	Oct. 28	3.02
Oct. 27	7.09	June 28	4.53	Feb. 26	1.73	Nov. 25	2.79
Nov. 3	7.15	July 26	3.06	Mar. 26	1.80	Dec. 23	2.65

Sp 10. Mrs. Elizabeth Kincaid. Richland City. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 35, T. 6 S., R. 7 W. Drilled unused well in sand, diam 6-5/8 in, depth 72.50 ft. Lsd, about 393 ft above msl. MP, top of casing, 0.70 ft above lsd. Highest water level 5.52 below lsd, June 28, 1956; lowest 16.65 below lsd, July 26, 1957.

Records available: 1956-62.

1956		Sept. 25	13.16	Jan. 26	11.65	June 22	9.92
June 27	10.95	Oct. 27	12.19	Feb. 22	11.05	July 24	11.38
Nov. 15	14.71	Nov. 12	12.87	Mar. 23	10.65	Aug. 21	12.05
Dec. 18	15.05	Dec. 10	13.15	Apr. 25	10.64	Sept. 26	12.83
1957		1959		May 24	11.03	Oct. 28	13.51
Jan. 25	15.13	Jan. 13	12.31	June 27	11.05	Nov. 21	13.82
Feb. 14	14.72	Feb. 19	11.16	July 25	11.03	Dec. 27	13.45
May 8	12.91	Mar. 17	10.58	Aug. 23	11.93	1962	
July 26	11.68	Apr. 23	12.19	Sept. 26	12.58	Jan. 25	12.84
Aug. 21	12.41	May 14	11.58	Oct. 26	13.07	Feb. 21	11.86
1958		June 25	11.72	Nov. 22	13.02	Mar. 23	9.98
Feb. 27	11.18	July 21	11.95	Dec. 26	13.63	Apr. 24	10.19
Mar. 26	12.83	Aug. 24	11.99	1961		May 23	10.86
Apr. 23	11.16	Sept. 22	12.37	Jan. 24	13.59	June 26	10.79
May 25	10.14	Oct. 27	12.88	Feb. 27	13.39	July 20	11.42
June 27	12.21	Nov. 24	13.07	Mar. 28	10.34	Aug. 21	12.36
July 15	10.85	Dec. 22	12.75	Apr. 27	9.52	Oct. 19	13.11
Aug. 27	10.18	1960		May 24	7.99	Dec. 17	13.68

Sp 11. William L. Adkisson. Rockport, NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 17, T. 7 S., R. 6 W. Drilled unused well in sand, diam 6-5/8 in, depth 59.30 ft. Lsd, about 390 ft above msl. MP, top of casing, 0.70 ft above lsd. Highest water level 3.36 below lsd, May 12, 1961; lowest 9.36 below lsd, Dec. 20, 27, 1958. Records available: 1956-62.

Sp 11--Continued

(2 a.m. water levels from recorder graph, Jan. 25-Mar. 22, 1957)

Date	Water Level						
1956		May 23	6.50	Dec. 25	8.23	June 23	6.98
June 27	9.03	June 27	7.61	1960		July 28	7.68
Nov. 15	10.44	July 25	6.40	Jan. 22	7.14	Aug. 25	8.17
Dec. 18	10.16	Aug. 22	7.50	Feb. 26	7.16	Sept. 22	8.52
1957		Sept. 26	8.02	Mar. 25	6.52	Oct. 18	8.82
Jan. 25	h10.77	Oct. 24	8.32	Apr. 22	6.88	Nov. 21	9.07
Feb. 25	10.32	Nov. 22	8.47	May 27	6.84	Dec. 27	8.54
Mar. 22	10.25	Dec. 27	8.66	June 24	7.37	1962	
May 8	9.60	1959		July 22	7.62	Jan. 25	7.93
July 26	8.90	Jan. 24	7.42	Aug. 19	8.11	Feb. 21	7.50
Aug. 21	9.25	Feb. 28	6.93	Sept. 23	8.59	Mar. 23	6.27
Sept. 27	9.71	Mar. 28	7.34	Oct. 28	8.96	Apr. 24	6.80
Oct. 25	10.00	Apr. 24	7.59	Nov. 28	9.12	May 23	7.40
Nov. 22	9.30	May 22	7.07	Dec. 30	9.18	June 26	7.33
Dec. 27	7.59	June 25	7.71	1961		July 20	8.45
1958		July 24	7.82	Jan. 27	9.09	Aug. 21	8.38
Jan. 24	7.89	Aug. 21	7.35	Feb. 17	8.55	Oct. 19	8.76
Feb. 28	7.69	Sept. 25	8.06	Mar. 24	6.11	Dec. 17	9.10
Mar. 28	6.63	Oct. 23	8.12	Apr. 28	6.61		
Apr. 25	7.11	Nov. 27	8.39	May 26	6.32		

Sp 12, W. C. Kaiser, Hatfield. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 8, T. 7 S., R. 7 W. Drilled unused well in sand, diam 6-5/8 in, depth 41.65 ft. Lsd, about 385 ft above msl. MP, top of casing, 1.30 ft above lsd. Highest water level 2.70 below lsd, May 24, 1961; lowest 13.90 below lsd, Dec. 22, 23, 1956. Records available: 1956-62.

(2 a.m. water levels from recorder graph, Dec. 19, 1956-May 8, 1957)

1956		July 24	8.15	1960		June 28	8.03
June 27	9.27	Aug. 28	8.82	Jan. 27	8.87	July 26	9.09
Nov. 15	12.47	Sept. 25	9.90	Feb. 24	8.83	Aug. 23	9.84
Dec. 25	12.64	Oct. 24	10.43	Mar. 23	9.30	Sept. 27	10.53
1957		Nov. 24	10.74	Apr. 27	8.40	Oct. 18	10.90
Jan. 25	h12.62	Dec. 24	11.58	May 25	8.53	Nov. 21	11.31
Feb. 25	12.06	1959		June 22	8.95	Dec. 27	11.00
Mar. 25	11.99	Jan. 13	11.13	July 27	9.30	1962	
Apr. 25	10.70	Feb. 11	9.58	Aug. 24	9.72	Jan. 25	10.52
May 8	10.81	Mar. 25	8.91	Sept. 22	10.30	Feb. 21	9.85
July 26	10.15	Apr. 22	9.28	Oct. 26	11.62	Mar. 23	7.46
Aug. 28	11.10	May 27	8.99	Nov. 23	11.12	Apr. 24	9.80
Sept. 26	11.25	June 25	9.44	Dec. 22	11.22	May 23	8.67
1958		July 22	9.62	1961		June 26	9.06
Jan. 23	9.15	Aug. 26	9.32	Jan. 25	11.10	July 20	9.56
Feb. 12	8.65	Sept. 23	9.95	Feb. 22	10.66	Aug. 21	9.83
Mar. 11	9.14	Oct. 28	10.37	Mar. 22	7.78	Oct. 19	10.84
Apr. 15	8.18	Nov. 25	9.74	Apr. 26	6.95	Dec. 18	11.35
May 14	6.97	Dec. 23	9.99	May 24	2.70		

Sp 13, James Garrett, Rockport. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 7 S., R. 6 W. Drilled unused well in coarse sand, diam 6-5/8 in, depth 49.55 ft. Lsd, about 392 ft above msl. MP, top of casing, 1.50 ft above lsd. Highest water level 24.50 below lsd, July 25, 1961; lowest 28.86 below lsd, Feb. 26, 1961. Records available: 1956-62.

Sp 13--Continued

(2 a.m. water levels from recorder graph, May 8-Dec. 31, 1957; daily highest, Jan. 1, 1958-Oct. 18, 1961)

Date	Water Level						
1956		May 25	25.56	Dec. 25	26.35	May 25	24.92
June 27	25.42	June 25	25.02	1960		June 9	24.54
Nov. 15	26.29	July 25	24.98	Jan. 25	26.30	July 25	24.15
Dec. 18	26.63	Aug. 25	24.91	Feb. 25	25.85	Aug. 25	24.34
1957		Sept. 25	24.91	Mar. 25	25.96	Sept. 25	24.59
Jan. 25	26.76	Oct. 25	25.11	Apr. 25	25.76	Oct. 18	h24.81
Feb. 14	26.86	Nov. 25	25.32	May 25	25.61	Nov. 21	25.16
May 24	25.67	Dec. 25	25.68	June 25	25.68	Dec. 27	25.54
June 7	25.65	1959		July 25	25.75	1962	
July 26	h25.65	Jan. 20	25.68	Aug. 25	25.95	Jan. 25	25.67
Aug. 25	25.80	Mar. 25	25.21	Sept. 25	26.16	Feb. 21	25.49
Sept. 25	26.02	Apr. 25	25.06	Oct. 25	26.38	Mar. 23	25.20
Oct. 2	h26.06	May 24	25.05	Nov. 9	26.49	Apr. 24	24.40
Nov. 28	26.14	June 25	25.15	Dec. 25	26.86	May 23	24.00
Dec. 3	26.13	July 25	25.36	1961		June 26	24.03
1958		Aug. 25	25.52	Jan. 25	27.06	July 20	24.57
Feb. 26	25.97	Sept. 25	25.72	Feb. 25	27.09	Aug. 21	24.54
Mar. 25	26.10	Oct. 25	25.95	Mar. 25	26.76	Oct. 19	25.05
Apr. 25	26.23	Nov. 25	26.19	Apr. 25	25.79	Dec. 17	25.59

Sp 14. Roy C. Pope. Richland City. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 24, T. 6 S., R. 7 W. Drilled unused well in coarse sand, diam 6-5/8 in, depth 47.00 ft. Lsd, about 389 ft above msl. MP, top of casing, 1.15 ft above lsd. Highest water level 1.50h below lsd, May 10, 1961; lowest 11.60 below lsd, Dec. 18, 1956. Records available: 1956-62.

(2 a.m. water levels from recorder graph, 1957; daily highest, Oct. 18, 1961-Dec. 31, 1962)

1956		Aug. 28	7.55	Jan. 27	7.49	July 28	8.65
June 27	10.76	Sept. 27	9.25	Feb. 21	7.08	Aug. 25	9.34
Nov. 15	11.29	Oct. 28	9.45	Mar. 27	6.02	Sept. 19	9.88
Dec. 18	11.65	Nov. 27	9.95	Apr. 23	6.75	Oct. 25	10.50
1957		Dec. 22	9.95	May 23	7.09	Nov. 25	10.74
Jan. 21	5.30	1959		June 26	7.73	Dec. 27	h10.05
Feb. 14	h10.86	Jan. 19	8.35	July 23	8.13	1962	
May 22	7.94	Feb. 11	7.10	Aug. 27	8.90	Jan. 25	8.82
June 22	.67	Mar. 17	6.41	Sept. 24	9.75	Feb. 25	7.07
July 26	h8.56	Apr. 14	7.15	Oct. 22	10.18	Mar. 25	5.73
Aug. 21	h9.35	May 14	8.03	Nov. 26	10.37	Apr. 25	6.55
1958		June 26	8.30	Dec. 24	10.27	May 25	7.70
Jan. 25	5.90	July 24	8.30	1961		June 26	h7.32
Feb. 12	6.05	Aug. 23	8.75	Jan. 23	9.94	July 25	8.62
Mar. 11	6.91	Sept. 26	9.47	Feb. 27	7.53	Aug. 25	9.68
Apr. 15	6.03	Oct. 26	9.75	Mar. 27	5.21	Sept. 26	h9.76
May 14	5.05	Nov. 26	9.86	Apr. 24	4.87	Oct. 25	10.00
June 21	7.87	Dec. 20	8.92	May 24	4.99	Nov. 25	10.24
July 27	5.75	1960		June 20	6.79	Dec. 25	10.36

Starke County

Sk 2. S. A. Craigmire. Knox. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 14, T. 32 N., R. 2 W. Drill-ed unused well in gravel, diam 6 in, depth 83 ft. Lsd, 713.6 ft above msl. MP, top of casing on north side, 0.60 ft above lsd. Highest water level 0.83 below lsd, June 17, 1949; lowest 6.99 below lsd, Aug. 2, 1939. Records available: 1935-59. Discontinued.

Date	Water Level						
1955		Mar. 25	4.57	June 23	4.19	Sept. 28	4.78
Jan. 23	4.25	Apr. 22	4.64	July 28	5.14	Oct. 26	4.83
Feb. 27	3.90	May 27	4.78	Aug. 25	5.33	Nov. 30	4.41
Mar. 27	3.79	June 24	3.85	Sept. 22	5.42	Dec. 28	4.71
Apr. 24	4.19	July 22	4.80	Oct. 13	5.55	1959	
May 22	5.38	Aug. 26	5.47	Nov. 24	4.19	Jan. 25	4.30
June 26	4.57	Sept. 23	5.82	Dec. 22	3.24	Feb. 22	2.95
July 24	5.17	Oct. 28	5.66	1958		Mar. 22	2.84
Aug. 28	5.98	Nov. 25	5.84	Jan. 26	3.81	Apr. 19	3.20
Sept. 25	6.06	Dec. 23	5.86	Feb. 23	3.86	May 17	4.03
Oct. 23	5.56	1957		Mar. 23	3.92	June 28	5.17
Nov. 27	4.98	Jan. 27	5.67	Apr. 27	4.96	July 12	5.29
Dec. 25	5.20	Feb. 27	5.30	May 25	4.74	Aug. 23	5.69
1956		Mar. 24	5.16	June 29	3.74		
Jan. 22	5.38	Apr. 28	3.81	July 27	3.72		
Feb. 26	4.79	May 26	4.30	Aug. 24	3.82		

Sk 11. David Bergstrom. Grovertown. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 27, T. 34 N., R. 1 W. Jetted unused well in gravel, diam 1 $\frac{1}{4}$ in, depth 67 ft. Lsd, about 720 ft above msl. MP, top of pipe, 1.20 ft above lsd. Highest water level 12.68 below lsd, Apr. 27, 1950; lowest 19.35 below lsd, Jan. 23, 1954. Records available: 1948-62.

1955		Oct. 27	18.30	July 26	15.95	Apr. 23	14.70
Jan. 22	14.80	Nov. 24	18.54	Aug. 23	15.65	May 28	15.10
Feb. 26	15.06	Dec. 22	18.80	Sept. 27	16.42	June 25	14.88
Mar. 27	14.89	1957		Oct. 25	16.85	July 23	15.60
Apr. 23	14.82	Jan. 26	18.83	Nov. 22	16.88	Aug. 27	16.05
May 28	15.40	Feb. 23	18.60	Dec. 27	17.15	Sept. 24	16.55
June 25	15.49	Mar. 23	17.70	1959		Oct. 22	16.98
July 23	16.15	Apr. 27	16.76	Jan. 24	17.30	Nov. 26	17.10
Aug. 27	17.08	May 25	16.56	Feb. 28	16.20	Dec. 24	17.32
Sept. 24	17.68	June 22	16.00	Mar. 28	15.48	1961	
Oct. 22	17.62	July 27	16.48	Apr. 25	15.20	Jan. 28	17.65
Nov. 26	17.63	Aug. 23	16.55	May 23	14.95	Feb. 25	17.30
Dec. 24	17.89	Sept. 28	17.24	June 27	15.55	Mar. 25	16.25
1956		Oct. 26	16.88	July 25	15.56	Apr. 22	15.85
Jan. 27	18.24	Nov. 23	16.28	Aug. 22	16.34	May 27	15.52
Feb. 25	17.60	Dec. 28	15.78	Sept. 26	17.14	June 24	15.75
Mar. 24	17.40	1958		Oct. 24	16.65	July 22	16.25
Apr. 28	17.52	Jan. 25	15.85	Nov. 28	15.98	Aug. 26	15.94
May 26	15.88	Feb. 22	16.15	Dec. 26	16.18	Sept. 23	15.50
June 23	16.25	Mar. 22	15.79	1960		Oct. 28	15.52
July 28	16.92	Apr. 26	16.20	Jan. 23	15.88	Nov. 25	15.45
Aug. 25	17.35	May 24	16.65	Feb. 27	15.27	Dec. 23	15.70
Sept. 22	17.80	June 28	15.40	Mar. 26	15.65	1962	

Sk 11--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 27	15.57	Apr. 28	15.10	July 28	16.65	Oct. 27	17.95
Feb. 24	15.80	May 26	15.58	Aug. 25	17.24	Nov. 24	18.00
Mar. 24	14.95	June 23	15.70	Sept. 22	17.70	Dec. 22	18.04

Steuben County

Sb 1. State of Indiana. Pokagon State Park. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 38 N., R. 13 E. Driven unused artesian well in gravel, diam 1 $\frac{1}{4}$ in, depth 14 ft. Lsd, about 1,004 ft above msl. MP, top of pipe, 2.00 ft above lsd. Highest water level 1.01 above lsd, Apr. 1, 1950; lowest 5.77 below lsd, Jan. 16, 1954. Records available: 1935-62.

1955		1957		1959		1961	
Jan. 15	0.06	Jan. 24	3.76	Jan. 28	1.40	Jan. 25	3.42
Feb. 26	.08	Feb. 27	1.78	Feb. 4	1.38	Feb. 22	1.20
Mar. 26	.11	Mar. 27	1.86	Mar. 25	.27	Mar. 22	+.64
Apr. 25	.02	Apr. 24	.75	Apr. 22	.04	Apr. 26	+.73
May 23	2.10	May 28	.35	May 27	.48	May 24	+.66
June 23	1.57	June 26	1.70	June 24	2.00	June 28	.34
July 27	2.48	July 23	1.96	July 22	3.01	July 26	1.12
Aug. 24	2.07	Aug. 22	3.57	Aug. 5	3.35	Aug. 23	1.79
Sept. 25	3.63	Sept. 27	4.33	Sept. 16	4.71	Sept. 27	2.32
Oct. 27	2.73	Oct. 28	3.87	Oct. 28	4.15	Oct. 25	2.53
Nov. 23	1.64	Nov. 20	2.46	Nov. 18	2.25	Nov. 22	1.46
Dec. 21	1.83	Dec. 30	1.03	Dec. 30	1.59	Dec. 27	1.33
1956		1958		1960		1962	
Jan. 25	2.34	Jan. 17	1.43	Jan. 28	.71	Jan. 24	1.38
Feb. 22	1.90	Feb. 26	1.18	Feb. 24	.58	Feb. 28	1.07
Mar. 28	.58	Mar. 26	1.02	Mar. 30	.23	Mar. 28	+.98
Apr. 25	.80	Apr. 24	.70	Apr. 20	+.07	Apr. 25	+.19
May 23	+.41	May 21	1.92	May 11	.15	May 23	.48
June 27	.89	June 25	2.11	June 22	.87	June 27	1.33
July 25	1.92	July 24	1.78	July 27	1.44	July 25	2.02
Aug. 23	2.33	Aug. 26	2.36	Aug. 26	2.85	Aug. 22	3.00
Sept. 26	3.68	Sept. 24	1.44	Sept. 14	2.75	Sept. 26	3.80
Oct. 24	4.14	Oct. 22	2.19	Oct. 26	3.08	Oct. 24	4.00
Nov. 28	4.09	Nov. 26	1.11	Nov. 23	2.44	Nov. 28	4.02
Dec. 26	3.46	Dec. 28	1.50	Dec. 28	2.89	Dec. 26	4.10

Sb 2. State of Indiana. Pokagon State Park. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 38 N., R. 13 E. Driven unused artesian well in gravel, diam 1 $\frac{1}{4}$ in, depth 20 ft. Lsd, about 1,016 ft above msl. MP, top of pipe, 2.80 ft above lsd. Highest water level 2.70 above lsd, Sept. 18, 1954; lowest 7.66 below lsd, Jan. 16, 1954. Records available: 1935-58. Discontinued.

1955		Aug. 24	4.85	Mar. 28	1.21	Nov. 28	6.65
Jan. 15	0.84	Sept. 25	5.60	Apr. 25	1.75	Dec. 26	6.46
Feb. 26	1.26	Oct. 27	5.52	May 23	.45	1957	
Mar. 26	1.09	Nov. 23	4.53	June 27	3.44	Jan. 24	6.52
Apr. 25	1.14	Dec. 21	4.12	July 25	4.85	Feb. 27	5.08
May 23	3.03	1956		Aug. 23	5.45	Mar. 27	4.40
June 27	4.32	Jan. 25	4.56	Sept. 26	6.46	Apr. 24	2.02
July 27	5.08	Feb. 22	4.18	Oct. 24	6.69	May 28	2.20

Sb 2--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
June 26	3.65	Sept. 27	6.36	Nov. 20	4.85	1958	
July 23	4.12	Oct. 28	5.66	Dec. 30	2.92	Jan. 17	3.28
Aug. 22	4.76						

Sb 3. State of Indiana. Pokagon State Park. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 33, T. 38 N., R. 13 E. Driven unused artesian well in gravel, diam 8 in, depth 14 ft. Lsd, about 1,004 ft above msl. MP, top of casing, 3.92 ft above lsd. Highest water level 1.06 above lsd, May 13, 1956; lowest 5.19 below lsd, Dec. 17-19, 1962. Records available: 1955-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

1955		Apr. 25	0.66	Mar. 25	0.36	Feb. 25	2.00
June 25	1.74	May 25	.75	Apr. 25	.21	Mar. 25	.54
July 25	2.36	June 29	1.14	May 25	.46	Apr. 25	+.66
Aug. 25	2.05	July 25	2.21	June 25	1.95	May 25	.47
Sept. 22	3.56	Aug. 22	h3.44	July 25	3.11	June 25	1.29
Oct. 25	2.77	Sept. 24	4.46	Aug. 20	3.98	July 26	h2.25
Nov. 25	1.61	Oct. 25	4.06	Sept. 22	4.94	Aug. 25	2.94
Dec. 25	1.84	Nov. 27	2.52	Oct. 25	4.30	Sept. 24	3.51
1956		Dec. 30	h1.13	Nov. 25	2.24	Oct. 25	3.63
Jan. 26	2.41	1958		Dec. 25	1.98	Nov. 22	h2.59
Feb. 24	1.96	Jan. 24	1.60	1960		Dec. 25	2.45
Mar. 25	.67	Feb. 25	1.35	Jan. 25	.80	1962	
Apr. 26	.80	Mar. 25	1.11	Feb. 25	.64	Jan. 25	2.55
May 25	+.23	Apr. 25	1.16	Mar. 23	1.09	Feb. 22	2.48
June 25	.98	May 25	1.88	Apr. 25	.20	Mar. 25	.06
July 25	1.97	June 25	2.19	May 25	.21	Apr. 25	.91
Aug. 25	2.63	July 25	1.95	June 21	4.03	May 25	1.70
Sept. 25	3.63	Aug. 28	2.56	July 25	1.66	June 25	2.32
Oct. 25	4.18	Sept. 25	1.58	Aug. 27	2.59	July 25	3.10
Nov. 24	4.24	Oct. 25	2.29	Sept. 26	2.86	Aug. 25	4.37
Dec. 25	3.59	Nov. 25	1.21	Oct. 27	3.22	Sept. 25	4.93
1957		Dec. 25	1.95	Nov. 25	2.72	Oct. 25	5.07
Jan. 25	2.76	1959		Dec. 28	h3.01	Nov. 7	h5.07
Feb. 25	2.26	Jan. 28	h1.30	1961		Dec. 25	5.15
Mar. 25	1.78	Feb. 25	.19	Jan. 25	3.21		

Sullivan County

Su 1. Norman Koenig. Carlisle. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 19, T. 6 N., R. 8 W. Dug unused stock well, diam 36 in, depth 23 ft, cribbed with brick. Lsd, about 531 ft above msl. MP, edge of brick on north side, 0.00 ft lsd. Highest water level 0.46 below lsd, Jan. 7, 1951; lowest 15.58 below lsd, Dec. 26, 1954. Records available: 1944-55. Discontinued.

1955		Feb. 27	7.28	Apr. 24	3.15	June 26	7.77
Jan. 23	8.22	Mar. 27	3.45	May 21	7.68	July 10	8.67

Su 2. Arthur Ready. Carlisle. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 24, T. 6 N., R. 8 W. Drilled unused artesian well in sandstone, diam 7 in, depth 174 ft. Lsd, 518.3 ft above msl. MP, top of casing, 1.46 ft above lsd. Highest water level 4.98 below lsd, May 8, 9, 1961; lowest 18.63 below lsd, Sept. 25, 1956. Records available: 1955-62.

(2 a.m. water levels from recorder graph, 1955; daily highest, 1956-62)

Date	Water Level						
1955		May 22	9.25	Apr. 25	8.08	Mar. 25	7.65
July 25	14.19	June 26	9.36	May 25	8.12	Apr. 25	7.42
Aug. 25	16.06	July 25	10.39	June 25	9.38	May 25	8.05
Sept. 25	17.50	Aug. 25	12.43	July 25	11.70	June 25	9.20
Oct. 25	17.27	Sept. 25	13.60	Aug. 25	11.39	July 25	10.85
Nov. 25	15.87	Oct. 25	14.11	Sept. 25	12.70	Aug. 25	11.27
Dec. 25	14.78	Nov. 25	9.98	Oct. 26	11.25	Sept. 25	12.85
		Dec. 25	6.27	Nov. 25	9.36	Oct. 25	13.86
1956				Dec. 27	e7.09	Nov. 26	e12.54
Jan. 25	15.43	1958				Dec. 14	h11.03
Feb. 26	10.76	Jan. 25	6.63	1960			
Mar. 25	10.32	Feb. 25	8.63	Jan. 25	7.34	1962	
Apr. 25	11.13	Mar. 25	6.76	Feb. 29	e7.60	Jan. 25	7.77
May 21	11.52	Apr. 25	8.64	Mar. 27	e7.17	Feb. 25	6.30
June 25	11.79	May 26	8.92	Apr. 24	8.39	Mar. 25	6.22
July 25	12.73	June 25	8.47	May 24	8.72	Apr. 25	7.76
Aug. 25	14.77	July 23	6.69	June 25	8.88	May 24	8.90
Sept. 25	17.52	Aug. 25	8.86	July 25	10.73	June 28	h11.53
Oct. 25	17.11	Sept. 25	10.38	Aug. 24	13.56	July 25	11.48
Nov. 25	16.92	Oct. 25	11.47	Sept. 26	15.37	Aug. 25	12.93
Dec. 25	13.97	Nov. 23	10.14	Oct. 25	15.47	Sept. 25	13.69
1957		Dec. 28	9.05	Nov. 27	15.12	Oct. 25	14.33
Jan. 22	13.43	1959		Dec. 25	h14.58	Nov. 25	14.34
Feb. 25	10.74	Jan. 20	7.83	1961		Dec. 25	14.40
Mar. 25	10.22	Feb. 25	6.62	Jan. 24	14.71		
Apr. 25	8.12	Mar. 24	7.37	Feb. 26	12.67		

Su 3. Town of Carlisle. Carlisle. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 12, T. 6 N., R. 10 W. Drilled unused water-table well in glaciofluvial sand and gravel, diam 6 in, depth 58.0 ft. Lsd, 426.3 ft above msl. MP, top of casing, 4.04 ft above lsd. Highest water level 0.02 below lsd, May 9, 1961; lowest 7.63 below lsd, Dec. 6, 1956. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956		July 25	4.74	Oct. 25	6.38	Feb. 25	5.51
May 31	4.48	Aug. 25	6.34	1959		Mar. 25	4.97
June 29	5.55	Sept. 25	6.79	Jan. 25	4.53	Apr. 25	5.65
July 27	6.31	Oct. 25	6.96	Feb. 25	4.74	May 25	5.52
Aug. 25	6.96	Nov. 25	5.78	Mar. 25	5.17	June 25	4.77
Sept. 25	7.21	Dec. 25	1.71	Apr. 25	5.37	July 25	5.99
Oct. 25	7.32	1958		May 26	5.54	Aug. 25	6.47
Nov. 21	7.42	Jan. 25	3.87	June 24	6.09	Sept. 25	6.73
Dec. 25	7.00	Feb. 25	5.92	July 25	6.59	Oct. 25	6.83
1957		Mar. 26	5.86	Aug. 25	6.81	Nov. 25	7.04
Jan. 25	6.26	Apr. 25	6.01	Sept. 25	7.09	Dec. 25	7.18
Feb. 25	6.23	May 25	6.10	Oct. 25	7.04	1961	
Mar. 25	5.73	June 24	5.22	Nov. 25	6.10	Jan. 25	7.31
Apr. 25	4.29	July 25	3.84	Dec. 25	5.55	Feb. 25	7.25
May 25	1.14	Aug. 25	5.15	1960		Mar. 25	6.07
June 25	4.12	Sept. 25	5.94	Jan. 25	5.50	Apr. 25	6.03

Su 3--Continued

	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
May 25	4.82	Nov. 25	6.51	Apr. 25	4.93	Oct. 25	6.63
June 25	4.86	Dec. 25	6.05	May 25	4.35	Nov. 25	6.72
July 25	5.49	1962		June 25	4.85	Dec. 25	6.91
Aug. 25	5.99	Jan. 25	5.31	July 25	4.97		
Sept. 25	6.49	Feb. 25	4.62	Aug. 25	6.34		
Oct. 25	6.63	Mar. 25	4.47	Sept. 25	6.48		

Su 4. Lawrence Huff. Graysville. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 34, T. 8 N., R. 10 W. Drilled unused artesian well in sandstone, diam 8 in, depth 167 ft. Lsd, 500.1 ft above msl. MP, top of platform, 2.00 ft above lsd. Highest water level 27.19 below lsd, Mar. 6, 1959; lowest 32.34 below lsd, July 10, 1957. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Nov. 25	27.53	Mar. 25	28.09	Aug. 25	29.26
July 25	30.84	Dec. 25	27.59	Apr. 25	27.90	Sept. 25	29.57
Aug. 22	31.06	1959		May 25	27.77	Oct. 25	29.59
Sept. 25	30.89	Jan. 25	27.52	June 25	27.83	Nov. 25	29.25
Oct. 25	30.58	Feb. 25	27.45	July 25	27.92	Dec. 18	28.83
Nov. 25	30.03	Mar. 25	27.41	Aug. 25	28.21	1962	
Dec. 25	29.43	Apr. 25	27.25	Sept. 25	28.60	Jan. 25	28.69
1958		May 25	27.46	Oct. 27	e28.83	Feb. 25	28.50
Jan. 25	29.01	June 25	27.45	Nov. 25	28.90	Mar. 25	28.33
Feb. 25	28.96	July 25	27.77	Dec. 25	28.88	Apr. 5	28.32
Mar. 25	28.62	Aug. 27	e28.03	1961		May 31	h28.00
Apr. 25	28.38	Sept. 25	28.22	Jan. 19	28.91	June 25	27.98
May 25	28.01	Oct. 28	28.13	Feb. 25	28.86	July 25	28.07
June 25	27.68	Nov. 25	27.84	Mar. 19	28.87	Aug. 25	28.31
July 13	27.60	Dec. 25	27.94	Apr. 25	28.72	Sept. 25	28.34
Aug. 25	27.58	1960		May 25	28.79	Oct. 25	28.44
Sept. 25	27.80	Jan. 4	27.85	June 25	28.85	Nov. 25	28.37
Oct. 25	27.77	Feb. 22	27.86	July 25	29.11	Dec. 13	h28.42

Switzerland County

Sw 1. Walker Estate. Quercus Grove. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 2 N., R. 1 W. Dug used domestic water-table well in sandy clay, diam 48 in, depth 24 ft. Lsd, about 870 ft above msl. MP, top of 3-in concrete curb on north side, 1.00 ft above lsd. Highest water level 1.60 below lsd, June 23, 1960; lowest 21.90 below lsd, Dec. 2, 15, 1944. Records available: 1944-62.

1955		Dec. 24	16.00	Nov. 24	17.90	Oct. 27	17.30
Jan. 22	11.90	1956		Dec. 21	17.20	Nov. 23	7.70
Feb. 25	5.80	Jan. 28	17.60	1957		Dec. 28	4.80
Mar. 26	4.70	Feb. 25	4.90	Jan. 12	14.80	1958	
Apr. 27	12.35	Mar. 24	6.80	Feb. 22	11.90	Jan. 23	8.70
May 26	13.50	Apr. 28	14.40	Mar. 23	12.10	Feb. 27	15.90
June 25	13.20	May 25	16.70	Apr. 26	10.10	Mar. 27	7.10
July 22	16.40	June 24	15.60	May 24	11.80	Apr. 19	10.40
Aug. 27	17.50	July 27	16.80	June 22	16.00	May 24	11.50
Sept. 24	18.00	Aug. 31	17.70	July 26	15.65	June 25	15.60
Oct. 28	14.60	Sept. 22	16.10	Aug. 23	17.20	July 28	7.00
Nov. 26	11.70	Oct. 26	17.50	Sept. 27	17.40	Aug. 23	15.70

Sw 1--Continued

Date	Water Level						
Sept. 27	14.10	Oct. 24	17.70	Nov. 25	18.00	Dec. 22	11.10
Oct. 25	16.70	Nov. 28	16.10	Dec. 26	18.10	1962	
Nov. 21	17.30	Dec. 26	12.30	1961		Jan. 26	7.30
Dec. 27	15.80	1960		Jan. 27	17.70	Feb. 26	3.10
1959		Jan. 23	7.80	Feb. 24	10.70	Mar. 25	5.20
Jan. 26	6.80	Feb. 25	10.70	Mar. 24	3.90	Apr. 28	14.70
Feb. 27	7.10	Mar. 26	11.00	Apr. 22	7.30	May 28	15.70
Mar. 27	9.60	Apr. 24	14.90	May 19	8.70	June 23	16.60
Apr. 24	15.40	May 27	15.50	June 25	13.70	July 23	10.00
May 23	15.10	June 25	3.00	July 22	13.20	Aug. 25	17.30
June 22	17.10	July 22	15.20	Aug. 26	16.60	Sept. 22	15.70
July 24	17.30	Aug. 26	17.50	Sept. 23	16.60	Oct. 27	16.70
Aug. 28	17.00	Sept. 24	18.10	Oct. 28	18.40	Nov. 28	15.80
Sept. 26	17.80	Oct. 20	18.10	Nov. 26	18.60	Dec. 26	17.10

Tippecanoe County

Tc 4. City of Lafayette. Lafayette Water Dept. Canal and Tippecanoe Sts., Lafayette. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 17, T. 23 N., R. 4 W. Drilled unused well, diam 12 in, depth 116 ft. Lsd, about 525 ft above msl. MP, top of casing, 15.00 ft above lsd. Highest water level 8.2 above lsd, Jan. 6, 7, 1950; lowest 38.8 below lsd, Apr. 28, 1958. Records available: 1944-62.

(daily highest water levels from recorder graph, Oct. 2, 1957-Dec. 31, 1962)

1955		Oct. 26	20.12	July 24	15.8	June 25	12.6
Jan. 26	16.78	Nov. 23	22.14	Aug. 25	25.4	July 25	14.4
Feb. 16	15.54	Dec. 28	16.32	Sept. 25	27.8	Aug. 25	13.8
Mar. 23	12.44	1957		Oct. 25	32.6	Sept. 25	17.6
Apr. 25	15.47	Jan. 25	16.97	Nov. 25	30.4	Oct. 25	14.2
May 23	17.59	Feb. 22	17.32	Dec. 25	28.6	Nov. 25	11.2
June 27	18.07	Mar. 22	18.69	1959		Dec. 25	13.4
July 25	20.94	Apr. 26	7.79	Jan. 25	14.0	1962	
Aug. 22	24.47	May 24	11.61	Feb. 25	16.2	Jan. 25	8.0
Sept. 26	20.82	June 28	17.62	Mar. 30	28.8	Feb. 25	10.4
Oct. 24	17.62	July 26	13.89	Apr. 25	8.4	Mar. 25	.0
Nov. 27	16.59	Aug. 23	23.33	May 25	9.8	Apr. 25	12.0
Dec. 23	14.96	Sept. 27	19.06	1960		May 25	14.0
1956		Oct. 25	h30.53	Sept. 25	15.6	June 25	14.6
Jan. 27	20.94	Nov. 25	27.9	Oct. 25	15.8	July 25	12.4
Feb. 24	10.66	Dec. 25	19.2	Nov. 25	15.0	Aug. 25	17.8
Mar. 23	16.77	1958		Dec. 25	15.4	Sept. 25	16.4
Apr. 27	18.03	Jan. 25	26.8	1961		Oct. 25	15.6
May 25	17.96	Feb. 25	30.0	Jan. 25	15.4	Nov. 25	15.4
June 23	21.10	Mar. 28	h29.95	Feb. 25	14.0	Dec. 25	15.6
July 27	22.48	Apr. 25	31.2	Mar. 25	2.4		
Aug. 17	22.52	May 25	33.6	Apr. 25	+1.4		
Sept. 28	21.11	June 25	12.8	May 25	15.4		

Tc 5. National Homes Corp. Earl Ave. and Kossuth Sts., Lafayette. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 23 N., R. 4 W. Drilled unused well, diam 8 in, depth 126 ft. Lsd, about 671 ft above msl. MP, top of casing, 2.00 ft above lsd. Highest water level 87.70 below lsd, Jan. 15, 1951; lowest 90.5 below lsd, May 24, 1957. Records available: 1944-57. Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Aug. 22	89.0	Mar. 26	89.8	Feb. 22	90.2
Jan. 24	89.2	Sept. 26	88.7	Apr. 23	88.9	Mar. 22	90.0
Feb. 28	89.1	Oct. 24	89.0	May 28	89.6	Apr. 26	90.2
Mar. 28	89.0	Nov. 28	89.0	June 25	89.8	May 24	90.5
Apr. 25	89.1	Dec. 26	89.8	July 23	89.8	June 28	90.0
May 23	89.0	1956		Dec. 27	90.27	July 26	90.3
June 27	89.2	Jan. 23	89.8	1957		Aug. 23	90.2
July 25	89.0	Feb. 27	89.7	Jan. 25	90.0	Sept. 27	90.1

Tc 7. State of Indiana. Purdue University Research Housing Project. West Lafayette. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 13, T. 23 N., R. 5 W. Drilled unused water-table well in sand and gravel, diam 8 in, depth 206 ft. Lsd, about 679 ft above msl. MP, 1-in hole in platform, 1.55 ft above lsd. Highest water level 159.57 below lsd, May 5, 14, 1950; lowest 168.31 below lsd, Nov. 8, 1956. Records available: 1945-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)							
		Dec. 25	167.77	Nov. 25	164.38	Mar. 25	166.91
1955				Dec. 23	164.57	Apr. 25	165.90
Jan. 26	166.94	1957		1959		May 25	165.42
Feb. 25	166.85	Jan. 25	167.59	Jan. 25	164.43	June 25	165.38
Mar. 25	166.59	Feb. 25	167.43	Feb. 25	163.73	July 25	166.00
Apr. 25	166.45	Mar. 25	167.45	Mar. 25	163.39	Aug. 25	165.94
May 25	166.98	Apr. 25	167.28	Apr. 25	163.67	Sept. 25	166.08
June 25	166.80	May 25	166.84	May 25	163.94	Oct. 25	166.32
July 24	167.00	June 25	166.46	June 25	164.14	Nov. 25	166.56
Aug. 25	167.45	July 25	166.38	July 25	165.53	Dec. 24	166.76
Sept. 25	167.42	Aug. 25	165.75	Aug. 25	166.05	1962	
Oct. 25	167.30	Sept. 25	165.92	Sept. 25	166.27	Jan. 25	166.41
Nov. 25	167.07	Oct. 25	166.39	Oct. 12	166.50	Feb. 25	165.78
Dec. 25	166.76	Nov. 25	166.21	1960		Mar. 25	165.47
	1956						
Jan. 25	166.45	1958		Mar. 25	166.24	Apr. 25	165.18
Feb. 25	166.16	Jan. 25	164.85	Apr. 25	166.77	May 25	166.11
Mar. 25	166.32	Feb. 25	164.77	May 3	166.93	June 25	166.28
Apr. 25	166.25	Mar. 25	164.89	Aug. 25	166.48	July 25	166.16
May 25	166.52	Apr. 25	165.50	Sept. 25	167.28	Aug. 25	166.52
June 25	166.52	May 24	165.77	Oct. 25	167.01	Sept. 25	166.52
July 25	166.84	June 25	165.31	Nov. 25	167.11	Oct. 25	166.90
Aug. 24	167.25	July 25	164.83	Dec. 25	166.99	Nov. 25	167.42
Sept. 25	167.50	Aug. 25	164.19	1961		Dec. 25	167.51
Oct. 25	168.11	Sept. 25	164.16	Jan. 24	166.81		
Nov. 25	167.57	Oct. 25	164.45	Feb. 25	166.88		

Tc 9. Aluminum Co. of America. Lafayette. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 34, T. 23 N., R. 4 W. Drilled unused well, diam 16 in, depth 160 ft. Lsd, about 662 ft above msl. MP, 1-in hole in top of platform, 1.70 ft above lsd. Highest water level 69.05 below lsd, Jan. 2, 1948; lowest 82.73 below lsd, Apr. 4, 1956. Records available: 1946-62.

Tc 9--Continued

(daily lowest water levels from recorder graph, Jan. 1, 1955-Oct. 2, 1957)

Date	Water Level						
1955		Dec. 25	75.33	Jan. 25	73.35	Jan. 22	74.3
Jan. 25	75.83	1957		Feb. 22	73.50	Feb. 26	74.71
Feb. 22	76.33	Jan. 25	77.78	Mar. 22	75.20	Mar. 26	74.73
Mar. 28	74.93	Feb. 25	75.53	Apr. 26	73.02	Apr. 23	74.74
Apr. 25	76.18	Mar. 25	76.83	May 24	74.4	May 28	73.5
May 23	75.78	Apr. 25	74.13	June 28	73.82	June 25	72.9
June 25	78.38	May 25	77.38	July 26	73.00	July 23	73.9
July 25	76.38	June 25	80.08	Sept. 27	73.32	Aug. 27	73.45
Aug. 23	76.83	July 25	78.38	Oct. 25	72.96	Sept. 24	73.9
Sept. 25	77.38	Aug. 25	79.18	Nov. 22	73.9	Oct. 22	74.4
Oct. 25	75.48	Sept. 25	77.53	Dec. 27	74.2	Nov. 26	73.6
Nov. 26	74.28	1958		1960		Dec. 24	73.5
Dec. 25	74.28	Jan. 26	74.90	Jan. 24	74.9	1962	
1956		Feb. 23	74.75	Feb. 28	75.6	Jan. 28	74.5
Jan. 25	75.48	Mar. 23	74.35	Mar. 27	75.1	Feb. 25	74.2
Feb. 25	74.33	Apr. 27	76.01	Apr. 24	74.1	Mar. 25	74.2
Mar. 25	73.78	May 25	76.12	May 22	73.0	Apr. 22	73.9
Apr. 25	76.03	June 22	75.23	June 26	73.3	May 27	74.47
May 24	76.58	July 27	74.45	July 24	73.61	June 24	78.7
June 25	77.18	Aug. 24	74.60	Aug. 28	75.45	July 22	75.33
July 25	78.48	Sept. 28	75.15	Sept. 25	74.5	Aug. 26	73.8
Aug. 25	76.88	Oct. 26	74.40	Oct. 23	72.8	Sept. 23	74.0
Sept. 25	76.03	Nov. 23	74.83	Nov. 27	73.1	Oct. 28	75.0
Oct. 25	77.53	Dec. 28	73.02	Dec. 25	73.0	Nov. 25	75.2
Nov. 25	73.88	1959		1961		Dec. 23	74.4

Tc 11. Purdue University. West Lafayette. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 19, T. 23 N., R. 4 W. Drilled unused well in sand and gravel, diam 6 in, depth 216 ft. Lsd, about 623 ft above msl. MP, top of shelter house base, 2.00 ft above lsd. Highest water level 91.20 below lsd, May 4, 5, 1950; lowest 102.65 below lsd, Oct. 17-19, 21, 1954. Records available: 1948-55. Discontinued.

(2 a.m. water levels from recorder graph)

1955	Jan. 25	99.77	Feb. 9	99.60
------	---------	-------	--------	-------

Tc 12. Curwen Leaming. Romney. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 20, T. 21 N., R. 4 W. Dug unused well, diam 30 in, depth 28 ft, cribbed with brick. Lsd, about 737 ft above msl. MP, east edge of concrete ring, 0.20 ft above lsd. Highest water level 13.37 below lsd, Apr. 8, 1950; lowest 21.78 below lsd, Dec. 20, 27, 1954. Records available: 1949-61. Discontinued.

1955	Dec. 26	20.80	Nov. 26	21.29	Oct. 28	19.08
Jan. 24	21.41	1956		Dec. 24	21.39	Nov. 25
Feb. 28	21.28	Jan. 23	20.97	1957		Dec. 23
Mar. 14	20.87	Feb. 27	20.82	Jan. 28	21.41	1958
Apr. 25	20.32	Mar. 26	20.57	Feb. 25	21.25	Jan. 27
May 23	20.04	Apr. 23	20.57	Mar. 18	20.86	Feb. 24
June 27	19.59	May 28	20.64	Apr. 22	19.30	Mar. 24
July 25	19.81	June 25	20.23	May 27	17.15	Apr. 28
Aug. 22	20.13	July 23	20.49	June 24	17.05	May 26
Sept. 26	20.59	Aug. 27	20.68	July 22	16.97	June 23
Oct. 24	20.81	Sept. 24	20.90	Aug. 26	17.74	July 28
Nov. 28	20.76	Oct. 22	21.12	Sept. 23	18.48	Aug. 25

Tc 12--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Sept. 22	16.93	July 27	18.91	Apr. 25	19.46	Feb. 27	21.05
Oct. 27	18.22	Aug. 24	19.56	May 23	19.40	Mar. 20	20.05
Nov. 17 1959	18.68	Sept. 28	20.12	June 27	19.25	Apr. 24	18.93
		Oct. 26	20.34	July 25	19.29	May 22	17.03
Jan. 19	19.04	Nov. 23	20.45	Aug. 22	19.40	June 19	17.58
Feb. 23	18.18	Dec. 28	20.59	Sept. 26	19.92	July 24	18.34
Mar. 30	17.57	1960		Oct. 24	20.37	Aug. 28	19.00
Apr. 27	17.10	Jan. 25	20.58	1961		Sept. 25	19.58
May 25	17.46	Feb. 22	20.08				
June 22	18.12	Mar. 28	19.84	Jan. 23	20.01		

Tc 15. Harold Freed, West Point, SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 14, T. 22 N., R. 6 W. Drilled unused water well, diam 6 in, depth 260 ft. Lsd, 602.07 ft above msl. MP, top of casing, 1.90 ft above lsd. Highest water level 17.70 below lsd, May 25, June 8, 1961; lowest 21.18h below lsd, Feb. 20, 1961. Records available: 1960-62.

(daily highest water levels from recorder graph)

1960		Oct. 25	20.25	July 25	18.30	Apr. 25	18.15
Jan. 25	e19.8	Nov. 22	h20.57	Aug. 25	18.70	May 25	18.45
Feb. 25	19.0	Dec. 28	h21.09	Sept. 25	18.95	June 25	18.75
Mar. 25	19.2	1961		Oct. 25	19.35	July 25	h18.63
Apr. 25	18.8	Jan. 24	h20.99	Nov. 25	19.85	Aug. 25	19.00
May 25	18.9	Feb. 20	h21.18	Dec. 25	20.10	Sept. 25	19.25
June 25	18.6	Mar. 14	h20.87	1962		Oct. 25	19.70
July 25	17.9	Apr. 25	19.20	Jan. 25	20.00	Nov. 25	20.25
Aug. 25	18.1	May 25	17.17	Feb. 25	18.90	Dec. 29	20.50
Sept. 25	18.4	June 25	18.05	Mar. 25	18.30		

Tipton County

Tt 1. Harold F. and Elma O. McClellan, Tipton, SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 22 N., R. 4 E. Dug unused well, diam 42 in, depth 18 ft, cribbed with brick, Lsd, about 885 ft above msl. MP, top course of brick on west side, 1.00 ft above lsd. Highest water level 0.60 above lsd, June 10, 1946; lowest 8.62 below lsd, Nov. 27, Dec. 3, 1954. Records available: 1945-62.

1955		Mar. 24	2.49	June 22	3.03	Sept. 27	4.14
Jan. 22	3.06	Apr. 28	3.10	July 27	2.85	Oct. 25	4.48
Feb. 25	2.86	May 25	2.66	Aug. 24	3.76	Nov. 22	3.02
Mar. 27	2.87	June 24	3.27	Sept. 27	3.16	Dec. 27	3.12
Apr. 23	3.09	July 28	3.20	Oct. 26	1.17	1959	
May 28	3.54	Aug. 24	4.22	Nov. 23	2.61	Jan. 24	2.35
June 25	4.23	Sept. 22	5.29	Dec. 28	1.87	Feb. 27	2.54
July 23	3.21	Oct. 27	6.01	1958		Mar. 28	2.78
Aug. 27	4.14	Nov. 24	6.61	Jan. 24	3.16	Apr. 25	2.90
Sept. 24	4.80	Dec. 22	2.46	Feb. 22	3.36	May 23	3.19
Oct. 22	3.32	1957		Mar. 22	3.14	June 27	2.71
Nov. 26	2.41	Jan. 26	2.24	Apr. 26	3.17	July 25	4.04
Dec. 24	3.23	Feb. 24	2.88	May 24	3.19	Aug. 22	5.51
1956		Mar. 23	3.05	June 27	2.60	Sept. 26	6.62
Jan. 28	3.18	Apr. 27	.74	July 26	3.17	Oct. 24	3.23
Feb. 25	1.21	May 25	2.08	Aug. 23	3.39	Nov. 21	2.88

Tt 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Dec. 26 1960	3.05	Sept. 24	5.02	June 24	3.62	Mar. 24	1.63
		Oct. 22	5.32	July 22	3.84	Apr. 28	3.36
Jan. 23	2.89	Nov. 26	5.73	Aug. 26	4.68	May 26	3.54
Feb. 27	3.09	Dec. 24	6.05	Sept. 23	5.88	June 23	3.21
Mar. 26	3.19	1961		Oct. 28	6.02	July 28	3.20
Apr. 23	3.16	Jan. 28	4.54	Nov. 25	3.08	Aug. 25	4.15
May 28	3.36	Feb. 25	2.64	Dec. 22	3.30	Sept. 22	4.38
June 25	2.79	Mar. 25	2.12	1962		Oct. 27	3.09
July 23	3.08	Apr. 22	1.65	Jan. 27	.31	Nov. 24	3.16
<u>Aug.</u> 27	4.02	May 27	3.21	Feb. 24	3.01	Dec. 22	3.26

Union County

Un 3. Joseph Connell. Liberty. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 11 N., R. 2 W. Dug unused well, diam 60 in, depth 17 ft, cribbed with stone. Lsd, about 990 ft above msl. MP, inside edge of bell of tile, 0.00 ft lsd. Highest water level 3.86 below lsd, May 27, 1947; lowest dry, Nov. 23-Dec. 28, 1952, Oct. 11-Dec. 27, 1953, Sept. 12-Dec. 26, 1954. Records available: 1946-61.
Discontinued.

1955		Sept. 23	12.92	May 25	5.75	Jan. 24	12.03
Jan. 23	(f)	Oct. 28	14.05	June 22	5.67	Feb. 28	8.04
Feb. 27	(f)	Nov. 25	14.25	July 27	5.51	Apr. 24	6.05
Mar. 20	12.40	Dec. 23	14.18	Aug. 24	7.19	May 22	6.72
Apr. 24	6.76	1957		Sept. 28	8.85	June 26	7.42
May 22	7.15	Jan. 27	13.41	Oct. 26	9.71	July 24	7.65
June 26	8.80	Feb. 10	12.19	Nov. 23	9.94	Aug. 28	9.32
July 24	10.20	Mar. 24	7.43	Dec. 28	9.56	Sept. 25	10.69
Aug. 28	12.67	Apr. 28	5.28	1959		Oct. 30	11.85
Sept. 25	13.90	May 26	5.00	Jan. 25	5.76	Nov. 27	12.18
Oct. 23	14.25	June 23	7.13	Feb. 22	5.28	Dec. 11	12.24
Nov. 27	12.56	July 28	9.44	Mar. 22	5.24	1961	
Dec. 25	10.81	Aug. 25	11.93	Apr. 26	5.89	Jan. 22	12.33
	1956	Sept. 22	13.28	May 24	5.98	Feb. 12	12.26
Jan. 15	10.48	Oct. 27	14.21	June 28	8.41	Mar. 26	4.90
Feb. 26	5.00	Nov. 24	14.43	July 26	10.58	Apr. 23	4.76
Mar. 25	5.16	Dec. 22	13.91	Aug. 23	11.69	May 28	5.79
Apr. 22	5.54	1958		Sept. 27	12.75	June 25	7.12
May 27	5.97	Jan. 26	7.77	Oct. 25	13.44	July 23	8.85
June 24	7.44	Feb. 16	6.56	Nov. 22	13.70	Aug. 27	10.62
July 22	8.89	Mar. 30	5.86	Dec. 27	13.40	Sept. 24	11.81
Aug. 26	11.20	Apr. 27	5.44	1960			

f Dry.

Un 4. Charles R. Swafford. Eaton St. and State Road 44, Liberty. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 7, T. 11 N., R. 1 W. Dug unused well, diam 36 in, depth 26 ft, cribbed with stone. Lsd, about 1,028 ft above msl. MP, inside edge of bell of tile, 0.00 ft lsd. Highest water level 19.71 below lsd, Mar. 27, 1949; lowest dry, Oct. 4, 1953-Apr. 3, 1955, Sept. 25-Oct. 9, 1955. Records available: 1949-57. Discontinued.

Un 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Oct. 23	25.18	July 22	23.76	Apr. 28	23.63
Jan. 23	(f)	Nov. 27	24.73	Aug. 26	24.35	May 26	22.86
Feb. 27	(f)	Dec. 25	24.62	Sept. 23	24.70	June 23	23.60
Mar. 27	(f)	1956		Oct. 28	25.16	July 28	23.79
Apr. 24	25.09	Jan. 22	24.81	Nov. 25	25.40	Aug. 25	24.25
May 22	25.06	Feb. 26	24.12	Dec. 23	25.33	Sept. 22	24.65
June 26	25.09	Mar. 25	23.55	1957		Oct. 27	25.28
July 24	25.02	Apr. 22	23.44	Jan. 27	25.07	Nov. 24	25.05
Aug. 28	25.40	May 27	23.69	Feb. 24	24.66	Dec. 22	24.30
Sept. 25	(f)	June 24	23.41	Mar. 24	23.36		

f Dry.

Un 5. Union County. Union County Court House Square. Liberty. SE $\frac{1}{4}$ NE $\frac{1}{4}$
sec. 12, T. 11 N., R. 2 W. Drilled unused well, diam 4 in, depth 72 ft.
Lsd, 991.326 ft above msl. MP, 1-in hole in cap on casing, 0.00 ft lsd.
Highest water level 19.30 below lsd, Mar. 5, 1950; lowest 26.81 below lsd,
Dec. 26, 1954. Records available: 1949-62.

1955		1957		1959		1961	
Jan. 23	26.50	Jan. 27	24.66	Jan. 25	22.21	Jan. 22	24.28
Feb. 27	26.25	Feb. 24	24.46	Feb. 22	21.63	Feb. 26	24.02
Mar. 27	25.63	Mar. 24	24.24	Mar. 22	21.25	Mar. 26	23.14
Apr. 24	25.41	Apr. 28	23.45	Apr. 26	21.34	Apr. 23	22.70
May 22	25.32	May 26	23.00	May 24	21.05	May 28	21.69
June 29	25.43	June 23	22.91	June 28	21.42	June 25	21.91
July 24	25.51	July 28	23.06	July 26	21.96	July 23	22.32
Aug. 28	25.85	Aug. 25	23.42	Aug. 23	22.38	Aug. 27	22.64
Sept. 25	26.07	Sept. 22	23.76	Sept. 27	22.70	Sept. 24	22.90
Oct. 23	26.04	Oct. 27	23.95	Oct. 25	22.79	Oct. 22	22.82
Nov. 27	25.47	Nov. 24	23.93	Nov. 22	23.07	Nov. 26	23.16
Dec. 25	25.20	Dec. 22	23.70	Dec. 27	23.18	Dec. 24	23.01
1956		1958		1960		1962	
Jan. 22	25.37	Jan. 26	23.25	Jan. 24	23.18	Jan. 28	22.80
Feb. 26	24.75	Feb. 23	23.32	Feb. 28	22.91	Feb. 18	22.65
Mar. 25	24.28	Mar. 23	23.52	Mar. 27	23.07	Mar. 25	21.61
Apr. 22	23.71	Apr. 27	23.10	Apr. 24	23.11	Apr. 22	21.50
May 27	23.65	May 25	22.22	May 22	23.26	May 27	21.67
June 24	23.36	June 22	21.89	June 26	23.09	June 24	22.03
July 22	23.58	July 27	21.07	July 24	22.95	July 22	22.11
Aug. 26	24.05	Aug. 24	20.97	Aug. 28	23.32	Aug. 26	22.42
Sept. 23	24.28	Sept. 28	21.22	Sept. 25	23.63	Sept. 23	22.72
Oct. 28	24.63	Oct. 26	22.02	Oct. 30	23.95	Oct. 28	22.92
Nov. 25	24.82	Nov. 23	22.33	Nov. 27	24.14	Nov. 25	23.10
Dec. 23	24.76	Dec. 28	22.59	Dec. 25	24.20	Dec. 23	23.25

Vanderburgh County

Va 1. Flora Buente. Armstrong. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 8, T. 5 S., R. 11 W. Dug unused artesian well, diam 42 in, depth 20 ft, cribbed with brick. Lsd, about 445 ft above msl. MP, top of plank well cover at painted arrow, 0.77 ft above lsd. Highest water level 0.19 below lsd, Mar. 18, 1951; lowest 14.29 below lsd, Feb. 13, 1955. Records available: 1947-62.

Va 1--Continued

Date	Water Level						
1955		1957		1959		1961	
Jan. 23	14.02	Jan. 27	11.92	Jan. 25	9.71	Jan. 22	9.92
Feb. 27	14.20	Feb. 24	11.07	Feb. 22	4.97	Feb. 26	9.26
Mar. 27	13.56	Mar. 24	10.48	Mar. 23	3.70	Mar. 26	4.91
Apr. 24	11.49	Apr. 28	9.21	Apr. 26	4.82	Apr. 23	2.85
May 22	11.30	May 26	5.38	May 24	6.48	May 28	4.25
June 26	10.61	June 23	7.14	June 28	8.59	June 25	6.82
July 24	10.58	July 28	8.78	July 26	9.25	July 16	8.58
Aug. 28	10.79	Aug. 25	9.19	Aug. 23	9.25	Aug. 27	8.82
Sept. 25	10.82	Sept. 22	9.57	Sept. 27	9.35	Sept. 24	9.26
Oct. 23	10.67	Oct. 27	10.07	Oct. 18	9.53	Oct. 22	9.86
Nov. 27	11.00	Nov. 24	9.88	Nov. 22	9.48	Nov. 26	10.20
Dec. 25	11.35	Dec. 22	7.87	Dec. 27	9.31	Dec. 24	10.25
1956		1958		1960		1962	
Jan. 22	11.98	Jan. 26	6.56	Jan. 24	6.35	Jan. 28	8.91
Feb. 26	12.00	Feb. 23	4.32	Feb. 28	3.50	Feb. 25	5.29
Mar. 25	11.53	Mar. 23	4.15	Mar. 27	2.82	Mar. 25	2.94
Apr. 22	10.77	Apr. 27	4.23	Apr. 24	3.71	Apr. 22	3.68
May 27	10.48	May 25	4.57	May 22	3.48	May 27	7.34
June 24	10.90	June 22	7.58	June 26	6.97	June 24	9.02
July 22	11.15	July 27	7.68	July 31	8.46	July 22	9.65
Aug. 26	11.32	Aug. 24	7.93	Aug. 28	8.63	Aug. 26	10.16
Sept. 23	11.53	Sept. 28	8.25	Sept. 25	9.00	Sept. 23	10.30
Oct. 28	11.83	Oct. 26	8.57	Oct. 23	9.51	Oct. 28	10.52
Nov. 25	11.83	Nov. 23	9.16	Nov. 27	9.83	Nov. 25	10.45
Dec. 23	11.86	Dec. 28	9.55	Dec. 25	10.09	Dec. 23	10.50

Va 2. City of Evansville. Water Works Plant. Evansville. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 31, T. 6 S., R. 10 W. Driven unused well in sand, diam 1 $\frac{1}{2}$ in, depth 118.5 ft. Lsd, 379.8 ft above msl. MP, top of pipe, 1.40 ft above lsd. Highest water level 13.91 below lsd, July 25, 1956; lowest 18.33 below lsd, Jan. 23, 1957. Records available: 1956-57. Discontinued.

1956	Oct. 25	16.99	Jan. 23	18.33	May 20	16.41
July 25	13.91	Nov. 21	17.64	Feb. 24	17.29	
Aug. 24	14.99	Dec. 6	17.95	Mar. 25	18.06	
Sept. 25	16.10	1957		Apr. 24	15.92	

Va 3. Roberts Municipal Stadium. Evansville. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 22, T. 6 N., R. 10 W. Drilled unused well in sand, diam 16 in, depth 90 ft. Lsd, about 385 ft above msl. MP, top of casing, 2.75 ft above lsd. Highest water level 18.86 below lsd, July 19, 1961; lowest 23.68 below lsd, Apr. 4, 1957. Records available: 1956-62.

(daily highest water levels from recorder graph)							
1956	May 22	e23.33	Apr. 25	22.08	Jan. 26	20.79	
July 25	h22.53	Aug. 27	e23.11	May 25	21.71	Feb. 25	20.71
Aug. 25	22.66	Sept. 25	23.20	June 25	21.46	Mar. 25	20.52
Nov. 25	23.07	Oct. 25	23.29	July 25	21.25	Apr. 25	20.33
Dec. 25	e23.19	Nov. 27	23.18	Aug. 25	20.96	May 25	20.15
1957		Dec. 28	22.94	Sept. 25	20.85	June 25	19.86
Jan. 23	h23.31	1958		Oct. 25	20.79	July 25	19.73
Feb. 25	23.38	Jan. 25	22.67	Nov. 25	20.80	Aug. 25	19.61
Mar. 25	23.44	Feb. 25	22.46	Dec. 25	20.83	Sept. 25	19.49
Apr. 25	23.42	Mar. 28	h22.31	1959		Oct. 25	19.56

Va 3--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Nov. 12	h19.63	Sept. 25	19.97	July 25	18.90	May 25	18.98
Dec. 25	19.75	Oct. 25	20.18	Aug. 25	19.04	June 25	18.97
1960		Nov. 18	20.15	Sept. 25	19.17	July 25	19.12
Jan. 25	19.81	Dec. 25	20.28	Oct. 25	19.31	Aug. 25	19.33
Feb. 25	19.72	1961		Nov. 25	19.47	Sept. 26	h19.42
Mar. 25	19.84	Jan. 25	20.39	Dec. 23	19.54	Oct. 25	19.50
Apr. 25	19.73	Feb. 25	20.47	1962		Nov. 25	19.61
May 25	19.61	Mar. 25	20.41	Jan. 26	19.58	Dec. 25	19.70
June 25	19.69	Apr. 14	20.27	Feb. 25	19.56		
July 25	19.77	May 25	19.12	Mar. 25	19.34		
Aug. 25	19.85	June 25	18.92	Apr. 25	19.13		

Va 4. Goodwill Industries, Inc. Evansville. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 6 S., R. 10 W. Drilled unused well in sand, diam 12 in, depth 58.32 ft. Lsd, about 382 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 29.50 below lsd, June 26, 1962; lowest 35.69 below lsd, May 17, 1957. Records available: 1956-62.

(daily highest water levels from recorder graph, July 26, 1956-July 15, 1959)

1956		May 25	33.53	Nov. 12	31.30	May 17	31.35
July 28	35.1	June 26	h34.32	Dec. 17	31.20	June 19	30.90
Aug. 25	35.09	July 16	33.65	1960		July 20	30.74
Sept. 25	e34.87	Aug. 25	33.44	Jan. 15	31.08	Aug. 17	30.51
Oct. 17	34.68	Sept. 25	33.10	Feb. 18	31.13	Sept. 19	30.36
Nov. 25	34.20	Oct. 25	32.43	Mar. 23	31.28	Oct. 18	30.32
Dec. 25	34.08	Nov. 25	32.14	May 17	31.42	Nov. 21	30.14
1957		Dec. 25	31.89	June 21	31.34	1962	
Jan. 27	34.04	1959		July 19	31.73	Jan. 25	30.13
Feb. 7	34.05	Jan. 25	31.62	Aug. 17	32.15	Feb. 20	30.21
Apr. 25	35.40	Feb. 25	31.51	Sept. 15	32.33	Mar. 23	29.97
May 22	35.58	Mar. 25	31.43	Oct. 14	32.26	Apr. 24	29.75
Sept. 25	34.35	Apr. 25	31.36	Nov. 15	31.78	May 23	29.60
Oct. 25	34.00	May 16	31.34	Dec. 16	31.72	June 26	29.50
Nov. 25	33.85	June 25	31.36	1961		July 20	29.56
Dec. 25	33.67	July 15	h31.35	Jan. 17	31.67	Aug. 21	29.63
1958		Aug. 14	31.48	Feb. 17	31.68	Dec. 18	29.54
Jan. 25	33.46	Sept. 16	31.43	Mar. 16	31.70		
Feb. 22	32.61	Oct. 21	31.55	Apr. 14	31.48		

Vermillion County

Ve 1. New York, Chicago, and St. Louis Railroad, Cayuga. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 17 N., R. 9 W. Drilled unused water-table well in sand and gravel, diam 12 in, depth 75 ft. Lsd, 499.4 ft above msl. MP, top of casing, 3.40 ft above lsd. Highest water level 7.45 below lsd, Feb. 11, 1959; lowest 28.25 below lsd, Sept. 25, 26, 1959. Records available: 1958-62.

(daily highest water levels from recorder graph)

1958		Dec. 25	24.35	May 25	18.05	Nov. 25	26.20
July 25	15.58	1959		June 25	22.85	Dec. 25	25.85
Aug. 25	16.72	Jan. 25	21.40	July 25	25.20	1960	
Sept. 25	22.20	Feb. 25	15.30	Aug. 25	e27.15	Jan. 25	23.95
Oct. 25	25.00	Mar. 25	15.85	Sept. 25	28.20	Feb. 21	17.35
Nov. 25	24.40	Apr. 25	17.30	Oct. 25	27.70	Mar. 25	23.60

Ve 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Apr. 25	18.45	1961		Sept. 25	26.30	May 25	21.00
May 25	21.45	Jan. 25	28.20	Oct. 25	26.90	June 25	22.30
June 25	14.50	Feb. 25	27.40	Nov. 25	25.65	July 25	18.40
July 24	20.50	Mar. 25	14.60	Dec. 25	25.80	Aug. 25	23.95
Aug. 25	24.35	Apr. 20	e18.30	1962		Sept. 25	25.95
Sept. 25	26.45	May 25	17.30	Jan. 25	20.45	Oct. 25	26.85
Oct. 25	e27.50	June 25	20.70	Feb. 25	17.70	Nov. 25	27.55
Nov. 25	27.80	July 25	24.00	Mar. 25	10.95	Dec. 25	27.90
Dec. 24	28.05	Aug. 25	24.55	Apr. 25	19.65		

Vigo County

Vi 2. Commercial Solvents Corp. Washington Ave. and First St., Terre Haute. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 28, T. 12 N., R. 9 W. Drilled unused well in sand and gravel, diam 6 in, reported depth 133 ft. Lsd, 495.9 ft above msl. MP, top of casing, 4.00 ft above lsd. Highest water level 42.25 below lsd, Apr. 17, 1950; lowest 62.75 below lsd, Dec. 28-30, 1954. Records available: 1946-62. (daily lowest water levels from recorder graph, 1955; daily highest, 1956-62)

1955	1957	1959	1961
Jan. 25	60.75	Jan. 25	55.80
Feb. 25	60.80	Feb. 25	55.15
Mar. 25	58.65	Mar. 25	54.80
Apr. 25	57.90	Apr. 25	47.90
May 25	58.20	May 25	46.55
June 25	57.70	June 25	47.15
July 25	57.80	July 25	44.35
Aug. 25	58.75	Aug. 25	50.50
Sept. 25	62.30	Sept. 25	52.00
Oct. 25	61.85	Oct. 25	52.65
Nov. 15	61.05	Nov. 25	51.70
Dec. 27	61.45	Dec. 25	49.15
1956	1958	1960	1962
Jan. 25	58.30	Jan. 25	50.25
Feb. 25	56.50	Feb. 25	53.00
Mar. 25	54.95	Mar. 25	53.90
Apr. 25	54.60	Apr. 25	52.65
May 25	51.80	May 25	54.10
June 25	51.60	June 25	44.65
July 25	52.85	July 25	43.60
Aug. 25	54.50	Aug. 25	43.90
Sept. 25	55.25	Sept. 25	48.25
Oct. 24	55.80	Oct. 25	50.65
Nov. 25	56.00	Nov. 25	50.35
Dec. 23	56.00	Dec. 25	51.40

1955	1957	1959	1961
Jan. 25	58.30	Jan. 25	50.25
Feb. 25	56.50	Feb. 25	53.00
Mar. 25	54.95	Mar. 25	53.90
Apr. 25	54.60	Apr. 25	52.65
May 25	51.80	May 25	54.10
June 25	51.60	June 25	44.65
July 25	52.85	July 25	43.60
Aug. 25	54.50	Aug. 25	43.90
Sept. 25	55.25	Sept. 25	48.25
Oct. 24	55.80	Oct. 25	50.65
Nov. 25	56.00	Nov. 25	50.35
Dec. 23	56.00	Dec. 25	51.40

Vi 3. Emma Newlan. Terre Haute. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 12 N., R. 8 W. Dug unused well, diam 36 in, depth 17 ft, cribbed with stone. Lsd, about 564 ft above msl. MP, edge of concrete joint on north side of pump, 0.50 ft above lsd. Highest water level 0.28 below lsd, Feb. 16, 1956; lowest 12.68 below lsd, Oct. 7, 1954. Records available: 1945-61. Discontinued.

Vi 3--Continued

Date	Water Level						
1955		Aug. 23	4.62	Aug. 24	2.84	Mar. 27	1.01
Jan. 27	3.81	Sept. 13	4.53	Sept. 28	2.61	Apr. 24	3.74
Feb. 24	2.82	1957		Oct. 26	4.10	May 22	2.11
Mar. 24	2.17	Mar. 24	2.23	Nov. 23	3.15	June 26	2.25
Apr. 28	2.63	Apr. 28	1.55	Dec. 28	4.07	July 24	4.53
May 26	4.14	May 26	1.20	1959		Aug. 28	7.02
June 23	3.63	June 23	3.19	Jan. 25	2.97	Sept. 25	8.68
July 28	4.65	July 28	2.98	Feb. 22	2.59	Oct. 23	9.75
Aug. 25	6.92	Aug. 25	4.75	Mar. 22	2.79	Nov. 27	9.62
Sept. 22	9.37	Sept. 22	5.95	Apr. 26	3.20	Dec. 25	8.28
Oct. 27	5.83	Oct. 27	6.15	May 24	4.23	1961	
Nov. 24	1.21	Nov. 24	2.80	June 28	3.90	Jan. 22	7.57
Dec. 22	3.74	Dec. 22	1.40	July 26	5.11	Feb. 26	4.75
1956		1958		Aug. 23	6.17	Mar. 26	1.74
Jan. 26	4.25	Jan. 26	1.25	Sept. 20	6.27	Apr. 23	1.20
Feb. 23	1.85	Feb. 23	4.19	Oct. 25	4.93	May 28	3.45
Mar. 22	2.93	Mar. 23	3.92	Nov. 22	2.55	June 25	3.86
Apr. 26	3.89	Apr. 27	3.97	Dec. 27	1.73	July 23	4.98
May 24	3.94	May 25	4.72	1960		Aug. 20	4.90
June 28	3.19	June 22	2.14	Jan. 24	3.22	Sept. 24	7.00
July 26	2.82	July 27	2.75	Feb. 28	2.80		

Vi 4. Spelterville Development Co. Spelterville. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 34, T. 13 N., R. 9 W. Drilled unused water-table well in glaciofluvial sand and gravel, diam 6 in, depth 100.8 ft. Lsd, 518.5 ft above msl. MP, top of casing, 2.88 ft above lsd. Highest water level 50.48 below lsd, June 21, 22, 1958; lowest 63.36 below lsd, Feb. 16, 1961. Records available: 1955-62.

(daily highest water levels from recorder graph)

1955		May 27	54.86	Apr. 25	55.53	Mar. 25	58.62
July 25	60.67	June 25	55.96	May 25	55.55	Apr. 25	57.61
Aug. 26	61.76	July 24	53.56	June 24	57.79	May 25	54.38
Sept. 25	62.71	Aug. 25	57.09	July 25	59.23	June 25	56.56
Oct. 13	61.82	Sept. 25	59.14	Aug. 28	60.17	July 25	58.64
Nov. 25	60.39	Oct. 25	60.08	Sept. 25	60.81	Aug. 25	59.17
Dec. 25	60.83	Nov. 25	59.25	Oct. 25	60.81	Sept. 25	60.33
1956		Dec. 24	h55.76	Nov. 25	60.26	Oct. 25	60.72
Jan. 25	61.67	1958		Dec. 25	60.03	Nov. 20	60.65
Feb. 23	60.10	Jan. 25	56.14	1960		Dec. 25	60.29
Mar. 25	58.38	Feb. 25	58.31	Jan. 25	59.11	1962	
Apr. 25	59.11	Mar. 25	58.99	Feb. 25	57.68	Jan. 25	58.98
May 25	59.30	Apr. 25	59.40	Mar. 25	58.96	Feb. 28	57.00
June 25	57.94	May 25	59.66	Apr. 25	57.53	Mar. 25	55.53
July 25	58.69	June 25	50.64	May 25	58.53	Apr. 25	56.86
Aug. 25	60.00	July 25	52.82	June 26	58.06	May 25	57.79
Sept. 25	61.22	Aug. 25	54.00	July 25	58.19	June 25	58.67
Oct. 25	62.06	Sept. 25	56.77	Aug. 25	59.65	July 27	57.73
Nov. 25	62.54	Oct. 25	58.30	Sept. 25	60.73	Aug. 25	59.34
Dec. 25	62.19	Nov. 25	58.66	Oct. 25	61.39	Sept. 25	60.00
1957		Dec. 25	58.73	Nov. 25	61.69	Oct. 25	60.67
Jan. 25	62.05	1959		Dec. 25	61.93	Nov. 25	61.08
Feb. 25	60.94	Jan. 25	58.45	1961		Dec. 25	61.59
Mar. 25	60.78	Feb. 25	51.38	Jan. 25	62.15		
Apr. 25	54.25	Mar. 25	54.37	Feb. 25	62.05		

Vi 5. Firman Equipment Corp. Youngstown. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 34, T. 11 N., R. 9 W. Drilled unused artesian well in sandstone, diam 8 in, depth 98.5 ft. Lsd, 575.8 ft above msl. MP, top of recorder platform, 2.54 ft above lsd. Highest water level 4.26 below lsd, Mar. 13-15, 1959; lowest 12.76 below lsd, Nov. 20, 1956. Records available: 1955-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1955		May 25	5.13	Apr. 25	4.91	Mar. 25	4.67
July 22	6.88	June 25	5.75	May 25	6.01	Apr. 25	4.81
Aug. 25	7.88	July 30	5.61	June 13	5.84	May 25	5.20
Sept. 21	h9.55	Aug. 25	6.45	July 25	7.20	June 25	6.70
Oct. 26	h7.25	Sept. 25	7.20	Aug. 25	8.27	July 25	7.95
Nov. 22	h5.29	Oct. 25	7.16	Sept. 25	9.49	Aug. 25	7.56
Dec. 25	6.03	Nov. 25	5.47	Oct. 25	9.89	Sept. 25	8.72
1956		Dec. 25	4.63	Nov. 25	8.73	Oct. 25	8.81
Jan. 27	6.45	1958		Dec. 25	6.36	Nov. 25	6.69
Feb. 21	h4.69	Jan. 25	4.78	1960		Dec. 25	4.62
Mar. 27	5.07	Feb. 25	6.10	Jan. 25	5.63	1962	
Apr. 25	5.84	Mar. 25	5.45	Feb. 25	5.53	Jan. 25	4.71
May 25	6.55	Apr. 25	5.80	Mar. 25	4.87	Feb. 25	4.22
June 25	6.18	May 25	5.75	Apr. 14	5.69	Mar. 25	4.26
July 25	7.56	June 12	5.73	May 25	5.30	Apr. 6	h4.72
Aug. 25	9.15	July 25	4.77	June 25	5.69	May 25	5.92
Sept. 25	10.73	Aug. 25	5.46	July 22	6.78	June 25	6.71
Oct. 25	12.16	Sept. 25	5.86	Aug. 12	7.49	July 25	7.03
Nov. 28	12.43	Oct. 25	5.83	Sept. 25	9.99	Aug. 25	8.41
Dec. 25	9.78	Nov. 25	5.03	Oct. 28	11.18	Sept. 25	9.23
1957		Dec. 25	5.79	Nov. 25	10.76	Oct. 25	10.37
Jan. 25	8.07	1959		Dec. 27	h9.15	Nov. 25	10.25
Feb. 25	7.07	Jan. 18	5.51	1961		Dec. 25	10.59
Mar. 25	5.97	Feb. 25	4.75	Jan. 25	9.37		
Apr. 25	5.13	Mar. 25	5.13	Feb. 25	7.64		

Vi 6. Anaconda Aluminum Co. Spelterville. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 34, T. 13 N., R. 9 W. Driven unused water-table well in sand and gravel, diam 6 in, depth 138 ft. Lsd, 510.7 ft above msl. MP, top of recorder platform, 2.09 ft above lsd. Highest water level 42.43 below lsd, June 28, 1958; lowest 50.84 below lsd, Nov. 9, 1956. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956		Sept. 25	48.24	Dec. 25	47.10	Feb. 25	47.25
July 25	47.32	Oct. 25	49.34	1959		Mar. 25	47.55
Aug. 25	48.01	Nov. 25	48.84	Jan. 25	46.90	Apr. 25	46.85
Sept. 25	48.87	Dec. 25	47.14	Feb. 15	e43.00	May 25	47.35
Oct. 25	50.38	1958		Mar. 25	43.60	June 25	47.20
Nov. 25	50.07	Jan. 25	46.13	Apr. 25	44.65	July 25	47.00
Dec. 25	50.12	Feb. 28	48.46	May 25	44.50	Aug. 25	47.85
1957		Mar. 21	48.37	June 25	45.80	Sept. 25	48.55
Jan. 25	50.14	Apr. 25	48.88	July 25	46.95	Oct. 25	49.00
Feb. 25	49.71	May 24	49.61	Aug. 27	e47.95	Nov. 11	49.25
Mar. 25	49.28	June 27	42.50	Sept. 25	48.45	Dec. 29	49.80
Apr. 25	45.95	July 25	44.26	Oct. 25	48.70	1961	
May 25	45.08	Aug. 25	43.45	Nov. 28	48.70	Jan. 25	50.05
June 25	45.80	Sept. 25	45.30	Dec. 25	48.60	Feb. 24	50.20
July 25	44.94	Oct. 25	46.40	1960		Mar. 25	48.95
Aug. 25	47.24	Nov. 25	47.25	Jan. 25	48.25	Apr. 25	47.90

Vi 6--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
May 25	43.50	Nov. 25	48.75	Apr. 25	45.35	Oct. 25	48.95
June 25	45.05	Dec. 25	48.60	May 25	46.25	Nov. 25	49.45
July 28	46.72	1962		June 25	47.15	Dec. 25	50.00
Aug. 25	47.30	Jan. 25	48.10	July 25	47.25		
Sept. 25	48.05	Feb. 25	46.55	Aug. 25	47.90		
Oct. 25	48.55	Mar. 25	45.35	Sept. 25	48.35		

Warren County

Wn 1. Town of Williamsport. Market and Warren Sts., Williamsport. SW $\frac{1}{2}$ NE $\frac{1}{4}$ sec. 11, T. 21 N., R. 8 W. Dug unused well in gravel, diam 42 in, depth 20 ft, cribbed with stone. Lsd, about 551 ft above msl. MP, painted arrow in pump hole, 0.50 ft above lsd. Highest water level 5.71 below lsd, Mar. 27, 1948; lowest 19.43 below lsd, Oct. 16, 1948. Records available: 1944-62.

1955		1957		1959		1961	
Jan. 22	8.76	Jan. 26	10.10	Jan. 24	7.70	Jan. 28	13.05
Feb. 26	8.80	Feb. 23	8.14	Feb. 28	7.25	Feb. 25	10.61
Mar. 26	8.26	Mar. 23	8.80	Mar. 28	7.00	Mar. 25	6.48
Apr. 23	7.68	Apr. 27	6.38	Apr. 25	6.90	Apr. 22	6.57
May 28	8.78	May 25	6.92	May 23	8.60	May 27	8.36
June 25	8.96	June 22	8.50	June 27	14.50	June 24	9.01
July 23	8.50	July 27	8.26	July 25	16.30	July 22	11.33
Aug. 27	14.62	Aug. 24	12.74	Aug. 22	14.00	Aug. 26	13.77
Sept. 24	15.62	Sept. 28	11.86	Sept. 26	10.86	Sept. 23	13.87
Oct. 22	8.74	Oct. 26	10.74	Oct. 24	10.16	Oct. 28	12.02
Nov. 26	7.06	Nov. 23	9.06	Nov. 28	9.28	Nov. 25	8.71
Dec. 24	9.54	Dec. 28	6.42	Dec. 26	8.54	Dec. 23	8.74
1956		1958		1960		1962	
Jan. 28	10.80	Jan. 25	7.86	Jan. 23	8.38	Jan. 27	6.91
Feb. 25	6.38	Feb. 22	10.20	Feb. 27	8.96	Feb. 24	8.07
Mar. 24	8.46	Mar. 22	9.82	Mar. 26	7.40	Mar. 24	6.41
Apr. 28	9.28	Apr. 26	9.12	Apr. 23	8.26	Apr. 28	8.77
May 26	8.16	May 24	10.96	May 28	8.20	May 28	8.75
June 23	8.92	June 28	8.32	June 25	6.80	June 25	11.50
July 28	13.02	July 26	8.18	July 23	10.40	July 23	7.00
Aug. 25	14.54	Aug. 23	7.52	Aug. 27	12.00	Aug. 27	12.89
Sept. 22	15.26	Sept. 27	11.82	Sept. 24	15.98	Sept. 24	11.94
Oct. 27	15.48	Oct. 25	14.70	Oct. 22	14.10	Oct. 22	9.09
Nov. 24	13.72	Nov. 22	10.00	Nov. 26	13.20	Nov. 26	9.25
Dec. 22	10.38	Dec. 27	10.70	Dec. 24	14.90	Dec. 24	13.01

Wn 3. Olin Mathieson. Covington. NE $\frac{1}{2}$ NE $\frac{1}{4}$ sec. 28, T. 20 N., R. 9 W. Drilled unused well in gravel, diam 10 in, depth 196 ft. Lsd, about 568 ft above msl. MP, top of casing, 1.80 ft above lsd. Highest water level 76.6 below lsd, May 2, 3, 1959; lowest 94.71 below lsd, Mar. 18, 1957. Records available: 1955-62.

(daily highest water levels from recorder graph)

1955	Jan. 25	88.67	Apr. 25	86.50	July 25	86.56	
Dec. 25	87.41	Feb. 25	84.76	May 25	85.38	Aug. 25	88.42
1956	Mar. 25	84.38	June 25	85.34	Sept. 25	89.76	

Wn 3--Continued

Date	Water Level						
Oct. 25	h91.30	May 25	92.0	1960		Aug. 25	88.0
Nov. 22	h91.50	June 24	79.9	Jan. 25	90.2	Sept. 25	89.2
Dec. 25	91.83	July 25	82.5	Feb. 25	90.7	Oct. 25	90.0
1957		Aug. 25	83.4	Mar. 25	89.6	Nov. 25	88.6
Jan. 25	91.42	Sept. 25	85.3	Apr. 26	86.4	Dec. 25	89.5
Feb. 25	91.51	Oct. 25	87.2	May 25	87.8	1962	
Mar. 25	93.47	Nov. 25	88.0	June 25	86.3	Jan. 24	84.9
Apr. 6	90.38	Dec. 9	88.1	July 17	88.0	Feb. 26	84.5
May 25	86.1	1959		Aug. 25	89.1	Mar. 25	78.1
June 25	88.5	Jan. 25	84.1	Sept. 25	91.3	Apr. 25	84.6
July 25	83.4	Feb. 24	80.0	Oct. 21	e91.2	May 25	84.4
Aug. 25	90.0	Mar. 25	e84.2	Nov. 26	92.5	June 25	84.7
Sept. 25	88.8	Apr. 25	82.0	Dec. 22	92.4	July 27	h85.1
Oct. 25	89.6	May 25	84.1	1961		Aug. 23	87.4
Nov. 25	88.5	June 25	86.6	Jan. 28	92.5	Sept. 25	88.9
Dec. 25	81.2	July 25	87.4	Feb. 25	92.2	Oct. 24	88.9
1958		Aug. 29	91.4	Mar. 24	h84.80	Nov. 23	e89.9
Jan. 25	88.3	Sept. 25	92.2	Apr. 24	82.4	Dec. 23	e90.4
Feb. 24	90.8	Oct. 25	91.8	May 26	h85.55		
Mar. 25	89.3	Nov. 28	90.8	June 25	87.1		
Apr. 25	89.7	Dec. 25	90.5	July 25	e88.7		

Warrick County

Wk 2. State of Indiana. Scales Lake State Beach and Fish Hatchery. SW $\frac{1}{2}$ NE $\frac{1}{4}$ sec. 25, T. 5 S., R. 8 W., Dug unused well, diam 48 in, depth 20 ft, cribbed with brick. Lsd, about 445 ft above ms1. MP, top of wood base, 0.40 ft above lsd. Highest water level flowing at lsd, Mar. 16, Apr. 4, 1945; lowest 18.78 below lsd, May 6, 1954. Records available: 1944-60.

Discontinued.

1955		May 28	7.10	Oct. 22	13.00	Feb. 28	1.4
Jan. 24	18.00	June 25	9.75	Nov. 29	9.60	Mar. 23	1.7
Feb. 28	14.60	July 23	8.59	Dec. 23	4.10	Apr. 27	3.8
Mar. 21	9.10	Aug. 27	12.10	1958		May 25	7.2
Apr. 25	2.70	Sept. 29	13.50	Jan. 28	.60	June 22	6.9
May 31	7.80	Oct. 22	14.30	Feb. 24	3.60	July 27	9.1
June 22	9.3	Nov. 26	14.80	Mar. 31	1.20	Aug. 31	10.2
July 25	10.8	Dec. 31	15.66	Apr. 28	1.40	Sept. 28	11.4
Aug. 22	12.3	1957		May 27	4.60	Oct. 26	12.3
Sept. 20	13.1	Jan. 28	16.60	June 23	6.70	Nov. 23	12.8
Oct. 22	14.5	Feb. 25	16.40	July 31	2.90	Dec. 28	12.5
Nov. 28	15.2	Mar. 25	16.10	Aug. 30	6.70	1960	
Dec. 26	16.3	Apr. 22	9.40	Sept. 22	8.40	Jan. 23	10.70
1956		May 20	3.35	Oct. 28	10.80	Feb. 26	10.47
Jan. 23	15.8	June 24	7.10	Nov. 24	10.80	Mar. 25	5.59
Feb. 27	1.6	July 29	9.40	Dec. 22	12.10	Apr. 23	5.45
Mar. 26	4.0	Aug. 27	11.70	1959		Aug. 26	11.10
Apr. 23	4.60	Sept. 23	12.60	Jan. 31	1.6	Sept. 3	9.90

Wk 3. State of Indiana. Scales Lake State Beach and Fish Hatchery.
 NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 25, T. 5 S., R. 8 W. Drilled unused well, diam 6 in, depth 132 ft. Lsd, about 475 ft above msl. MP, top of casing, 0.30 ft above lsd. Highest water level 73.03 below lsd, June 30, 1953; lowest 80.7 below lsd, Aug. 28, Dec. 26, 1955, Jan. 2, 1956. Records available: 1953-62.
 (daily highest water levels from recorder graph, May 25, 1960-Dec. 31, 1962)

Date	Water Level						
1955							
Jan. 24	79.70	Jan. 28	78.20	Jan. 31	75.70	Jan. 25	76.45
Feb. 28	79.40	Feb. 25	77.90	Feb. 28	75.20	Feb. 25	75.86
Mar. 21	79.38	Mar. 25	77.85	Mar. 23	75.30	Mar. 28	h75.8
Apr. 25	78.90	Apr. 22	77.40	Apr. 27	75.90	Apr. 25	75.42
May 31	78.50	May 20	77.10	May 25	75.40	May 25	h75.73
June 22	77.9	June 24	76.80	June 22	76.20	June 23	h75.41
July 25	77.85	July 29	76.60	July 27	75.70	July 25	75.61
Aug. 22	78.80	Aug. 27	77.00	Aug. 31	75.50	Aug. 25	h75.75
Sept. 20	79.5	Sept. 23	77.10	Sept. 28	75.8	Sept. 21	e75.92
Oct. 22	78.4	Oct. 22	77.15	Oct. 26	75.7	Oct. 27	76.24
Nov. 28	78.6	Nov. 29	77.70	Nov. 23	76.2	Nov. 24	76.09
Dec. 26	80.7	Dec. 23	77.20	Dec. 28	75.7	Dec. 25	76.36
1956							
Jan. 23	79.4	Jan. 28	76.80	Jan. 23	75.53	Jan. 24	76.09
Feb. 27	78.1	Feb. 24	76.70	Feb. 26	75.06	Feb. 22	h75.72
Mar. 26	77.4	Mar. 31	76.10	Mar. 25	75.70	Mar. 27	75.67
Apr. 23	77.5	Apr. 28	76.00	Apr. 23	75.57	Apr. 25	75.44
May 28	77.1	May 27	75.80	May 25	75.19	May 25	75.35
June 25	76.97	June 23	75.85	June 26	e75.18	June 25	75.13
July 23	77.02	July 31	76.60	July 25	75.22	July 25	75.36
Aug. 27	76.99	Aug. 30	75.60	Aug. 25	75.43	Aug. 24	75.71
Sept. 29	77.80	Sept. 22	76.00	Sept. 25	75.68	Sept. 25	h75.85
Oct. 22	77.77	Oct. 28	76.00	Oct. 25	75.97	Oct. 25	76.19
Nov. 26	77.90	Nov. 24	76.10	Nov. 25	76.22	Nov. 24	76.32
Dec. 31	78.00	Dec. 22	76.00	Dec. 25	76.43	Dec. 25	76.37

Wayne County

We 1. C. E. Rodenberg. Pershing. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 25, T. 16 N., R. 12 E. Dug unused water-table well in gravel, diam 42 in, depth 33 ft, cribbed with brick. Lsd, about 957 ft above msl. MP, on west side of pump opening in flagstone well cover, 0.10 ft above lsd. Highest water level 24.60 below lsd, Feb. 27, 1950; lowest 32.18 below lsd, Dec. 20, 1954. Records available: 1945-62.

1955	Dec. 14	29.10	Nov. 19	31.38	Oct. 22	30.48
Jan. 24	31.72	1956	Dec. 12	31.56	Nov. 26	30.89
Feb. 23	31.36	Jan. 23	30.29	1957	Dec. 17	31.07
Mar. 28	29.97	Feb. 27	29.64	Jan. 22	31.53	1958
Apr. 26	29.40	Mar. 19	29.02	Feb. 21	31.90	Jan. 22
May 24	29.60	Apr. 22	28.13	Mar. 19	32.00	Feb. 11
June 27	30.00	May 16	28.47	Apr. 22	30.91	Mar. 12
July 5	30.10	June 26	28.90	May 27	29.99	Apr. 28
Aug. 22	30.68	July 31	29.63	June 26	29.49	May 13
Sept. 27	31.05	Aug. 28	30.16	July 29	28.83	June 23
Oct. 25	31.16	Sept. 19	30.59	Aug. 26	29.40	July 23
Nov. 15	31.13	Oct. 23	30.08	Sept. 24	30.06	Aug. 28
						25.00

We 1--Continued

Date	Water Level							
Sept. 20	27.13	Sept. 26	30.13	1961		1962		
Oct. 11	27.89	Oct. 24	30.48	Jan. 28	31.64	Jan. 27	29.92	
Nov. 24	27.89	Nov. 28	30.72	Feb. 25	31.60	Feb. 24	29.20	
Dec. 22	29.67	Dec. 26	30.99	Mar. 25	30.40	Mar. 24	28.18	
	1959		1960		Apr. 22	29.10	Apr. 28	28.15
Jan. 22	29.78	Jan. 25	31.02	May 20	25.90	May 26	28.66	
Feb. 18	27.29	Feb. 27	30.38	June 24	26.35	June 23	29.18	
Mar. 28	27.80	Mar. 26	30.08	July 29	27.20	July 28	29.16	
Apr. 4	27.79	Apr. 23	30.12	Aug. 26	28.13	Aug. 24	30.18	
May 29	27.68	May 28	30.35	Sept. 23	28.72	Sept. 22	30.58	
June 26	26.92	June 25	30.27	Oct. 28	29.50	Oct. 24	30.98	
July 18	28.66	July 9	30.28	Nov. 25	29.94	Nov. 24	31.20	
Aug. 22	29.32	Dec. 24	31.50	Dec. 23	30.17	Dec. 22	31.37	

White County

Wt 1. Town of Monon. Municipal Building. Monon. SW $\frac{1}{2}$ NE $\frac{1}{4}$ sec. 21, T. 28 N., R. 4 W. Drilled unused well in limestone, diam 8 in, reported depth 274 ft. Lsd, about 680 ft above msl. MP, top of casing, 8.00 ft below lsd. Highest water level 1.59 below lsd, Apr. 15, 1942; lowest 20.80 below lsd, Jan. 18, 1954. Records available: 1935-36, 1941-57. Discontinued.

1955		Aug. 22	18.47	Mar. 26	13.04	Nov. 26	19.85
Jan. 24	14.90	Sept. 26	19.75	Apr. 23	13.55	Dec. 26	20.60
Feb. 28	14.20	Oct. 24	16.20	May 22	12.12	1957	
Mar. 28	12.27	Nov. 28	14.82	June 25	14.39	Jan. 28	19.80
Apr. 25	11.78	Dec. 28	15.29	July 24	15.50	Feb. 25	18.10
May 23	14.40	1956		Aug. 27	16.28		
June 27	12.63	Jan. 31	16.40	Sept. 24	17.70		
July 25	16.00	Feb. 28	13.23	Oct. 22	19.15		

Wt 3. Archie Compton. Chalmers. SW $\frac{1}{2}$ SW $\frac{1}{4}$ sec. 29, T. 26 N., R. 4 W. Drilled unused well in limestone, diam 6 in, reported depth 194+ ft. Lsd, about 698 ft above msl. MP, 1-in hole in cap on casing, 0.30 ft above lsd. Highest water level 30.42 below lsd, Dec. 20, 1952; lowest 34.62 below lsd, Mar. 22, 1954, May 1, 1955. Records available: 1948-56. Discontinued.

1955		June 26	33.63	Dec. 25	33.67	May 27	33.66
Jan. 23	33.69	July 24	33.62	1956		June 24	33.65
Feb. 27	33.67	Aug. 28	33.66	Jan. 22	33.63	July 22	33.64
Mar. 27	33.67	Sept. 25	33.70	Feb. 26	33.65	Aug. 26	33.66
Apr. 24	33.61	Oct. 23	33.66	Mar. 25	33.68		
May 22	33.65	Nov. 27	33.67	Apr. 22	33.64		

RECORDS OF WATER LEVELS IN INDIANA OBSERVATION WELLS IN U. S. GEOLOGICAL

SURVEY WATER-SUPPLY PAPERS

<u>Year</u>	<u>Water-Supply Paper Number</u>	<u>Year</u>	<u>Water-Supply Paper Number</u>
1935	777	1947	1096
1936	817	1948	1126
1937	840	1949	1156
1938	845	1950	1165
1939	886	1951	1191
1940	906	1952	1221
1941	936	1953	1265
1942	944	1954	1321
1943	986	1955	1404
1944	1016	1956-1957	1537
1945	1023	1958-1962	----
1946	1071		

PUBLICATIONS OF COOPERATIVE GROUND-WATER PROGRAM

Report

Ground-water resources of the Indianapolis area, Marion County, Ind.
C. L. McGuinness. Ind. Dept. Conserv., Div. Geology. 1943.

Bulletins

1. Memorandum concerning a pumping test at Gas City, Ind. J. G. Ferris, Ind. Dept. Conserv., Div. Water Resources. 1945.
2. A preliminary report of the ground-water levels of the state based on records of twenty-six observation wells for which long time records are available. Anonymous. Ind. Dept. Conserv., Div. Water Resources. 1946.
3. Ground-water resources of St. Joseph County, Ind. Part 1, South Bend area. F. H. Klaer, Jr., and R. W. Stallman. Ind. Dept. Conserv., Div. Water Resources. 1948.
4. Ground-water resources of Boone County, Ind. E. A. Brown. Ind. Dept. Conserv., Div. Water Resources. 1949.
5. Ground-water resources of Noble County, Ind. R. W. Stallman and F. H. Klaer, Jr. Ind. Dept. Conserv., Div. Water Resources. 1950.
7. Water-level records of Indiana. Anonymous. Ind. Dept. Conserv., Div. Water Resources. 1956.
8. Ground-water resources of Tippecanoe County, Ind. Appendix, Basic Data. J. S. Rosenshein and O. J. Cosner. Ind. Dept. Conserv., Div. Water Resources. 1956.
8. Ground-water resources of Tippecanoe County, Ind. J. S. Rosenshein. Ind. Dept. Conserv., Div. Water Resources. 1958.
9. Ground-water resources of Adams County, Ind. F. A. Watkins, Jr., and P. E. Ward. Ind. Dept. Conserv., Div. Water Resources. 1962.
10. Ground-water resources of Northwestern Ind., Preliminary Report: Lake County. J. S. Rosenshein. Ind. Dept. Conserv., Div. Water Resources. 1961.
11. Ground-water resources of West-Central Ind., Preliminary Report: Greene County. F. A. Watkins, Jr., and D. G. Jordan. Ind. Dept. Conserv., Div. Water Resources. 1961.
12. Ground-water resources of Northwestern Ind., Preliminary Report: Porter County. J. S. Rosenshein. Ind. Dept. Conserv., Div. Water Resources. 1962.

13. Ground-water resources of Northwestern Ind., Preliminary Report:
La Porte County. J. S. Rosenshein and J. D. Hunn. Ind. Dept.
Conserv., Div. Water Resources. 1962.
14. Ground-water resources of West-Central Ind., Preliminary Report:
Sullivan County. F. A. Watkins, Jr., and D. G. Jordan. Ind.
Dept. Conserv., Div. Water Resources. 1962.
15. Ground-water resources of Northwestern Ind., Preliminary Report:
St. Joseph County. J. S. Rosenshein and J. D. Hunn. Ind. Dept.
Conserv., Div. Water Resources. 1962.
16. Ground-water resources of West-Central Ind., Preliminary Report:
Clay County. F. A. Watkins, Jr., and D. G. Jordan. Ind. Dept.
Conserv., Div. Water Resources. 1962.
17. Ground-water resources of West-Central Ind., Preliminary Report:
Vigo County. F. A. Watkins, Jr., and D. G. Jordan. Ind. Dept.
Conserv., Div. Water Resources. 1963.
18. Ground-water resources of West-Central Ind., Preliminary Report:
Owen County. F. A. Watkins, Jr., and D. G. Jordan. Ind. Dept.
Conserv., Div. Water Resources. 1963.