



INDIANA ACADEMIC STANDARDS FOR SCIENCE: DISCIPLINARY CORE IDEAS

[A Science Framework for K-12 Science Education](#) provides the blueprint for developing the Next Generation Science Standards (NGSS) and expresses a vision for science education that requires students to operate at the nexus of three dimensions of learning: Science and Engineering Practices, Crosscutting Concepts, and Disciplinary Core Ideas. The Framework identified a small number of Disciplinary Core Ideas that all students should learn with increasing depth and complexity from kindergarten through grade 12. The key to the Framework's vision is for students to learn these Disciplinary Core Ideas in the context of Science and Engineering Practices. The importance of combining these dimensions of learning is stated in the Framework as follows:

Standards and performance expectations that are aligned to the framework must take into account that students cannot fully understand scientific and engineering ideas without engaging in the practices of inquiry and the discourses by which such ideas are developed and refined. At the same time, they cannot learn or show competence in practices except in the context of specific content. (NRC Framework, 2012, p. 218)

The Framework specifies that each performance expectation must combine a relevant Science and Engineering Practice with a Disciplinary Core Idea and Crosscutting Concept appropriate for students of the designated grade level. In the future, science assessments will assess students' understanding of core ideas and their abilities to use the practices of science and engineering together, showing how students know science concepts in addition to understanding how to investigate the natural world through the practices of science inquiry or solve meaningful problems through the practices of engineering design. The Framework uses the term "practices," rather than "science processes" or "inquiry" skills for a specific reason:

We use the term "practices" instead of a term such as "skills" to emphasize that engaging in scientific investigation requires not only skill but also knowledge that is specific to each practice. (NRC Framework, 2012, p. 30)

The eight Science and Engineering Practices that the Framework identifies as essential for all students to learn and describe in detail are listed below:

- SEP.1.** Asking questions (for science) and defining problems (for engineering)
- SEP.2.** Developing and using models
- SEP.3.** Planning and carrying out investigations
- SEP.4.** Analyzing and interpreting data
- SEP.5.** Using mathematics and computational thinking
- SEP.6.** Constructing explanations (for science) and designing solutions (for engineering)

SEP.7. Engaging in argument from evidence

SEP.8. Obtaining, evaluating, and communicating information

Rationale for Eight Essential Science and Engineering Practices

Chapter 3 of the Framework describes each of the eight Science and Engineering Practices and presents the following rationale for why they are essential.

Engaging in the practices of science helps students understand how scientific knowledge develops; such direct involvement gives them an appreciation of the wide range of approaches that are used to investigate, model, and explain the world. Engaging in the practices of engineering likewise helps students understand the work of engineers, as well as the links between engineering and science. Participation in these practices also (April 2013 NGSS Release Page 2 of 33) helps students form an understanding of the crosscutting concepts and disciplinary ideas of science and engineering; moreover, it makes students' knowledge more meaningful and embeds it more deeply into their worldview.

The actual doing of science or engineering can also pique students' curiosity, capture their interest, and motivate their continued study; the insights thus gained help them recognize that the work of scientists and engineers is a creative endeavor—one that has deeply affected the world they live in. Students may then recognize that science and engineering can contribute to meeting many of the major challenges that confront society today, such as generating sufficient energy, preventing and treating disease, maintaining supplies of fresh water and food, and addressing climate change.

Any education that focuses predominantly on the detailed products of scientific labor—the facts of science—without developing an understanding of how those facts were established or that ignores the many important applications of science in the world misrepresents science and marginalizes the importance of engineering (NRC Framework 2012, pp. 42-43).

As suggested in the rationale above, Chapter 3 derives the eight practices based on an analysis of what professional scientists and engineers do. It is recommended that users of NGSS read that chapter carefully, as it provides valuable insights into the nature of science and engineering as well as the connections between these two closely allied fields. This section of the NGSS appendices describes what each of these eight practices implies about what students can do. Its purpose is to enable readers to better understand the performance expectations. The *Practices Matrix* is included, which lists the specific capabilities included in each practice for each grade band (K-2, 3-5, 6-8, and 9-12).

Guiding Principles

The development process of the Indiana Academic Standards provided insights into science and engineering practices. These insights are shared in the following guiding principles:

- **Students in grades K-12 should engage in all eight practices over each grade band.** All eight practices are accessible at some level to young children; students’ abilities to use the practices grow over time. However, NGSS only identifies the capabilities students are expected to acquire by the end of each grade band (K-2, 3-5, 6-8, and 9-12). Curriculum developers and teachers determine strategies that advance students’ abilities to use the practices.
- **Practices grow in complexity and sophistication across grade levels.** The Framework suggests how students’ capabilities to use each of the practices should progress as they mature and engage in science learning. For example, the practice of “planning and carrying out investigations” begins in kindergarten with guided situations in which students have assistance in identifying phenomena to be investigated and how to observe, measure, and record outcomes. By upper elementary school, students should be able to plan their own investigations. The nature of investigations that students should be able to plan and carry out is also expected to increase as students mature, including the complexity of questions to be studied the ability to determine what kind of investigation is needed to answer different kinds of questions, whether or not variables need to be controlled and if so, which are most important, and at the high school level, how to take measurement error into account. As listed in the tables in this chapter, each of the eight practices has its own progression from kindergarten to grade 12. While these progressions are derived from Chapter 3 of the Framework, they are refined based on experiences in crafting NGSS and feedback received from stakeholders.
- **Each practice may reflect science or engineering.** Each of the eight practices can be used in the service of scientific inquiry or engineering design. The best way to ensure a practice is being used for science or engineering is to ask about the goal of the activity. (April 2013 NGSS Release Page 3 of 33) Is the goal to answer a question? If so, students are participating in science. Is the purpose to define and solve a problem? If so, students are participating in engineering. Box 3-2 on pages 50-53 of the Framework provides a side-by-side comparison of how scientists and engineers use these practices. This chapter briefly summarizes what it “looks like” for a student to use each practice for science or engineering.
- **Practices represent what students are expected to do and are not teaching methods or curriculum.** The Framework occasionally offers suggestions for instruction, such as how a science unit might begin with a scientific investigation, which then leads to the solution of an engineering problem. NGSS avoids such suggestions, as the goal is to describe what students should be able to do rather than how they should be taught. For example, it was suggested for NGSS to recommend certain teaching strategies such as using biomimicry—the application of biological features to solve engineering design problems. Although instructional units that make use of biomimicry seem well-aligned to the Framework in encouraging integration of

core ideas and practices, biomimicry and similar teaching approaches are more closely related to curriculum and instruction than to assessment. Hence, the decision was made not to include biomimicry in NGSS.

The eight practices are not separate; they intentionally overlap and interconnect. As explained by Bell, et al. (2012), the eight practices do not operate in isolation. Rather, they tend to unfold sequentially and even overlap. For example, the practice of asking questions may lead to the practice of modeling or planning and carrying out an investigation, which in turn may lead to analyzing and interpreting data. The practice of mathematical and computational thinking may include some aspects of analyzing and interpreting data. Just as it is important for students to carry out each of the individual practices, it is important for them to see the connections among the eight practices. Performance expectations focus on some capabilities associated with a practice. The Framework identifies a number of features or components of each practice. The Practices Matrix lists the components of each practice as a bulleted list within each grade band. As the performance expectations were developed, it became clear that expecting each performance to reflect all components of a given practice is too demanding. The most appropriate aspect of the practice is identified for each performance expectation.

Engagement in practices is language intensive and requires students to participate in classroom science discourse.

The practices offer rich opportunities and demands for language learning while advancing science learning for all students (Lee, Quinn, & Valdés, in press). English learners, students with disabilities that involve language processing, students with limited literacy development, and/or students who are speakers of social or regional varieties of English that are generally referred to as “non-Standard English” stand to gain from science learning that involves language-intensive scientific and engineering practices. When supported appropriately, these students are capable of learning science through their emerging language and comprehending and performing sophisticated language functions (e.g., arguing from evidence, providing explanations, developing models) using English reflective of their level of proficiency. By engaging in such practices, students simultaneously build on their understanding of science and their language proficiency (i.e., capacity to do more with language).

On the following pages, each of the eight practices is briefly described. Each description ends with a table illustrating the components of the practice that students are expected to master at the end of each grade band, comprising the Practices Matrix. During development of NGSS, the Practices Matrix was revised to reflect improved understanding of how the practices connect with the Disciplinary Core Ideas.

Life Science

LS1: From Molecules to Organisms: Structures and Processes

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12
<p>LS1.A: Structure and Function</p>	<ul style="list-style-type: none"> All organisms have external parts. Different animals use their body parts in different ways to see, hear, grasp objects, protect themselves, move from place to place, and seek, find, and take in food, water and air. Plants also have different parts (roots, stems,leaves, flowers, fruits) that help them survive and grow. (1-LS1-1) 	<ul style="list-style-type: none"> Plants and animals have both internal and external structures that serve various functions in growth, survival, behavior, and reproduction. (4-LS1-1) 	<ul style="list-style-type: none"> All living things are made up of cells, which is the smallest unit that can be said to be alive. An organism may consist of one single cell (unicellular) or many different numbers and types of cells (multicellular). (MS-LS1-1) Organisms reproduce, either sexually or asexually, and transfer their genetic information to their offspring. (secondary to MS-LS3-2) Within cells, special structures are responsible for particular functions, and the cell membrane forms the boundary that controls what enters and leaves the cell. (MS-LS1-2) In multicellular organisms, the body is a system of multiple interacting subsystems. These subsystems are groups of cells that work together to form tissues and organs that are specialized for particular body functions. (MS-LS1-3) 	<ul style="list-style-type: none"> Systems of specialized cells within organisms help them perform the essential functions of life. (HS-LS1-1) All cells contain genetic information in the form of DNA molecules. Genes are regions in the DNA that contain the instructions that code for the formation of proteins, which carry out most of the work of cells. (HS-LS1-1) (secondary to HS-LS3-1) Multicellular organisms have a hierarchical structural organization, in which any one system is made up of numerous parts and is itself a component of the next level. (HS-LS1-2) Feedback mechanisms maintain a living system's internal conditions within certain limits and mediate behaviors, allowing it to remain alive and functional even as external conditions change within some range. Feedback mechanisms can encourage (through positive feedback) or discourage.
<p>LS1.B: Growth and Development of Organisms</p>	<ul style="list-style-type: none"> Adult plants and animals can have young. In many kinds of animals, parents and the offspring themselves engage in behaviors that help the offspring to survive. (1-LS1-2) 	<ul style="list-style-type: none"> Reproduction is essential to the continued existence of every kind of organism. Plants and animals have unique and diverse life cycles. (3-LS1- 1) 	<ul style="list-style-type: none"> Animals engage in characteristic behaviors that increase the odds of reproduction. (MS-LS1-4) Plants reproduce in a variety of ways, sometimes depending on animal behavior and specialized features for reproduction. (MS-LS1-4) Genetic factors as well as local conditions affect the growth of the adult plant. (MS-LS1-5) 	<ul style="list-style-type: none"> In multicellular organisms individual cells grow and then divide via a process called mitosis, thereby allowing the organism to grow. The organism begins as a single cell (fertilized egg) that divides successively to produce many cells, with each parent cell passing identical genetic material (two variants of each chromosome pair) to both daughter cells. Cellular division and differentiation produce and maintain a complex organism, composed of systems of tissues and organs that work together to meet the needs of the whole organism. (HS-LS1-4)
<p>LS1.C: Organization for Matter and</p>	<ul style="list-style-type: none"> All animals need food in order to live and grow. They obtain their food from plants or from other animals. 	<ul style="list-style-type: none"> Food provides animals with the materials they need for body repair and growth and the energy they need to maintain body warmth and 	<ul style="list-style-type: none"> Plants, algae (including phytoplankton), and many microorganisms use the energy from light to make sugars (food) from carbon dioxide from the 	<ul style="list-style-type: none"> The process of photosynthesis converts light energy to stored chemical energy by converting carbon dioxide plus water into sugars plus released oxygen. (HS-LS1-5) The sugar molecules thus formed contain

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

<p>Energy Flow in Organisms</p>	<p>Plants need water and light to live and grow. (K-LS1-1)</p>	<p>for motion. (secondary to 5-PS3-1)</p> <ul style="list-style-type: none"> Plants acquire their material for growth chiefly from air and water. (5-LS1-1) 	<p>atmosphere and water through the process of photosynthesis, which also releases oxygen. These sugars can be used immediately or stored for growth or later use. (MS-LS1-6)</p> <ul style="list-style-type: none"> Within individual organisms, food moves through a series of chemical reactions in which it is broken down and rearranged to form new molecules, to support growth, or to release energy. (MS-LS1-7) 	<p>carbon, hydrogen, and oxygen: their hydrocarbon backbones are used to make amino acids and other carbon-based molecules that can be assembled into larger molecules (such as proteins or DNA), used for example to form new cells. (HS-LS1-6)</p> <ul style="list-style-type: none"> As matter and energy flow through different organizational levels of living systems, chemical elements are recombined in different ways to form different products. (HS-LS1-6),(HS-LS1-7) As a result of these chemical reactions, energy is transferred from one system of interacting molecules to another and releases energy to the surrounding environment and to maintain body temperature. Cellular respiration is a chemical process whereby the bonds of food molecules and oxygen molecules are broken and new compounds are formed that can transport energy to muscles. (HS-LS1-7)
<p>LS1.D: Information Processing</p>	<ul style="list-style-type: none"> Animals have body parts that capture and convey different kinds of information needed for growth and survival. Animals respond to these inputs with behaviors that help them survive. Plants also respond to some external inputs. (1-LS1-1) 	<ul style="list-style-type: none"> Different sense receptors are specialized for particular kinds of information, which may be then processed by the animal's brain. Animals are able to use their perceptions and memories to guide their actions. (4-LS1-2) 	<ul style="list-style-type: none"> Each sense receptor responds to different inputs (electromagnetic, mechanical, chemical), transmitting them as signals that travel along nerve cells to the brain. The signals are then processed in the brain, resulting in immediate behaviors or memories. (MS-LS1-8) 	
<p>LS2: Ecosystems: Interactions, Energy, and Dynamics</p>				
<p>Topic</p>	<p>Grades K-2</p>	<p>Grades 3-5</p>	<p>Grades 6-8</p>	<p>Grades 9-12</p>
<p>LS2.A: Interdependent Relationships in Ecosystems</p>	<ul style="list-style-type: none"> Plants depend on water and light to grow. (2-LS2-1) Plants depend on animals for pollination or to move their seeds around. (2-LS2-2) 	<ul style="list-style-type: none"> The food of almost any kind of animal can be traced back to plants. Organisms are related in food webs in which some animals eat plants for food and other animals eat the animals that eat 	<ul style="list-style-type: none"> Organisms, and populations of organisms, are dependent on their environmental interactions both with other living things and with nonliving factors. (MS-LS2-1) In any ecosystem, organisms and populations with similar 	<ul style="list-style-type: none"> Ecosystems have carrying capacities, which are limits to the numbers of organisms and populations they can support. These limits result from such factors as the availability of living and nonliving resources and from such challenges such as predation, competition, and disease. Organisms would have the capacity to produce populations of great size

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

		<p>plants. Some organisms, such as fungi and bacteria, break down dead organisms (both plants or plants parts and animals) and therefore operate as “decomposers.” Decomposition eventually restores (recycles) some materials back to the soil. Organisms can survive only in environments in which their particular needs are met. A healthy ecosystem is one in which multiple species of different types are each able to meet their needs in a relatively stable web of life. Newly introduced species can damage the balance of an ecosystem. (5-LS2-1)</p>	<p>requirements for food, water, oxygen, or other resources may compete with each other for limited resources, access to which consequently constrains their growth and reproduction. (MS-LS2-1)</p> <ul style="list-style-type: none"> • Growth of organisms and population increases are limited by access to resources. (MS-LS2-1) • Similarly, predatory interactions may reduce the number of organisms or eliminate whole populations of organisms. Mutually beneficial interactions, in contrast, may become so interdependent that each organism requires the other for survival. Although the species involved in these competitive, predatory, and mutually beneficial interactions vary across ecosystems, the patterns of interactions of organisms with their environments, both living and nonliving, are shared. (MS-LS2-2) 	<p>were it not for the fact that environments and resources are finite. This fundamental tension affects the abundance (number of individuals) of species in any given ecosystem. (HS-LS2-1),(HS-LS2-2)</p>
<p>LS2.B: Cycles of Matter and Energy Transfer in Ecosystems</p>		<ul style="list-style-type: none"> • Matter cycles between the air and soil and among plants, animals, and microbes as these organisms live and die. Organisms obtain gasses, and water, from the environment, and release waste matter (gas, liquid, or solid) back into the environment. (5-LS2-1) 	<ul style="list-style-type: none"> • Food webs are models that demonstrate how matter and energy is transferred between producers, consumers, and decomposers as the three groups interact within an ecosystem. Transfers of matter into and out of the physical environment occur at every level. Decomposers recycle nutrients from dead plant or animal matter back to the soil in terrestrial environments or to the water in aquatic environments. The atoms that make up the organisms in an ecosystem are cycled repeatedly between the living and nonliving parts of the ecosystem. (MS-LS2-3) 	<ul style="list-style-type: none"> • Photosynthesis and cellular respiration (including anaerobic processes) provide most of the energy for life processes. (HS-LS2-3) • Plants or algae form the lowest level of the food web. At each link upward in a food web, only a small fraction of the matter consumed at the lower level is transferred upward, to produce growth and release energy in cellular respiration at the higher level. Given this inefficiency, there are generally fewer organisms at higher levels of a food web. Some matter reacts to release energy for life functions, some matter is stored in newly made structures, and much is discarded. The chemical elements that make up the molecules of organisms pass through food webs and into and out of the atmosphere and soil, and they are combined and recombined in different ways. At each link in an ecosystem, matter and energy are conserved.

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

				<p>(HS-LS2-4)</p> <ul style="list-style-type: none"> Photosynthesis and cellular respiration are important components of the carbon cycle, in which carbon is exchanged among the biosphere, atmosphere, oceans, and geosphere through chemical, physical, geological, and biological processes. (HS-LS2-5)
<p>LS2.C: Ecosystem Dynamics, Functioning, and Resilience</p>		<ul style="list-style-type: none"> When the environment changes in ways that affect a place's physical characteristics, temperature, or availability of resources, some organisms survive and reproduce, others move to new locations, yet others move into the transformed environment, and some die. (secondary to 3-LS4-4) 	<ul style="list-style-type: none"> Ecosystems are dynamic in nature; their characteristics can vary over time. Disruptions to any physical or biological component of an ecosystem can lead to shifts in all its populations. (MS-LS2-4) Biodiversity describes the variety of species found in Earth's terrestrial and oceanic ecosystems. The completeness or integrity of an ecosystem's biodiversity is often used as a measure of its health. (MS-LS2-5) 	<ul style="list-style-type: none"> A complex set of interactions within an ecosystem can keep its numbers and types of organisms relatively constant over long periods of time under stable conditions. If a modest biological or physical disturbance to an ecosystem occurs, it may return to its more or less original status (i.e., the ecosystem is resilient), as opposed to becoming a very different ecosystem. Extreme fluctuations in conditions or the size of any population, however, can challenge the functioning of ecosystems in terms of resources and habitat availability. (HS-LS2-2),(HS-LS2-6) Moreover, anthropogenic changes (induced by human activity) in the environment—including habitat destruction, pollution, introduction of invasive species, overexploitation, and climate change—can disrupt an ecosystem and threaten the survival of some species. (HS-LS2-7)
<p>LS2.D: Social Interactions and Group Behavior</p>		<ul style="list-style-type: none"> Being part of a group helps animals obtain food, defend themselves, and cope with changes. Groups may serve different functions and vary dramatically in size (Note: Moved from K–2). (3-LS2-1) 	<ul style="list-style-type: none"> Changes in biodiversity can influence humans' resources, such as food, energy, and medicines, as well as ecosystem services that humans rely on—for example, water purification and recycling. (secondary to MS-LS2-5) 	<ul style="list-style-type: none"> Group behavior has evolved because membership can increase the chances of survival for individuals and their genetic relatives. (HS-LS2-8)
<p>LS3: Heredity: Inheritance and Variation of Traits</p>				
<p>Topic</p>	<p>Grades K-2</p>	<p>Grades 3-5</p>	<p>Grades 6-8</p>	<p>Grades 9-12</p>
<p>LS3.A: Inheritance of</p>	<ul style="list-style-type: none"> Young animals are very much, but not exactly, like their parents. Plants also 	<ul style="list-style-type: none"> Many characteristics of organisms are inherited from their parents. (3- LS3-1) Other characteristics result 	<ul style="list-style-type: none"> Genes are located in the chromosomes of cells, with each chromosome pair containing two variants of each of many distinct 	<ul style="list-style-type: none"> Each chromosome consists of a single very long DNA molecule, and each gene on the chromosome is a particular segment of that DNA. The instructions for forming species'

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

Traits	are very much, but not exactly, like their parents. (1-LS3- 1)	from individuals' interactions with the environment, which can range from diet to learning. Many characteristics involve both inheritance and environment. (3- LS3-2)	genes. Each distinct gene chiefly controls the production of specific proteins, which in turn affects the traits of the individual. Changes (mutations) to genes can result in changes to proteins, which can affect the structures and functions of the organism and thereby change traits. (MS-LS3-1) <ul style="list-style-type: none"> Variations of inherited traits between parent and offspring arise from genetic differences that result from the subset of chromosomes (and therefore genes) inherited. (MS-LS3-2) 	characteristics are carried in DNA. All cells in an organism have the same genetic content, but the genes used (expressed) by the cell may be regulated in different ways. Not all DNA codes for a protein; some segments of DNA are involved in regulatory or structural functions, and some have no as-yet known function. (HS-LS3-1)
LS3.B: Variation of Traits	<ul style="list-style-type: none"> Individuals of the same kind of plant or animal are recognizable as similar but can also vary in many ways. (1-LS3-1) 	<ul style="list-style-type: none"> Different organisms vary in how they look and function because they have different inherited information. (3-LS3-1) The environment also affects the traits that an organism develops. (3-LS3-2) 	<ul style="list-style-type: none"> In sexually reproducing organisms, each parent contributes half of the genes acquired (at random) by the offspring. Individuals have two of each chromosome and hence two alleles of each gene, one acquired from each parent. These versions may be identical or may differ from each other. (MS-LS3-2) In addition to variations that arise from sexual reproduction, genetic information can be altered because of mutations. Though rare, mutations may result in changes to the structure and function of proteins. Some changes are beneficial, others harmful, and some neutral to the organism. (MS-LS3-1) 	<ul style="list-style-type: none"> In sexual reproduction, chromosomes can sometimes swap sections during the process of meiosis (cell division), thereby creating new genetic combinations and thus more genetic variation. Although DNA replication is tightly regulated and remarkably accurate, errors do occur and result in mutations, which are also a source of genetic variation. Environmental factors can also cause mutations in genes, and viable mutations are inherited. (HS-LS3-2) Environmental factors also affect expression of traits, and hence affect the probability of occurrences of traits in a population. Thus the variation and distribution of traits observed depends on both genetic and environmental factors. (HS-LS3-2),(HS-LS3-3)
LS4: Biological Evolution: Unity and Diversity				
Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12
LS4.A: Evidence of Common		<ul style="list-style-type: none"> Some kinds of plants and animals that once lived on Earth are no longer found 	<ul style="list-style-type: none"> The collection of fossils and their placement in chronological order (e.g., through the location of the 	<ul style="list-style-type: none"> Genetic information provides evidence of evolution. DNA sequences vary among species, but there are many overlaps; in fact,

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

<p>Ancestry and Diversity</p>		<p>anywhere. (Note: moved from K-2) (3-LS4-1)</p> <ul style="list-style-type: none"> Fossils provide evidence about the types of organisms that lived long ago and also about the nature of their environments. (3-LS4-1) 	<p>sedimentary layers in which they are found or through radioactive dating) is known as the fossil record. It documents the existence, diversity, extinction, and change of many life forms throughout the history of life on Earth. (MS-LS4-1)</p> <ul style="list-style-type: none"> Anatomical similarities and differences between various organisms living today and between them and organisms in the fossil record, enable the reconstruction of evolutionary history and the inference of lines of evolutionary descent. (MS-LS4-2) Comparison of the embryological development of different species also reveals similarities that show relationships not evident in the fully-formed anatomy. (MS-LS4-3) 	<p>the ongoing branching that produces multiple lines of descent can be inferred by comparing the DNA sequences of different organisms. Such information is also derivable from the similarities and differences in amino acid sequences and from anatomical and embryological evidence. (HS-LS4-1)</p>
<p>LS4.B: Natural Selection</p>		<ul style="list-style-type: none"> Sometimes the differences in characteristics between individuals of the same species provide advantages in surviving, finding mates, and reproducing. (3-LS4-2) 	<ul style="list-style-type: none"> Natural selection leads to the predominance of certain traits in a population, and the suppression of others. (MS-LS4-4) In artificial selection, humans have the capacity to influence certain characteristics of organisms by selective breeding. One can choose desired parental traits determined by genes, which are then passed onto offspring. (MS-LS4-5) 	<ul style="list-style-type: none"> Natural selection occurs only if there is both (1) variation in the genetic information between organisms in a population and (2) variation in the expression of that genetic information—that is, trait variation—that leads to differences in performance among individuals. (HS-LS4-2),(HS-LS4-3) The traits that positively affect survival are more likely to be reproduced, and thus are more common in the population. (HS-LS4-3)
<p>LS4.C: Adaptation</p>		<ul style="list-style-type: none"> For any particular environment, some kinds of organisms survive well, some survive less well, and some cannot survive at all. (3-LS4-3) 	<ul style="list-style-type: none"> Adaptation by natural selection acting over generations is one important process by which species change over time in response to changes in environmental conditions. Traits that support successful survival and reproduction in the new environment become more common; those that do not become less common. Thus, the 	<ul style="list-style-type: none"> Evolution is a consequence of the interaction of four factors: (1) the potential for a species to increase in number, (2) the genetic variation of individuals in a species due to mutation and sexual reproduction, (3) competition for an environment's limited supply of the resources that individuals need in order to survive and reproduce, and (4) the ensuing proliferation of those organisms that are better able to survive and reproduce in that environment. (HS-LS4-2)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

			<p>distribution of traits in a population changes. (MS-LS4-6)</p>	<ul style="list-style-type: none"> • Natural selection leads to adaptation, that is, to a population dominated by organisms that are anatomically, behaviorally, and physiologically well suited to survive and reproduce in a specific environment. That is, the differential survival and reproduction of organisms in a population that have an advantageous heritable trait leads to an increase in the proportion of individuals in future generations that have the trait and to a decrease in the proportion of individuals that do not. (HS-LS4-3),(HS-LS4-4) • Adaptation also means that the distribution of traits in a population can change when conditions change. (HS-LS4-3) • Changes in the physical environment, whether naturally occurring or human induced, have thus contributed to the expansion of some species, the emergence of new distinct species as populations diverge under different conditions, and the decline—and sometimes the extinction—of some species. (HS-LS4-5),(HS-LS4-6) • Species become extinct because they can no longer survive and reproduce in their altered environment. If members cannot adjust to change that is too fast or drastic, the opportunity for the species' evolution is lost. (HS-LS4-5)
<p>LS4.D: Biodiversity and Humans</p>	<ul style="list-style-type: none"> • There are many different kinds of living things in any area, and they exist in different places on land and in water. (2-LS4-1) 	<ul style="list-style-type: none"> • Populations live in a variety of habitats, and change in those habitats affects the organisms living there. (3-LS4-4) 		<ul style="list-style-type: none"> • Biodiversity is increased by the formation of new species (speciation) and decreased by the loss of species (extinction). (secondary to HS-LS2-7) • Humans depend on the living world for the resources and other benefits provided by biodiversity. But human activity is also having adverse impacts on biodiversity through overpopulation, overexploitation, habitat destruction, pollution, introduction of invasive species, and climate change. Thus sustaining biodiversity so that ecosystem functioning and productivity are maintained is essential to supporting and enhancing life on Earth. Sustaining biodiversity also aids humanity by preserving landscapes of recreational or inspirational value. (secondary to HS-LS2-7) (HS-LS4-6)

Earth and Space Science				
ESS1: Earth's Place in the Universe				
Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12
ESS1.A: The Universe and Its Stars	<ul style="list-style-type: none"> Patterns of the motion of the sun, moon, and stars in the sky can be observed, described, and predicted. (1-ESS1-1) 	<ul style="list-style-type: none"> The sun is a star that appears larger and brighter than other stars because it is closer. Stars range greatly in their distance from Earth. (5-ESS1-1) 	<ul style="list-style-type: none"> Patterns of the apparent motion of the sun, the moon, and stars in the sky can be observed, described, predicted, and explained with models. (MS-ESS1-1) Earth and its solar system are part of the Milky Way galaxy, which is one of many galaxies in the universe. (MS-ESS1-2) 	<ul style="list-style-type: none"> The star called the sun is changing and will burn out over a lifespan of approximately 10 billion years. (HS-ESS1-1) The study of stars' light spectra and brightness is used to identify compositional elements of stars, their movements, and their distances from Earth. (HS-ESS1-2),(HS-ESS1-3) The Big Bang theory is supported by observations of distant galaxies receding from our own, of the measured composition of stars and non-stellar gasses, and of the maps of spectra of the primordial radiation (cosmic microwave background) that still fills the universe. (HS-ESS1-2) Other than the hydrogen and helium formed at the time of the Big Bang, nuclear fusion within stars produces all atomic nuclei lighter than and including iron, and the process releases electromagnetic energy. Heavier elements are produced when certain massive stars achieve a supernova stage and explode. (HS-ESS1-2), (HS-ESS1-3)
ESS1.B: Earth and the Solar System	<ul style="list-style-type: none"> Seasonal patterns of sunrise and sunset can be observed, described, and predicted. (1-ESS1-2) 	<ul style="list-style-type: none"> The orbits of Earth around the sun and of the moon around Earth, together with the rotation of Earth about an axis between its North and South poles, cause observable patterns. These include day and night; daily changes in the length and direction of shadows; and different positions of the sun, moon, and stars at different times of the day, month, and year. (5-ESS1-2) 	<ul style="list-style-type: none"> The solar system consists of the sun and a collection of objects, including planets, their moons, and asteroids that are held in orbit around the sun by its gravitational pull on them. (MS-ESS1-2), (MS-ESS1-3) This model of the solar system can explain eclipses of the sun and the moon. Earth's spin axis is fixed in direction over the short-term but tilted relative to its orbit around the sun. The seasons are a result of that tilt and are caused by the differential intensity of sunlight on different areas of Earth across the year. 	<ul style="list-style-type: none"> Kepler's laws describe common features of the motions of orbiting objects, including their elliptical paths around the sun. Orbits may change due to the gravitational effects from, or collisions with, other objects in the solar system. (HS-ESS1-4) Cyclical changes in the shape of Earth's orbit around the sun, together with changes in the tilt of the planet's axis of rotation, both occurring over hundreds of thousands of years, have altered the intensity and distribution of sunlight falling on the earth. These phenomena cause a cycle of ice ages and other gradual climate changes. (secondary to HS-ESS2-4)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

			(MS-ESS1-1) <ul style="list-style-type: none"> The solar system appears to have formed from a disk of dust and gas, drawn together by gravity. (MS-ESS1-2) 	
ESS1.C: The History of Planet Earth	<ul style="list-style-type: none"> Some events happen very quickly; others occur very slowly, over a time period much longer than one can observe. (2-ESS1-1) 	<ul style="list-style-type: none"> Local, regional, and global patterns of rock formations reveal changes over time due to earth forces, such as earthquakes. The presence and location of certain fossil types indicate the order in which rock layers were formed. (4-ESS1-1) 	<ul style="list-style-type: none"> The geologic time scale interpreted from rock strata provides a way to organize Earth's history. Analyses of rock strata and the fossil record provide only relative dates, not an absolute scale. (MS-ESS1-4) Tectonic processes continually generate new ocean sea floor at ridges and destroy old sea floor at trenches. (secondary to MS-ESS2-3) 	<ul style="list-style-type: none"> Continental rocks, which can be older than 4 billion years, are generally much older than the rocks of the ocean floor, which are less than 200 million years old. (HS-ESS1-5) Although active geologic processes, such as plate tectonics and erosion, have destroyed or altered most of the very early rock record on Earth, other objects in the solar system, such as lunar rocks, asteroids, and meteorites, have changed little over billions of years. Studying these objects can provide information about Earth's formation and early history. (HS-ESS1-6)
ESS2: Earth's Systems				
Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12
ESS1.A: The Universe and Its Stars	<ul style="list-style-type: none"> Wind and water can change the shape of the land. (2-ESS2-1) 	<ul style="list-style-type: none"> Rainfall helps to shape the land and affects the types of living things found in a region. Water, ice, wind, living organisms, and gravity break rocks, soils, and sediments into smaller particles and move them around. (4-ESS2-1) Earth's major systems are the geosphere (solid and molten rock, soil, and sediments), the hydrosphere (water and ice), the atmosphere (air), and the biosphere (living things, including humans). These systems interact in multiple ways to affect Earth's surface materials and processes. The ocean supports a variety of ecosystems and organisms, 	<ul style="list-style-type: none"> All Earth processes are the result of energy flowing and matter cycling within and among the planet's systems. This energy is derived from the sun and Earth's hot interior. The energy that flows and matter that cycles produce chemical and physical changes in Earth's materials and living organisms. (MS-ESS2-1) The planet's systems interact over scales that range from microscopic to global in size, and they operate over fractions of a second to billions of years. These interactions have shaped Earth's history and will determine its future. (MS-ESS2-2) 	<ul style="list-style-type: none"> Earth's systems, being dynamic and interacting, cause feedback effects that can increase or decrease the original changes. (HS-ESS2-1),(HS-ESS2-2) Evidence from deep probes and seismic waves, reconstructions of historical changes in Earth's surface and its magnetic field, and an understanding of physical and chemical processes lead to a model of Earth with a hot but solid inner core, a liquid outer core, a solid mantle and crust. Motions of the mantle and its plates occur primarily through thermal convection, which involves the cycling of matter due to the outward flow of energy from Earth's interior and gravitational movement of denser materials toward the interior. (HS-ESS2-3) The geological record shows that changes to global and regional climate can be caused by interactions among changes in the sun's energy output or Earth's orbit, tectonic events, ocean circulation, volcanic activity, glaciers, vegetation, and human activities. These

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

		<p>shapes landforms, and influences climate. Winds and clouds in the atmosphere interact with the landforms to determine patterns of weather. (5-ESS2-1)</p>		<p>changes can occur on a variety of time scales from sudden (e.g., volcanic ash clouds) to intermediate (ice ages) to very long-term tectonic cycles. (HS-ESS2-4)</p>
<p>ESS2.B: Plate Tectonics and Large-Scale System Interactions</p>	<ul style="list-style-type: none"> • Maps show where things are located. One can map the shapes and kinds of land and water in any area. (2-ESS2-2) 	<ul style="list-style-type: none"> • The locations of mountain ranges, deep ocean trenches, ocean floor structures, earthquakes, and volcanoes occur in patterns. Most earthquakes and volcanoes occur in bands that are often along the boundaries between continents and oceans. Major mountain chains form inside continents or near their edges. Maps can help locate the different land and water features areas of Earth. (4-ESS2-2) 	<ul style="list-style-type: none"> • Maps of ancient land and water patterns, based on investigations of rocks and fossils, make clear how Earth's plates have moved great distances, collided, and spread apart. (MS-ESS2-3) 	<ul style="list-style-type: none"> • The radioactive decay of unstable isotopes continually generates new energy within Earth's crust and mantle, providing the primary source of the heat that drives mantle convection. Plate tectonics can be viewed as the surface expression of mantle convection. (HS-ESS2-3) • Plate tectonics is the unifying theory that explains the past and current movements of the rocks at Earth's surface and provides a framework for understanding its geologic history. (ESS2.B Grade 8 GBE) (HS-ESS2-1) (secondary to HS-ESS1-5)
<p>ESS2.C: The Roles of Water in Earth's Surface Processes</p>	<ul style="list-style-type: none"> • Water is found in the ocean, rivers, lakes, and ponds. Water exists as solid ice and in liquid form. (2-ESS2-3) 	<ul style="list-style-type: none"> • Nearly all of Earth's available water is in the ocean. Most freshwater is in glaciers or underground; only a tiny fraction is in streams, lakes, wetlands, and the atmosphere. (5-ESS2-2) 	<ul style="list-style-type: none"> • Water continually cycles among land, ocean, and atmosphere via transpiration, evaporation, condensation and crystallization, and precipitation, as well as downhill flows on land. (MS-ESS2-4) • The complex patterns of the changes and the movement of water in the atmosphere, determined by winds, landforms, and ocean temperatures and currents, are major determinants of local weather patterns. (MS-ESS2-5) • Global movements of water and its changes in form are propelled by sunlight and gravity. (MS-ESS2-4) • Variations in density due to variations in temperature and salinity drive a global pattern of interconnected ocean currents. (MS-ESS2-6) 	<ul style="list-style-type: none"> • The abundance of liquid water on Earth's surface and its unique combination of physical and chemical properties are central to the planet's dynamics. These properties include water's exceptional capacity to absorb, store, and release large amounts of energy, transmit sunlight, expand upon freezing, dissolve and transport materials, and lower the viscosities and melting points of rocks. (HS-ESS2-5)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

			<ul style="list-style-type: none"> Water’s movements—both on the land and underground—cause weathering and erosion, which change the land’s surface features and create underground formations. (MS-ESS2-2) 	
ESS2.D: Weather and Climate	<ul style="list-style-type: none"> Weather is the combination of sunlight, wind, snow or rain, and temperature in a particular region at a particular time. People measure these conditions to describe and record the weather and to notice patterns over time. (K-ESS2-1) 	<ul style="list-style-type: none"> Scientists record patterns of the weather across different times and areas so that they can make predictions about what kind of weather might happen next. (3-ESS2-1) Climate describes a range of an area’s typical weather conditions and the extent to which those conditions vary over years. (3-ESS2-2) 	<ul style="list-style-type: none"> Weather and climate are influenced by interactions involving sunlight, the ocean, the atmosphere, ice, landforms, and living things. These interactions vary with latitude, altitude, and local and regional geography, all of which can affect oceanic and atmospheric flow patterns. (MS-ESS2-6) Because these patterns are so complex, weather can only be predicted probabilistically. (MS-ESS2-5) The ocean exerts a major influence on weather and climate by absorbing energy from the sun, releasing it over time, and globally redistributing it through ocean currents. (MS-ESS2-6) 	<ul style="list-style-type: none"> The foundation for Earth’s global climate systems is the electromagnetic radiation from the sun, as well as its reflection, absorption, storage, and redistribution among the atmosphere, ocean, and land systems, and this energy’s re-radiation into space. (HS-ESS2-4) Gradual atmospheric changes were due to plants and other organisms that captured carbon dioxide and released oxygen. (HS-ESS2-6),(HS-ESS2-7) Changes in the atmosphere due to human activity have increased carbon dioxide concentrations and thus affect climate. (HS-ESS2- 6),(HS-ESS2-4) Current models predict that, although future regional climate changes will be complex and varied, average global temperatures will continue to rise. The outcomes predicted by global climate models strongly depend on the amounts of human-generated greenhouse gasses added to the atmosphere each year and by the ways in which these gasses are absorbed by the ocean and biosphere. (secondary to HS-ESS3-6)
ESS2.E: Biogeology	<ul style="list-style-type: none"> Plants and animals can change their environment. (K-ESS2-2) 	<ul style="list-style-type: none"> Living things affect the physical characteristics of their regions. (4-ESS2-1) 		<ul style="list-style-type: none"> The many dynamic and delicate feedbacks between the biosphere and other Earth systems cause a continual co-evolution of Earth’s surface and the life that exists on it. (HS-ESS2-7)
ESS3: Earth and Human Activity				
Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

<p>ESS3.A: Natural Resources</p>	<ul style="list-style-type: none"> Living things need water, air, and resources from the land, and they live in places that have the things they need. Humans use natural resources for everything they do. (K-ESS3-1) 	<ul style="list-style-type: none"> Energy and fuels that humans use are derived from natural sources, and their use affects the environment in multiple ways. Some resources are renewable over time, and others are not. (4-ESS3-1) 	<ul style="list-style-type: none"> Humans depend on Earth's land, ocean, atmosphere, and biosphere for many different resources. Minerals, fresh water, and biosphere resources are limited, and many are not renewable or replaceable over human lifetimes. These resources are distributed unevenly around the planet as a result of past geologic processes. (MS-ESS3-1) 	<ul style="list-style-type: none"> Resource availability has guided the development of human society. (HS-ESS3-1) All forms of energy production and other resource extraction have associated economic, social, environmental, and geopolitical costs and risks as well as benefits. New technologies and social regulations can change the balance of these factors. (HS-ESS3-2)
<p>ESS3.B: Natural Hazards</p>	<ul style="list-style-type: none"> Some kinds of severe weather are more likely than others in a given region. Weather scientists forecast severe weather so that the communities can prepare for and respond to these events. (K-ESS3-2) 	<ul style="list-style-type: none"> A variety of natural hazards result from natural processes. Humans cannot eliminate natural hazards but can take steps to reduce their impacts. (3-ESS3-1) (4-ESS3-2) 	<ul style="list-style-type: none"> Mapping the history of natural hazards in a region, combined with an understanding of related geologic forces can help forecast the locations and likelihoods of future events. (MS-ESS3-2) 	<ul style="list-style-type: none"> Natural hazards and other geologic events have shaped the course of human history; [they] have significantly altered the sizes of human populations and have driven human migrations. (HS-ESS3-1)
<p>ESS3.C: Human Impacts on Earth Systems</p>	<ul style="list-style-type: none"> Things that people do to live comfortably can affect the world around them. But they can make choices that reduce their impacts on the land, water, air, and other living things. (K-ESS3-3) (secondary to K-ESS2-2) 	<ul style="list-style-type: none"> Human activities in agriculture, industry, and everyday life have had major effects on the land, vegetation, streams, ocean, air, and even outer space. But individuals and communities are doing things to help protect Earth's resources and environments. (5-ESS3-1) 	<ul style="list-style-type: none"> Human activities have significantly altered the biosphere, sometimes damaging or destroying natural habitats and causing the extinction of other species. But changes to Earth's environments can have different impacts (negative and positive) for different living things. (MS-ESS3-3) Typically as human populations and per-capita consumption of natural resources increase, so do the negative impacts on Earth unless the activities and technologies involved are engineered otherwise. (MS-ESS3-3),(MS-ESS3-4) 	<ul style="list-style-type: none"> The sustainability of human societies and the biodiversity that supports them requires responsible management of natural resources. (HS-ESS3-3) Scientists and engineers can make major contributions by developing technologies that produce less pollution and waste and that preclude ecosystem degradation. (HS-ESS3-4)
<p>ESS3.D: Global Climate Change</p>			<ul style="list-style-type: none"> Human activities, such as the release of greenhouse gasses from burning fossil fuels, are major factors in the current rise in Earth's mean surface 	<ul style="list-style-type: none"> Though the magnitudes of human impacts are greater than they have ever been, so too are human abilities to model, predict, and manage current and future impacts. (HS-ESS3-5) Through computer simulations and other

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

			<p>temperature (global warming). Reducing the level of climate change and reducing human vulnerability to whatever climate changes do occur depend on the understanding of climate science, engineering capabilities, and other kinds of knowledge, such as understanding of human behavior and on applying that knowledge wisely in decisions and activities. (MS-ESS3-5)</p>	<p>studies, important discoveries are still being made about how the ocean, the atmosphere, and the biosphere interact and are modified in response to human activities. (HS-ESS3-6)</p>
Physical Science				
PS1: Matter and Its Interactions				
Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12
<p>PS1.A: Structure and Properties of Matter</p>	<ul style="list-style-type: none"> • Different kinds of matter exist and many of them can be either solid or liquid, depending on temperature. Matter can be described and classified by its observable properties. (2-PS1-1) • Different properties are suited to different purposes. (2-PS1-2),(2-PS1-3) • A great variety of objects can be built up from a small set of pieces. (2-PS1-3) 	<ul style="list-style-type: none"> • Matter of any type can be subdivided into particles that are too small to see, but even then the matter still exists and can be detected by other means. A model shows that gasses are made from matter particles that are too small to see and are moving freely around in space can explain many observations, including the inflation and shape of a balloon; the effects of air on larger particles or objects. (5-PS1-1) • The amount (weight) of matter is conserved when it changes form, even in transitions in which it seems to vanish. (5-PS1-2) • Measurements of a variety of properties can be used to identify materials. (Boundary: At this grade level, mass and weight are not distinguished, and no attempt is made to define 	<ul style="list-style-type: none"> • Substances are made from different types of atoms, which combine with one another in various ways. Atoms form molecules that range in size from two to thousands of atoms. (MS-PS1-1) • Each pure substance has characteristic physical and chemical properties (for any bulk quantity under given conditions) that can be used to identify it. (MS-PS1-2), (MS-PS1-3) • Gasses and liquids are made of molecules or inert atoms that are moving about relative to each other. (MS-PS1-4) • In a liquid, the molecules are constantly in contact with others; in a gas, they are widely spaced except when they happen to collide. In a solid, atoms are closely spaced and may vibrate in position but do not change relative locations. (MS-PS1-4) • Solids may be formed from molecules, or they may be extended structures with 	<ul style="list-style-type: none"> • Each atom has a charged substructure consisting of a nucleus, which is made of protons and neutrons, surrounded by electrons. (HS-PS1-1) • The periodic table orders elements horizontally by the number of protons in the atom's nucleus and places those with similar chemical properties in columns. The repeating patterns of this table reflect patterns of outer electron states. (HS-PS1-1),(HS- PS1-2) • The structure and interactions of matter at the bulk scale are determined by electrical forces within and between atoms. (HS-PS1-3),(secondary to HS-PS2-6) • Stable forms of matter are those in which the electric and magnetic field energy is minimized. A stable molecule has less energy than the same set of atoms separated; one must provide at least this energy in order to take the molecule apart. (HS-PS1-4)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

		the unseen particles or explain the atomic-scale mechanism of evaporation and condensation.) (5-PS1-3)	repeating subunits (e.g., crystals). (MS-PS1-1) <ul style="list-style-type: none"> The changes of state that occur with variations in temperature or pressure can be described and predicted using these models of matter. (MS-PS1-4) 	
PS1.B: Chemical Reactions	<ul style="list-style-type: none"> Heating or cooling a substance may cause changes that can be observed. Sometimes these changes are reversible, and sometimes they are not. (2-PS1-4) 	<ul style="list-style-type: none"> When two or more different substances are mixed, a new substance with different properties may be formed. (5-PS1-4) No matter what reaction or change in properties occurs, the total weight of the substances does not change. (Boundary: Mass and weight are not distinguished at this grade level.) (5-PS1-2) 	<ul style="list-style-type: none"> Substances react chemically in characteristic ways. In a chemical process, the atoms that make up the original substances are regrouped into different molecules, and these new substances have different properties from those of the reactants. (MS-PS1-2), (MS-PS1-3), (MS-PS1-5) The total number of each type of atom is conserved, and thus the mass does not change. (MS-PS1-5) Some chemical reactions release energy, others store energy. (MS-PS1-6) 	<ul style="list-style-type: none"> Chemical processes, their rates, and whether or not energy is stored or released can be understood in terms of the collisions of molecules and the rearrangements of atoms into new molecules, with consequent changes in the sum of all bond energies in the set of molecules that are matched by changes in kinetic energy. (HS-PS1-4), (HS-PS1-5) In many situations, a dynamic and condition-dependent balance between a reaction and the reverse reaction determines the numbers of all types of molecules present. (HS-PS1-6) The fact that atoms are conserved, together with knowledge of the chemical properties of the elements involved, can be used to describe and predict chemical reactions. (HS-PS1-2), (HS-PS1-7)
PS1.C: Nuclear Processes				<ul style="list-style-type: none"> Nuclear processes, including fusion, fission, and radioactive decays of unstable nuclei, involve release or absorption of energy. The total number of neutrons plus protons does not change in any nuclear process. (HS-PS1-8) Spontaneous radioactive decay follows a characteristic exponential decay law. Nuclear lifetimes allow radiometric dating to be used to determine the ages of rocks and other materials. (secondary to HS-ESS1-5), (secondary to HS-ESS1-6)
PS2: Motion and Stability: Forces and Interactions				
Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12
PS2.A: Forces and Motion	<ul style="list-style-type: none"> Pushes and pulls can have different strengths and 	<ul style="list-style-type: none"> Each force acts on one particular object and has both strength and a 	<ul style="list-style-type: none"> For any pair of interacting objects, the force exerted by the first object on the second object 	<ul style="list-style-type: none"> Newton's second law accurately predicts changes in the motion of macroscopic objects. (HS-PS2-1)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

	<p>directions. (K-PS2-1),(K-PS2-2)</p> <ul style="list-style-type: none"> Pushing or pulling on an object can change the speed or direction of its motion and can start or stop it. (K-PS2-1), (K-PS2-2) 	<p>direction. An object at rest typically has multiple forces acting on it, but they add to give zero net force on the object. Forces that do not sum to zero can cause changes in the object's speed or direction of motion. (Boundary: Qualitative and conceptual, but not quantitative addition of forces are used at this level.) (3-PS2-1)</p> <ul style="list-style-type: none"> The patterns of an object's motion in various situations can be observed and measured; when that past motion exhibits a regular pattern, future motion can be predicted from it. (Boundary: Technical terms, such as magnitude, velocity, momentum, and vector quantity, are not introduced at this level, but the concept that some quantities need both size and direction to be described is developed.) (3-PS2-2) 	<p>is equal in strength to the force that the second object exerts on the first, but in the opposite direction (Newton's third law). (MS-PS2-1)</p> <ul style="list-style-type: none"> The motion of an object is determined by the sum of the forces acting on it; if the total force on the object is not zero, its motion will change. The greater the mass of the object, the greater the force needed to achieve the same change in motion. For any given object, a larger force causes a larger change in motion. (MS-PS2-2) All positions of objects and the directions of forces and motions must be described in an arbitrarily chosen reference frame and arbitrarily chosen units of size. In order to share information with other people, these choices must also be shared. (MS-PS2-2) 	<ul style="list-style-type: none"> Momentum is defined for a particular frame of reference; it is the mass times the velocity of the object. In any system, total momentum is always conserved. (HS-PS2-2) If a system interacts with objects outside itself, the total momentum of the system can change; however, any such change is balanced by changes in the momentum of objects outside the system. (HS-PS2-2),(HS-PS2-3)
<p>PS2.B: Types of Interactions</p>	<ul style="list-style-type: none"> When objects touch or collide, they push on one another and can change motion. (K-PS2-1) 	<ul style="list-style-type: none"> Objects in contact exert forces on each other. (3-PS2-1) Electric, and magnetic forces between a pair of objects do not require that the objects be in contact. The sizes of the forces in each situation depend on the properties of the objects and their distances apart and, for forces between two magnets, on their orientation relative to each other. (3-PS2-3), (3-PS2-4) The gravitational force of Earth acting on an object near Earth's surface pulls that object toward the 	<ul style="list-style-type: none"> Electric and magnetic (electromagnetic) forces can be attractive or repulsive, and their sizes depend on the magnitudes of the charges, currents, or magnetic strengths involved and on the distances between the interacting objects. (MS-PS2-3) Gravitational forces are always attractive. There is a gravitational force between any two masses, but it is very small except when one or both of the objects have large mass—e.g., Earth and the sun. (MS-PS2-4) Forces that act at a distance (electric and magnetic) can be explained by fields that extend through space and can be 	<ul style="list-style-type: none"> Newton's law of universal gravitation and Coulomb's law provide the mathematical models to describe and predict the effects of gravitational and electrostatic forces between distant objects. (HS-PS2-4) Forces at a distance are explained by fields (gravitational, electric, and magnetic) permeating space that can transfer energy through space. Magnets or electric currents cause magnetic fields; electric charges or changing magnetic fields cause electric fields. (HS-PS2-4),(HS-PS2-5) Attraction and repulsion between electric charges at the atomic scale explain the structure, properties, and transformations of matter, as well as the contact forces between material objects. (HS-PS2-6), (secondary to HS-PS1-1),(secondary to HS-PS1-3)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

		planet's center. (5-PS2-1)	mapped by their effect on a test object (a ball, a charged object, or a magnet, respectively). (MS-PS2-5)	
PS2.C: Stability and Instability in Physical Systems				<ul style="list-style-type: none"> • ...and "electrical energy" may mean energy stored in a battery or energy transmitted by electric currents. (secondary to HS-PS2-5)
PS3: Energy				
Topic	Grades K-2	Grades 3-5	Grades 6-8	Grades 9-12
PS3.A: Definitions of Energy		<ul style="list-style-type: none"> • The faster a given object is moving, the more energy it possesses. (4-PS3-1) • Energy can be moved from place to place by moving objects or through sound, light, or electric currents. (4-PS3-2), (4-PS3-3) • A bigger push or pull makes things go faster. (secondary to K-PS2-1) 	<ul style="list-style-type: none"> • Motion energy is properly called kinetic energy; it is proportional to the mass of the moving object and grows with the square of its speed. (MS-PS3-1) • A system of objects may also contain stored (potential) energy, depending on their relative positions. (MS-PS3-2) • Temperature is a measure of the average kinetic energy of particles of matter. The relationship between the temperature and the total energy of a system depends on the types, states, and amounts of matter present. (MS-PS3-3), (MS-PS3-4) • The term "heat" as used in everyday language refers both to thermal motion (the motion of atoms or molecules within a substance) and radiation (particularly infrared and light). In science, heat is used only for this second meaning; it refers to energy transferred when two objects or systems are at different temperatures. (secondary to MS-PS1-4) • Temperature is not a measure of energy; the relationship between the temperature and the total 	<ul style="list-style-type: none"> • Energy is a quantitative property of a system that depends on the motion and interactions of matter and radiation within that system. That there is a single quantity called energy is due to the fact that a system's total energy is conserved, even as, within the system, energy is continually transferred from one object to another and between its various possible forms. (HS-PS3-1), (HS-PS3-2) • At the macroscopic scale, energy manifests itself in multiple ways, such as in motion, sound, light, and thermal energy. (HS-PS3-2), (HS-PS3-3) • These relationships are better understood at the microscopic scale, at which all of the different manifestations of energy can be modeled as either motions of particles or energy stored in fields (which mediate interactions between particles). This last concept includes radiation, a phenomenon in which energy stored in fields moves across space. (HS-PS3-2)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

			energy of a system depends on the types, states, and amounts of matter present. (secondary to MS-PS1-4)	
PS3.B: Conservation of Energy and Energy Transfer	<ul style="list-style-type: none"> Sunlight warms Earth's surface. (K-PS3-1), (K-PS3-2) 	<ul style="list-style-type: none"> Energy is present whenever there are moving objects, sound, light, or heat. When objects collide, energy can be transferred from one object to another, thereby changing their motion. In such collisions, some energy is typically also transferred to the surrounding air; as a result, the air gets heated and sound is produced. (4-PS3-2),(4-PS3-3) Light also transfers energy from place to place. (4-PS3-2) Energy can also be transferred from place to place by electric currents, which can then be used locally to produce motion, sound, heat, or light. The currents may have been produced to begin with by transforming the energy of motion into electrical energy. (4-PS3-2), (4-PS3-4) 	<ul style="list-style-type: none"> When the motion energy of an object changes, there is inevitably some other change in energy at the same time. (MS-PS3-5) The amount of energy transfer needed to change the temperature of a matter sample by a given amount depends on the nature of the matter, the size of the sample, and the environment. (MS-PS3-4) Energy is spontaneously transferred out of hotter regions or objects and into colder ones. (MS-PS3-3) 	<ul style="list-style-type: none"> Conservation of energy means that the total change of energy in any system is always equal to the total energy transferred into or out of the system. (HS-PS3-1) Energy cannot be created or destroyed, but it can be transported from one place to another and transferred between systems. (HS-PS3-1),(HS- PS3-4) Mathematical expressions, which quantify how the stored energy in a system depends on its configuration (e.g. relative positions of charged particles, compression of a spring) and how kinetic energy depends on mass and speed, allow the concept of conservation of energy to be used to predict and describe system behavior. (HS-PS3-1) The availability of energy limits what can occur in any system. (HS-PS3-1) Uncontrolled systems always evolve toward more stable states—that is, toward more uniform energy distribution (e.g., water flows downhill, objects hotter than their surrounding environment cool down). (HS-PS3- 4)
PS3.C: Relationship Between Energy and Forces	<ul style="list-style-type: none"> A bigger push or pull makes things go faster. (secondary to K-PS2-1) 	<ul style="list-style-type: none"> When objects collide, the contact forces transfer energy so as to change the objects' motions. (4-PS3-3) 	<ul style="list-style-type: none"> When two objects interact, each one exerts a force on the other that can cause energy to be transferred to or from the object. (MS-PS3-2) 	<ul style="list-style-type: none"> When two objects interacting through a field change relative position, the energy stored in the field is changed. (HS-PS3-5)
PS3.D: Energy in Chemical Processes		<ul style="list-style-type: none"> The expression “produce energy” typically refers to the conversion of stored energy into a desired form for practical use. (4-PS3-4) 	<ul style="list-style-type: none"> The chemical reaction by which plants produce complex food molecules (sugars) requires an energy input (i.e., from sunlight) to occur. In this reaction, carbon 	<ul style="list-style-type: none"> Although energy cannot be destroyed, it can be converted to less useful forms—for example, to thermal energy in the surrounding environment. (HS-PS3-3),(HS-PS3-4) Solar cells are human-made devices that

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

<p>and Everyday Life</p>		<ul style="list-style-type: none"> The energy released [from] food was once energy from the sun that was captured by plants in the chemical process that forms plant matter (from air and water). (5-PS3-1) 	<p>dioxide and water combine to form carbon- based organic molecules and release oxygen. (secondary to MS-LS1-6)</p> <ul style="list-style-type: none"> Cellular respiration in plants and animals involve chemical reactions with oxygen that release stored energy. In these processes, complex molecules containing carbon react with oxygen to produce carbon dioxide and other materials. (secondary to MS-LS1-7) 	<p>likewise capture the sun’s energy and produce electrical energy. (secondary to HS-PS4-5)</p> <ul style="list-style-type: none"> The main way that solar energy is captured and stored on Earth is through the complex chemical process known as photosynthesis. (secondary to HS-LS2-5) Nuclear Fusion processes in the center of the sun release the energy that ultimately reaches Earth as radiation. (secondary to HS-ESS1-1)
<p>PS4: Waves and Their Applications in Technologies for Information Transfer</p>				
<p>Topic</p>	<p>Grades K-2</p>	<p>Grades 3-5</p>	<p>Grades 6-8</p>	<p>Grades 9-12</p>
<p>PS4.A: Wave Properties</p>	<ul style="list-style-type: none"> Sound can make matter vibrate, and vibrating matter can make sound. (1-PS4-1) 	<ul style="list-style-type: none"> Waves, which are regular patterns of motion, can be made in water by disturbing the surface. When waves move across the surface of deep water, the water goes up and down in place; it does not move in the direction of the wave except when the water meets the beach. (Note: This grade band endpoint was moved from K–2.) (4-PS4-1) Waves of the same type can differ in amplitude (height of the wave) and wavelength (spacing between wave peaks). (4-PS4-1) 	<ul style="list-style-type: none"> A simple wave has a repeating pattern with a specific wavelength, frequency, and amplitude. (MS-PS4-1) A sound wave needs a medium through which it is transmitted. (MS-PS4-2) 	<ul style="list-style-type: none"> The wavelength and frequency of a wave are related to one another by the speed of travel of the wave, which depends on the type of wave and the medium through which it is passing. (HS-PS4-1) Information can be digitized (e.g., a picture stored as the values of an array of pixels); in this form, it can be stored reliably in computer memory and sent over long distances as a series of wave pulses. (HS-PS4-2),(HS-PS4-5) Waves can add or cancel one another as they cross, depending on their relative phase (i.e., relative position of peaks and troughs of the waves), but they emerge unaffected by each other. (Boundary: The discussion at this grade level is qualitative only; it can be based on the fact that two different sounds can pass a location in different directions without getting mixed up.) (HS-PS4-3) Geologists use seismic waves and their reflection at interfaces between layers to probe structures deep in the planet. (secondary to HS-ESS2-3)
<p>PS4.B: Electromagnetic</p>	<ul style="list-style-type: none"> Objects can be seen only when light is available to illuminate 	<ul style="list-style-type: none"> An object can be seen when light reflected from its surface enters the eyes. 	<ul style="list-style-type: none"> When light shines on an object, it is reflected, absorbed, or transmitted through the object, 	<ul style="list-style-type: none"> Electromagnetic radiation (e.g., radio, microwaves, light) can be modeled as a wave of changing electric and magnetic fields or as

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

<p>Radiation</p>	<p>them. Some objects give off their own light. (1-PS4-2)</p> <ul style="list-style-type: none"> Some materials allow light to pass through them, others allow only some light through and others block all the light and create a dark shadow on any surface beyond them, where the light cannot reach. Mirrors can be used to redirect a light beam. (Boundary: The idea that light travels from place to place is developed through experiences with light sources, mirrors, and shadows, but no attempt is made to discuss the speed of light.) (1-PS4-3) 	<p>(4-PS4-2)</p>	<p>depending on the object's material and the frequency (color) of the light. (MS-PS4-2)</p> <ul style="list-style-type: none"> The path that light travels can be traced as straight lines, except at surfaces between different transparent materials (e.g., air and water, air and glass) where the light path bends. (MS-PS4-2) A wave model of light is useful for explaining brightness, color, and the frequency-dependent bending of light at a surface between media. (MS-PS4-2) However, because light can travel through space, it cannot be a matter wave, like sound or water waves. (MS-PS4-2) 	<p>particles called photons. The wave model is useful for explaining many features of electromagnetic radiation, and the particle model explains other features. (HS-PS4-3)</p> <ul style="list-style-type: none"> When light or longer wavelength electromagnetic radiation is absorbed in matter, it is generally converted into thermal energy (heat). Shorter wavelength electromagnetic radiation (ultraviolet, X-rays, gamma rays) can ionize atoms and cause damage to living cells. (HS-PS4-4) Photovoltaic materials emit electrons when they absorb light of a high- enough frequency. (HS-PS4-5) Atoms of each element emit and absorb characteristic frequencies of light. These characteristics allow identification of the presence of an element, even in microscopic quantities. (secondary to HS-ESS1-2)
<p>PS4.C: Information Technologies and Instrumentation</p>	<ul style="list-style-type: none"> People also use a variety of devices to communicate (send and receive information) over long distances. (1-PS4-4) 	<ul style="list-style-type: none"> Digitized information transmitted over long distances without significant degradation. High-tech devices, such as computers or cell phones, can receive and decode information—convert it from digitized form to voice—and vice versa. (4-PS4-3) 	<ul style="list-style-type: none"> Digitized signals (sent as wave pulses) are a more reliable way to encode and transmit information. (MS-PS4-3) 	<ul style="list-style-type: none"> Multiple technologies based on the understanding of waves and their interactions with matter are part of everyday experiences in the modern world (e.g., medical imaging, communications, scanners) and in scientific research. They are essential tools for producing, transmitting, and capturing signals and for storing and interpreting the information contained in them. (HS-PS4-5)
<p>Engineering, Technology, and the Application of Science</p>				
<p>PS1: Matter and Its Interactions</p>				
<p>Topic</p>	<p>Grades K-2</p>	<p>Grades 3-5</p>	<p>Grades 6-8</p>	<p>Grades 9-12</p>
<p>ETS1.A: Defining and Delimiting an</p>	<ul style="list-style-type: none"> A situation that people want to change or create can be 	<ul style="list-style-type: none"> Possible solutions to a problem are limited by available materials and 	<ul style="list-style-type: none"> The more precisely a design task's criteria and constraints can be defined, the more likely it is 	<ul style="list-style-type: none"> Criteria and constraints also include satisfying any requirements set by society, such as taking issues of risk mitigation into account,

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

<p>Engineering Problem</p>	<p>approached as a problem to be solved through engineering. Such problems may have many acceptable solutions. (K-2-ETS1-1) (secondary to K-PS2-2)</p> <ul style="list-style-type: none"> Asking questions, making observations, and gathering information are helpful in thinking about problems. (K-2-ETS1-1) (secondary to K-ESS3-2) Before beginning to design a solution, it is important to clearly understand the problem. (K-2-ETS1-1) 	<p>resources (constraints). The success of a designed solution is determined by considering the desired features of a solution (criteria). Different proposals for solutions can be compared on the basis of how well each one meets the specified criteria for success or how well each takes the constraints into account. (3-5-ETS1-1) (secondary to 4-PS3-4)</p>	<p>that the designed solution will be successful. Specification of constraints includes consideration of scientific principles and other relevant knowledge that is likely to limit possible solutions. (MS-ETS1-1) (secondary to MS-PS3-3)</p>	<p>and they should be quantified to the extent possible and stated in such a way that one can tell if a given design meets them. (HS-ETS1-1) (secondary to HS-PS2-3) (secondary to HS-PS3-3)</p> <ul style="list-style-type: none"> Humanity faces major global challenges today, such as the need for supplies of clean water and food or for energy sources that minimize pollution, which can be addressed through engineering. These global challenges also may have manifestations in local communities. (HS-ETS1-1)
<p>ETS1.B: Developing Possible Solutions</p>	<ul style="list-style-type: none"> Designs can be conveyed through sketches, drawings, or physical models. These representations are useful in communicating ideas for a problem's solutions to other people. (K-2-ETS1-1) (secondary to K-ESS3-3) (secondary to 2-LS2-2) 	<ul style="list-style-type: none"> Research on a problem should be carried out before beginning to design a solution. Testing a solution involves investigating how well it performs under a range of likely conditions. (3-5-ETS1-2) At whatever stage, communicating with peers about proposed solutions is an important part of the design process, and shared ideas can lead to improved designs. (3-5-ETS1-2) Tests are often designed to identify failure points or difficulties, which suggest the elements of the design that need to be improved. (3-5-ETS1-3) Testing a solution involves investigating how well it performs under a range of 	<ul style="list-style-type: none"> A solution needs to be tested, and then modified on the basis of the test results, in order to improve it. (MS-ETS1-4) (secondary to MS-PS1-6) There are systematic processes for evaluating solutions with respect to how well they meet criteria and constraints of a problem. MS-ETS1-2), (MS-ETS1-3) (secondary to MS-PS3-3) (secondary to MS-LS2-5) Sometimes parts of different solutions can be combined to create a solution that is better than any of its predecessors. (MS-ETS1-3) Models of all kinds are important for testing solutions. (MS-ETS1-4) 	<ul style="list-style-type: none"> When evaluating solutions it is important to take into account a range of constraints including cost, safety, reliability and aesthetics and to consider social, cultural and environmental impacts. (secondary to HS-LS2-7) (secondary to HS-LS4-6) (secondary to HS-ESS3-2), (secondary HS-ESS3-4) (HS-ETS1-3) Both physical models and computers can be used in various ways to aid in the engineering design process. Computers are useful for a variety of purposes, such as running simulations to test different ways of solving a problem or to see which one is most efficient or economical; and in making a persuasive presentation to a client about how a given design will meet his or her needs. (HS-ETS1-4) (secondary to HS-LS4-6)

2023 Indiana Academic Standards for Science: Disciplinary Core Ideas

		likely conditions. (secondary to 4-ESS3-2)		
<p>ETS1.C: Optimizing the Design Solution</p>	<ul style="list-style-type: none"> Because there is always more than one possible solution to a problem, it is useful to compare and test designs. (K-2-ETS1-1) (secondary to 2-ESS2-1) 	<ul style="list-style-type: none"> Different solutions need to be tested in order to determine which of them best solves the problem, given the criteria and the constraints. (3-5-ETS1-3) (secondary to 4- PS4-3) 	<ul style="list-style-type: none"> Although one design may not perform the best across all tests, identifying the characteristics of the design that performed the best in each test can provide useful information for the redesign process—that is, some of the characteristics may be incorporated into the new design. (MS-ETS1-3) (secondary to MS-PS1-6) The iterative process of testing the most promising solutions and modifying what is proposed on the basis of the test results leads to greater refinement and ultimately to an optimal solution. (MS-ETS1-4) (secondary to MS-PS1-6) 	<ul style="list-style-type: none"> Criteria may need to be broken down into simpler ones that can be approached systematically, and decisions about the priority of certain criteria over others (trade offs) may be needed. (HS-ETS1-2) (secondary to HS-PS1-6) (secondary to HS-PS2-3)