Mine Inspection Reports

3rd Quarter 2018

ompany		Min
ERC Mining Ind	iana Group	GoldStar Mine
nspection Date:	Wednesday, July 11, 2018	
reas Inspected:	Surface Areas of Underground - pit, highwall, roadways, openings, pumps, belts, shop, office, substation	
Findings / Law(s) Violated:	77.1110	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
nspection Date:	Wednesday, July 11, 2018	
reas Inspected:	Underground Areas - primaries, seconda	ries, returns, unit, seals
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Thursday, July 19, 2018	
reas Inspected:	Surface Areas of Underground - pit, high	wall, roadways, openings, pumps, belts, shop, office, substation
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Thursday, July 19, 2018	
reas Inspected:	Underground Areas - primaries, seconda	ries, returns, unit, seals
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Wednesday, August 22, 2018	
reas Inspected:	Surface Areas of Underground - pit, high	wall, roadways, openings, pumps, belts, shop, office, substation
Findings / Law(s) Violated:	77.1110	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
nspection Date:	Thursday, August 22, 2019	
reas Inspected:	Underground Areas - primaries, seconda	ries, returns, unit, seals
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions	None	

Inspection Date: Friday, July 6, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) No Violations noted. Corrective Actions None Taken: None noted Inspected: Monday, July 16, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: No Violated: No Violations noted. Inspection Date: Monday, July 16, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: None Taken: Recommendation(s): Recommendation(s): None noted Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: Orrective Actions Taken: Recommendation(s): Nove noted Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: Corrective Actions Nove Taken: Recommendation(s): None noted Inspected: Undergroun	Areas Inspected:	Surface Areas of Underground - pit, highwall, roadways, openings, pumps, belts, shop, office, substation	
Taken: None Recommendation(s): None noted Gibson County Coal Gibson Mine (Non Image: Fiday, July 6, 2018 Arress Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) No Violations noted. Corrective Actions Corrective Actions None Recommendation(s): None noted Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: No violations noted. Corrective Actions Corrective Actions None Recommendation(s): None noted Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: None Recommendation(s): None noted Inspector Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) No violations noted. Corrective Actions Taken: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s)	-		
Company Compan		None	
Gibson County Coal Gibson Mine (Non Inspection Date: Friday, July 6, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Indings / Law(s) No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Monday, July 16, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: No Violations noted. Corrective Actions Taken: No Violations noted. Corrective Actions Taken: No Violations noted. Corrective Actions None Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Inspection Date: Wednesday, September 5, 2018 <th>Recommendation(s):</th> <th></th>	Recommendation(s):		
Inspection Date: Friday, July 6, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: Corrective Actions Taken: Recommendation(s): None noted Inspection Date: Monday, July 16, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: Corrective Actions Taken: Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: Corrective Actions Taken: Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: Corrective Actions Taken: Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: Corrective Actions Taken: Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: Corrective Actions Taken: Recommendation(s): None noted. Nore Findings / Law(s) Violated: Corrective Actions Taken: Recommendation(s): None noted Nore Findings / Law(s) No Violations noted. Nore Findings / Law(s) No Violations noted. Nore Findings / Law(s) No Violations noted. Nore Findings / Law(s) Nore Findings / Law(s) Nore Findings / Law(s) Nore Findings / Law(s) Nore Findings / Law(s) Nore Findings / Law(s) Nore		Mi Coal Gibson Mine (North	
Findings / Law(s) No Violations noted. Violated: Corrective Actions Taken: Recommendation(s): Recommendation(s): None noted Inspection Date: Monday, July 16, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: None Violated: None Corrective Actions None Taken: None Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) No Violations noted. Violated: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: No Violations noted. Violated: No violations noted. Corrective Actions None Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Violated:	•		
Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Monday, July 16, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) No violations noted. Violated: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) No Violations noted. Violated: No Violations noted. Corrective Actions None Recommendation(s): None noted Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit	areas Inspected:	Underground Areas (Portal 2) - primaries, secondaries, belts, unit	
Taken: None Recommendation(s): None noted Inspected: Monday, July 16, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) No Violations noted. Corrective Actions None Recommendation(s): None noted Inspect on Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Inspect on Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Violated: No Violations noted. Corrective Actions None Recommendation(s): No Violations noted. Corrective Actions None Recommendation(s): None noted Inspect on Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Inspect on Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit	Violated:	No Violations noted.	
Inspection Date: Monday, July 16, 2018 Arreas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: None Areas: None noted Inspection Date: Wednesday, August 29, 2018 Arreas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: None noted Arreas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: None Arreas Inspected: None noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Arreas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: None Arreas Inspected: None Arreas Inspected: None noted. Arreas Inspected: None None None None None None None None		None	
Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) No Violations noted. Violated: Corrective Actions Taken: Prindings / Law(s) No Violations noted. Orrective Actions Taken: None Recommendation(s): None Recommendation(s): None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Violated: No violations noted. Corrective Actions Taken: None Recommendation(s): None Recommendation(s): None Recommendation(s): None	Recommendation(s):	None noted	
Findings / Law(s) No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: No Violations noted. Violated: None Recommendation(s): None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: No Violations noted. Recommendation(s): No Violations noted. Violated: Corrective Actions Taken: No Violations noted. Violated: No Violations noted. None Recommendation(s): None None	nspection Date:	Monday, July 16, 2018	
Violated: No violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: No Violations noted. Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None			
Taken: None Recommendation(s): None noted Inspection Date: Wednesday, August 29, 2018 Arrews Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: No Violations noted. Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Recommendation(s): No Violations noted. Violated: No Violations noted. Garrective Actions Taken: No Violations noted.	Violated:	No Violations noted.	
Inspection Date: Wednesday, August 29, 2018 Areator Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areator Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: None Areator Inspected: None Recommendation(s): None noted. Keommendation(s): None noted. None Violations noted. Notications noted. None Findings / Law(s) Violated: No Violations noted. None None None		None	
Areas Inspected: Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: No Violations noted. Kecommendation(s): No Violations noted.	Recommendation(s):	None noted	
Findings / Law(s) No Violations noted. Violated: None Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Violated: No Violations noted. Corrective Actions Taken: No Violations noted. Recommendation(s): No Violations noted. Kindings / Law(s) Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None	nspection Date:	Wednesday, August 29, 2018	
Violated: No violations noted. Corrective Actions Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None		Surface of Underground Areas - roadways, pumps, shop, office, substation, fuel storage areas	
Taken: None Recommendation(s): None noted Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None	Violated:	No Violations noted.	
Inspection Date: Wednesday, September 5, 2018 Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) Violated: No Violations noted. Corrective Actions Taken: None Recommendation(s): None noted		None	
Areas Inspected: Underground Areas (Portal 2) - primaries, secondaries, belts, unit Findings / Law(s) No Violations noted. Violated: Corrective Actions Taken: None Recommendation(s): None noted	Recommendation(s):	: None noted	
Findings / Law(s) No Violations noted. Violated: None Corrective Actions None Taken: None Recommendation(s): None noted	nspection Date:	Wednesday, September 5, 2018	
Violated: No violations noted. Corrective Actions Taken: None Recommendation(s): None noted		Underground Areas (Portal 2) - primaries, secondaries, belts, unit	
Taken: None Recommendation(s): None noted	Violated:	No Violations noted.	
	Correction Astis	None	
Company	Taken:	: None noted	
Gibson County Coal Gibson South M	Taken:	: None noted	

Findings / Law(s) Violated:	75.1731(b)	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	Keep close look out for loose bolts and potential loose bolts where men normally work or travel and in escapeways.	
nspection Date:	Sunday, August 4, 2019	
Areas Inspected:	Surface Areas of Underground - roadways, pumps, shop, office, substation, fuel storage areas, parts yard, parts barn	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Tuesday, September 18, 2018	
reas Inspected:	Underground Areas - primaries, secondaries, belts, unit	
Findings / Law(s) Violated:	75.1100-2(e)	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	Safety meeting on proper PPE and purpose of using it.	
Company	Mir	
Peabody Midw	est Mining Francisco Min	
nspection Date:	Thursday, July 5, 2018	
vreas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Tuesday, July 17, 2018	
vreas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions	None	
Taken:		
Taken: Recommendation(s):		
Recommendation(s):	None noted	
Recommendation(s): nspection Date: Areas Inspected: Findings / Law(s) Violated:	None noted Monday, July 23, 2018	
Recommendation(s): nspection Date: Areas Inspected: Findings / Law(s)	None noted Monday, July 23, 2018 Underground Areas - unit, secondaries, primaries, belts	
Recommendation(s): nspection Date: Areas Inspected: Findings / Law(s) Violated: Corrective Actions Taken:	None noted Monday, July 23, 2018 Underground Areas - unit, secondaries, primaries, belts 75.400 Hazards have been addressed with management and corrected	
Recommendation(s): nspection Date: Areas Inspected: Findings / Law(s) Violated: Corrective Actions Taken:	None noted Monday, July 23, 2018 Underground Areas - unit, secondaries, primaries, belts 75.400 Hazards have been addressed with management and corrected	

No Violations noted.	
None	
: None noted	
Tuesday, August 14, 2018	
Surface Areas of Underground - roadways, pumps, belts, shop, office, substation, pit	
No Violations noted.	
None	
None noted	
Thursday, August 16, 2018	
Underground Areas - unit, secondaries, primaries, belts	
75.1731(b)	
Hazards have been addressed with management and corrected	
None noted	
Monday, August 20, 2018	
Surface Areas of Underground - roadways, pumps, belts, shop, office, substation, pit	
No Violations noted.	
None	
None noted	
Monday, August 27, 2018	
Surface Areas of Underground - roadways, pumps, belts, shop, office, substation, pit	
77.1110	
Hazards have been addressed with management and corrected	
None noted	
Monday, September 24, 2018	
Underground Areas - unit, secondaries, primaries, belts	
75.202, 75.400	
Hazards have been addressed with management and corrected	
None noted	
Min	
Carlisle Mine	
Tuesday, July 10, 2018	
Underground Areas - unit, secondaries, primaries, belts	

Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	: None noted	
nspection Date:	Monday, July 16, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Monday, August 6, 2018	
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	75.202	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
nspection Date:	Tuesday, September 4, 2018	
areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Thursday, September 6, 2018	
areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts	
Findings / Law(s) Violated:	77.1110	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
nspection Date:	Wednesday, September 19, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Company	Mir	
Sunrise Coal	Oaktown Fuels #1 Mine	
nspection Date:	Wednesday, July 18, 2018	
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	

Findings / Law(s)	75.1731(b)
Violated:	73.1731(0)
Corrective Actions	
Taken:	Hazards have been addressed with management and corrected
Decommondation(c);	News noted
Recommendation(s):	None noted
Inspection Date:	Tuesday, August 14, 2018
Aroos Inspected.	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers,
Areas Inspected:	tunnels
Findings / Law(s)	
Violated:	No Violations noted.
Corrective Actions	
	None
Taken:	
Recommendation(s):	None noted
Inspection Date:	Wednesday, August 15, 2018
- ·	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers,
Areas Inspected:	tunnels
Findings / Law(s)	
	No Violations noted.
Violated:	
Corrective Actions	None
Taken:	None
Recommendation(s):	None noted
Increation Data:	Friday, August 17, 2019
Inspection Date:	Friday, August 17, 2018
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers,
	tunnels
Findings / Law(s)	No Violations noted.
Violated:	No violations noted.
Corrective Actions	
Taken:	None
Tukeni	
Recommendation(s):	None noted
Recommendation(s).	
Inspection Date:	Friday, August 24, 2018
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers,
Aleas hispecteu.	tunnels
Findings / Law(s)	
Violated:	No Violations noted.
Corrective Actions	
	None
Taken:	
Recommendation(s):	None noted
Inspection Date:	Tuesday, August 28, 2018
	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers,
Areas Inspected:	tunnels
Findings / Law(s)	
	No Violations noted.
Violated:	
Corrective Actions	None
Taken:	
Recommendation(s):	None noted
(-)	
Inspection Date:	Monday, September 17, 2018
inspection Date.	initial a september 17, 2010
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
Findings / Law(s)	75.606
Violated:	
violateu.	

Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
Inspection Date:	Wednesday, September 26, 2018	
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	75.1731(b)	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
Company	Mi	
Sunrise Coal	Oaktown Fuels #2 Min	
Inspection Date:	Monday, July 16, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers, tunnels	
Findings / Law(s) Violated:	77.1110	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
Inspection Date:	Thursday, July 19, 2018	
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Friday, August 17, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers,	
Findings / Law(s)	tunnels No Violations noted.	
Violated: Corrective Actions		
Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Friday, August 24, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers, tunnels	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Tuesday, August 28, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard, belts, stackers, tunnels	
Findings / Law(s) Violated:	No Violations noted.	

Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Friday, September 14, 2018	
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	75.1731(b)	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
Inspection Date:	Tuesday, September 25, 2018	
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	75.1731(b)	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
Company	Mine	
Triad Mining	Freelandville West Mine	
Inspection Date:	Wednesday, July 11, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard	
Findings / Law(s) Violated:	75.208	
Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
Inspection Date:	Wednesday, August 22, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Thursday, August 30, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Wednesday, September 12, 2018	
Areas Inspected:	Surface Areas of Underground - office, shop, warehouse, fuel storage areas, parts yard	
Findings / Law(s)	77.1110	

Corrective Actions Taken:	Hazards have been addressed with management and corrected	
Recommendation(s):	None noted	
Company		Mino
Triad Mining		Log Creek Mine
Inspection Date:	Thursday, July 12, 2018	Ŭ
Areas Inspected:	Underground Areas - unit, secondaries,	primaries, belts
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Wednesday, September 12, 2018	
Areas Inspected:	Underground Areas - unit, secondaries,	primaries, belts
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Tuesday, July 31, 2018	
Areas Inspected:	Underground Areas - unit, secondaries, primaries, belts	
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Thursday, August 23, 2018	
Areas Inspected:	Underground Areas - unit, secondaries,	primaries, belts
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
nspection Date:	Wednesday, September 12, 2018	
Areas Inspected:	Underground Areas - unit, secondaries,	primaries, belts
Findings / Law(s) Violated:	No Violations noted.	
Corrective Actions Taken:	None	
Recommendation(s):	None noted	
Inspection Date:	Wednesday, September 12, 2018	
Areas Inspected:	Surface Areas of Underground - office,	shop, warehouse, fuel storage areas, parts yard
Findings / Law(s) Violated:	77.1110	

Corrective Actions Taken:	Hazards have been addressed with management and corrected
Recommendation(s):	None noted