



ERIC HOLCOMB, GOVERNOR Rick J. Ruble, Commissioner 402 West Washington Street, Room W195

> Indianapolis, Indiana 46204-2751 Phone: (317) 232-2655

Fax: (317) 233-3790

December 6, 2019

Sent via U.S. Mail, First Class

Mr. William D. Howard Howard Law Group 25 Ionia Ave. SW, Ste. 230 Grand Rapids, MI 49503

> Commissioner of Labor v. Thermal-Tec Michigan Inc. Re:

> > IOSHA BSR Docket No. 19-013

Dear Mr. Howard:

Please find enclosed a file-stamped copy of the Agreed Entry that I filed with the Board of Safety Review in the above referenced matter. Our litigation is now concluded. You should receive a Final Order from the Board after the next time it meets which should be within the next couple of months. Please contact me if you have any questions or would like to further discuss this matter.

Sincerely,

J. Anthony Hardman General Counsel

Indiana Department of Labor

Enclosure

STATE OF INDIANA)) SS:	BEFORE THE IOSHA BOARD OF SAFETY REVIEW	
COUNTY OF MARION)	CASE DOCKET NO. 19-013	
IN THE MATTER OF:)	
COMMISSIONER OF LABOR,)	
Complainant,	FILED	
v.	DEC 0 & 2019	
THERMAL-TEC MICHIGAN INC. AND ITS SUCCESSORS,) Indiana Board of Safety Review	
Respondent.)	

AGREED ENTRY

The parties to the above-captioned proceeding, the Commissioner of the Indiana

Department of Labor (hereinafter "Complainant") and Thermal-Tec Michigan Inc. (hereinafter "Respondent"), through their duly authorized representatives, desiring to enter into this Agreed Entry as final settlement of this matter, do hereby stipulate and agree as follows:

PART I.

- 1. From January 24, 2019, through February 15, 2019, authorized employees of the Indiana Department of Labor conducted an inspection at the Respondent's worksite located at 4700 E. Morgan Ave., Evansville, IN 47715.
- 2. On February 22, 2019, Complainant issued a Safety Order and Notification of Penalty (hereinafter "Safety Order") resulting from Indiana Department of Labor Inspection No. 318107406 and alleging that Respondent had violated the Indiana Occupational Safety and Health Act (IC 22-8-1.1 et seq.) or the standards or rules thereunder. The Safety Order is attached hereto as Exhibit A and is incorporated herein.
 - 3. On or about March 20, 2019, Respondent duly and timely petitioned for review of the

Safety Order.

PART II.

- 4. The Safety Order consists of Safety Order 1, Item Nos. 1a, 1b, 2, 3, 4, 5, 6a, and 6b.
- 5. Safety Order 1, Item 1a alleges a "Serious" violation of I.C. 22-8-1.1-2 for employees exposed to a potential fire hazard for a portable heater being used near combustible material and assesses a shared penalty, grouped with Item 1b, of Two Thousand Five Hundred Dollars (\$2,500).
- 6. Safety Order 1, Item 1b alleges a "Serious" violation of 29 CFR 1926.153(h)(13) and assesses no additional penalty to what is assessed in Item 1a.
- 7. Safety Order 1, Item 2 alleges a "Serious" violation of I.C. 22-8-1.1-2 for employees exposed to the combustion or explosion of LP gas containers being stored improperly and assesses a penalty of Two Thousand Five Hundred Dollars (\$2,500).
- 8. Safety Order 1, Item 3 alleges a "Serious" violation of 29 CFR 1926.20(b)(2) and assesses a penalty of Seven Hundred Fifty Dollars (\$750).
- 9. Safety Order 1, Item 4 alleges a "Serious" violation of 29 CFR 1926.153(I) and assesses a penalty of Two Thousand Five Hundred Dollars (\$2,500).
- 10. Safety Order 1, Item 5 alleges a "Serious" violation of 29 CFR 1926.501(b)(10) and assesses a penalty of Two Thousand Five Hundred Dollars (\$2,500).
- 11. Safety Order 1, Item 6a alleges a "Serious" violation of 29 CFR 1926.502(f)(1) and assesses a shared penalty, grouped with Item 6b, of Two Thousand Five Hundred Dollars (\$2,500).
- 12. Safety Order 1, Item 6b alleges a "Serious" violation of 29 CFR 1926.502(f)(1)(iii) and assesses no additional penalty to what is assessed in Item 6a.

13. The total assessed penalty for Safety Order 1 is Thirteen Thousand Two Hundred Fifty Dollars (\$13,250).

PART III.

- 14. The Safety Order is hereby amended as follows.
- 15. Safety Order 1, Item 1a is deleted in its entirety.
- 16. Safety Order 1, Item 1b is re-classified as a "Non-Serious" violation of 29 CFR 1926.153(h)(13) and the penalty is reduced to Three Hundred Fifty Dollars (\$350).
 - 17. Safety Order 1, Item 2 is deleted in its entirety.
 - 18. Safety Order 1, Item 3 is deleted in its entirety.
 - 19. Safety Order 1, Item 4 is deleted in its entirety.
 - 20. Safety Order 1, Item 5 is deleted in its entirety.
 - 21. Safety Order 1, Item 6a is deleted in its entirety.
- 22. Safety Order 1, Item 6b is upheld as cited, but the penalty is reduced to One Thousand Seven Hundred Fifty Dollars (\$1,750).
- 23. The AGREED total penalty for all violations and all subparts thereunder, subject to this Agreed Entry, is Two Thousand One Hundred Dollars (\$2,100).
- 24. It is understood and agreed by the Respondent and Complainant that this Agreed Entry and attachments will constitute a final, enforceable OSHA Safety Order(s) and penalties for the purposes of the Indiana Occupational Safety and Health Act ("Act").
- 25. Respondent confirms Complainant's right to re-inspect its workplaces, in accordance with the Act, and to verify abatement of the alleged violations.
 - 26. Respondent hereby withdraws its petition for review previously filed in this matter.

PART IV.

27. Nothing contained in this Agreed Entry shall be construed to affect Complainant's interpretation of the Act or any standard or regulation enforced pursuant thereto or the applicable classification thereof.

28. Except for this agreement, and matters arising out of this agreement and any other subsequent IOSHA proceedings between the parties, none of the foregoing agreements, statements, findings, and actions taken by the Respondent shall be deemed an admission by Respondent of the allegations contained within the Safety Order(s) and Notification(s) of Penalty. The agreements, statements, findings, and actions taken herein are made in order to compromise and settle this matter economically and amicably, and they shall not be used for any other purpose, except as herein stated.

29. The invalidity or unenforceability of any section, subsection, clause or provision of this Agreed Entry does not affect the remaining sections, subsections, clauses, or provisions of this Agreed Entry.

30. Respondent, upon full execution of this Agreed Entry, will post this Agreed Entry for three (3) working days or until abatement is completed, whichever period is longer, pursuant to Board of Safety Review Rules of Procedure, 615 IAC 1-2-18(b)(3)(C).

AGREED this _____ day of November, 2019.

THERMAL-TEC MICHIGAN INC.

By: Sameson Berry,
Director of Construction Safety,
IOSHA

Approved as to Form:

By: Sameson Berry,
Director of Construction Safety,
IOSHA

By: Anthony Hardman,
Counsel for Respondent

Counsel for Complainant

Indiana Occupational Safety and Health Administration 402 West Washington St - Room W195 Indianapolis, IN 46204

Phone: (317)232-1979 FAX: (317)233-3790



Safety Order and Notification of Penalty

To:

Thermal Tec Michigan Inc 13801 Francis Way Cedar Springs, MI 49319

Inspection Site: 4700 E Morgan Ave

Evansville, IN 47715

Inspection Number: 318107406

CSHO ID: B5061 Optional Report No.: 02219

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019

The violation(s) described in this Safety Order and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

An inspection of your place of employment has revealed conditions which we believe do not comply with the provisions of the Indiana Occupational Safety and Health Act (Indiana Code Chapter 22-8-1.1) or the standards or rules adopted thereunder. Accordingly, enclosed please find safety order(s) and notification(s) of penalty describing such violation(s) with references to applicable standards, rules, or provisions of the statute and stating the amount of any penalty(ies).

Informal Conference - Please be advised that it may be possible to informally settle any potential dispute without initiating the more elaborate proceedings brought on by a petition for review. Prior to filing a petition for review, you may request an informal conference concerning any of the results of the inspection (safety orders, penalties, abatement dates, etc.) by contacting the Indiana Department of Labor/IOSHA, preferably by telephone, in a prompt manner. Please be advised that a request for an informal conference cannot extend the fifteen working day period for filing a petition for review. Informal conferences frequently resolve any possible disputes, and therefore you are urged to take advantage of this opportunity. Because of the limited time period and in order to facilitate scheduling, any requests for an informal conference should be made promptly upon your receipt of the safety order(s) and notification(s) of penalty.

Right to Contest - You are hereby also notified that you are entitled to seek administrative review of the safety order(s), penalty(ies), or both by filing a written petition for review at the above address postmarked within fifteen working days of your receipt of the safety order(s) and notification(s) of penalty. ("Working days" means Mondays through Fridays, but does not include Saturdays, Sundays, legal holidays under a state statute or days on which the Indiana Department of Labor's offices are closed during regular business hours). If you do not file such a petition for review (contest), the safety order(s)

and penalty(ies) shall be deemed final orders of the Board of Safety Review and not subject to review by any court or agency. The issuance of a safety order does not constitute a finding that a violation has occurred unless no petition for review is filed, or if a petition for review (contest) is filed, it must contain a statement of its basis and should reference the above inspection number. Upon receipt of your petition for review, we will affirm, amend or dismiss the safety order(s) and notification(s) of penalty. If we affirm, your petition for review will be granted (unless it was not timely) and the dispute will be certified by the Board of Safety Review for further proceedings. The Board of Safety Review is an independent agency appointed by the governor with authority to conduct hearings and to issue decisions concerning disputed safety order(s) and notification(s) of penalty. If we amend the safety order(s) or notification(s) of penalty, your petition for review shall be deemed moot. However, you will then be given an opportunity to file a petition for review concerning the amended safety order(s) and notification(s) of penalty.

Please be advised that an employee or representative of employees may file a petition for review to contest the reasonableness of the time stated in the safety order(s) for the abatement of any violation.

Posting - Upon receipt of any safety order(s) you are required to post such safety order(s), or a copy thereof, unedited, at or near each place an alleged violation referred to in the safety order(s) occurred. However, if your operations are such that it is not practicable to post the safety order(s) at or near each place of alleged violation, such safety order(s) shall be posted, unedited, in a prominent place where it will be readily observable by all affected employees. For example, if you are engaged in activities which are physically dispersed, the safety order(s) may be posted at the location from which the employees operate to carry out their activities. You must take steps to ensure that the safety order is not altered, defaced, or covered by other material. Posting shall be until the violation is abated, or for three working days, whichever is longer.

Penalties - Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Abatement does not constitute payment of penalties.

Abatement - The conditions cited in the safety order(s) must be corrected (abated) on or before the date shown for each item on the safety order(s) and notification(s) of penalty unless:

- (1) You file a petition for review concerning the violation, in which case the full abatement period shall commence from the issuance of a final decision by the Board of Safety Review or the courts which requires compliance with the safety order; or
- (2) The abatement period is extended by the granting of a petition for modification of abatement date.
- **PMAs** The petition for modification of abatement date is a manner in which you may seek additional time to correct (abate) a violation without having to file a petition for review concerning the safety order, or after the expiration of the time period to file such a petition for review when it becomes apparent that you need extra time to abate the violation. A petition for modification of abatement date shall be in writing and shall include the following information:
 - (1) All steps you have taken, and the dates of such actions, in an effort to achieve compliance

during the prescribed abatement period.

- (2) The specific additional abatement time necessary in order to achieve compliance.
- (3) The reasons such additional time is necessary, including the unavailability of professional or technical personnel or of materials and equipment, or because necessary construction or alteration of facilities cannot be completed by the original abatement date.
- (4) All available interim steps being taken to safeguard employees against the cited hazard during the abatement period.
- (5) A certification that a copy of the petition has been posted, and if appropriate, served on the authorized representative of affected employees, and a certification of the date upon which such posting and service was made.

A petition for modification of abatement date shall be filed with the Indiana Department of Labor/IOSHA no later than the close of the next working day following the date on which abatement was originally required. A later-filed petition shall be accompanied by the employer's statement of exceptional circumstances explaining the delay. A copy of such petition shall be posted in a conspicuous place where all affected employees will have notice thereof or near such location where the violation occurred. The petition shall remain posted until the time period for the filing of a petition for review of the Commissioner's granting or denying the petition expires. Where affected employees are represented by an authorized representative, said representative shall be served a copy of such petition.

Notification of Corrective Action - Correction of the alleged violations which have an abatement period of thirty (30) days or less should be reported in writing to us promptly upon correction. A "Letter of Abatement" form and an "Abatement Photographs" worksheet are enclosed for your assistance in providing adequate documentation of abatement. Reports of corrections should show specific corrective action on each alleged violation and the date of such action. On alleged violations with abatement periods-of more than thirty (30) days, a written progress report should be submitted, detailing what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, we should be so advised. Timely correction of an alleged violation does not affect the initial proposed penalty.

Followup Inspections - Please be advised that a followup inspection may be made for the purpose of ascertaining that you have posted the safety order(s) and corrected the alleged violations. Failure to correct an alleged violation may result in additional penalties for each day that the violation has not been corrected.

Employer Discrimination Unlawful - The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the Indiana Department of Labor/IOSHA at the address shown above.

Notice to Employees - The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must

be mailed to the Indiana Department of Labor/IOSHA at the address shown above within fifteen (15) working days (excluding weekends and State holidays) or receipt by the employer of this safety order and penalty.

If you wish additional information, you may direct such requests to us at the address or telephone number stated above.

NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with IOSHA to discuss the safety	order(s) issued on
2/22/2019. The conference will be held at the IOSHA office located at 402 West	Washington Street,
Room W195, Indianapolis, IN 46204 on at	Employees and/or
representatives of employees have a right to attend an informal conference.	

Inspection Number: 318107406

Occupational Safety and Health Administration

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: CSHO ID:

B5061

2/22/2019

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Safety Order 01 Item 001a Type of Violation: Serious

IC 22-8-1.1 Section 2: The employer did not furnish employment and a place of employment which were free from recognized hazards that were causing or likely to cause death or serious physical harm to employees, in that employees were exposed to:

Jobsite — 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, an employee was exposed to an potenial fire hazard as employees was not following manufacuters safety requirements in that the portable heater was not a least 4 feet away from anything combustable.

Among other methods, one feasible and acceptable abatement method to correct this hazard is to comply with the manfactures safety requirements set out in the equipment operators manual.

Date By Which Violation Must Be Abated:

Corrected During Inspection

Proposed Penalty:

\$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019 CSHO ID: B5061 Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 001b

Type of Violation: Serious

29 CFR 1926.153(h)(13): For temporary heating, heaters (other than integral heater-container units) were not located at least 6 feet from any LP-Gas container:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, portable heater brand name Master MH 135T-KFA was operating approximately 2 feet from three stored LP gas tanks.

Date By Which Violation Must Be Abated:

Corrected During Inspection

Proposed Penalty: \$0.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019 **CSHO ID:** B5061

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 002

Type of Violation: Serious

IC 22-8-1.1 Section 2: The employer did not furnish employment and a place of employment which were free from recognized hazards that were causing or likely to cause death or serious physical harm to employees, in that employees were exposed to:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, there were three 20 lb LP gas containers stored in an rear of an box truck with employee(s) working in the box truck.

Among other methods, one feasible and acceptable abatement method to correct this hazard is to comply with the manfactures safety requirements of proper storage of LP gas containers in cabinets to contain explosions.

Date By Which Violation Must Be Abated:

4/10/2019

Proposed Penalty:

\$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 ~ 2/15/2019

2/22/2019 Issuance Date: CSHO ID: B5061 Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 003

Type of Violation: Serious

29 CFR 1926-20(b)(2): The employer's safety and health program did not provide for frequent and regular inspections of the jobsite and equipment by a competent person:

Jobsite - 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, the employer's competent person, on the site, failed to identify existing and predictable hazards and / or take the necessary measures to alleviate hazards of falls and fire.

Date By Which Violation Must Be Abated:

4/10/2019

Proposed Penalty:

\$750.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s):

1/24/2019 - 2/15/2019

Issuance Date:

2/22/2019

CSHO ID:

B5061 Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 004

Type of Violation: Serious

29 CFR 1926.153(1): LP-Gas storage locations were not provided with at least one approved portable fire extinguisher having a rating of not less than 20B:C:

Jobsite - 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, no fire extinguisher was located where three LP gas was stored and a portable heater was operating.

Date By Which Violation Must Be Abated:

4/10/2019

Proposed Penalty:

\$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019 **CSHO ID:** B5061

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 005

Type of Violation: Serious

29 CFR 1926.501(b)(10): Each employee engaged in roofing activities on low slope roofs with unprotected sides and edges 6 feet or more above lower levels was not protected from falling by guardrail systems, safety net systems, personal fall arrest systems or a combination of warning line system and guardrail system, warning line system and safety net system, or warning line system and personal fall arrest system or a warning line system and a safety monitoring system:

Jobsite — 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, employees engaged in roofing activities on a 1 inch in 12 inches pitch roof, 18 feet 4 inches above the lower level, were not protected from falls.

Date By Which Violation Must Be Abated:

Corrected During Inspection

Proposed Penalty: \$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: CSHO ID:

2/22/2019 B5061

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Safety Order 01 Item 006a

Type of Violation: Serious

29 CFR 1926.502(f)(1): Warning lines were not erected around all sides of the roof work area:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, warning lines were not erected around all sides of the work area on a 2 inches in 12 inches pitched roof, 18 feet 4 inches above a lower level.

Date By Which Violation Must Be Abated:

Corrected During Inspection

\$2,500.00

Proposed Penalty:

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date:

2/22/2019

CSHO ID:

B5061 Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 006b

Type of Violation: Serious

29 CFR 1926.502(f)(1)(iii): Points of access, material handling areas, storage areas, and/or hoisting areas were not connected to the work area by an access path formed by two warning lines:

Jobsite - 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, points of access were not connected to the work area by an access path formed by two warning lines.

Date By Which Violation Must Be Abated: Proposed Penalty:

Corrected During Inspection \$0.00

Jerry W. Lander

Director of Construction Safety

Indiana Occupational Safety and Health Administration 402 West Washington St - Room W195 Indianapolis, IN 46204

Phone: (317)232-1979 FAX: (317)233-3790



INVOICE/DEBT COLLECTION NOTICE

Company Name:

Thermal Tec Michigan Inc

Inspection Site:

4700 E Morgan Ave, Evansville, IN 47715

Issuance Date:

2/22/2019

Summary of Penalties for Inspection Number: 318107406

Safety Order 1, Serious

= \$13,250.00

TOTAL PENALTIES

= \$13,250.00

Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Make your check or money order payable to: "Indiana DOL/IOSHA". Please indicate IOSHA's Inspection Number (indicated above) on the remittance.

IOSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.

Corrective action, taken by you for each alleged violation should be submitted to this office on or about the abatement dates indicated on the Safety Order and Notification of Penalty.

A work sheet has been provided to assist in providing the required abatement information. A completed copy of this work sheet should be posted at the worksite with the safety order(s).

Jerry W. Lander

Director of Construction Safety

Date

Indiana Occupational Safety and Health Administration 402 West Washington St - Room W195 Indianapolis, IN 46204

Phone: (317)232-1979 FAX: (317)233-3790



Safety Order and Notification of Penalty

To:

Thermal Tec Michigan Inc 13801 Francis Way

Cedar Springs, MI 49319

Inspection Site:

4700 E Morgan Ave Evansville, IN 47715 **Inspection Number:** 318107406 CSHO ID: B5061

Optional Report No.: 02219

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019

The violation(s) described in this Safety Order and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

An inspection of your place of employment has revealed conditions which we believe do not comply with the provisions of the Indiana Occupational Safety and Health Act (Indiana Code Chapter 22-8-1.1) or the standards or rules adopted thereunder. Accordingly, enclosed please find safety order(s) and notification(s) of penalty describing such violation(s) with references to applicable standards, rules, or provisions of the statute and stating the amount of any penalty(ies).

Informal Conference - Please be advised that it may be possible to informally settle any potential dispute without initiating the more elaborate proceedings brought on by a petition for review. Prior to filing a petition for review, you may request an informal conference concerning any of the results of the inspection (safety orders, penalties, abatement dates, etc.) by contacting the Indiana Department of Labor/IOSHA, preferably by telephone, in a prompt manner. Please be advised that a request for an informal conference cannot extend the fifteen working day period for filing a petition for review. Informal conferences frequently resolve any possible disputes, and therefore you are urged to take advantage of this opportunity. Because of the limited time period and in order to facilitate scheduling, any requests for an informal conference should be made promptly upon your receipt of the safety order(s) and notification(s) of penalty.

Right to Contest - You are hereby also notified that you are entitled to seek administrative review of the safety order(s), penalty(ies), or both by filing a written petition for review at the above address postmarked within fifteen working days of your receipt of the safety order(s) and notification(s) of penalty. ("Working days" means Mondays through Fridays, but does not include Saturdays, Sundays, legal holidays under a state statute or days on which the Indiana Department of Labor's offices are closed during regular business hours). If you do not file such a petition for review (contest), the safety order(s)

and penalty(ies) shall be deemed final orders of the Board of Safety Review and not subject to review by any court or agency. The issuance of a safety order does not constitute a finding that a violation has occurred unless no petition for review is filed, or if a petition for review (contest) is filed, it must contain a statement of its basis and should reference the above inspection number. Upon receipt of your petition for review, we will affirm, amend or dismiss the safety order(s) and notification(s) of penalty. If we affirm, your petition for review will be granted (unless it was not timely) and the dispute will be certified by the Board of Safety Review for further proceedings. The Board of Safety Review is an independent agency appointed by the governor with authority to conduct hearings and to issue decisions concerning disputed safety order(s) and notification(s) of penalty, your petition for review shall be deemed moot. However, you will then be given an opportunity to file a petition for review concerning the amended safety order(s) and notification(s) of penalty.

Please be advised that an employee or representative of employees may file a petition for review to contest the reasonableness of the time stated in the safety order(s) for the abatement of any violation.

Posting - Upon receipt of any safety order(s) you are required to post such safety order(s), or a copy thereof, unedited, at or near each place an alleged violation referred to in the safety order(s) occurred. However, if your operations are such that it is not practicable to post the safety order(s) at or near each place of alleged violation, such safety order(s) shall be posted, unedited, in a prominent place where it will be readily observable by all affected employees. For example, if you are engaged in activities which are physically dispersed, the safety order(s) may be posted at the location from which the employees operate to carry out their activities. You must take steps to ensure that the safety order is not altered, defaced, or covered by other material. Posting shall be until the violation is abated, or for three working days, whichever is longer.

Penalties - Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Abatement does not constitute payment of penalties.

Abatement - The conditions cited in the safety order(s) must be corrected (abated) on or before the date shown for each item on the safety order(s) and notification(s) of penalty unless:

- (1) You file a petition for review concerning the violation, in which case the full abatement period shall commence from the issuance of a final decision by the Board of Safety Review or the courts which requires compliance with the safety order; or
- (2) The abatement period is extended by the granting of a petition for modification of abatement date.
- **PMAs** The petition for modification of abatement date is a manner in which you may seek additional time to correct (abate) a violation without having to file a petition for review concerning the safety order, or after the expiration of the time period to file such a petition for review when it becomes apparent that you need extra time to abate the violation. A petition for modification of abatement date shall be in writing and shall include the following information:
 - (1) All steps you have taken, and the dates of such actions, in an effort to achieve compliance

during the prescribed abatement period.

- (2) The specific additional abatement time necessary in order to achieve compliance.
- (3) The reasons such additional time is necessary, including the unavailability of professional or technical personnel or of materials and equipment, or because necessary construction or alteration of facilities cannot be completed by the original abatement date.
- (4) All available interim steps being taken to safeguard employees against the cited hazard during the abatement period.
- (5) A certification that a copy of the petition has been posted, and if appropriate, served on the authorized representative of affected employees, and a certification of the date upon which such posting and service was made.

A petition for modification of abatement date shall be filed with the Indiana Department of Labor/IOSHA no later than the close of the next working day following the date on which abatement was originally required. A later-filed petition shall be accompanied by the employer's statement of exceptional circumstances explaining the delay. A copy of such petition shall be posted in a conspicuous place where all affected employees will have notice thereof or near such location where the violation occurred. The petition shall remain posted until the time period for the filing of a petition for review of the Commissioner's granting or denying the petition expires. Where affected employees are represented by an authorized representative, said representative shall be served a copy of such petition.

Notification of Corrective Action - Correction of the alleged violations which have an abatement period of thirty (30) days or less should be reported in writing to us promptly upon correction. A "Letter of Abatement" form and an "Abatement Photographs" worksheet are enclosed for your assistance in providing adequate documentation of abatement. Reports of corrections should show specific corrective action on each alleged violation and the date of such action. On alleged violations with abatement periods of more than thirty (30) days, a written progress report should be submitted, detailing what has been done, what remains to be done, and the time needed to fully abate each such violation. When the alleged violation is fully abated, we should be so advised. Timely correction of an alleged violation does not affect the initial proposed penalty.

Followup Inspections - Please be advised that a followup inspection may be made for the purpose of ascertaining that you have posted the safety order(s) and corrected the alleged violations. Failure to correct an alleged violation may result in additional penalties for each day that the violation has not been corrected.

Employer Discrimination Unlawful - The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the Indiana Department of Labor/IOSHA at the address shown above.

Notice to Employees - The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must

be mailed to the Indiana Department of Labor/IOSHA at the address shown above within fifteen (15) working days (excluding weekends and State holidays) or receipt by the employer of this safety order and penalty.							
If you wish additional information, you may direct such requests to us at the address or telephone number stated above.							
				,			
	·						
·							

NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has	been scheduled with I	OSHA to discuss the	e safety order(s) issued on			
2/22/2019. The conference w	ill be held at the IOSH.	A office located at 4	02 West Washington Street,			
Room W195, Indianapolis, IN	46204 on	at	Employees and/or			
representatives of employees have a right to attend an informal conference.						

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

 Issuance Date:
 2/22/2019

 CSHO ID:
 B5061

 Optional Report No.:
 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Safety Order 01 Item 001a Type of Violation: Serious

IC 22-8-1.1 Section 2: The employer did not furnish employment and a place of employment which were free from recognized hazards that were causing or likely to cause death or serious physical harm to employees, in that employees were exposed to:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, an employee was exposed to an potential fire hazard as employees was not following manufacuters safety requirements in that the portable heater was not a least 4 feet away from anything combustable.

Among other methods, one feasible and acceptable abatement method to correct this hazard is to comply with the manfactures safety requirements set out in the equipment operators manual.

Date By Which Violation Must Be Abated:

Corrected During Inspection

Proposed Penalty: \$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019 **CSHO ID:** B5061

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 001b Type of Violation: Serious

29 CFR 1926.153(h)(13): For temporary heating, heaters (other than integral heater-container units) were not located at least 6 feet from any LP-Gas container:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, portable heater brand name Master MH 135T-KFA was operating approximately 2 feet from three stored LP gas tanks.

Date By Which Violation Must Be Abated:

Corrected During Inspection

\$0.00

Proposed Penalty:

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

 Issuance Date:
 2/22/2019

 CSHO ID:
 B5061

 Optional Report No.:
 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 002 Type of Violation: Serious

IC 22-8-1.1 Section 2: The employer did not furnish employment and a place of employment which were free from recognized hazards that were causing or likely to cause death or serious physical harm to employees, in that employees were exposed to:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, there were three 20 lb LP gas containers stored in an rear of an box truck with employee(s) working in the box truck.

Among other methods, one feasible and acceptable abatement method to correct this hazard is to comply with the manfactures safety requirements of proper storage of LP gas containers in cabinets to contain explosions.

Date By Which Violation Must Be Abated: 4/10/2019 Proposed Penalty: \$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019 **CSHO ID:** B5061

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 003 Type of Violation: Serious

29 CFR 1926.20(b)(2): The employer's safety and health program did not provide for frequent and regular inspections of the jobsite and equipment by a competent person:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, the employer's competent person, on the site, failed to identify existing and predictable hazards and / or take the necessary measures to alleviate hazards of falls and fire.

Date By Which Violation Must Be Abated: 4/10/2019

Proposed Penalty: \$750.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019 **CSHO ID:** B5061

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 004 Type of Violation: Serious

29 CFR 1926.153(l): LP-Gas storage locations were not provided with at least one approved portable fire extinguisher having a rating of not less than 20B:C:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, no fire extinguisher was located where three LP gas was stored and a portable heater was operating.

Date By Which Violation Must Be Abated: 4/10/2019
Proposed Penalty: \$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

 Issuance Date:
 2/22/2019

 CSHO ID:
 B5061

 Optional Report No.:
 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 005 Type of Violation: Serious

29 CFR 1926.501(b)(10): Each employee engaged in roofing activities on low slope roofs with unprotected sides and edges 6 feet or more above lower levels was not protected from falling by guardrail systems, safety net systems, personal fall arrest systems or a combination of warning line system and guardrail system, warning line system and safety net system, or warning line system and personal fall arrest system or a warning line system and a safety monitoring system:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, employees engaged in roofing activities on a 1 inch in 12 inches pitch roof, 18 feet 4 inches above the lower level, were not protected from falls.

Date By Which Violation Must Be Abated:

Corrected During Inspection

Proposed Penalty: \$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date: 2/22/2019 CSHO ID: B5061 Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Safety Order 01 Item 006a

Type of Violation: Serious

29 CFR 1926.502(f)(1): Warning lines were not erected around all sides of the roof work area:

Jobsite – 4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, warning lines were not erected around all sides of the work area on a 2 inches in 12 inches pitched roof, 18 feet 4 inches above a lower level.

Date By Which Violation Must Be Abated:

Corrected During Inspection

Proposed Penalty:

\$2,500.00

Occupational Safety and Health Administration

Inspection Number: 318107406

Inspection Date(s): 1/24/2019 - 2/15/2019

Issuance Date:

2/22/2019

CSHO ID:

B5061

Optional Report No.: 02219

Safety Order and Notification of Penalty

Company Name: Thermal Tec Michigan Inc

Inspection Site: 4700 E Morgan Ave, Evansville, IN 47715

Safety Order 01 Item 006b

Type of Violation: Serious

29 CFR 1926.502(f)(1)(iii): Points of access, material handling areas, storage areas, and/or hoisting areas were not connected to the work area by an access path formed by two warning lines:

Jobsite -4700 E Morgan Ave, Evansville, IN 47715 - On January 24, 2019, during construction activities, points of access were not connected to the work area by an access path formed by two warning lines.

Date By Which Violation Must Be Abated: Proposed Penalty:

Corrected During Inspection \$0.00

Herry W Suder
Jerry W. Lander

Director of Construction Safety

Indiana Occupational Safety and Health Administration 402 West Washington St - Room W195 Indianapolis, IN 46204

Phone: (317)232-1979 FAX: (317)233-3790



INVOICE/DEBT COLLECTION NOTICE

Company Name:

Thermal Tec Michigan Inc

Inspection Site:

4700 E Morgan Ave, Evansville, IN 47715

Issuance Date:

2/22/2019

Summary of Penalties for Inspection Number: 318107406

Safety Order 1, Serious

= \$13,250.00

TOTAL PENALTIES

= \$13,250.00

Penalties are due within fifteen (15) working days of receipt of this notification unless contested. Make your check or money order payable to: "Indiana DOL/IOSHA". Please indicate IOSHA's Inspection Number (indicated above) on the remittance.

IOSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.

Corrective action, taken by you for each alleged violation should be submitted to this office on or about the abatement dates indicated on the Safety Order and Notification of Penalty.

A work sheet has been provided to assist in providing the required abatement information. A completed copy of this work sheet should be posted at the worksite with the safety order(s).

Jerry W. Lander

Director of Construction Safety

Date