


EXAMPLE FOR TYPE C, W = 7.2 m

Intersection control angle $\beta = 100^\circ$


- L = 26.37 m
- S = 13.53 m
- U = 15.77 m
- X = 7.88 m
- Y = 11.89 m

Total area = 352.02 m²



PUBLIC ROAD APPROACH TYPE C


Direction of traffic



SECTION A-A MINIMUM PAVEMENT SECTION

FOR ADT THROUGH 1000

- 60 kg/m² HMA Surface 9.5 mm over
- 180 kg/m² HMA Base 25 mm on
- 200 mm compacted aggregate base



SECTION B-B

NOTES :

1. See Standard Drawing 610-PRAP-09 for computed values.
2. See Standard Drawing 610-PRAP-11 for Table A.
3. See Standard Drawing 610-PRAP-08 for General Notes and pay limits.
4. G.N. - See General Notes

All dimensions are in mm unless otherwise specified.

INDIANA DEPARTMENT OF TRANSPORTATION	
PUBLIC ROAD APPROACH TYPE C	
SEPTEMBER 1998	
STANDARD DRAWING NO. 610-PRAP-06	
	/s/ Anthony L. Uremovich 9-01-98 DESIGN STANDARDS ENGINEER DATE
/s/ Donald W. Lucas 9-01-98 CHIEF HIGHWAY ENGINEER DATE	
DESIGN STANDARDS ENGINEER	