




1. For farm field type gate see Standard Drawing E 603-CLTF-03 for dimensions and installation. Substitute farm field type fence for chain link type fence.
2. The placement of fence over a stream crossing or depression shall be installed as directed.
- ③ Extra length posts shall be used as directed.
- ④ Line posts 9'-6" or longer shall be 2" nom. dia. tubing or L 3 x 3 x  $\frac{1}{4}$ " and shall be set in concrete footings.

INDIANA DEPARTMENT OF TRANSPORTATION	
<h1 style="text-align: center;">FARM FIELD TYPE FENCE</h1>	
<h2 style="text-align: center;">APRIL 1995</h2>	
<h3 style="text-align: center;">STANDARD DRAWING NO. <b>E 603-FFTF-03</b></h3>	
	<p>DETAILS PLACED IN THIS FORMAT <span style="float: right;">7-27-99</span></p> <p><i>/s/ Anthony L. Uremovich</i> <span style="float: right;">7-27-99</span></p> <p>DESIGN STANDARDS ENGINEER <span style="float: right;">DATE</span></p>
<p>DESIGN STANDARDS ENGINEER</p>	<p><i>/s/ Firooz Zandi</i> <span style="float: right;">7-27-99</span></p> <p>CHIEF HIGHWAY ENGINEER <span style="float: right;">DATE</span></p> <p style="text-align: center;">ORIGINALLY APPROVED</p> <p style="text-align: right;">4-03-95</p>