

Administration and Storage of **JYNNEOS** Vaccine

DO NOT DILUTE

Supplied in 0.5 ml vials

Storage

Freezer -25 to -15 C/ -13 to 5 F

Keep frozen in original packaging until ready to use.

Protect from light.

DO NOT REFREEZE THAWED VIALS

Refrigerator 2 to 8 C/ 35 to 46 F

Once thawed, may store here for 8 weeks.

Discard if not used within 8 weeks.

Room Temperature 8 to 25 C/ 46 to 77 F

Vaccine must be room temperature prior to administration.

Discard vials 8 hours after initial puncture

Expiration date can be found at

<https://aspr.hhs.gov/SNS/Pages/Monkeypox.aspx>

Individuals less than 18 years of age

SUBCUTANEUS (SQ) Inject into the fatty tissue under skin

Swirl for 30 seconds prior to withdrawal

Dose 1 --- 0.5 ml given SQ in upper arm

Wait at least 28 days

Dose 2 --- 0.5 ml given SQ in upper arm

Individuals 18 years of age and older

INTRADERMAL (ID) Inject into the skin inner aspect of the forearm

Swirl for 30 seconds prior to withdrawal

Dose 1 --- 0.1 ml given ID in forearm

Wait at least 28 days

Dose 2 --- 0.1 ml given ID in forearm

Source [Package Insert - JYNNEOS \(fda.gov\)](#) & [JYNNEOS Vaccine | Monkeypox | Poxvirus | CDC](#)

Updated August 10, 2022